



PRIVATE CONTRACT No. 4521  
 FIRESTONE BLDG. DIST. No. 1-1  
 W. S. B. Tanks Under S. L. E. 4  
 SHEETS - 1

Notes:  
 No representative of the County Engineer will survey or layout any portion of the work.  
 No revisions shall be made in these plans without approval of the County Engineer.  
 1. Use standard manhole frames and covers, S-117, except as noted.  
 2. Use standard strength pipe, except as noted.  
 3. Use cement mortar for all vitrified clay pipe joints.  
 4. Resurface all trench within paving or so to meet Los Angeles County Bond Department or California State Highway requirements, in accordance with permit.  
 5. Excuse four feet of sewer or points of interference with poles as per S-119.  
 6. All structures shall be brick sewer structures S-104, except as noted.  
 7. For allowable leakage test use Formula No. 1, Spec. Sec. 64.

Note:  
 Elevations are in feet unless U.C. & S.E. See Land Datum of 1929.  
 This Drawing and the data hereon are hereby made a part of the specifications.  
 Work shall be constructed according to specifications on file in the office of the County Engineer and shall be prosecuted only in the presence of the County Engineer.  
 Before work can be started, the contractor must obtain a permit to excavate in County streets from the L. A. County Road Department, 100 West Second Street and a permit to cover construction inspection from the County Engineer, Room 374, 213 South Broadway.  
 If work is to be done in a city highway, a permit must be obtained from the City of California, Division of Highways, 120 South Spring Street.  
 Approval of this plan by the County of Los Angeles is not construed as a recommendation as to the accuracy of the location of or the existence or non-existence of any underground utility, pipe, or structure within the limits of this project.

COUNTY OF LOS ANGELES, CALIFORNIA  
 APPROVED, JOHN A. LAMBE, County Engineer  
 By *[Signature]*  
 Sanitation Engineer  
 APPROVED, A. M. BARRY, Chief Engineer  
 By *[Signature]*  
 Office Engineer  
 Checked *[Signature]* 1:4:57  
 Office of County Engineer Dep. C. E. No. 306

APPROVED INDUSTRIAL WASTE  
*[Signature]*

Before breaking into any existing structure and before final acceptance of this work, County Sanitation District should be notified in order that required inspection may be made.

The above approval by the County Engineer applies to the 8" Sewers between Stations 0+00 and 3+97.27 20th Domestic and Industrial Sewers.

BENCH MARK:  
 ST 839 - Lead and iron in concrete pavement 2.33' East of the C of Eastern Avenue near the C of G Street (South Gate Guard) (1953 Adjustment) Elev 134.286

PLAN

Scale: 1" = 40'

PLAN AND PROFILE OF SANITARY SEWER AND INDUSTRIAL WASTE LINE	
GENERAL FELT PRODUCTS OF CALIFORNIA LOS ANGELES, CALIFORNIA	designed by G.H.L. drawn by G.H.L.
A. EPSTEIN AND SONS INC. ENGINEERS 2011 WEST PEARSON ROAD CHICAGO 9, ILLINOIS	date JV-23 site 8-2-57 sheet no. 15C
JOHN S. GREGORY CO CIVIL ENGINEERS 18 & 20 MARK ST. - PASADENA, CALIF.	checked by <i>[Signature]</i> date 8-2-57 sheet no. C-1