



PRIVATE CONTRACT No. 4837  
 BLDG. DIST. No. 81  
 W. S. 22.23 Base Code, U.B.C. 5  
 SHEETS - L

COUNTY OF LOS ANGELES, CALIFORNIA  
 APPROVED, JOHN A. LAMBE, County Engineer  
 By *[Signature]*  
 Sanitation Engineer  
 APPROVED, A. M. RAWNS, City Engineer  
 By *[Signature]*  
 Office Engineer  
 Checked *[Signature]*  
 Office of County Engineer Reg. C. E. No. 14,679

NOTE:  
 The above approved by the County Engineer applies to the following:  
 (a) All 8 inch or larger sanitary sewer lines.  
 (b) All manholes

NOTE:  
 THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION AND STORM DRAIN DIVISION BY TELEPHONE, MADISON 8-4747, EXT. 362, AT LEAST 24 HOURS BEFORE STARTING ANY WORK UNDER THIS CONTRACT.

LEGAL DESCRIPTION: PORTION OF LOTS 1 AND 2 IN THE SOUTHWEST QUARTER OF SECTION 28, T6N, R11W, S. 4. AND M. IN THE UNINCORPORATED TERRITORY OF THE COUNTY OF LOS ANGELES.  
 BELEN MARK: 1/4 CORNER SECTION 28, T6N, R11W, S. 4. AND M. TOP OF BRASS CAP. C.L. ECOT. 887. MAP NO. C.S. 8738

- Note:  
 No representative of the County Engineer will survey or layout any portion of the work.  
 No revisions shall be made in these plans without approval of the County Engineer.
1. Use standard manhole frames and covers, 8-117, except as noted.
  2. Use standard strength pipe, except as noted.
  3. Use WIPES-LOCK for all vitrified clay pipe joints, per spec. 202.1.
  4. Surfaces of all trench within paved area to meet Los Angeles County Road Department or California State Highway requirements, in accordance with permit.
  5. Excave four feet of sewer at points of interference with poles as per 8-117.
  6. All structures shall be brick sewer structures 8-104, except as noted.
  7. For allowable leakage test see Paragraph 101.1, Spec's, Sec. 24.
- Note:  
 Elevations are in feet above U.S.C. & G.S. Sea Level Datum of 1929.  
 This Drawing and the data herein are hereby made a part of the specifications.  
 Work shall be constructed according to specifications on file in the office of the County Engineer and shall be prosecuted only in the presence of the County Engineer.  
 Before work can be started, the contractor must obtain a permit to excavate in County streets from the S. A. County Road Department, 108 West Second Street and a permit to cover construction in open and road streets from the County Engineer, Room 324, 253 South Broadway.  
 If work is to be done in a state highway, a permit must be obtained from the state of California, Division of Highways, 120 South Spring Street.  
 Approval of this plan by the County of Los Angeles does not constitute a representation as to the accuracy of the location of, or the existence or non-existence of, any underground utility, pipe, or structure within the limits of this project.

NOTES:  
 1. See details, schedules, systems and annotations on sheet M-2.  
 2. All work shall conform to the specifications and standards of the "PLUMBING" and "SEWER" sections of the specifications.  
 3. Verify locations, elevations of existing lines and details of construction prior to installation.