I-405-3(41)134

DIST	COUNTY	ROUTE	SEC
VII	LA	158	Lndl. 39

George A Hill
Dist Eng Div
Approved


32692

PLAN & PROFILE OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT Nº 5596
SHEET S-1 W.S. 25 JULY, 1960
SCALES: Horiz.: 1"=50'; Vert.: 1"=5'
COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER
BY C E Brandt
ASST. SANITATION ENGINEER
APPROVED, C. R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT Nº 5
BY
OFFICE ENGINEER

-NOTES-
1. The Contractor shall notify the Construction Division of the County Engineer by telephone, NIAdison 94747, Ext. 81551 at least 24 hours before starting any work on this sheet.
2. The Contractor shall maintain sewer service at all times.
3. All gas lines shown on this sheet are Sou. Calif. Gas Co.; all water lines shown on this sheet are Sou. Calif. Water Co.

NO CHARGE FOR CONNECTIONS
J.C. Wade

DESIGNED BY W. M. Jett


Sta. per C.I. 1141: 16+19.42 Construct M.H. around exist. 8" sewer & 6" H.L. per S-a-104. Break out pipe for connection & seal inlet on west.
Sta. per C.I. 1141: 16+75.00 Exist M.H. Abandon exist. M.H. per Specs. Salvage frame & cover for reuse on this project.
Exist. 6" H.L.
Abandon exist 6" H.L., & remove portion interfering with new M.H. construction.
SAN DIEGO FREEWAY R/W
FREEMAN
NORTHEAST
FRONTAGE RD.
SOUTHWEST FRONTAGE RD.
163rd ST.
164th ST.
165th ST.
Sta. per C.I. 1141: 13+50.00 Exist. M.H.
Sta. per C.I. 1141: 11+04.82 Construct M.H. around exist. 8" sewer per S-a-104. Break out pipe for connection & seal inlet on west. Use salvaged frame & cover.
Exist. 8" V.C.P. Sewer - C.I. 1141
Abandon 376.38' of 8" V.C.P. sewer per Specs.
Encase 339.52' of new 8" V.C.P. sewer with Type "X" pipe reinforcement. Use Class B concrete.
Sta. per C.I. 1141: 13+32.00 to 14+91.52 Removed exist. 8" V.C.P. & constructed new 8" V.C.P. sewer on 2.0% grade.
Exist. 8" V.C.P. Sewer - C.I. 1141.2
Abandon 341.43' of 8" V.C.P. sewer per Specs.
905
900
℄ of Freeway
Sta. 15+55.00 Construct J.C. around exist. 8" sewer per S-a-104. Break out pipe & form channel in base.
Sta. per C.I. 1141: 16+75.00 Exist. M.H. - Removed exist. M.H. Salvage frame & cover for reuse on this project.
Sta. 4+64.82 Exist. M.H. Break into exist. M.H. & form new channel in base. Seal outlet on east.
Sta. 2+53.00 M.H. per S-a-104 & S-a-117.
Sta. 0+51.97 M.H. per S-a-104 & 117.
Sta. 3+94.39 Construct J.C. around exist. 8" sewer per S-a-104. Break out pipe for connection & form channel in base. Use salvaged frame & cover.
Sta. per C.I. 1141: 13+50.00 Exist. M.H. Abandon exist. M.H. per Specs. Salvage frame & cover for reuse on this project.
4+64.00 M.H. per S-a-104
S-a-117. Remove exist. 8" V.C.P. & construct new 8" V.C.P. sewer
8"x6" Y-Stub
3+38.69 S-a-117 M.H. per S-a-104
Reconnect to Exist. Y-Stub
Exist. 6" H.L.
Exist. 6" V.C.P. Stub Reconnect
Exist. 8" V.C.P. Sewer
Exist. 8" V.C.P. Sewer
Curb Line
℄ of 8" V.C.P. Sewer
℄ of St.
Exist. M.H.
Exist. 6" M.H.
Exist. 6" V.C.P. Stub
Exist. 6" V.C.P. Stub
Tie 1.12 to 6386 M.B. M.7
Noted in profile
362
359
30' AVE.
Curb Line
℄ of St.
℄ of 8" V.C.P. Sewer

I-405-3(41)134

DIST	COUNTY	ROUTE	SEC	SHEET NO.	TOTAL SHEETS
VII	LA	158	Lndl.	40	133

George A. Hill
Dist. Eng. Dist.
Approved

32693

PLANS PROFILE OF SANITARY SEWERS

TO BE RECONSTRUCTED UNDER

PRIVATE CONTRACT Nº 5596

SHEET S-2 W.S. 25 JULY 1960

SCALES: Horiz: 1"=50'; Vert: 1"=5'

COUNTY OF LOS ANGELES CALIFORNIA

APPROVED, JOHN A. LAVEIE, COUNTY ENGINEER

BY _____
ASSST. SANITATION ENGINEER

APPROVED C. K. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT-5


BY _____
OFFICE ENGINEER

NOTES

1. The Contractor shall notify the Construction Division of the County Engineer by telephone, MAdison 7-4747, Ext. 81551 at least 24 hours before starting any work on this sheet.

NO CHARGE FOR CONNECTIONS
W. Mistrik 8-31-60

DESIGNED	E.SAVEZ-3
TRACED	E.SAVEZ-3
CHECKED	W. Mistrik


Drain Exist Jc. Break into exist. J.C. & Form new channel in conc.
So. Calif. Water Co.
So. Calif Gas Co.
AVE.
Conc. Blk Co.
Exist at grade as noted in profile
Shown at right
SAN DIEGO FREEWAY
R/W
So. Calif. Water Co.
Exist 8" V.C.P. Sewer to be abandoned
3+00.27 J.M.H. per S-4-130 & S-4-131
Sheet S-3
TR. Nº 5764
39
MB 67-30
Signal conduits
Curb Line
E. HAWTHORNE Blvd.
ST.
Exist Rock & Oil Punch
4" Curb Line
1+35.00 P.C. Per S-4-104
41
Use Salvaged frame & cover
42
So. Calif Gas Co.
TRACT Nº 5764
M.B. 67-30
HAWTHORNE
6 of St.
American Water Co
So. Calif Gas Co.
Exist 8" V.C.P.
Sewer
Shown at right
1624
75
60
30
1135
69
71
80
73
85
170
18
30
40
10
20
30
30
30

				STATE	FEDERAL PROJECT No		FISCAL YEAR	SHEET NO	TOTAL SHEETS
				CALIF.	I-405-3(41)134			41	180

DIST	COUNTY	ROUTE	SECTION	SHEET NO	TOTAL SHEETS
VII	LA	158	Lndl.	41	133

32694

George A. Hill
DISTRICT ENGINEER

APPROVED

PLAN & PROFILE OF SANITARY SEWERS TO BE RECONSTRUCTED UNDER PRIVATE CONTRACT Nº 5596

SHEET S-3 W.S.25 JULY, 1960

SCALE 1"=50'

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER

BY _____
ASST. SANITATION ENGINEER

APPROVED, C. R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT Nº 5

BY _____
ASST. OFFICE ENGINEER


-NOTES-


1. The Contractor shall notify the Construction Division of the County Engineer by telephone MAdison 94747, Ext. 81551 at least 24 hours before starting any work on this sheet.


NO CHARGE FOR CONNECTIONS

DESIGNED BY	H. OKUBO
CHECKED BY	W. Mitchell

P.C. 5596 Sheet 3 of 11








AS BUILT

CONTRACT NO. _____

RESIDENT ENGR. _____

DATE _____

(CITY OF TORRANCE SEWER)



NOT PART OF P.C. 5596

9-60 10-6-60 10-6-60

DIST	COUNTY	ROUTE	SEC	SHT	TOTAL SHTS
VII	LA	158	Lndl.	42	133

D.P.R.	STATE	FEDERAL PROJECT NO.	SHEET	TOTAL SHTS
7	CALIF		22	180

I-405-3(21)134

George A Hall
Dist Eng Dist
Approved

32695


PLAN & PROFILE OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT No 5596
SHEET S-4 W.S. 25 SEPT. 1960
SCALES: Horiz.: 1"=50'; Vert.: 1"=5'
COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED JOHN A. LAMBIE, COUNTY ENGINEER
BY C E Jones
ASST. SANITATION ENGINEER
APPROVED: L. R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT No 5
BY
OFFICE ENGINEER

-NOTES-
1. The Contractor shall notify the Construction Division of the County Engineer by telephone, MAdison 94747 Ext. 61551 at least 24 hours before starting any work on this sheet.
2. The Contractor shall stockpile salvaged M.H. frames & covers at the site of the work.
3. The Contractor shall maintain sewer service at all times.

NO CHARGE FOR CONNECTIONS
H C Hall

Designed	R.S.
Checked	E

BM 85-C-33
169th St. & Newell
N 0.3 mi. W. of



9-60 1 v yards #660 Redlabond 10660

I-405-3(41)134

DIST	COUNTY	ROUTE	SEC	SHEET NO.	TOTAL SHEETS
VII	LA	158	Lndl.	43	135

George A Hell
Dist. Eng. Dist V
Approved

32696

PLAN & PROFILE OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT Nº 5596
SHEET S-5 W.S. 25 JULY, 1960
SCALES: Horiz.: 1"=50'; Vert.: 1"=5'
COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER

BY _____
ASST. SANITATION ENGINEER


APPROVED, C.R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT Nº 5


BY _____
OFFICE ENGINEER


-NOTES-

1. The Contractor shall notify the Construction Division of the County Engineer by telephone MAdison 94747 Ext. 81351 at least 24 hours before starting any work on this sheet.
2. The Contractor shall stockpile salvaged M.H. Frames & covers at the site of the work.
3. The Contractor shall maintain sewer service at all times.


Designed	N Wong
Checked	T Howard







NO CHARGE FOR CONNECTIONS
W. Mitchell 9-26-60



I-405-3(41)134

DIST	COUNTY	ROUTE	SEC	SHEET NO.	TOTAL SHEETS
12	LA	153	Lndl.	44	133

32697

George A Hill
Dist Eng Dist.
Approved

B.C. 2262 2-2 4

PLAN & PROFILE OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT Nº 5596
SHEET 5-6 W.S.25 JULY, 1960
SCALES: Horiz.: 1"=50': Vert.: 1"=5'
COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED, JOHN A LAMBIE, COUNTY ENGINEER

BY C. E. Bunnell
ASST. SANITATION ENGINEER

APPROVED C. R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT Nº 5


BY _____
OFFICE ENGINEER


-NOTES-


1. The Contractor shall notify the Construction Division of the County Engineer by telephone, Madison 94747 Ext 81551 at least 24 hours before starting any work on this sheet.
2. The Contractor shall stockpile salvaged M.H. frames & covers at the site of the work.
3. The Contractor shall maintain sewer service at all times.

DESIGNED	M. Wong
CHECKED	M. Sakai

NO CHARGE FOR CONNECTIONS
-- J.D. Mitchell 2-26-62







9-60 10660 R.E. Diffibach 10660

I-405-3(41)134	B.P.R. DIV. NO.	STATE	FEDERAL PROJECT No.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
		CALIF.			45	180

DIST.	COUNTY	ROUTE	SECTION	SHEET NO.	TOTAL SHEETS
VII	LA	158	LaJl.	45	133

George A Hill
DISTRICT ENGINEER
APPROVED

32698

PLAN OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT Nº 5596
SHEET S-7 W.S. 25 AUG. 1960
SCALE: 1"=50'


COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER
BY _____ ASST. SANITATION ENGINEER
APPROVED, C.R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT Nº 5
BY _____ OFFICE ENGINEER


-NOTES-

1. The Contractor shall notify the Construction Division of the County Engineer by telephone MAdison 94747, Ext. 81551 at least 24 hours before starting any work on this sheet.

NO CHARGE FOR INSPECTION
ISSUE NO PERMITS

TRACED	ESQUIRE, J.
CHECKED	Mitchell





AS BUILT
CONTRACT NO.
ENGR.
DATE

9-60 10-660 10-660

I-405-3 41/134

DIST	COUNTY	ROUTE	SEC	SHEET	TOTAL SHEETS
VII	LA	158	Lndi.	46	133

SHEET	TOTAL SHEETS
46	180

George A Hill
Approved — Dist. Eng. Dist.

32699

PLAN OF SANITARY SEWERS TO BE RECONSTRUCTED UNDER PRIVATE CONTRACT № 5596

SHEET S-8 W.S. 25 AUG. 1960

SCALE: 1"=50'

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER

BY _____ ASST. SANITATION ENGINEER

APPROVED, C.R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT №5

BY _____ OFFICE ENGINEER

-NOTES-


1. The Contractor shall notify the Construction Division of the County Engineer by telephone Madison 94747, Ext. 51551 at least 24 hours before starting any work on this sheet.


NO CHARGE FOR CONNECTIONS
W. Mitchell 9-27-60

DESIGNED	ESQUER G.
TRACED	ESQUER G.
CHECKED	Wilsmen

AS BUILT
CONTRACT NO.
RESIDENT ENGR.
DATE

BM 88-C-53 El. 64.91 L 2853 Pg 31
NW. Cor. 109th St. & OSAGE AVE.
3± N. of B.C.R. of W. Cb. of OSAGE AVE.





	STATE	FEDERAL PROJECT NO.		SHEET NO.	TOTAL SHEETS
	CALIF			47	180

DIST.	COUNTY	ROUTE	SEC	SHEET NO.	TOTAL SHEETS
VII	LA	158	Ladl.	47	133

George A Hill
Dist. Eng. Dist.
Approved

32700

PLAN OF SANITARY SEWERS TO BE RECONSTRUCTED UNDER PRIVATE CONTRACT № 5596

SHEET S-9 W.S 75 AUG. 1960

SCALE 1"=50'

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER

BY _____
ASST. SANITATION ENGINEER

APPROVED C.R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICTS


BY _____
OFFICE ENGINEER

-NOTES-

1. The Contractor shall notify the Construction Division of the County Engineer by telephone MAdison 94747, Ext. 81561 at least 24 hours before starting any work on this sheet
2. The Contractor shall maintain sewer service at all times.


NO CHARGE FOR CONNECTIONS
W. Mitchell 9-27-60

DESIGNED	ESQUER, G.
TRACED	ESQUER, G.
CHECKED	[illegible]



B.M. 88 C-53 El. 64.91 & 2853 P.J. 31
In NE. Cor. 1.62' S. & E. of SAGE AVE.
5' N. of B.C.R. of W. C.B. of SAGE AVE.

AS-BUILT
CONTRACTOR
RESIDENT ENGR.
DATE



Co. Eng.
Yds. Emb.
Sta.

9-60 1" = 10ft. 10-6-60 R.E. Stoffelmayr 10-6-60

				SHEET No.	TOTAL SHEETS
DIST.	STATE	FEDERAL PROJECT No.			
7	CALIF.			48	180

I-405-3(41)134

DIST.	COUNTY	ROUTE	SEC	SHEET No.	TOTAL SHEETS
VII	LA	158	Lndl.	48	133

George A. Hill
Dist. Eng. Dist.
Approved JAN 9 1961
E. P. Warren

32701

PLAN OF SANITARY SEWERS TO BE RECONSTRUCTED UNDER PRIVATE CONTRACT No 5596

SHEET S-10 W.S. 25 AUG. 1960

SCALE 1"=50'

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER

BY _____ ASST. SANITATION ENGINEER

APPROVED, C.R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT No 5


BY _____ OFFICE ENGINEER

-NOTES-

1. The Contractor shall notify the Construction Division of the County Engineer by telephone MAdison 34747, Ext. 81551 at least 24 hours before starting any work on this sheet.

NO CHARGE FOR CONNECTIONS
— W. Mikuli 2-28-60

DESIGNED	E.S.Duarte Jr.
TRACED	E.S.Duarte Jr.
CHECKED	Winkel


R/W
FREEWAY
DIEGO
SAN
So. Calif. Gas Co.
So. Calif. Water Co.
TRACT
No 5651
M.B. 61-70
Exist. 8" V.C.P. C.I. 1156 (Abandon See Sht. S-7)
Exist. 8" V.C.P. C.I. 1156 (Abandon See Sht. S-7)
Down at right.
5+45.14 P.I. Construct P.C. around exist. 8" V.C.P. per S-a-104. Break out pipe & form new channel in plate. New frame & cover per S-a-117
Exist. 6" W.L.
Exist. 8" V.C.P.
Cone curb & gutter
Exist. rock & oil Pmmt
Exist. 6" W.L.
Exist. 8" V.C.P.
Cone curb & gutter
Exist. 6" W.L.
Exist. 8" V.C.P.
Exist. 6" W.L.
Exist. 8" V.C.P.
Exist. 6" W.L.
Exist. 8" V.C.P.

DIST.	COUNTY	ROUTE	SECTION	SHEET NO.	TOTAL SHEETS
VII	LA	158	Lno1	1	

George A Hill
DISTRICT ENGINEER

32702

PLAN OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT Nº 5596
SHEET 5-11 W.S. 25 OCT., 1960
SCALE: 1"=50'
COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER
BY _____ ASST. SANITATION ENGINEER
APPROVED, C.R. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICT Nº 5
BY _____ OFFICE ENGINEER


-NOTES-


1. The Contractor shall notify the resident engineer at least 48 hours before starting any work on this sheet.


2. The Contractor shall deliver salvaged M.H. frames & covers not designated for reuse on this project to 1129 E. 59th St. Los Angeles (1).

ISSUE NO PERMITS

Designed	N.J. Wang
Checked	T. Howard







12-12-60 12-12-60 R.E. Duffelmeyer 12-12-60

DATE	REVISION	APPROVED
9/30/61	Shift lower M.H. at Sta. 8+96.25 from E. side of Hawthorne Blvd. to W. side of Hawthorne Blvd. to clear water & oil lines.	

DIST.	COUNTY	COUNTY	SEC.		
VII	LA	158	C6		

George A. Dill
Dist. Eng.
Approved

32703


PLAN & PROFILE OF
SANITARY SEWERS
TO BE RECONSTRUCTED UNDER
PRIVATE CONTRACT No 5596
SHEET 5-12 W.S. 25 OCT. 1960
SCALES: Horiz.: 1"=50'; Vert: 1"=5'
COUNTY OF LOS ANGELES, CALIFORNIA
APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER
BY _____ ASST. SANITATION ENGINEER
APPROVED, C. H. COMPTON, CHIEF ENGINEER COUNTY SANITATION DISTRICT No 5
BY _____ CHIEF ENGINEER

-NOTES-

1. The Contractor shall notify the resident engineer at least 48 hours before starting work on this sheet.
2. The Contractor shall maintain sewer service at all times during construction.

NO CHARGE FOR CONNECTIONS
J.K. Wilder

Designed	N.J. Wong
Checked	R.S. Sievert


TRACT
City of Hawthorne W. (Abon)
66
61
101
65
62
24
23
115
102
Y=4142.01
T=3+96.0
14TH ST.
ANZO AVE.
ROBERTSONS AVE.
42ND ST.
No 2542
M.B. 26 73
ROAD
EAST FRONTAGE
8' at 5%
SAN DIEGO FWY. R/W
L Boundary of City of Hawthorne
L Sheet 5-11
Sta 96+61.75 (0+03.93 First Mh.) Abandon exist MH per Spec. Salvage frame & cover for reuse on this project
Abandon 115.00' of 8" V.C.P. Sewer
Sta 96+61.75 (0+03.93 First Mh.) Abandon exist MH per Spec. Salvage frame & cover for reuse on this project
3+87.86 Construct J.C. around exist 8" Sewer per S-6-104. Use salvaged frame & cover
Remove exist 8" V.C.P. sewer, construct new 8" V.C.P. sewer, reversing grd. 11.5'
0+55.37 Construct J.C. around exist 8" Sewer per S-6-104. Use salvaged frame & cover. Break out pipe for connection
Sub Base
Curb Face
6" Chimney Per S-6-9
8" V.C.P. Sewer
L.A. Co. Water Dist. No 2C
L.A. Co. Water Co.
Union Oil Co.
Gen. Pet. Oil Co.
So. Cal. Gas Co.
So. Cal. Gas Co. (Abon)
City of Hawthorne W. (Abon)
L.A. Co. Water Co.
Union Oil Co.
Gen. Pet. Oil Co.
So. Cal. Gas Co.
City of Hawthorne W. (Abon)
R=275'
Δ=9°16'36"
T=22.92
L=44.54
E.C. 1+62.79
E.C. 1+85.25
Δ=11°45'
T=28.36
L=56.43
E.C. 2+42.79
E.C. 2+99.22
Δ=11°45'
T=28.36
L=56.43
E.C. 3+55.65
E.C. 4+12.08
Δ=11°45'
T=28.36
L=56.43
E.C. 4+68.51
E.C. 5+24.94
Δ=11°45'
T=28.36
L=56.43
E.C. 5+81.37
E.C. 6+37.80
Δ=11°45'
T=28.36
L=56.43
E.C. 6+94.23
E.C. 7+50.66
Δ=11°45'
T=28.36
L=56.43
E.C. 8+07.09
E.C. 8+63.52
Δ=11°45'
T=28.36
L=56.43
E.C. 9+19.95
E.C. 9+76.38
Δ=11°45'
T=28.36
L=56.43
E.C. 10+33.24
E.C. 10+89.67
Δ=11°45'
T=28.36
L=56.43
E.C. 10+89.67
E.C. 11+46.10
Δ=11°45'
T=28.36
L=56.43
E.C. 11+46.10
E.C. 12+02.53
Δ=11°45'
T=28.36
L=56.43
E.C. 12+59.39
E.C. 13+15.82
Δ=11°45'
T=28.36
L=56.43
E.C. 13+72.25
E.C. 14+28.68
Δ=11°45'
T=28.36
L=56.43
E.C. 14+85.11
E.C. 15+41.54
Δ=11°45'
T=28.36
L=56.43
E.C. 15+97.97
E.C. 16+54.40
Δ=11°45'
T=28.36
L=56.43
E.C. 17+10.83
E.C. 17+67.26
Δ=11°45'
T=28.36
L=56.43
E.C. 18+23.69
E.C. 18+80.12
Δ=11°45'
T=28.36
L=56.43
E.C. 19+36.55
E.C. 19+92.98
Δ=11°45'
T=28.36
L=56.43
E.C. 20+49.41
E.C. 21+05.84
Δ=11°45'
T=28.36
L=56.43
E.C. 21+62.27
E.C. 22+18.70
Δ=11°45'
T=28.36
L=56.43
E.C. 22+75.13
E.C. 23+31.56
Δ=11°45'
T=28.36
L=56.43
E.C. 23+87.99
E.C. 24+44.42
Δ=11°45'
T=28.36
L=56.43
E.C. 25+00.85
E.C. 25+57.28
Δ=11°45'
T=28.36
L=56.43
E.C. 26+13.71
E.C. 26+70.14
Δ=11°45'
T=28.36
L=56.43
E.C. 27+26.57
E.C. 27+83.00
Δ=11°45'
T=28.36
L=56.43
E.C. 28+39.43
E.C. 28+95.86
Δ=11°45'
T=28.36
L=56.43
E.C. 29+52.29
E.C. 30+08.72
Δ=11°45'
T=28.36
L=56.43
E.C. 30+65.15
E.C. 31+21.58
Δ=11°45'
T=28.36
L=56.43
E.C. 31+78.01
E.C. 32+34.44
Δ=11°45'
T=28.36
L=56.43
E.C. 32+90.87
E.C. 33+47.30
Δ=11°45'
T=28.36
L=56.43
E.C. 34+03.73
E.C. 34+60.16
Δ=11°45'
T=28.36
L=56.43
E.C. 35+16.59
E.C. 35+73.02
Δ=11°45'
T=28.36
L=56.43
E.C. 36+29.45
E.C. 36+85.88
Δ=11°45'
T=28.36
L=56.43
E.C. 37+42.31
E.C. 37+98.74
Δ=11°45'
T=28.36
L=56.43
E.C. 38+55.17
E.C. 39+11.60
Δ=11°45'
T=28.36
L=56.43
E.C. 39+68.03
E.C. 40+24.46
Δ=11°45'
T=28.36
L=56.43
E.C. 40+80.89
E.C. 41+37.32
Δ=11°45'
T=28.36
L=56.43
E.C. 41+93.75
E.C. 42+50.18
Δ=11°45'
T=28.36
L=56.43
E.C. 43+06.61
E.C. 43+63.04
Δ=11°45'
T=28.36
L=56.43
E.C. 44+19.47
E.C. 44+75.90
Δ=11°45'
T=28.36
L=56.43
E.C. 45+32.33
E.C. 45+88.76
Δ=11°45'
T=28.36
L=56.43
E.C. 46+45.19
E.C. 47+01.62
Δ=11°45'
T=28.36
L=56.43
E.C. 47+58.05
E.C. 48+14.48
Δ=11°45'
T=28.36
L=56.43
E.C. 48+70.91
E.C. 49+27.34
Δ=11°45'
T=28.36
L=56.43
E.C. 49+83.77
E.C. 50+40.20
Δ=11°45'
T=28.36
L=56.43
E.C. 50+96.63
E.C. 51+53.06
Δ=11°45'
T=28.36
L=56.43
E.C. 52+09.49
E.C. 52+65.92
Δ=11°45'
T=28.36
L=56.43
E.C. 53+22.35
E.C. 53+78.78
Δ=11°45'
T=28.36
L=56.43
E.C. 54+35.21
E.C. 54+91.64
Δ=11°45'
T=28.36
L=56.43
E.C. 55+48.07
E.C. 56+04.50
Δ=11°45'
T=28.36
L=56.43
E.C. 56+60.93
E.C. 57+17.36
Δ=11°45'
T=28.36
L=56.43
E.C. 57+73.79
E.C. 58+30.22
Δ=11°45'
T=28.36
L=56.43
E.C. 58+86.65
E.C. 59+43.08
Δ=11°45'
T=28.36
L=56.43
E.C. 59+99.51
E.C. 60+55.94
Δ=11°45'
T=28.36
L=56.43
E.C. 61+12.37
E.C. 61+68.80
Δ=11°45'
T=28.36
L=56.43
E.C. 62+25.23
E.C. 62+81.66
Δ=11°45'
T=28.36
L=56.43
E.C. 63+38.09
E.C. 63+94.52
Δ=11°45'
T=28.36
L=56.43
E.C. 64+50.95
E.C. 65+07.38
Δ=11°45'
T=28.36
L=56.43
E.C. 65+63.81
E.C. 66+20.24
Δ=11°45'
T=28.36
L=56.43
E.C. 66+76.67
E.C. 67+33.10
Δ=11°45'
T=28.36
L=56.43
E.C. 67+89.53
E.C. 68+45.96
Δ=11°45'
T=28.36
L=56.43
E.C. 69+02.39
E.C. 69+58.82
Δ=11°45'
T=28.36
L=56.43
E.C. 70+15.25
E.C. 70+71.68
Δ=11°45'
T=28.36
L=56.43
E.C. 71+28.11
E.C. 71+84.54
Δ=11°45'
T=28.36
L=56.43
E.C. 72+40.97
E.C. 72+97.40
Δ=11°45'
T=28.36
L=56.43
E.C. 73+53.83
E.C. 74+10.26
Δ=11°45'
T=28.36
L=56.43
E.C. 74+66.69
E.C. 75+23.12
Δ=11°45'
T=28.36
L=56.43
E.C. 75+79.55
E.C. 76+35.98
Δ=11°45'
T=28.36
L=56.43
E.C. 76+92.41
E.C. 77+48.84
Δ=11°45'
T=28.36
L=56.43
E.C. 78+05.27
E.C. 78+61.70
Δ=11°45'
T=28.36
L=56.43
E.C. 79+18.13
E.C. 79+74.56
Δ=11°45'
T=28.36
L=56.43
E.C. 80+30.99
E.C. 80+87.42
Δ=11°45'
T=28.36
L=56.43
E.C. 81+43.85
E.C. 82+00.28
Δ=11°45'
T=28.36
L=56.43
E.C. 82+56.71
E.C. 83+13.14
Δ=11°45'
T=28.36
L=56.43
E.C. 83+69.57
E.C. 84+26.00
Δ=11°45'
T=28.36
L=56.43
E.C. 84+82.43
E.C. 85+38.86
Δ=11°45'
T=28.36
L=56.43
E.C. 85+95.29
E.C. 86+51.72
Δ=11°45'
T=28.36
L=56.43
E.C. 87+08.15
E.C. 87+64.58
Δ=11°45'
T=28.36
L=56.43
E.C. 88+21.01
E.C. 88+77.44
Δ=11°45'
T=28.36
L=56.43
E.C. 89+33.87
E.C. 89+90.30
Δ=11°45'
T=28.36
L=56.43
E.C. 90+46.73
E.C. 91+03.16
Δ=11°45'
T=28.36
L=56.43
E.C. 91+59.59
E.C. 92+16.02
Δ=11°45'
T=28.36
L=56.43
E.C. 92+72.45
E.C. 93+28.88
Δ=11°45'
T=28.36
L=56.43
E.C. 93+85.31
E.C. 94+41.74
Δ=11°45'
T=28.36
L=56.43
E.C. 94+98.17
E.C. 95+54.60
Δ=11°45'
T=28.36
L=56.43
E.C. 96+11.03
E.C. 96+67.46
Δ=11°45'
T=28.36
L=56.43
E.C. 97+23.89
E.C. 97+80.32
Δ=11°45'
T=28.36
L=56.43
E.C. 98+36.75
E.C. 98+93.18
Δ=11°45'
T=28.36
L=56.43
E.C. 99+49.61
E.C. 100+06.04
Δ=11°45'
T=28.36
L=56.43
E.C. 100+62.47
E.C. 101+18.90
Δ=11°45'
T=28.36
L=56.43
E.C. 101+75.33
E.C. 102+31.76
Δ=11°45'
T=28.36
L=56.43
E.C. 102+88.19
E.C. 103+44.62
Δ=11°45'
T=28.36
L=56.43
E.C. 104+01.05
E.C. 104+57.48
Δ=11°45'
T=28.36
L=56.43
E.C. 105+13.91
E.C. 105+70.34
Δ=11°45'
T=28.36
L=56.43
E.C. 106+26.77
E.C. 106+83.20
Δ=11°45'
T=28.36
L=56.43
E.C. 107+39.63
E.C. 107+96.06
Δ=11°45'
T=28.36
L=56.43
E.C. 108+52.49
E.C. 109+08.92
Δ=11°45'
T=28.36
L=56.43
E.C. 109+65.35
E.C. 110+21.78
Δ=11°45'
T=28.36
L=56.43
E.C. 110+78.21
E.C. 111+34.64
Δ=11°45'
T=28.36
L=56.43
E.C. 111+91.07
E.C. 112+47.50
Δ=11°45'
T=28.36
L=56.43
E.C. 113+03.93
E.C. 113+60.36
Δ=11°45'
T=28.36
L=56.43
E.C. 114+16.79
E.C. 114+73.22
Δ=11°45'
T=28.36
L=56.43
E.C. 115+29.65
E.C. 115+86.08
Δ=11°45'
T=28.36
L=56.43
E.C. 116+42.51
E.C. 116+98.94
Δ=11°45'
T=28.36
L=56.43
E.C. 117+55.37
E.C. 118+11.80
Δ=11°45'
T=28.36
L=56.43
E.C. 118+68.23
E.C. 119+24.66
Δ=11°45'
T=28.36
L=56.43
E.C. 119+81.09
E.C. 120+37.52
Δ=11°45'
T=28.36
L=56.43
E.C. 120+93.95
E.C. 121+50.38
Δ=11°45'
T=28.36
L=56.43
E.C. 122+06.81
E.C. 122+63.24
Δ=11°45'
T=28.36
L=56.43
E.C. 123+19.67
E.C. 123+76.10
Δ=11°45'
T=28.36
L=56.43
E.C. 124+32.53
E.C. 124+88.96
Δ=11°45'
T=28.36
L=56.43
E.C. 125+45.39
E.C. 126+01.82
Δ=11°45'
T=28.36
L=56.43
E.C. 126+58.25
E.C. 127+14.68
Δ=11°45'
T=28.36
L=56.43
E.C. 127+71.11
E.C. 128+27.54
Δ=11°45'
T=28.36
L=56.43
E.C. 128+83.97
E.C. 129+40.40
Δ=11°45'
T=28.36
L=56.43
E.C. 129+96.83
E.C. 130+53.26
Δ=11°45'
T=28.36
L=56.43
E.C. 131+09.69
E.C. 131+66.12
Δ=11°45'
T=28.36
L=56.43
E.C. 132+22.55
E.C. 132+78.98
Δ=11°45'
T=28.36
L=56.43
E.C. 133+35.41
E.C. 133+91.84
Δ=11°45'
T=28.36
L=56.43
E.C. 134+48.27
E.C. 135+04.70
Δ=11°45'
T=28.36
L=56.43
E.C. 135+61.13
E.C. 136+17.56
Δ=11°45'
T=28.36
L=56.43
E.C. 136+73.99
E.C. 137+30.42
Δ=11°45'
T=28.36
L=56.43
E.C. 137+86.85
E.C. 138+43.28
Δ=11°45'
T=28.36
L=56.43
E.C. 139+00.11
E.C. 139+56.54
Δ=11°45'
T=28.36
L=56.43
E.C. 140+13.37
E.C. 140+69.80
Δ=11°45'
T=28.36
L=56.43
E.C. 141+26.23
E.C. 141+82.66
Δ=11°45'
T=28.36
L=56.43
E.C. 142+39.09
E.C. 142+95.52
Δ=11°45'
T=28.36
L=56.43
E.C. 143+51.95
E.C. 144+08.38
Δ=11°45'
T=28.36
L=56.43
E.C. 144+64.81
E.C. 145+21.24
Δ=11°45'
T=28.36
L=56.43
E.C. 145+77.67
E.C. 146+34.10
Δ=11°45'
T=28.36
L=56.43
E.C. 146+90.53
E.C. 147+46.96
Δ=11°45'
T=28.36
L=56.43
E.C. 148+03.39
E.C. 148+59.82
Δ=11°45'
T=28.36
L=56.43
E.C. 149+16.25
E.C. 149+72.68
Δ=11°45'
T=28.36
L=56.43
E.C. 150+29.11
E.C. 150+85.54
Δ=11°45'
T=28.36
L=56.43
E.C. 151+41.97
E.C. 151+98.40
Δ=11°45'
T=28.36
L=56.43
E.C. 152+54.83
E.C. 153+11.26
Δ=11°45'
T=28.36
L=56.43
E.C. 153+67.69
E.C. 154+24.12
Δ=11°45'
T=28.36
L=56.43
E.C. 154+80.55
E.C. 155+36.98
Δ=11°45'
T=28.36
L=56.43
E.C. 155+93.41
E.C. 156+49.84
Δ=11°45'
T=28.36
L=56.43
E.C. 157+06.27
E.C. 157+62.70
Δ=11°45'
T=28.36
L=56.43
E.C. 158+19.13
E.C. 158+75.56
Δ=11°45'
T=28.36
L=56.43
E.C. 159+31.99
E.C. 159+88.42
Δ=11°45'
T=28.36
L=56.43
E.C. 160+44.85
E.C. 161+01.28
Δ=11°45'
T=28.36
L=56.43
E.C. 161+57.71
E.C. 162+14.14
Δ=11°45'
T=28.36
L=56.43
E.C. 162+70.57
E.C. 163+27.00
Δ=11°45'
T=28.36
L=56.43
E.C. 163+83.43
E.C. 164+39.86
Δ=11°45'
T=28.36
L=56.43
E.C. 164+96.29
E.C. 165+52.72
Δ=11°45'
T=28.36
L=56.43
E.C. 166+09.15
E.C. 166+65.58
Δ=11°45'
T=28.36
L=56.43
E.C. 167+22.01
E.C. 167+78.44
Δ=11°45'
T=28.36
L=56.43
E.C. 168+34.87
E.C. 168+91.30
Δ=11°45'
T=28.36
L=56.43
E.C. 169+47.73
E.C. 170+04.16
Δ=11°45'
T=28.36
L=56.43
E.C. 170+60.59
E.C. 171+17.02
Δ=11°45'
T=28.36
L=56.43
E.C. 171+73.45
E.C. 172+29.88
Δ=11°45'
T=28.36
L=56.43
E.C. 172+86.31
E.C. 173+42.74
Δ=11°45'
T=28.36
L=56.43
E.C. 173+99.17
E.C. 174+55.60
Δ=11°45'
T=28.36
L=56.43
E.C. 175+12.03
E.C. 175+68.46
Δ=11°45'
T=28.36
L=56.43
E.C. 176+24.89
E.C. 176+81.32
Δ=11°45'
T=28.36
L=56.43
E.C. 177+37.75
E.C. 177+94.18
Δ=11°45'
T=28.36
L=56.43
E.C. 178+50.61
E.C. 179+07.04
Δ=11°45'
T=28.36
L=56.43
E.C. 179+63.47
E.C. 180+19.90
Δ=11°45'
T=28.36
L=56.43
E.C. 180+76.33
E.C. 181+32.76
Δ=11°45'
T=28.36
L=56.43
E.C. 181+89.19
E.C. 182+45.62
Δ=11°45'
T=28.36
L=56.43
E.C. 183+02.05
E.C. 183+58.48
Δ=11°45'
T=28.36
L=56.43
E.C. 184+14.91
E.C. 184+71.34
Δ=11°45'
T=28.36
L=56.43
E.C. 185+27.77
E.C. 185+84.20
Δ=11°45'
T=28.36
L=56.43
E.C. 186+40.63
E.C. 186+97.06
Δ=11°45'
T=28.36
L=56.43
E.C. 187+53.49
E.C. 188+09.92
Δ=11°45'
T=28.36
L=56.43
E.C. 188+66.35
E.C. 189+22.78
Δ=11°45'
T=28.36
L=56.43
E.C. 189+79.21
E.C. 190+35.64
Δ=11°45'
T=28.36
L=56.43
E.C. 190+92.07
E.C. 191+48.50
Δ=11°45'
T=28.36
L=56.43
E.C. 192+04.93
E.C. 192+61.36
Δ=11°45'
T=28.36
L=56.43
E.C. 193+17.79
E.C. 193+74.22
Δ=11°45'
T=28.36
L=56.43
E.C. 194+30.65
E.C. 194+87.08
Δ=11°45'
T=28.36
L=56.43
E.C. 195+43.51
E.C. 195+99.94
Δ=11°45'
T=28.36
L=56.43
E.C. 196+56.37
E.C. 197+12.80
Δ=11°45'
T=28.36
L=56.43
E.C. 197+69.23
E.C. 198+25.66
Δ=11°45'
T=28.36
L=56.43
E.C. 198+82.09
E.C. 199+38.52
Δ=11°45'
T=28.36
L=56.43
E.C. 199+94.95
E.C. 200+51.38
Δ=11°45'
T=28.36
L=56.43
E.C. 201+07.81
E.C. 201+64.24
Δ=11°45'
T=28.36
L=56.43
E.C. 202+20.67
E.C. 202+77.10
Δ=11°45'
T=28.36
L=56.43
E.C. 203+33.53
E.C. 203+89.96
Δ=11°45'
T=28.36
L=56.43
E.C. 204+46.39
E.C. 205+02.82
Δ=11°45'
T=28.36
L=56.43
E.C. 205+59.25
E.C. 206+15.68
Δ=11°45'
T=28.36
L=56.43
E.C. 206+72.11
E.C. 207+28.54
Δ=11°45'
T=28.36
L=56.43
E.C. 207+84.97
E.C. 208+41.40
Δ=11°45'
T=28.36
L=56.43
E.C. 208+97.83
E.C. 209+54.26
Δ=11°45'
T=28.36
L=56.43
E.C. 210+10.69
E.C. 210+67.12
Δ=11°45'
T=28.36
L=56.43
E.C. 211+23.55
E.C. 211+79.98
Δ=11°45'
T=28.36
L=56.43
E.C. 212+36.41
E.C. 212+92.84
Δ=11°45'
T=28.36
L=56.43
E.C. 213+49.27
E.C. 214+05.70
Δ=11°45'
T=28.36
L=56.43
E.C. 214+62.13
E.C. 215+18.56
Δ=11°45'
T=28.36
L=56.43
E.C. 215+74.99
E.C. 216+31.42
Δ=11°45'
T=28.36
L=56.43
E.C. 216+87.85
E.C. 217+44.28
Δ=11°45'
T=28.36
L=56.43
E.C. 218+00.71
E.C. 218+57.14
Δ=11°45'
T=28.36
L=56.43
E.C. 219+13.57
E.C. 219+70.00
Δ=11°45'
T=28.36
L=56.43
E.C. 220+26.43
E.C. 220+82.86
Δ=11°45'
T=28.36
L=56.43
E.C. 221+39.29
E.C. 221+95.72
Δ=11°45'
T=28.36
L=56.43
E.C. 222+52.15
E.C. 223+08.58
Δ=11°45'
T=28.36
L=56.43
E.C. 223+65.01
E.C. 224+21.44
Δ=11°45'
T=28.36
L=56.43
E.C. 224+77.87
E.C. 225+34.30
Δ=11°45'
T=28.36
L=56.43
E.C. 225+90.73
E.C. 226+47.16
Δ=11°45'
T=28.36
L=56.43
E.C. 227+03.59
E.C. 227+60.02
Δ=11°45'
T=28.36
L=56.43
E.C. 228+16.45
E.C. 228+72.88
Δ=11°45'
T=28.36
L=56.43
E.C. 229+29.31
E.C. 229+85.74
Δ=11°45'
T=28.36
L=56.43
E.C. 230+42.17
E.C. 230+98.60
Δ=11°45'
T=28.36
L=56.43
E.C. 231+55.03
E.C. 232+11.46
Δ=11°45'
T=28.36
L=56.43
E.C. 232+67.89
E.C. 233+24.32
Δ=11°45'
T=28.36
L=56.43
E.C. 233+80.75
E.C. 234+37.18
Δ=11°45'
T=28.36
L=56.43
E.C. 234+93.61
E.C. 235+50.04
Δ=11°45'
T=28.36
L=56.43
E.C. 236+06.47
E.C. 236+62.90
Δ=11°45'
T=28.36
L=56.43
E.C. 237+19.33
E.C. 237+75.76
Δ=11°45'
T=28.36
L=56.43
E.C. 238+32.19
E.C. 238+88.62
Δ=11°45'
T=28.36
L=56.43
E.C. 239+45.05
E.C. 240+01.48
Δ=11°45'
T=28.36
L=56.43
E.C. 240+57.91
E.C. 241+14.34
Δ=11°45'
T=28.36
L=56.43
E.C. 241+70.77
E.C. 242+27.20
Δ=11°45'
T=28.36
L=56.43
E.C. 242+83.63
E.C. 243+40.06
Δ=11°45'
T=28.36
L=56.43
E.C. 243+96.49
E.C. 244+52.92
Δ=11°45'
T=28.36
L=56.43
E.C. 245+09.35
E.C. 245+65.78
Δ=11°45'
T=28.36
L=56.43
E.C. 246+22.21
E.C. 246+78.64
Δ=11°45'
T=28.36
L=56.43
E.C. 247+35.07
E.C. 247+91.50
Δ=11°45'
T=28.36
L=56.43
E.C. 248+47.93
E.C. 249+04.36
Δ=11°45'
T=28.36
L=56.43
E.C. 249+60.79
E.C. 250+17.22
Δ=11°45'
T=28.36
L=56.43
E.C. 250+73.65
E.C. 251+30.08
Δ=11°45'
T=28.36
L=56.43
E.C. 251+86.51
E.C. 252+42.94
Δ=11°45'
T=28.36
L=56.43
E.C. 252+99.37
E.C. 253+55.80
Δ=11°45'
T=28.36
L=56.43
E.C. 254+12.23
E.C. 254+68.66
Δ=11°45'
T=28.36
L=56.43
E.C. 255+25.09
E.C. 255+81.52
Δ=11°45'
T=28.36
L=56.43
E.C. 256+37.95
E.C. 256+94.38
Δ=11°45'
T=28.36
L=56.43
E.C. 257+50.81
E.C. 258+07.24
Δ=11°45'
T=28.36
L=56.43
E.C. 258+63.67
E.C. 259+20.10
Δ=11°45'
T=28.36
L=56.43
E.C. 259+76.53
E.C. 260+32.96
Δ=11°45'
T=28.36
L=56.43
E.C. 260+89.39
E.C. 261+45.82
Δ=11°45'
T=28.36
L=56.43
E.C. 262+02.25
E.C. 262+58.68
Δ=11°45'
T=28.36
L=56.43
E.C. 263+15.11
E.C. 263+71.54
Δ=11°45'
T=28.36
L=56.43
E.C. 264+27.97
E.C. 264+84.40
Δ=11°45'
T=28.36
L=56.43
E.C. 265+40.83
E.C. 265+97.26
Δ=11°45'
T=28.36
L=56.43
E.C. 266+53.69
E.C. 267+10.12
Δ=11°45'
T=28.36
L=56.43
E.C. 267+66.55
E.C. 268+22.98
Δ=11°45'
T=28.36
L=56.43
E.C. 268+79.41
E.C. 269+35.84
Δ=11°45'
T=28.36
L=56.43
E.C. 269+92.27
E.C. 270+48.70
Δ=11°45'
T=28.36
L=56.43
E.C. 271+05.13
E.C. 271+61.56
Δ=11°45'
T=28.36
L=56.43
E.C. 272+17.99
E.C. 272+74.42
Δ=11°45'
T=28.36
L=56.43
E.C. 273+30.85
E.C. 273+87.28
Δ=11°45'
T=28.36
L=56.43
E.C. 274+43.71
E.C. 275+00.14
Δ=11°45'
T=28.36
L=56.43
E.C. 275+56.57
E.C. 276+13.00
Δ=11°45'
T=28.36
L=56.43
E.C. 276+69.43
E.C. 277+25.86
Δ=11°45'
T=28.36
L=56.43
E.C. 277+82.29
E.C. 278+38.72
Δ=11°45'
T=28.36
L=56.43
E.C. 278+95.15
E.C. 279+51.58
Δ=11°45'
T=28.36
L=56.43
E.C. 280+08.01
E.C. 280+64.44
Δ=11°45'
T=28.36
L=56.43
E.C. 281+20.87
E.C. 281+77.30
Δ=11°45'
T=28.36
L=56.43
E.C. 282+33.73
E.C. 282+90.16
Δ=11°45'
T=28.36
L=56.43
E.C. 283+46.59
E.C. 284+03.02
Δ=11°45'
T=28.36
L=56.43
E.C. 284+59.45
E.C. 285+15.88
Δ=11°45'
T=28.36
L=56.43
E.C. 285+72.31
E.C. 286+28.74
Δ=11°45'
T=28.36
L=56.43
E.C. 286+85.17
E.C. 287+41.60
Δ=11°45'
T=28.36
L=56.43
E.C. 287+98.03
E.C. 288+54.46
Δ=11°45'
T=28.36
L=56.43
E.C. 289+10.89
E.C. 289+67.32
Δ=11°45'
T=28.36
L=56.43
E.C. 290+23.75
E.C. 290+80.18
Δ=11°45'
T=28.36
L=56.43
E.C. 291+36.61
E.C. 291+93.04
Δ=11°45'
T=28.36
L=56.43
E.C. 292+49.47
E.C. 293+05.90
Δ=11°45'
T=28.36
L=56.43
E.C. 293+62.33
E.C. 294+18.76
Δ=11°45'
T=28.36
L=56.43
E.C. 294+75.19
E.C. 295+31.62
Δ=11°45'
T=28.36
L=56.43
E.C. 295+88.05
E.C. 296+44.48
Δ=11°45'
T=28.36
L=56.43
E.C. 297+00.91
E.C. 297+57.34
Δ=11°45'
T=28.36
L=56.43
E.C. 298+13.77
E.C. 298+70.20
Δ=11°45'
T=28.36
L=56.43
E.C. 299+26.63
E.C. 299+83.06
Δ=11°45'
T=28.36
L=56.43
E.C. 300+39.49
E.C. 300+95.92
Δ=11°45'
T=28.36
L=56.43
E.C. 301+52.35
E.C. 302+08.78
Δ=11°45'
T=28.36
L=56.43
E.C. 302+65.21
E.C. 303+21.64
Δ=11°45'
T=28.36
L=56.43
E.C. 303+78.07
E.C. 304+34.50
Δ=11°45'
T=28.36
L=56.43
E.C. 304+90.93
E.C. 305+47.36
Δ=11°45'
T=28.36
L=56.43
E.C. 306+03.79
E.C. 306+60.22
Δ=11°45'
T=28.36
L=56.43
E.C. 307+16.65
E.C. 307+73.08
Δ=11°45'
T=28.36
L=56.43
E.C. 308+29.51
E.C. 308+85.94
Δ=11°45'
T=28.36
L=56.43
E.C. 309+42.37
E.C. 309+98.80
Δ=11°45'
T=28.36
L=56.43
E.C. 310+55.23
E.C. 311+11.66
Δ=11°45'
T=28.36
L=56.43
E.C. 311+68.09
E.C. 312+24.52
Δ=11°45'
T=28.36
L=56.43
E.C. 312+80.95
E.C. 313+37.38
Δ=11°45'
T=28.36
L=56.43
E.C. 313+93.81
E.C. 314+50.24
Δ=11°45'
T=28.36
L=56.43
E.C. 315+06.67
E.C. 315+63.10
Δ=11°45'
T=28.36
L=56.43
E.C. 316+19.53
E.C. 316+75.96
Δ=11°45'
T=28.36
L=56.43
E.C. 317+32.39
E.C. 317+88.82
Δ=11°45'
T=28.36
L=56.43
E.C. 318+45.25
E.C. 319+01.68
Δ=11°45'
T=28.36
L=56.43
E.C. 319+58.11
E.C. 320+14.54
Δ=11°45'
T=28.36
L=56.43
E.C. 320+70.97
E.C. 321+27.40
Δ=11°45'
T=28.36
L=56.43
E.C. 321+83.83
E.C. 322+40.26
Δ=11°45'
T=28.36
L=56.43
E.C. 322+96.69
E.C. 323+53.12
Δ=11°45'
T=28.36
L=56.43
E.C. 324+09.55
E.C. 324+65.98
Δ=11°45'
T=28.36
L=56.43
E.C. 325+22.41
E.C. 325+78.84
Δ=11°45'
T=28.36
L=56.43
E.C. 326+35.27
E.C. 326+91.70
Δ=11°45'
T=28.36
L=56.43
E.C. 327+48.13
E.C. 328+04.56
Δ=11°45'
T=28.36
L=56.43
E.C. 328+60.99
E.C. 329+17.42
Δ=11°45'
T=28.36
L=56.43
E.C. 329+73.85
E.C. 330+30.28
Δ=11°45'
T=28.36
L=56.43
E.C. 330+86.71
E.C. 331+43.14
Δ=11°45'
T=28.36
L=56.43
E.C. 331+99.57
E.C. 332+56.00
Δ=11°45'
T=28.36
L=56.43
E.C. 333+12.43
E.C. 333+68.86
Δ=11°45'
T=28.36
L=56.43
E.C. 334+25.29
E.C. 334+81.72
Δ=11°45'
T=28.36
L=56.43
E.C. 335+38.15
E.C. 335+94.58
Δ=11°45'
T=28.36
L=56.43
E.C. 336+51.01
E.C. 337+07.44
Δ=11°45'
T=28.36
L=56.43
E.C. 337+63.87
E.C. 338+20.30
Δ=11°45'
T=28.36
L=56.43
E.C. 338+76.73
E.C. 339+33.16
Δ=11°45'
T=28.36
L=56.43
E.C. 339+89.59
E.C. 340+46.02
Δ=11°45'
T=28.36
L=56.43
E.C. 341+02.45
E.C. 341+58.88
Δ=11°45'
T=28.36
L=56.43
E.C. 342+15.31
E.C. 342+71.74
Δ=11°45'
T=28.36
L=56.43
E.C. 343+28.17
E.C. 343+84.60
Δ=11°45'
T=28.36
L=56.43
E.C. 344+41.03
E.C. 344+97.46
Δ=11°45'
T=28.36
L=56.43
E.C. 345+53.89
E.C. 346+10.32
Δ=11°45'
T=28.36
L=56.43
E.C. 346+66.75
E.C. 347+23.18
Δ=11°45'
T=28.36
L=56.43
E.C. 347+79.61
E.C. 348+36.04
Δ=11°45'
T=28.36
L=56.43
E.C. 348+92.47
E.C. 349+48.90
Δ=11°45'
T=28.36
L=56.43
E.C. 350+05.33
E.C. 350+61.76
Δ=11°45'
T=28.36
L=56.43
E.C. 351+18.19
E.C. 351+74.62
Δ=11°45'
T=28.36
L=56.43
E.C. 352+31.05
E.C. 352+87.48
Δ=11°45'
T=28.36
L=56.43
E.C. 353+43.91
E.C. 354+00.34
Δ=11°45'
T=28.36
L=56.43
E.C. 354+56.77
E.C. 355+13.20
Δ=11°45'
T=28.36
L=56.43
E.C. 355+69.63
E.C. 356+26.06
Δ=11°45'
T=28.36
L=56.43
E.C. 356+82.49
E.C. 357+38.92
Δ=11°45'
T=28.36
L=56.43
E.C. 357+95.35
E.C. 358+51.78
Δ=11°45'
T=28.36
L=56.43
E.C. 359+08.21
E.C. 359+64.64
Δ=11°45'
T=28.36
L=56.43
E.C. 360+21.07
E.C. 360+77.50
Δ=11°45'
T=28.36
L=56.43
E.C. 361+33.93
E.C. 361+90.36
Δ=11°45'
T=28.36
L=56.43
E.C. 362+46.79
E.C. 363+03.22
Δ=11°45'
T=28.36
L=56.43
E.C. 363+59.65
E.C. 364+16.08
Δ=11°45'
T=28.36
L=56.43
E.C. 364+72.51
E.C. 365+28.94
Δ=11°45'
T=28.36
L=56.43
E.C. 365+85.37
E.C. 366+41.80
Δ=11°45'
T=28.36
L=56.43
E.C. 366+98.23
E.C. 367+54.66
Δ=11°45'
T=28.36
L=56.43
E.C. 368+11.09
E.C. 368+67.52
Δ=11°45'
T=28.36
L=56.43
E.C. 369+23.95
E.C. 369+80.38
Δ=11°45'
T=28.36
L=56.43
E.C. 370+36.81
E.C. 370+93.24
Δ=11°45'
T=28.36
L=56.43
E.C. 371+49.67
E.C. 372+06.10
Δ=11°45'
T=28.36
L=56.43
E.C. 372+62.53
E.C. 373+18.96
Δ=11°45'
T=28.36
L=56.43
E.C. 373+75.39
E.C. 374+31.82
Δ=11°45'
T=28.36
L=56.43
E.C. 374+88.25
E.C. 375+44.68
Δ=11°45'
T=28.36
L=56.43
E.C. 376+01.11
E.C. 376+57.54
Δ=11°45'
T=28.36
L=56.43
E.C. 377+13.97
E.C. 377+70.40
Δ=11°45'
T=28.36
L=56.43
E.C. 378+26.83
E.C. 378+83.26
Δ=11°45'
T=28.36
L=56.43
E.C. 379+39.69
E.C. 379+96.12
Δ=11°45'
T=28.36
L=56.43
E.C. 380+52.55
E.C. 381+08.98
Δ=11°45'
T=28.36
L=56.43
E.C. 381+65.41
E.C. 382+21.84
Δ=11°45'
T=28.36
L=56.43
E.C. 382+78.27
E.C. 383+34.70
Δ=11°45'
T=28.36
L=56.43
E.C. 383+91.13
E.C. 384+47.56
Δ=11°45'
T=28.36
L=56.43
E.C. 385+03.99
E.C. 385+60.42
Δ=11°45'
T=28.36
L=56.43
E.C.

B.P.R. Div. No.	STATE	FEDERAL PROJECT No.	SHEET No.	No. OF SHEETS
7	CALIF.			

DIST.	COUNTY	ROUTE	SEC.	SHEET No.	TOTAL SHEETS
VII	LA	158	C-4		

32704

George A Hill
Dist. Eng. Dist.
Approved .....

PLAN & PROFILE OF SANITARY SEWERS TO BE RECONSTRUCTED UNDER PRIVATE CONTRACT Nº 5596

SHEET 5-13 W.S. 25 OCTOBER, 1960

SCALES: Horiz.: 1"=50'; Vert.: 1"=5'

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHN A. LAMBIE, COUNTY ENGINEER

BY C E Arnold
ASST. SANITATION ENGINEER

APPROVED, C.R. CONPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICTS


BY J Southmayd
OFFICE ENGINEER

-NOTES-


1. The Contractor shall notify the resident engineer at least 48 hours before starting any work on this sheet.
2. The Contractor shall deliver salvaged M.H. frames & covers to the County Sewer Maintenance Yard, 1129 E. 59th St, Los Angeles.
3. The Contractor shall maintain sewer service at all times during construction.
4. The Contractor shall notify Mr Carl Busch of the County Sanitation Districts by telephone, NEvada 63097, at least 48 hours before starting any work on this sheet.

NO CHARGE FOR CONNECTIONS
W. Miskell 12-12-60

Designed	R Stewart
Checked	Miskell



DETAIL
PIPE ENCASEMENT
Scale 1"=1'-0"



Cu. Exc.
Yds. Emb.
Sq.

12-12-60 12-12-60 FED. Jeffabaak 12-12-60

I-405-8(44)135


DIST.	STATE	FEDERAL PROJECT NO.	SHEET NO.	TOTAL SHEETS
7	CALIF.		59	219

DIST.	COUNTY	ROUTE	SEC.	SHEET NO.	TOTAL SHEETS
VII	LA	158	Ladi.	59	151

32705.

George A Hill
Dist. Eng. Dist.
Approved W.H. Warren

PLAN & PROFILE
SANITARY SEWERS
TO BE CONSTRUCTED UNDER
PRIVATE CONTRACT NO 5596
SHEET S-14 W.S. 25 FEB., 1961
SCALES: Horiz. 1"=50', Vert. 1"=5'
CITY OF LAWNDALE, CALIFORNIA
APPROVED, JOHN A LAMPLE, CITY ENGINEER
BY
APPROVED, C.W. COMPTON, CHIEF ENGINEER
COUNTY SANITATION DISTRICTS NO 2 & 5



-NOTES-


1. The Contractor shall notify the Resident Engineer at least 48 hours before starting any work on this sheet.

BEFORE BREAKING INTO ANY EXISTING STRUCTURE AND BEFORE FINAL ACCEPTANCE OF THIS WORK, COUNTY SANITATION DISTRICT (DU 4 1281) SHALL BE NOTIFIED IN ORDER THAT REQUIRED INSPECTION CAN BE MADE.

NO CONNECTIONS FOR THE DISPOSAL OF INDUSTRIAL WASTES SHALL BE MADE TO SEWERS SHOWN ON THESE DRAWINGS WITHOUT WRITTEN PERMISSION FROM THE CHIEF ENGINEER AND GENERAL MANAGER OF THE COUNTY SANITATION DISTRICTS.

Designed	Honda
Checked	Mistell

B.M. 96-A-59 El. 51.98 L 2953 Pg 38
Manhattan Beach Blvd. & Firmona Ave.
N & W. 35.3' W. & 515.5' S. of ℄ Intersection



Cu. Exc.
Yds. Emb.
Sta.

G.D. TURNER 2-21-61 2-21-61 R.E. Duffebach 2-21-61

145-5