

B.M. SG814 E1.466.448 Spk. & Ld. in East
 of OAK AVE. ± 2 feet So. of cb ref. S.E.
 cor. of OAK AVE. and LEMON AVE.
 MKD. TE199 (ARCADIA 1955)

CONNECTION CHARGES
 AS INDICATED

Harold R. Barnett

TEMPLE CITY BLDG. DIST. NO. 5.08

NOTES:

1. PROFILE STAKES ON THE PROPERTY LINE OR PROPERTY LINES PRODUCED AT RIGHT ANGLES TO THE SEWER LINE AT THE CENTER LINE OF EACH MANHOLE.
2. NO REPRESENTATIVE OF THE CITY ENGINEER WILL SURVEY OR LAY OUT ANY PORTION OF THE WORK.
3. THE OWNER OR HIS AUTHORIZED REPRESENTATIVE SHALL FURNISH THE CITY ENGINEER WITH GRADE SHEETS AND STATIONING FOR ALL HOUSE LATERALS AND Y BRANCHES AND SHALL PROVIDE STAKES FOR THEM AT THEIR PROPER LOCATIONS WITH STATIONING PLAINLY MARKED. ANY CHANGE IN ALIGNMENT SHALL BE REQUESTED IN WRITING BY THE PRIVATE ENGINEER.
4. THE PRIVATE ENGINEER SHALL FURNISH THE HOUSE LATERAL DEPTH AT THE PROPERTY LINE BELOW THE TOP OF CURB ELEVATION FOR EACH HOUSE LATERAL ON THE GRADE SHEET.
5. NO REVISIONS SHALL BE MADE IN THESE PLANS WITHOUT THE APPROVAL OF THE CITY ENGINEER.
6. USE STANDARD MANHOLE FRAMES AND COVERS, S-117.
7. USE EXTRA STRENGTH PIPE. ALL PIPE IS STANDARD DEPTH.
8. USE MECHANICAL COMPRESSION JOINTS FOR ALL K.C.P. IN MAIN LINE PER SPEC'S. SECT. 36, 48 & 49.
9. RESURFACE ALL TRENCH WITHIN PAVED AREA TO MEET L.A. COUNTY ROAD DEPT. OR CALIF. STATE HIGHWAY REQUIREMENTS IN ACCORDANCE WITH PERMITS.
10. WHENEVER GROUND WATER IS ENCOUNTERED DURING CONSTRUCTION OF THE SEWERS, THE K.C.P. JOINTS SHALL BE OF JOINT COMPOUND PER SPEC'S. SECT. 33 AND 48, OR MECHANICAL COMPRESSION JOINTS PER SPEC'S. SEC. 36.
11. MANHOLES SHALL BE BRICK SEWER STRUCTURES PER S-Q-104. PRECAST CONCRETE MANHOLES PER S-Q-135 OR S-Q-173 MAY BE USED AS AN ALTERNATE IN LOCATIONS APPROVED BY THIS CITY ENGINEER.
12. ALL STATE AND LOCAL TRENCH SAFETY ORDERS WILL BE RIGIDLY ENFORCED.
13. FOR ALLOWABLE LEAKAGE TEST USE FORMULA NO. 2, SPEC'S. SEC. 54.
14. MANHOLE TOPS IN IMPROVED RIGHTS-OF-WAY TO BE LEVEL WITH FINISHED GRADE.
15. THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION DIVISION BY TELEPHONE, MADISON 9-474, EXT. 81551, AT LEAST TWENTY-FOUR HOURS BEFORE STARTING ANY WORK UNDER THIS CONTRACT.
16. STANDARD SPECIFICATIONS DATED MAY 25, 1952 SHALL APPLY IN THE CONSTRUCTION OF THIS PROJECT.
17. IF A POWER POLE IS WITHIN THREE FEET OF THE SEWER, THE SEWER SHALL BE ENCASED, PER S-Q-172, CASE III, TWO FEET ON EITHER SIDE FROM THE POINT OF INTERFERENCE.
18. IN PLACING THE COVER OF CONSTRUCTION IT IS DETERMINED THAT THERE IS LESS THAN FOUR FEET OF COVER OVER A MAIN LINE OR HOUSE LATERAL K.C.P. SEWER WHICH IS NOT INDICATED ON THE PLANS, THE PIPE SHALL BE ENCASED PER S-Q-172, CASE III, UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER.

NO CONNECTIONS FOR THE DISPOSAL OF INDUSTRIAL WASTES SHALL BE MADE TO SEWERS SHOWN ON THESE DRAWINGS WITHOUT WRITTEN PERMISSION FROM THE CHIEF ENGINEER AND GENERAL MANAGER OF THE COUNTY SANITATION DISTRICTS.

PROFILE ALIGNMENT AND GRADE OF P.C.6403
 SANITARY SEWERS PAGE 1
 TO BE CONSTRUCTED IN
 R/W S/O LEMON AVE.

PRIVATE CONTRACT NO. 6403

W.S. 44 C-4

1 SHEET : 2 PAGES

SCALE: VERT. 1"=4' NOVEMBER, 1962

PREPARED IN THE OFFICES OF

BARNETT, HOPEN, SMITH & SALIT

BY: *Harold R. Barnett*

REG. C. E. NO. 1216

FOR LEGEND SEE PLAN NO. S-A-64

NOTE:

GRADES TO WHICH THIS IMPROVEMENT IS TO BE CONSTRUCTED ARE SHOWN ON PLANS AND PROFILES. GRADE POINTS FOR TOP OF CURB, CENTER LINE OF STREETS OR CENTER LINE OF ALLEYS ARE SHOWN BY CIRCLES ON PROFILES. AT ALL POINTS BETWEEN DESIGNATED POINTS THE GRADE SHALL BE ESTABLISHED SO AS TO CONFORM TO A STRAIGHT LINE DRAWN BETWEEN SAID DESIGNATED POINTS.
 ELEVATIONS ARE IN FEET ABOVE U.S.C. & G.S. SEA LEVEL DATUM OF 1929.
 THIS DRAWING AND THE DATA HEREON ARE HEREBY MADE A PART OF THE SPECIFICATIONS. THE CITY ENGINEER AND SHALL BE CONSIDERED ONLY IN THE PRESENCE OF THE CITY ENGINEER.
 BEFORE WORK CAN BE STARTED, THE CONTRACTOR MUST OBTAIN A PERMIT TO EXCAVATE IN CITY STREETS FROM THE L.A. COUNTY ROAD DEPT., DISTRICT OFFICE NO. 2, AND PAY A FEE TO THE CITY ENGINEER.
 APPROVAL OF THIS PLAN BY THE CITY OF TEMPLE CITY NOT CONSTITUTE A REPRESENTATION AS TO THE ACCURACY OF THE LOCATION OR OF THE EXISTENCE OR NON-EXISTENCE OF ANY UNDERGROUND UTILITY PIPE, OR STRUCTURE WITHIN THE LIMITS OF THIS PROJECT. THIS NOTE APPLIES TO ALL PAGES.
 IF WORK IS TO BE DONE IN A STATE HIGHWAY, A PERMIT MUST BE OBTAINED FROM THE STATE OF CALIFORNIA, DIVISION OF HIGHWAYS, 120 SOUTH SPRING STREET.

CITY OF TEMPLE CITY, CALIFORNIA


APPROVED, JOHN A. LAMBIE, CITY ENGINEER APPROVED, J.D. PARKHURST, CHIEF ENGINEER

BY: *John A. Lambie* ASST. SANITATION ENGINEER BY: *J.D. Parkhurst* OFFICE ENGINEER

CHECKED BY: *SK Wida* 5-20-63

OFFICE OF CITY ENGINEER, REG. C. E. NO. 3405

SUBMITTED: *W.C. Poindexter* SAN GABRIEL VALLEY REGIONAL ENGINEER



INDEX MAP
 SCALE 1"=600'

R/W S/O LEMON AVE. P.C. 6403

NOTE: Numbers in circles indicate page numbers.

P.C.6403 PAGE 2

CONNECTION CHARGES
 AS INDICATED

332.77

