

B.M. #26-3 (City of L.A. Venice L-3A)  
 Jefferson Blvd + Centinella to the North,  
 NE Cor B'N. of B.C. Curb return, E back  
 of curb set in well with cast iron cover marked  
 City L.A. Eng. An iron set in concrete per  
 F.B. 1351, pg. 8, 1960 ed.; El. 13.569

LENNOX BUILDING DISTRICT NO. 7

SANITARY SEWERS  
 TO BE CONSTRUCTED IN

JUNIETTE STREET  
 TRACT NO. 10038

PRIVATE CONTRACT NO. 6542

W. S. 23

SHEET 1 OF 2 PAGES


SCALE VERT. 1"=4' APRIL 1963  
 HORIZ. 1"=40'

PREPARED IN THE OFFICES OF  
 C. B. KOHLI, CIVIL ENGINEER

BY: C. B. Kohli  
 Reg. C.E. No. 10382

FOR LEGEND SEE PLAN NO. 9-A-64

33975



INDEX MAP  
 P.C. 6542  
 No Scale

Notes:

1. Provide stakes on the property line or property lines produced at right angles to the sewer line at the center line of each manhole.
2. No representative of the county engineer will survey or lay out any portion of the work.
3. The private engineer shall furnish the county engineer with grade sheets and stationing for all house laterals and Y branches and shall provide stakes for them at their proper locations with stationing plainly marked. All house laterals shall be constructed in a straight alignment at right angles from the mainline sewer except as shown on the plans, writing by the private engineer.
4. The private engineer shall furnish the house lateral depth at the property line below the top of curb elevation for each house lateral on the grade sheet.
5. No revisions shall be made in these plans without the approval of the county engineer.
6. Use extra strength pipe. All pipe is extra depth.
7. Use mechanical compression joints for all V.C.P. per Specs Secs 36:48.49.
8. Encase four feet of sewer at points of interference with poles, Caselli, S-a-172.
9. House laterals to be constructed with inverts at property line 6 feet below surface over sewer.
10. For allowable leakage test use formula No. 2 Specs. Sec. 54.
11. The contractor shall notify the construction division by telephone, Madison 3-4747, Ext. 81551 at least twenty-four hours before starting any work under this contract.
12. Standard specifications dated May 25, 1962 apply in the construction of this project.
13. All state and local trench safety orders will be rigidly enforced.

NO CHARGE FOR  
 CONNECTIONS.

L. Curtis 5-1-63

NOTE:  
 GRADES TO WHICH THIS IMPROVEMENT IS TO BE CONSTRUCTED ARE SHOWN ON PLANS AND PROFILES. GRADE POINTS FOR TOP OF CURBS, CENTER LINE OF STREETS, OR CENTER LINE OF ALLEYS ARE SHOWN BY CIRCLES ON PROFILES. AT ALL POINTS BETWEEN DESIGNATED POINTS THE GRADE SHALL BE ESTABLISHED SO AS TO CONFORM TO A STRAIGHT LINE DRAWN BETWEEN SAID DESIGNATED POINTS.  
 ELEVATIONS ARE IN FEET ABOVE MEAN SEA LEVEL DATUM OF 1929.  
 THIS DRAWING AND THE DATA HEREON ARE HEREBY MADE A PART OF THE SPECIFICATIONS.  
 WORK SHALL BE CONSTRUCTED ACCORDING TO SPECIFICATIONS ON FILE IN THE OFFICE OF THE COUNTY ENGINEER AND SHALL BE PROSECUTED ONLY IN THE PRESENCE OF THE COUNTY ENGINEER.  
 BEFORE WORK CAN BE STARTED THE CONTRACTOR MUST OBTAIN A PERMIT TO EXCAVATE IN COUNTY STREETS FROM THE L.A. COUNTY ROAD DEPT., DISTRICT OFFICE NO. 3, AND FROM THE COUNTY ENGINEER, ROOM 310 COUNTY ENGINEERING BLDG, 106 N. 4TH ST., LOS ANGELES. SUFFICIENT TO COVER THE COST OF CONSTRUCTION INSPECTION AND RECORD PLANS.  
 APPROVAL OF THIS PLAN BY THE COUNTY OF LOS ANGELES DOES NOT CONSTITUTE A REPRESENTATION AS TO THE ACCURACY OF THE LOCATION OR THE EXISTENCE OR NON-EXISTENCE OF ANY UNDERGROUND UTILITY PIPE OR STRUCTURE WITHIN THE LIMITS OF THIS PROJECT. THIS NOTE APPLIES TO ALL PAGES.  
 IF WORK IS TO BE DONE IN A STATE HIGHWAY, A PERMIT MUST BE OBTAINED FROM THE STATE OF CALIFORNIA, DIVISION OF HIGHWAYS, 120 SOUTH SPRING STREET.

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHNNIE LAMBLE, COUNTY ENGINEER

BY: Richard E. Kulas  
 ASST. SANITATION ENGINEER

CHECKED BY: W. L. Under 5-2-63  
 OFFICE OF THE COUNTY ENGINEER, REG. C.E. NO. 9496

Submitted: Jack C. Fausling  
 PAULOS VERDES - CENTINELLA VALLEY REGIONAL ENGINEER.

NO CHARGE FOR  
 CONNECTIONS

33976

