


- GENERAL NOTES**
1. FOR LEGEND SEE STANDARD PLAN 3-1
 2. USE EXTRA STRENGTH PIPE. ALL PIPE IS STANDARD DEPTH EXCEPT AS NOTED
 3. USE MECHANICAL COMPRESSION JOINT FOR ALL UNGLAZED CLAY PIPE JOINTS PER SPEC. SECS 54, 48 & 49.
 4. ALL STRUCTURES SHALL BE BRICK TOWER STRUCTURES AS PER PLAN NO 3-3, EXCEPT AS NOTED
 5. USE STANDARD HANDBLE FRAMES AND COVERS AS PER PLAN NO 3-15, EXCEPT AS NOTED
 6. USE PARALLEL PIPE, SEC 54 OF SPECIFICATIONS TO COMPUTE ALLOWABLE LEAKAGE.
 7. RECONSTRUCT TIE INCHES WITHIN THE RIGID AREA OF STREETS AS NOTED ON THE STORM DRAIN PLANS
 8. ABANDONED PORTIONS OF HOUSE LATERALS SHALL BE SEALED WITH BRICK AND CEMENT MORTAR

PLAN
SCALE: 1" = 40'



43074

SINCE BOOK 44
PG 20

1958 STORM DRAIN BOND ISSUE

PREPARED BY JOHN A. LAMBE COUNTY ENGINEER PC 7224 RECOMMENDED BY <i>Robert E. K...</i> HEAD ENGINEER	REVISIONS <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>MARK</th> <th>DATE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	MARK	DATE	DESCRIPTION				LOS ANGELES COUNTY FLOOD CONTROL DISTRICT PROJECT NO 523 EAST PASADENA UNIT 2 - LINE C & D SANITARY SEWER RECONSTRUCTION
	MARK	DATE	DESCRIPTION					
DRAWN BY: J. R. CR... CHECKED BY: M. C. MASSELL... DATE: DEC 1964	APPROVED BY: [Signature] DATE: []	SCALE: AS SHOWN DATE: NO. SHEET 14 OF						

FA 2566 7320 29 10
FA 2566 X-100 - 100

FA 2509 7320 29 104
FA 2566 X-100 - 100

FA 2509 7320 29 104
FA 2566 X-100 - 100