



THE PLANS. HOUSE LATERALS FROM CHIMNEYS SHALL NOT HAVE AN ANGLE OF LESS THAN 45° WITH THE MAIN LINE SEWER. ANY

CHANGE IN ALIGNMENT SHALL BE REQUESTED IN WRITING BY THE PRIVATE ENGINEER. 6. THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION DIVISION BY TELEPHONE, MADISON 9-47-47, EXT. 81551, AT LEAST TWENTY-FOUR

7. MANHOLES SHALL BE BRICK SEWER STRUCTURES PER S.3. PRECAST CONCRETE MANHOLES PER S.5 OR S.6 MAY BE USED AS AN ALTERNATE IN LOCATIONS APPROVED BY THE COUNTY ENGINEER.

8. USE STAN 48D MANHOLE FRAMES AND COVERS, S. 15, EXCEPT AS NOTED.

MECHANICAL COMPRESSION JOINTS FOR ALL V.C.P. JOINTS PER SPEC'S., SECS. 36 & 48, \$ 49.

LINE OR HOUSE LATERAL V.C.P. SEWER WHICH IS NOT INDICATED ON THE PLANS, THE PIPE SHALL BE ENCASED PER S-23, UNLESS OTHERWISE APPROVED BY THE COUNTY ENGINEER.

17. FOR ALLOWABLE LEAKAGE TEST USE FORMULA NO......?......... SPEC'S., SEC. 54.

COLLECT CHARGES
AS INDICATED

PROFILE ALIGNMENT AND GRADE OF

P.C. 7510

SANITARY SEWERS

HALFORD STREET



PRIVATE CONTRACT NO. 7510

W.S. 44, B-3

FOR LEGEND SEE PLAN NO. S-a-64

