



NOTES:
 1. The Core Cut Hole Shall Be Made With Equipment Specially Designed to Cut a Smooth Hole Without Spalling or Damage to the Reinforcing Steel or Pipe.
 2. The Curing of the Hole and the Placing of the Stub Shall Be Done in the Presence of a District Inspector.
 3. No Connection Shall Be Made to the Stub Until a District Inspector has Approved the Stub.

NOTES
 1. Exploratory holes shall be hand dug to determine the exact depth & location of the S.C. Edison's underground electrical ducts.
 2. All points where the new San Sewer crosses the S.C. Edison's underground ducts shall be hand dug for a safe and reasonable distance before any mechanical or power equipment is used.
 3. All work done in Lakewood Blvd. & Artesia Blvd. to be completed in accordance with Std. Dwg. 2-D187 and Section 15 of the Specifications.
 4. See sheet 18 for construction phases.

CITY OF BELLFLOWER SUBMITTED July 21 1959 KOEBIG & KOEBIG CONSULTING ENGINEERING-ARCHITECTURE LOS ANGELES, CALIFORNIA APPROVED July 24 1959 <i>William D. McNamee</i>		REVISIONS <table border="1"> <tr> <th>MARK</th> <th>DATE</th> <th>DESCRIPTION</th> </tr> <tr> <td>Δ</td> <td>7.7.61</td> <td>As Built</td> </tr> </table>	MARK	DATE	DESCRIPTION	Δ	7.7.61	As Built	LOS ANGELES COUNTY FLOOD CONTROL DISTRICT PROJECT NO. 410 BELLFLOWER SANITARY SEWER RECONSTRUCTION PLAN & PROFILE APPROVED BY <i>W. S. ...</i> CHIEF ENGINEER SCALE AS SHOWN DATE JULY 59 SHEET NO. 275-410-DL10 10 OF 14
MARK	DATE	DESCRIPTION							
Δ	7.7.61	As Built							