


MAP OF

HASKELL CANYON ROAD

FROM

BOUQUET CANYON ROAD

TO

NORTH LINE SEC. 25-T4N-R16W

COUNTY SURVEYORS MAP Nº B-132

SHEET NO. 2 OF 2 SHEETS

SCALE - 1 INCH = 100 FT.

WORK ORDER Nº 765

J.E. ROCKHOLD. - COUNTY SURVEYOR

SURVEYED FROM NOV. 1927 TO FEB. 1928

SURVEYED UNDER INSTRUCTIONS OF THE BOARD OF SUPERVISORS PER ORDER DATED JUNE 30 1927.

BEARINGS ARE BASED ON THE BEARING OF COURSE STA. 0+00 TO STA. 10+42.37 FROM OBSERVATIONS ON POLARIS. F.B. 314-5

F.B. 314-1-180

FIELD WORK BY A. BRACKETT.
OFFICE WORK BY F.C. HOWARD.
" " = W.H. BLACKMER.
CHECKED BY M.H. CURTIS.
" = R.A. McPHERSON.

INDEX 77

C5B - 132 - 2
A1 OF A3

T5N-R15W

T5N-R16W

30

31

25

36

Section Line 2

SECTION CORNER Found old white 2"x2" stake in 2" pipe, no ref. mound. Reset 2"x2" stake with a 2" iron pipe set in concrete with brass tag inscribed as shown. F.D.319 - L.M. Hargrave Map Check '74

CANYON ROAD

HASKELL

HASKELL

SECTION CORNER Found 2"iron pipe, witness corner, 0.3ft. South, 2" iron pipe, 0.3ft. East, 2" iron pipe, all in concrete, witness corners mutilated, no brass tag. F.D. 319 '53

SECTION CORNER By projection to found witness corners, a 2" iron pipe in concrete, no brass tag. F.D. 319 '53

WITNESS CORNER Found 5/8" iron rod, 0.1ft. N. of a 4" fence corner post, 2.5ft. W. of a 4" fence post, 2.6ft. W. of a 4" fence post, with a 4" steel post set in concrete, mutilated, no brass tag. F.D. 319 '53

SECTION CORNER As shown on the corner is a 2" iron pipe in concrete, no brass tag. F.D. 319 '53 L.M. Hargrave Map Check '74

CSB-132-2
A2 OF A3

T5N-R15W

T5N-R16W

RANGE-15-WEST
RANGE-16-WEST

SPUR

ROAD

HASKELL

CSB-132-2
A3 OF A3