
T.B.M. No. 6 ELEV. 2098.955
3/4" Iron pipe, Ref. Pt. to P.I. = 49, 32'± Right of Sta. 61+92
F.B. 775-117

T.B.M. Nº 7 ELEV. 2090.555
Nail and tin in crotch of scrub oak, 18' Right of Sta. 63+40
F.B. 775-118

T.B.M. Nº 8 ELEV. 2060.200
¾" Iron pipe, radius point #55, 40' Right of Sta. 67+03.74
F.B. 775-31, 120




CONTINUED ON C.S.B.-1563 SHEET 3

SCALE: HORIZONTAL 1 INCH = 80 FT.
VERTICAL 1 INCH = 20 FT.

PROFILE OF MINT CANYON SPUR CONTINUED ON C.S.B.-1563 SHEET 4

58 59 60 61 62 63 64 65 66 67 68 69 70 71 72



DATUM - MEAN SEA LEVEL
ELEVATIONS SHOWN HEREON ARE BASED ON THE 1928 U.S.C.&G.S. ADJUSTMENT OF U.S.G.S. B.M. K3-1 (U.S. 1370)

FOR INDEX MAP SEE C.S.B-1563 SHT. 1

MAP AND PROFILE OF
VASQUEZ CANYON MOTORWAY
FROM
VASQUEZ CANYON ROAD
EASTERLY THROUGH
SECTIONS 34 & 35 - T.5 N. R.15 W. S.B.M.

COUNTY SURVEYORS MAP Nº B-1563.
SHEET Nº 2 OF 4 SHEETS
SCALES AS SHOWN

JOB NUMBER - 7179

ALFRED JONES - COUNTY SURVEYOR
SURVEYED NOV - 1938 TO MAY 1940.

SURVEYED UNDER RULE 21, ORD. 929, AT REQUEST OF COUNTY FORESTER AND FIRE WARDEN PER LETTER DATED FEB. 15, 1933
BEARINGS ARE BASED ON TRUE BEARING FOR A MERIDIAN THROUGH THE U.S.G.S. TRIANGULATION STATION "PLUM"

F.B. 775 - 1-255

FIELD WORK BY F.C. HOWARD.
OFFICE WORK BY K.R. McPHERSON.
H.U.M. HIGGINS.
H.N. BRADSTREET
CHECKED BY K.R. McPHERSON.
L.K. FREEMAN
J.H. SMITH INDEX 16-78

T.B.M. Nº 4 ELEV. 2082.170
¾"Iron pipe, P.I.#37, 9'±
Left of Sta. 48+64
F.B. 775-110

950
12'±

MOTORWAY

S. 64°26' 10"E. 304.34

38+05.31 E.C.

41+07.65 B.C.

Pl. Nº32 Set ⅝"ø Stake #B 775-80

41+65.72 E.C.

41+05 B.V.C. 2048.80

40+80 B.V.C. 2048.54 60 V.C.

41+28.36 2049.28

41+30 E.V.C. 2050.38

41+55.62 C.

Pl. Nº33 Set ⅝"ø Stake #B 775-81

41+83.36

41+84.83 E.C.

42+60 B.V.C. 2062.34 70 V.C.

42+95 V.P.I. 2065.40

42+61.11 B.C.

5.88°39'30"E

36.18

43+30 E.V.C. 2063.37

43+70 B.V.C. 2061.04 60 V.C.

42+00 V.P.I. 2059.30

44+30 E.V.C. 2062.80

44+60 B.V.C. 2066.30 60 V.C.

44+90 V.P.I. 2069.80

45+20 E.V.C. 2072.11

+1.029%

+8.737%

+5.806%

+11.667%

+7.692%

+5.923%

-7.561%

+15.000%

Tangential

44+90 V.P.I. 2079.80

47+10 B.V.C. 2083.13 60 V.C.

47+30 V.P.I. 2087.30

47+50 E.V.C. 2084.48

49+00 B.V.C. 2076.18 110 V.C.

49+55 V.F.I. 2072.00

50+10 E.V.C. 2080.23

7069

N. 77°51'05"E. 105.52

44+37.32 B.C.

A=6°08'50"
R=1900.00'
T=102.00'
L=203.80'

44+57.94

N. 71°12'45"E. 109.39

Pl. Nº35 Set ⅝"ø Stake #B 775-82

45+61.32 E.C.

Pl. Nº34 Set ⅝"ø Stake #B 775-81

43+31.80 E.C.

Pl. Nº36 Set ⅝"ø Stake #B 775-83

115.57

S. 75°40'40"E 68.83

Pl. Nº37 Set ¾"ø Iron Pipe #B 775-84

150.09

S. 47°00'45"E 70.64

Pl. Nº38 Set ⅝"ø Stake #B 775-85

S. 65°53'15"E. 112.83

51+96.14 B.C.

A=35°13'00"
R=50.00'
T=16.34'
L=30.73'

Pl. Nº39 Set ⅝"ø Stake #B 775-86

52+67.60 E.C.

CONTINUED ABOVE

46+04.65 B.C.

47+80.12 E.C.

47+88.73 B.C.

49+39.84 E.C.

50+09.68 B.C.

50+83.31 E.C.

CONTINUED FROM BELOW

51+96.14 B.C.

A=35°13'00"
R=50.00'
T=16.34'
L=30.73'

52+67.60 E.C.

52+88.16 B.C.

POST Set ⅝"ø Stake #B 775-84

S. 16°13'45"W. 10.56

Pl. Nº40 Not Set

78.30

POST Set ⅝"ø Stake #B 775-84

S. 40°05'00"E. 132.40

N. 69°53'35"E. 44.77

52+88.16 B.C.

A=35°13'00"
R=50.00'
T=16.34'
L=30.73'

53+18.89 E.C.

Pl. Nº42 Set ⅝"ø Stake #B 775-87

53+10.82 B.C.

A=6°29'10"
R=500.00'
T=28.47'
L=56.60'

53+67.42 E.C.

Pl. Nº43 Set ⅝"ø Stake #B 775-88

S. 72°59'15"E. 4.03

S. 69°15'15"E. 14.24

55+61.88 E.C.

55+76.85 B.C.

Pl. Nº44 Set ⅝"ø Stake #B 775-89

56+38.45 E.C.

56+39.22

39.22

S. 38°37'45"E. 77.67

VASQUEZ BOULEVARD

Pl. Nº45 Set ⅝"ø Stake #B 775-90

57+91.73 E.C.

A=90°00'00"
R=50.00'
T=50.00'
L=78.54'

57+96.18 C.C.

Pl. Nº46 Set ⅝"ø Stake #B 775-91

58+47.58 B.C.

Pl. Nº47 Set ⅝"ø Stake #B 775-92

N. 68°33'00"E. 91.52

58+47.58 B.C.

A=5°49'15"
R=1910.00'
T=97.32'
L=194.01'


59+91.59 E.C.

CSB-1563-2
A2 OF A4

SCALE 1 INCH = 50 FT.

2150
2100
2050

40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58



CSB-1563-2
A3 OF A4

T.B.M. Nº1 ELEV. 1736.755
3/4" Iron pipe, Pt. # 6, 8'± Right of Sta 10+53 F.B. 775-89

T.B.M. Nº 2 ELEV. 1778.705
3/4" Iron pipe, Pt. # 9, 11'± Right of Sta 13+15 F.B. 775-91

SCALE: HORIZONTAL 1 INCH = 80 FT.
VERTICAL 1 INCH = 20 FT.

Pt VASQUEZ CANYON ROAD Found 6" Pk Stake per F.B 345-30 F.B 775-5

C.S. B-151.

VASQUEZ CANYON ROAD

A 6"x 6" Stake at N.W. Corner of East ½ of S.E.¼ of N.E.¼ of Section 33, per C.S. B-151.

S.W. Corner of East ½ of S.E.¼ of N.E.¼ of Section 33 per C.S.B-151.

SEE C.S.B 1563-1

SCALE 1-INCH = 50 FT

CSB-1563-2
A4 OF A4

SECTION CORNER
Found 2" iron pipe set in concrete with brass cap marked as shown per F.B. 345-7 F.B. 775-87 See Sheet Nº1.

T. 5 N. R. 15 W.

1/4 SECTION CORNER
Found 2" iron pipe set in concrete with brass cap marked as shown per F.B. 345-7 F.B. 775-87 See Sheet Nº1.

MOTORWAY