





RUBBLE MASONRY  
RETAINING WALL SECTIONS  
SCALE: 1 IN. = 5 FT.



TUNNEL ROOF SLAB  
REINFORCED CONCRETE  
SCALE: 1 IN. = 1 FT.



TUNNEL FLOOR  
SCALE: 1 IN. = 1 FT.



SHERIFF'S PISTOL RANGE  
IN  
CITY TERRACE  
COUNTY OF LOS ANGELES, CALIFORNIA  
PLANS FOR  
FIRING DECK RETAINING WALLS  
COUNTY SURVEYORS MAP N<sup>o</sup> B-1730  
SCALES AS SHOWN

JOB NUMBER 8320

ALFRED JONES—COUNTY SURVEYOR AND  
COUNTY ENGINEER

PLANS PREPARED OCTOBER—NOVEMBER 1941

PLANS PREPARED AND SURVEYS MADE UNDER  
INSTRUCTIONS OF THE BOARD OF SUPERVISORS  
PER ORDER DATED SEPTEMBER 30, 1941, AND  
UPON REQUEST OF THE CHIEF ADMINISTRATIVE  
OFFICER BY LETTER DATED MAY 12, 1941.

PLANE TABLE SURVEY & F. B. 877: 128-133

FIELD WORK BY..... T. M. WALSH  
DESIGNED BY..... E. J. EPPERSON  
L. R. FREEMAN  
TRACED BY..... J. A. LYON  
CHECKED BY..... L. R. FREEMAN  
J. R. SMITH

THIS DRAWING AND THE DATA HEREON ARE HEREBY  
MADE A PART OF THE SPECIFICATIONS.

SUBMITTED BY *[Signature]* APPROVED BY *[Signature]*

FJR ORIGINAL TOPOGRAPHY SEE C. S. B-1737  
FOR GRADING PLAN AND CALCULATION MAP SEE C. S. B-1723

SPECIFICATIONS

Rubble masonry shall be constructed in the form and to the dimensions shown on the plans. The stones shall be hard, durable, preferably broken rock with rough surfaces. They shall be clean and laid in Class 'B' Concrete. They shall be wet before coming into contact with the concrete.



Concrete shall be proportioned, machine mixed and placed in accordance with General Specifications shown on file in the office of the County Engineer.

The 6-inch trench and 6-inch layer of previous backfill behind walls shall consist of crushed rock or gravel.


Open joints in the drain tile shall be covered with a broken piece of tile before spreading crushed rock over them.

QUANTITIES


Rubble Masonry..... 870 Cu. Yds.  
Crushed Rock Backfill..... 22 Cu. Yds.  
Gravel for Slopway Trench..... 22 Cu. Yds.  
Reinforced Concrete..... 38 Cu. Yds.  
Reinforcing Steel..... 297 lbs.  
4" Drainage Tile..... 184 Lb. 4"  
4" Steel or Iron Pipe..... 22 Lb. ft.




CSB-1730




FRONT ELEVATION OF RETAINING WALL  
SCALE: 1 IN. = 10 FT.




PLAN OF RETAINING WALL  
SCALE: 1 IN. = 10 FT.



RUBBLE MASONRY  
RETAINING WALL SECTIONS  
SCALE: 1 IN. = 5 FT.



SECTION A-A  
SCALE: 1 IN. = 20 FT.



PISTOL RANGE  
PLAN  
SCALE: 1 IN. = 40 FT.

