COUNTY OF LOS ANGELES
MAP OF
MILLS AVENUE
FROM
ANAHEIM – TELEGRAPH ROAD
TO
WHITTIER BOULEVARD
COUNTY SURVEYORS MAP № B-2141
SCALE: 1 INCH = 100 FT.

JOB NUMBER 6460

C.E. ARNOLD – COUNTY SURVEYOR
SURVEYED AUG.– SEPT. 1947, FEB. 1949

SURVEYED ON REQUEST OF THE REGIONAL PLANNING COMMISSION UNDER SEC. 79, ORD. 4099, BY LETTER DATED MAR. 25, 1947, AND AS AUTHORIZED BY THE BOARD OF SUPERVISORS IN THEIR ORDER OF JUNE 1, 1938

BEARINGS ARE BASED ON THE CALIFORNIA COORDINATE SYSTEM, ZONE 7, PER CHAPTER 1307, STATUTES 1947. SEE C.S. 9423

F.B. 1268-8-99; 247-260

FIELD WORK BY . . . . . D.E. HOLMES, R.L. WILLEY
OFFICE WORK BY . . . . . C.W. COX
CHECKED BY . . . . . A.H. DREW
INDEX 34

Revised April, 1952 PWWA
Survey Sec. 1201, C.C.R.
Sub. Sec. Right of Way

MARGINAL MAP
NOT TO SCALE

CSB-2141
A1 OF A4

COUNTY SURVEYOR'S MAP NO. B-2141

MARGINAL MAP
NOT TO SCALE

MILLS AVE.

LAMBERT RD.

CATALINA AVE.

EARTON WAY

WHITTIER AVE.

HIGHLAND AVE.

GUNN AVE.

ANGLE POINT
Found lead and tack in sandstone
Ref. Cor. bears S.0°-25'-E. 2.00 ft.
2339-I, U.S. Bdy. Survey, Dwg. No. 2
State of Surface, F.B. 1268-19

Set 1" iron pipe, plug and tack by intersection in hub of fence post, Set 3½" state standard surface F.B. 1268-20

Set nail and tin F.B. 1268-20

Set spike, washer and tin by intersection. F.B. 1268-15

Set nails and tins F.B. 1268-15

Set spike, washer and tin by intersection. F.B. 1268-15

Found lead and tack in concrete pavement for L.S. 2-26, 28, 30 978-21, F.B. 1268-28, 30

Found lead and tack in concrete pavement for L.S. 2-26, 28, 30

WALNUT AVE.

Found 2" S.C.I. plug and tack in top of concrete post 0.2 N. and 0.2 E. of corner. M.B. 221. F.B. 1268-16, 72

Set spike, washer and tin by intersection. F.B. 1268-75

GUNN AVE.

Set nails and tins F.B. 1268-75

ANGLE POINT Found sandstone rock with x and 2" S.C.I. plug and tack in top of concrete set 0.2' below surface. M.B. 425-220

ANGLE POINT Found 2" S.C.I. plug and tack in top of concrete set 0.2' below surface. M.B. 425-220. F.B. 1268-16, 75

Found white powder drive spike by tin tag for R.S. 425-219 F.B. 1268-12

Set iron pipe, plug and tack 0.1 below surface F.B. 1268-12

AHMANN AVE.

RUFUS AVE.

M.B. 380-20-22

RESURVEY OF GUNN'S PLAT OF THE BLAISDELL TRACT

LOT 8

M.R. 34-64

TRACT No. 15747

TRACT No. 16235

TRACT No. 17065

TRACT No. 19800

TRACT No. 16123

CLOSE

CREIS ST.

M.B. 340-40, 41

M.R. 60-17-18

R.S. 59-28

STODDART'S SUBDIVISION

M.R. 60-17

M.B. 503

BEN HUR

ST.

MYSTIC

LIGHT

ALLENTON

DICKY

M.B. 321-16-17

MULBERRY

ANGLE POINT Found 2" S.C.I. plug and tack in top of concrete set 0.2' below surface. M.B. 425-220. F.B. 1268-16, 72

TRACT No. 1

OVAL

LANE

ARMLEY

M.B. 407-34

PART OF TRACT No.

MILLS AVE.

TRACT No. 505

TRACT No. 15017

TRACT No. 14939

TRACT No. 16328

TRACT No. 505

M.B. 345-95-96, 97

M.B. 317-48

M.B. 315-35, 36

R.S. 60-15

R.S. 43-27

BLOCK

M.B. 15-94, 95

BROADWAY

HAWES

VICTORIA

COLIMA

RD.

Found 1/2" iron pipe and tack in top of concrete 0.2' below surface F.B. 1268-17

Found concrete monument F.B. 1268-17

Set 2" iron pipe in concrete with tack in top 0.2' below surface F.B. 1268-16

Set 2" iron pipe in concrete with tack in top 0.2' below surface F.B. 1268-16

CSB-2141
A3 OF A4

MARGINAL MAP
SHOWING
RELOACATION
SCALE: 1 INCH = 50 FT.
FIELD WORK BY....A.S. CURTIS
OFFICE WORK BY....L.C.WILSON
CHECKED BY....MR PHERSON
F.B. 1268-279-287

CSB-2141
A4 OF A4