

MARGINAL MAP
WEST ½ OF SEC. 31, T. 1 S., R. 16 W.
SCALE: 1 INCH = 200 FT.
SECTION CORNER
Found Standard County Surveyors Monument marked as shown
F.B. 1848-12
SECTION CORNER
Found 18" x 18" Sandstone in mound of rock, 5 notches on north face and 1 notch on south face. The original U.S. Land Office monument. See C.S. 3237-E. Replaced same with a Standard County Surveyors Monument - marked
F.B. 1848-8, 18
Found 8" iron pipe Set plug and nail as noted
F.B. 1848-16
Found 8" iron pipe in rock mound.
F.B. 1848-8
Found 8" iron pipe in rock mound. Set plug and nail in same.
F.B. 1848-8
½ SECTION CORNER
No prior mon. between & Corner to the east and Section Corner to the West. Nothing Set.
S 89°-53'-05" E
1038.43
1002.01
1042.48
1002.01
½ SECTION CORNER
Found 4"x12"x12" Sandstone marked "½" on mostly face in a rock mound. The original U.S. Land Office monument. This corner falls 10.1 chains west of ridge. See C.S. 3237-M. Replaced same with a Standard County Surveyors Monument - marked
F.B. 1848-18
Found ¾" iron pipe in rock mound.
F.B. 1848-9, 18
Set nail and tin tag intersection
F.B. 1848-17
Found 3" brass disc set in concrete Bearing 30.18 N 89°-53'-05" E from C.L. Sta. 1+00 on Center Line of Pacific Coast Highway
F.B. 1848-7
Found copper monument on Centerline, Line and D. 3885.30 Tie at Monument in rock mound, Bears W. 4 feet, Witness
F.B. 1848-7
TRAVERSE STA. TOPANGA CANYON MBM
Found Standard Private Station Monument
F.B. 1848-17
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Found spike, tree marked
F.B. 1848-14
Found 3"x3" concrete monument with brass plug in top, 0.2' below surface, marked
F.B. 1848-18
Set Standard County Surveyors Monument in Concrete (12" Drive Surface)
F.B. 1848-9
Found 3" brass disc set in concrete (12" Drive Surface), Sta. 11+94.29 E. 36.84' C.L. Sta. 12+00
F.B. 1848-9 per State Hwy. Fd. 8.2+20.2-12
Found 3" brass disc set in concrete Bearing 30.18 N 89°-53'-05" E from C.L. Sta. 1+00 on Center Line of Pacific Coast Highway
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-9
Found copper monument on Centerline, Line and D. 3885.30 Tie at Monument in rock mound, Bears W. 4 feet, Witness
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Found spike, monument well mk.
F.B. 1848-7
Found copper monument on Centerline, Line and D. 3885.30 Tie at Monument in rock mound, Bears W. 4 feet, Witness
F.B. 1848-7
Found spike, monument well mk.
F.B. 1848-7
Found 3" brass disc set in concrete Bearing 30.18 N 89°-53'-05" E from C.L. Sta. 1+00 on Center Line of Pacific Coast Highway
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Set Standard County Surveyors Monument - Flush with surface - marked
F.B. 1848-7
Found copper monument on Centerline, Line and D. 3885.30 Tie at Monument in rock mound, Bears W. 4 feet, Witness

E. 126 400

E. 126 800

E. 126 800

E. 127 000

N. 4 127 000

N. 4 126 800

N. 4 126 600

"PACIFIC COAST HIGHWAY"

MACADAM PAVEMENT

1007.73'

Edge of Road 1 Mi. Pavement

Edge of Road 1 Mi. Pavement

Top Concrete Head Wall 20.53

24" Concrete Pipe

Edge of Road 1 Mi. Pavement

Edge of Road 1 Mi. Pavement

Chain Link Fence

Chain Link Fence

Wood Sign & Guard Rail

Bench Mark

Sandy Hook Annex No. Station Tank 69.88

Bench Mark

Bay of Large Rock

U.S.C.&G.S. Hydrographic Station Bronze Disc in Concrete No. Number

100 Contour As of Oct. 1, 1930

Grass

Concrete 6" Steel

Edge of Brick Walk

Concrete Walk

Concrete Walk

Edge of Brick Walk

Concrete Walk

Edge of Brick Walk

Concrete Walk

Edge of Brick

N. 4 127 000

E. 103 800

E. 103 800

E. 104 000

E. 104 200

E. 104 400

PACIFIC COAST HIGHWAY

MACADAM PAVEMENT

S. 88° 02' 00" E. 275.53' 500.84

S. 89° 28' 29" W.

N. 89° 30' 43" E. 27.48

N. 4 126 800

N. 4 126 600

CSB-2499
A30FA3