

SECTION CORNER
County Surveyor's monument
found 11' 0" below surface. See F.B.
630-205, C.S.B. 630-1. Set well and
corner. F.B. 3211-18

SECTION CORNER
County Surveyor's monument
found 11' 0" below surface. See F.B.
630-205, C.S.B. 630-1. Set well and
corner. F.B. 3211-18

TRIANGULATION STATION "WIND"
Found U.S. Coast and Geodetic Survey
monument 626224. F.B. 3211-18

TRIANGULATION STATION "TRANS"
F.B. 3211-18

3 6 9 8

32 - 33

LOT 20 LOT 21 LOT 28 LOT 29

1/4 SECTION CORNER
Found County Surveyor's monument
marked 10' below surface per C.S.B.
630-1. Set County Engineer's monument
marked 10' below surface as indicated
on plan. F.B. 3211-18


NOTE:
The alignment of the "Major" highway
proposed in the Master Plan of
Highways not established June, 1964.

SECTION CORNER
Found County Surveyor's monument
marked 10' below surface. See F.B.
630-205, C.S.B. 630-1. Set well and
corner. F.B. 3211-18

SECTION CORNER
County Surveyor's monument
found 11' 0" below surface. See F.B.
630-205, C.S.B. 630-1. Set well and
corner. F.B. 3211-18

1/4 SECTION SECTION
Found County Surveyor's monument
marked 10' below surface. See F.B.
630-205, C.S.B. 630-1. Set well
and corner. F.B. 3211-18

CSB-2954-1
A1 OF A3



COUNTY OF LOS ANGELES
MAP OF
140TH STREET WEST
FROM
AVENUE D
TO
AVENUE A
COUNTY SURVEYORS MAP NO. B-2954
SHEET NO. 1 OF 2 SHEETS
SCALE: 1 INCH = 100 FT.

JOB NUMBER 0096.42
JOHN A. LAMBIE - COUNTY ENGINEER
SURVEYED MARCH, 1965
SURVEYED ON REQUEST OF THE REGIONAL
PLANNING COMMISSION UNDER SEC. 79
ORD. 4099 BY LETTER DATED SEPT. 15, 1964
AND BY BOARD ORDER DATED DEC. 11, 1951
BEARINGS ARE BASED ON THE CALIFORNIA
COORDINATE SYSTEM ZONE 7 PER SEC. 9009
PUBLIC RESOURCES CODE SEE "S. 9423
F.B. 3211-5-28
FIELD WORK BY..... J. S. COATES
OFFICE WORK BY..... G. L. LUDVICKSON
CHECKED BY..... S. SHINODA

IM 72

10
15

1/4 SECTION CORNER
Found County Surveyor's measurement
of 187' 0" distance surface See C.S.B. 830-1
F.B. 3211-11

SECTION CORNER
Found County Surveyor's measurement
of 187' 0" distance surface See C.S.B. 830-1
F.B. 3211-12

T R A C T

N O.

3 6 9

1/4 SECTION CORNER
Found County Surveyor's measurement
of 187' 0" distance surface See C.S.B. 830-1
F.B. 3211-13

Found 1" iron pipe 61' distance surface
See Tract No. 3690, M.B. 40-32-33
F.B. 3211-13

135TH

M. B. 40 - 32 - 33

LOT 4

LOT 5

LOT 12

LOT 13

LOT 20

LOT 21

9

AVENUE

8

17

S.F.D. 4350-575

SECTION CORNER
Found County Surveyor's measurement
of 187' 0" distance surface See C.S.B. 830-1
F.B. 3211-21

1/4 SECTION CORNER
Found County Surveyor's measurement
of 187' 0" distance surface See C.S.B. 830-1
F.B. 3211-22

1/4 SECTION CORNER
Found County Surveyor's measurement
of 187' 0" distance surface See C.S.B. 830-1
F.B. 3211-24

SECTION 17, T.8N., R.14W.

CSB-2954-1
A2 OF A3

SHEET NO. 1 OF 5 2-FEET
COLUMBIAN MAP NO. B-384

SHEET NO. 1 OF 5 SHEETS
COLUMBIAN MAP NO. B-384

CONTINUED ON SHEET B
C.S.B-418 Section Line C.S.B-830-1

1/4 SECTION CORNER
Found County Surveyor's monument
1/4 section corner to the north, 1/4 section
corner to the south, see C.S.B. 1943-1
P.B. 3211-14

SECTION CORNER
Found County Surveyor's monument
1/4 section corner to the north, 1/4 section
corner to the south, see C.S.B. 1943-1
P.B. 3211-14

1/4 SECTION CORNER
Found County Surveyor's monument
1/4 section corner to the north, 1/4 section
corner to the south, see C.S.B. 1943-1
P.B. 3211-15

SECTION 9, T.8N., R.14W.

1/4 SECTION CORNER
Found County Surveyor's monument
1/4 section corner to the north, 1/4 section
corner to the south, see C.S.B. 1943-1
P.B. 3211-25

CONTINUED ON SHEET B
C.S.B-418 Section Line and Proposed Center Line C.S.B-830-1
Proposed Right of Way Line

SECTION 8, T.8N., R.14W.

CSB-2954-1
A3 OF A3

SECTION CORNER
Found County Surveyor's monument
1/4 section corner to the north, 1/4 section
corner to the south, see C.S.B. 1943-1
P.B. 3211-21

1/4 SECTION CORNER
Found County Surveyor's monument
1/4 section corner to the north, 1/4 section
corner to the south, see C.S.B. 1943-1
P.B. 3211-21

