

202

(2)

[Faint, mostly illegible handwritten text]

In Witness Whereof

[Faint handwritten text]

PS

[Faint handwritten signature]

[Faint handwritten text]

Plan
of the

Rancho Los Cerritos

finally confirmed

to

Juan Temple

Surveyed under instructions from the

U. S. SURVEYOR GENERAL

By

HENRY HANCOCK DEPT SUR

July 1866

Containing 27054.32 Acres

BOUNDARIES											
No	COURSE	DIST.	No	COURSE	DIST.	No	COURSE	DIST.	No	COURSE	DIST.
1	S 70° 28' E	108.47	69	N 53 1/4° W		100	137 S 70° W	400	205 S 60° W	5.00	
2	N 31° W	1.16	70	" 68 "		700	138 N 79 1/2 "	1.00	206 " 35 3/4 "	6.00	
3	" 2 "	12.00	71	" 53 "		700	139 " 46 1/4 "	5.00	207 " 23 1/2 "	16.00	
4	" 9 1/2 E	3.00	72	" 64 1/2 "		500	140 " 62 "	1.00	208 " 14 3/4 "	10.80	
5	" 29 1/4 "	5.00	73	" 50 3/4 "		6.00	141 " 29 1/4 "	8.00	209 " 24 1/2 "	10.00	
6	" 51 1/2 "	2.00	74	S. 70 1/4 "		1300	142 " 60 3/4 "	25.40	210 " 40 1/2 "	6.00	
7	" 10 3/4 "	2.00	75	N. 88 1/4 "		400	143 S. 75 "	7.00	211 " 68 1/2 "	4.80	
8	" 31 3/4 "	9.00	76	" 29 "		6.00	144 " 41 "	6.00	212 " 47 1/4 "	7.00	
9	" 44 1/2 "	4.00	77	S. 88 "		5.00	145 " 2 1/2 "	24.50	213 " 61 1/2 "	10.00	
10	" 15 1/2 "	3.00	78	N. 50 3/4 "		2.00	146 " 26 1/2 E	12.80	214 " 47 1/2 "	7.00	
11	" 42 1/4 "	7.00	79	" 14 1/4 "		5.00	147 " 5 1/2 "	13.50	215 " 62 1/2 "	6.20	
12	" 27 1/2 "	2.00	80	" 60 1/2 "		8.00	148 " 21 W	15.50	216 " 48 1/4 "	11.00	
13	" 42 1/4 "	4.00	81	" 24 1/4 E		7.00	149 " 33 1/2 "	5.00	217 " 44 3/4 "	9.00	
14	" 73 1/4 "	3.00	82	" 40 3/4 W		5.00	150 " 71 "	18.50	218 " 30 1/4 "	11.50	
15	" 33 3/4 "	7.00	83	" 8 1/2 "		3.00	151 " 40 "	15.50	219 " 40 1/2 "	26.60	
16	" 45 3/4 "	9.00	84	" 77 1/4 "		5.00	152 8 3/4 E	17.00	220 " 25 "	10.50	
17	" 30 "	4.00	85	" 65 1/2 "		9.00	153 70 1/4 "	62.7	221 " 40 1/2 "	11.58	
18	" 68 3/4 "	3.00	86	" 80 1/4 "		6.00	154 58 "	3.50	222 " 26 "	7.20	
19	" 45 3/4 "	6.00	87	" 47 1/4 "		400	155 44 "	11.60	223 " 46 "	8.30	
20	" 73 1/4 "	7.00	88	" 71 "		300	156 63 3/4 "	14.50	224 " 5 "	3.50	
21	" 33 1/2 "	10.00	89	" 38 "		800	157 12 "	16.00	225 " 45 E	4.40	
22	" 47 "	7.00	90	" 11 1/4 E		1699	158 30 1/2 W	14.50	226 " 1 W	3.87	
23	" 58 "	4.00	91	" 11 3/4 W		700	159 54 1/2 "	4.50	227 " 26 1/2 E	5.13	
24	" 30 3/4 "	5.00	92	" 34 1/4 E		400	160 34 1/4 "	24.15	228 " 1 "	6.50	
25	" 42 "	6.00	93	" 9 1/2 W		200	161 27 1/2 "	24.68	229 " 22 W	12.50	
26	" 20 "	10.00	94	" 36 E		500	162 63 1/2 "	14.41	230 " 1 "	4.00	
27	" 11 1/4 "	9.00	95	" 8 W		1000	163 85 "	15.97	231 " 32 3/4 E	7.50	
28	S 78 1/4 "	4.00	96	" 26 "		800	164 39 1/2 "	9.43	232 " 5 W	5.18	
29	N 67 1/2 "	2.00	97	" 35 1/2 "		1000	165 21 1/2 E	6.00	233 " 30 1/2 "	10.00	
30	" 6 "	3.00	98	" 21 1/2 E		9.00	166 36 1/2 "	11.35	234 " 7 "	8.00	
31	" 47 1/4 "	4.00	99	" 6 1/4 "		500	167 74 3/4 "	7.53	235 " 1 1/4 E	12.00	
32	" 29 1/4 "	4.00	100	" 6 "		10.00	168 60 "	5.00	236 " 36 1/4 W	15.50	
33	" 11 1/4 "	11.00	101	" 26 W		400	169 26 1/2 "	5.21	237 " 6 "	26.50	
34	" 4 1/2 W	5.00	102	" 20 3/4 E		1600	170 26 W	11.89	238 " 33 1/4 E	15.70	
35	" 18 1/4 E	6.00	103	" 17 1/4 "		6.00	171 73 1/2 "	7.00	239 " 3 3/4 W	13.50	
36	" 47 1/4 "	6.00	104	" 43 1/2 "		6.00	172 5 E	13.50	240 " 43 1/2 E	13.00	
37	" 20 1/2 W	1.00	105	" 37 "		6.00	173 19 1/2 "	11.00	241 " 10 W	4.22	
38	" 67 3/4 E	4.00	106	" 28 W		6.00	174 51 1/4 "	1.70	242 " 26 1/2 E	12.00	
39	" 52 3/4 "	2.00	107	" 6 3/4 E		1800	175 9 1/2 "	2.94	243 " 49 E	3.50	
40	" 25 1/2 "	3.00	108	" 5 W		800	176 24 1/2 "	4.50	244 " 24 1/2 W	33.50	
41	" 60 1/4 "	2.00	109	" 37 1/2 "		800	177 57 1/4 "	10.81	245 " 15 1/2 E	19.00	
42	S 59 3/4 "	2.00	110	" 5 3/4 E		3.00	178 16 3/4 W	7.40	246 N 65 "	2.30	
43	N 47 1/2 "	3.00	111	" 1 1/2 "		500	179 N. 89 "	6.40	247 S. 16 1/4 "	4.50	
44	" 32 "	3.00	112	" 43 W		900	180 S. 20 "	5.00	248 " 14 1/4 W	11.50	
45	" 44 1/2 "	2.00	113	" 9 1/2 "		5.00	181 " 26 1/2 E	5.50	249 " 75 1/4 "	10.00	
46	" 34 3/4 "	4.00	114	" 23 3/4 E		7.00	182 " 18 1/2 W	14.40	250 " 18 1/2 "	9.00	
47	" 21 1/2 "	6.00	115	" 62 "		300	183 " 26 1/4 "	7.30	251 " 49 E	10.00	
48	" 24 1/2 "	3.00	116	" 6 1/2 "		5.00	184 " 43 3/4 "	18.80	252 " 19 1/2 W	17.00	
49	" 32 "	2.00	117	" 4 3/4 "		12.00	185 " 30 "	19.63	253 N 25 E	23.00	
50	" 21 1/2 W	2.00	118	" 30 1/2 W		4.00	186 " 43 1/4 "	51.7	254 S 22 "	12.00	
51	" 9 1/2 "	3.00	119	S. 64 1/2 "		2.00	187 " 79 "	6.31	255 N 70 "	2.700	
52	" 4 1/4 E	3.00	120	N 58 1/2 "		5.00	188 " 57 "	3.76	256 S 4 1/2 W	1.00	
53	" 0 1/2 W	5.00	121	" 44 "		16.00	189 " 56 3/4 "	18.37	257 " 30 1/2 "	4.00	
54	" 59 3/4 "	3.00	122	" 52 1/4 E		1.00	190 77 1/4 "	6.00	258 " 72 "	4.00	
55	" 31 "	1.00	123	" 65 1/2 W		3.00	191 57 "	7.27	259 N. 69 1/2 "	3.00	
56	" 3 "	5.00	124	" 33 3/4 "		5.00	192 52 "	15.73	260 S 67 "	8.00	
57	" 40 1/2 "	2.00	125	" 1 1/2 E		4.00	193 15 1/2 "	8.00	261 " 68 1/2 E	5.00	
58	" 12 "	2.00	126	" 14 W		3.00	194 37 3/4 E	7.91	262 N 83 1/4 "	2.200	
59	" 52 1/2 "	3.00	127	" 6 "		3.00	195 55 1/4 "	6.00	263 " 86 3/4 "	40.00	
60	" 69 1/4 "	3.00	128	" 17 1/2 E		1.00	196 51 1/4 "	8.00	264 " 85 3/4 "	12.00	
61	" 33 1/4 "	3.00	129	" 78 1/2 "		3.00	197 78 "	6.50	265 S. 76 1/2 "	10.00	
62	" 59 1/4 "	6.00	130	" 50 1/4 "		3.00	198 28 1/2 W	21.20	266 " 88 1/4 "	26.00	
63	" 39 1/2 "	3.00	131	" 11 "		4.00	199 9 1/2 E	6.00	267 " 83 "	17.00	
64	" 82 1/2 "	2.00	132	" 19 1/2 W		0.85	200 17 "	10.00	268 N 84 1/2 "	4.00	
65	" 41 1/2 "	5.00	133	" 44 1/2 "		3.00	201 24 "	7.62	269 S. 84 "	13.00	
66	" 32 1/4 "	3.00	134	" 73 "		1.00	202 65 1/4 "	10.00	270 " 81 1/2 "	24.00	
67	" 35 3/4 "	4.00	135	S 78 "		1.00	203 24 "	8.50	271 N 13° 20'	147.00	
68	" 34 "	7.00	136	" 59 1/2 "		2.00	204 15 1/2 W	10.00	272 " 52. 21	199.00	


Field Notes approved:—
L. Upsom

San Francisco Cal. U.S. Surv. Gen'l. Cal.
Jan. 10th 1867

PLAT
of the Rancho
Los Herritos
finally Confirmed to
JUAN TEMPLE
surveyed under instructions from the
U.S. SURVEYOR GENERAL
BY
HENRY HANCOCK DEP. SUR.
JULY 1866
containing 27054^{1/2} acres
scale 40ths to 1 inch variation 14° 15' East.

C. W. M.

P-2-203



Approved and affirmed by the
 Secretary of the Interior
 Jos S. Wilson
 Commissioner of the General Land Office
 Dec. 6th 1867.

BLUE LETTERS IN PENCIL.

Recorded April 5th 1877 at 2:50 PM
 at request of Jotham Bixby

Compd
 C. W. W.

PATENTS 2
 K

P-2-205