

Los Angeles County Department of Public Works

HYDROLOGIC REPORT

2007 – 2008



Water Resources Division

TABLE OF CONTENTS

TABLE OF CONTENTS	(i)
APPENDICES	(ii)
ACKNOWLEDGMENTS	4
INTRODUCTION	5
LOS ANGELES COUNTY	6
FLOOD CONTROL DISTRICT	9
PRECIPITATION	10
RAINFALL INDICES.....	11
STANDARD RAIN GAGE STATIONS DURING WATER YEAR 2007-2008.....	12
DAILY RAINFALL SUMMARY.....	16
LOCATION MAP.....	17
EVAPORATION	18
ACTIVE STATIONS.....	19
MONTHLY SUMMARY.....	20
LOCATION MAP.....	21
RUNOFF	22
INDEX OF STREAM GAGING STATIONS.....	23
STREAM GAGING STATION INFORMATION.....	25
DAILY DISCHARGE.....	25
STREAM GAGING STATION PEAK FLOW.....	25
LOCATION MAP.....	26
RESERVOIRS	27
YEARLY RESERVOIR OPERATION SUMMARY.....	28
RESERVOIR INFORMATION.....	29
LOCATION MAP.....	43
EROSION CONTROL	44
LOCATION MAPS.....	45
DEBRIS BASIN - DESIGN DATA.....	46
YEARLY DEBRIS PRODUCTION SUMMARY.....	51
WATER CONSERVATION	54
CONSERVING THE WATERS.....	54
IMPORTED WATER.....	54
RECYCLED WATER.....	55
SEAWATER BARRIER PROJECTS.....	55
SEASONAL DATA AND MAPS.....	56
GROUNDWATER BASINS AND GROUNDWATER RECHARGE.....	56
SUMMARY.....	60
<i>PUBLIC WORKS FACILITIES</i>	60
<i>OTHER FACILITIES</i>	60
<i>TOTAL MONTHLY WATER CONSERVED</i>	60
<i>IMPORTED WATER OUTLET RELEASES</i>	60
<i>RECLAIMED WATER</i>	60
<i>GROUND WATER FLUCTUATION</i>	60
<i>KEYWELL LOCATION MAP</i>	61

Appendices

DAILY RAINFALL SUMMARY.....	A
STREAM GAGING STATION INFORMATION.....	B
DAILY DISCHARGE.....	C
STREAM GAGING STATION PEAK FLOW.....	D
YEARLY RESERVOIR OPERATION SUMMARY.....	E
EROSION CONTROL - LOCATION MAP.....	F
SUMMARY OF WATER CONSERVATION	
PUBLIC WORKS FACILITIES.....	G
OTHER FACILITIES.....	H
TOTAL MONTHLY WATER CONSERVED.....	I
IMPORTED WATER OUTLET RELEASES.....	J
RECLAIMED WATER.....	K
GROUND WATER FLUCTUATION.....	L

Acknowledgments

This report was prepared by Water Resources Division under the direction of Rod Kubomoto, Assistant Deputy Director. The following staff contributed the data gathered for this report.

Data Collection and Processing:

OPERATIONS STAFF:

Sterling Klippel

William Saunders

Irene Wong

Eric Baul

George Manole, Fred Lai

Janet Lozano

Jesus Guevara, Fabian Negrini

Don Wilson

Anthony Ward, Thien Nguyen, Adelbert Burlas

HYDROLOGIC RECORDS STAFF:

Ben Willardson

Rodney Brown, Miguel Osorio, Steven Chang

INSTRUMENTATION SUPPORT STAFF:

Alex Villarama

Thompson Nguyen

Steve Carrillo, Luong Quang

Leonard Khoo

Robert Fuentes

HYDROLOGIC SYSTEM SUPPORT STAFF:

Arthur Gotingco

Andrew Lee

Coordination:

Iraj Nasser

Adam Walden

DISCLAIMER

The information contained on this report was valid at the time of publication. The Department of Public Works reserves the right to make changes at any time and without notice, and assumes no liability for any damages incurred directly or indirectly as a result of changes errors, omissions or discrepancies.

Introduction

This report discusses hydrologic data relative to the County of Los Angeles for the period beginning October 1, 2007, and ending September 30, 2008. Public Works has revised the format of this report to provide users with more useful data and a more efficient means of utilizing the data. This report is organized into 8 sections.

LOS ANGELES COUNTY

This section provides a brief discussion on the topography, geology, land use, climate, hydrometeorologic, and runoff characteristics of the [County of Los Angeles](#).

PRECIPITATION

The Precipitation Section provides daily and annual rainfall data collected by Public Works' active standard [rain gage stations](#). Unpublished rainfall data are on file at Public Works.

EVAPORATION

The Evaporation Section contains data for 15 [active evaporation stations](#). Unpublished evaporation data from previous years are on file at Public Works.

RUNOFF

The Runoff Section provides mean daily and peak annual flow rate data for 62 active [stream gaging stations](#) operated by Public Works. Annual summaries for each of these stations are also contained in this section. Unpublished stream flow data are on file at Public Works.

FLOOD CONTROL DISTRICT

This section provides a brief discussion on floods in the County, the subsequent formation of the Los Angeles County [Flood Control District](#), and its two main tasks under the Flood Control Act - flood control and water conservation. The responsibilities and authority vested in the District were transferred to Public Works in 1985.

RESERVOIRS

The Reservoir Section provides a summary of annual inflow, outflow, and storage data for 14 [dams and reservoirs](#). Daily inflow values are on file at Public Works.

EROSION CONTROL

The Erosion Control Section provides debris basin design data, debris basin production summary, and debris production history for 118 [debris basins](#) owned and operated by Public Works.

WATER CONSERVATION

The Water Conservation Section provides data for 27 [groundwater recharge facilities](#). This section contains data on the water conserved at various facilities and the water injected at the seawater barrier projects. Historical well level data for key wells are also contained in this section. Unpublished water conservation data from previous years are on file at Public Works.

Unpublished information may be obtained by contacting:

County of Los Angeles
 Department of Public Works
 Water Resources Division
 P.O. Box 1460
 Alhambra, CA 91802-1460
 (626) 458-6120

Los Angeles County

TOPOGRAPHY:

The County of Los Angeles covers an area of 4,083 square miles and measures approximately 66 miles in the east - west and 73 miles in the north - south directions.

The terrain within the County can be classified in broad terms as being 25 percent mountainous; 14 percent coastal plain; and 61 percent hills, valleys, or deserts. Relief of the terrain ranges from sea level to a maximum elevation of 10,000 feet. The coastal plain is generally of mild slope and contains relatively few depressions or natural ponding areas. The slopes of main river systems crossing the coastal plain, such as the San Gabriel River, Los Angeles River, and Ballona Creek, range from 4 to 14 feet per mile.

Topography in the mountainous area is generally rugged with deep, V-shaped canyons separated by sharp dividing ridges. Steep walled canyons with side slopes of 70 percent or more are common. The gradient of principal canyons in the San Gabriel Mountains ranges from 150 to 850 feet per mile. Mountain ranges are aligned in a general east-west direction with the dominant range being the San Gabriel Mountains. The majority of mountain ridges lie below Elevation 5,000 feet. The total area above this level is approximately 210 square miles.

GEOLOGY - SOILS:

Igneous, metamorphic, and sedimentary rock groups are all present within the County. The San Gabriel Mountains and Verdugo Hills are composed primarily of highly fractured igneous rock, with large areas of granitic rock formation being exposed. Faulting and deep weathering have produced porous zones in the rock formation; however, rock masses have produced a comparatively shallow soil mantle due to the steepness of slopes which accelerates erosion of the fine material.

Other mountains and hilly reaches are composed primarily of folded and faulted sedimentary rocks, including shale, sandstone, and conglomerate. Residual soils in these areas are shallow and generally less pervious than those of the San Gabriel Mountain range.

Valley and desert soils are alluvial and vary from coarse sand and gravel near canyon mouths to silty clay, clay and sand and gravel in lower valleys and the coastal plain. The alluvial fill has accumulated by repeated deposition of sediments to depths as great as several thousand feet. This fill is quite porous in areas of relatively low clay content. Geologic structures and irregularities in the underlying bedrock divide the alluvium into several groundwater basins. Valley soils are generally well drained but there are a few areas containing perched water.

LAND USE:

The principal vegetative cover of upper mountain areas consists of various species of brush and shrubs known as chaparral. Most trees found on mountain slopes are oak, with alder, willow, and sycamore found along streambeds at lower elevations. Pine, cedar, and juniper are found in ravines at higher elevations and along high mountain summits.

The chaparral is extremely flammable, and extensive burns of the mountain vegetation frequently occur during dry, low-humidity weather accompanied by high winds. Chaparral has the ability to sprout following fire and grows rapidly to re-establish the watershed cover within a period of 5 to 10 years.

Grasses are the principal natural vegetation on the hills. Much of the hill land and nearly all of the valley land in the densely populated portion of the County south of the San Gabriel Mountains has been converted to urban and suburban use. Development of the Santa Clarita Valley and desert areas to the

north of the San Gabriel Mountains is sparse at present but is proceeding rapidly.

CLIMATE:

The climate within the County varies between subtropical on the Pacific Ocean side of the San Gabriel Mountain range to arid in the Mojave Desert. Nearly all precipitation occurs during the months of December through March. Precipitation during summer months is infrequent, and rainless periods of several months are common. Snowfall at elevations above 5,000 feet is frequently experienced during the winter storms, but the snow melts rapidly except on higher peaks and the northern slopes. Snow is rarely experienced on the coastal plain.

January and July are the coldest and warmest months of the year, respectively. At the Los Angeles civic center, the 30-year average daily minimum temperature for January is 48 degrees (Fahrenheit) above zero. The average daily maximum temperature for July is 84 degrees. At Mount Wilson (Elevation 5,850 feet), the 30-year average daily minimum temperature for January is 35 degrees above zero and the average daily maximum temperature for July is 80 degrees.

HYDROMETEOROLOGIC CHARACTERISTICS:

Coastal and Mountain Areas

Precipitation (rainfall) in the Los Angeles area occurs primarily in the form of winter orographic rainfall associated with extra tropical cyclones of North Pacific origin. Major storms consist of one or more frontal systems and occasionally last four days or longer. Air masses and frontal systems associated with major storms commonly extend for 500 to 1,000 miles in length and produce rainfall simultaneously throughout the County. Major storms approach Southern California from the west or northwest with southerly winds which continue until frontal passage. The mountain ranges lie directly across the path of the inflow of warm, moist air, and orographic effects greatly intensify precipitation.

The seasonal normal rainfall in the County of Los Angeles ranges from 27.50 inches in the San Gabriel Mountains to 7.83 inches in the desert. The average annual rainfall for the County is 15.65 inches.

The effects of snowmelt upon flood runoff is of significance in the few cases when warm spring rains from southerly storms fall on a snowpack. During major storms, temperatures throughout the County may remain above freezing. Average individual storm rainfall amounts and intensities conform to a fairly definite aerial pattern which reflects general effects of topographic differences.

Desert Areas

Summer convective rainfall is principally experienced in the upper San Gabriel Mountains and the Mojave Desert regions. In many desert areas, the most serious flooding occurs as a result of summer convective storms.

RUNOFF CHARACTERISTICS:

Mountain Areas

In mountain areas, the steep canyon slopes and channel gradients promote a rapid concentration of storm runoff. Depression storage and detention storage effects are minor in the rugged terrain. Soil moisture during a storm has a pronounced effect on runoff from the porous soils supporting a good growth of deep-rooted vegetation such as chaparral. Soil moisture deficiency is greatest at the beginning of a rainy season, having been depleted by the evapotranspiration process during the dry summer months. Precipitation during periods of soil moisture deficiency is nearly entirely absorbed by soils, and except for periods of extremely intense rainfall, significant runoff does not occur until soils are wetted to capacity. Due to high infiltration rates and porosity of mountain soils, runoff occurs primarily as subsurface flow or interflow in addition to direct runoff. Spring or base flow is essentially limited to portions of the San Gabriel Mountain range. Consequently, most streams in the County are intermittent.

Runoff from a mountain watershed recently denuded by fire exceeds that for the unburned state due to greatly increased quantities of inorganic debris present in the flow and increased direct runoff resulting from lowered infiltration rates. Debris production from a major storm has amounted to as much as 223,000 cubic yards per square mile of watershed. Boulders up to eight feet in diameter have been deposited in valley areas a considerable distance from their source.

Debris quantities equal in volume to the storm runoff (100% percent bulking) have been recorded in major storms. Where debris-laden flow traverses an alluvial fill unconfined by flood control works, flood discharges follow an unpredictable path across the debris cone formed at the canyon mouth.

Hill and Valley Areas

In hill areas, runoff concentrates rapidly from the generally steep slopes; however, runoff rates from undeveloped hill areas are normally smaller than those from mountain areas of the same size. In those hill areas which have been developed for residential use, concentration times become considerably decreased due to drainage improvement, and runoff volumes and rates have increased due to increased imperviousness. On the other hand, erosion is controlled and debris is minimized from storm flows. Debris production rates from undeveloped hill areas are normally smaller than those from mountain areas of the same size.

In highly developed valley areas, local runoff volumes have increased as the soil surface has become covered by impervious materials. Peak runoff rates for valley areas have also increased due to elimination of natural ponding areas and improved hydraulic efficiency of water carriers such as streets and storm drain systems

Los Angeles County Flood Control District - Flood Control & Water Conservation

FLOODS. . .AN OLD STORY:

Floods in the County of Los Angeles have been recorded as far back as the days of the Mission Padres. For centuries waters have swept out of the San Gabriel Mountains causing extensive property damage and taking a great toll of lives.

Such a flood occurred in 1914 causing over \$10 million in property damage and taking many lives. As a result, the State legislature in 1915 enacted the statute creating the Los Angeles County Flood Control District. The responsibilities and authority vested in the Flood Control District were, in 1985, transferred to and are now part of the County of Los Angeles Department of Public Works.

Public Works, under the Flood Control Act, has two tasks:

1. Flood Control.
2. Water Conservation.

FLOOD CONTROL:

Successful early bond issues financed the construction of dams built in the San Gabriel Mountains and foothills to impound storm waters until they could be safely released. Debris basins were constructed to trap eroded materials which had caused terrible damage in the past. Flood channel improvements were undertaken to confine the waters and convey them safely through the urbanized areas to the ocean.

District engineers prepared a Comprehensive Plan in the early 1930s, which would control flooding and save as much of the water as practicable when fully implemented.

Federal legislation in 1936 brought the U.S. Army Corps of Engineers into the local flood control picture. Since that time, the two agencies have been jointly pursuing implementation of the Comprehensive Plan. Public Works also cooperates with the U.S. Natural Resources Conservation Service and Forest Service in erosion control.

WATER CONSERVATION:

In addition to its flood control program, Public Works has the equally important mission of conserving as much of the storm and other waste waters as practicable. The use of water conservation facilities in or adjacent to river channels and their tributaries permits water to be percolated into groundwater aquifers or basins for later pumping and supply to consumers. These water conservation facilities are located in areas where the underlying soils are composed of porous sands and gravel formations. Some are shallow and resemble rice paddies, while others are deep basins which were once gravel pits.

The importance of this activity is apparent when it is realized that about 30 to 40 percent of the water used in the County is pumped from groundwater supplies. The growth of the County, combined with periodic droughts, seriously depleted these supplies on numerous occasions throughout the history of the County.

Other major conservation efforts by Public Works include combating the serious salt water intrusion into groundwater supplies inland from the Pacific Ocean and utilizing imported and reclaimed water to help replenish groundwater supplies.

ORGANIZED TO DO THE JOB:

Day-to-day administration of Public Works affairs is vested in the Director of Public Works who is appointed by and responsible to the Los Angeles County Board of Supervisors. A part of Public Works' activities involve the planning, design, and construction of flood control and water conservation facilities, and the operation and maintenance of dams, debris basins, spreading grounds, channels, and storm drains.

PRECIPITATION

Public Works operates and maintains a network of 244 standard and automatic rain gages to collect rainfall (precipitation) data for the purposes of in-house engineering and design of flood control and water conservation facilities.

RAINFALL AMOUNTS:

Daily and annual rainfall amounts for the reporting period collected by Public Works' active standard rain gages are published in this volume. Although Public Works operates and maintains both standard and automatic rain gages whose recording durations range from 5 minutes to 24 hours, only daily and annual amounts from standard rain gages are published herein. Additional data (e.g., intensities, automatic rain gage data, partial data) may be obtained by contacting the custodian of hydrologic records. Active rain gage stations whose records are incomplete are denoted accordingly and no data is published.

ALERT SYSTEM

Automated Local Evaluation in Real Time:

Public Works operates and maintains a state-of-the-art ALERT computer system to monitor meteorological conditions in the County and Southern California in real time, i.e., as they occur. The system includes a network of field sensors that monitor and receive precipitation amounts including rainfall data from the Corps of Engineers' Los Angeles Telemetry System.

COOPERATION:

The cooperation of observers in furnishing rainfall data to Public Works as a public service is appreciated. The effort of the many agencies and individuals who have so freely cooperated with us in the collection of this data have resulted in the large number of complete records for the period covered by this report.

Data from 22 stations of Public Works' records are reported and published by the National Oceanic and Atmospheric Administration (NOAA).

CUSTODIAN:

Unpublished information may be obtained by contacting:

County of Los Angeles
 Department of Public Works
 Water Resources Division
 P.O. Box 1460
 Alhambra, CA 91802-1460
 (626) 458-6120

PRECIPITATION


RAINFALL INDICES
 USING SELECTED STATIONS
 FOR THE PERIOD October 1, 2007 THROUGH September 30, 2008 ***

Area	Percent of Area	Seasonal Normal (inches)	Total Precipitation	Percent of Seasonal Normal
A. Coastal Plain	14.1%	13.72	9.79	71%
B. San Fernando Valley	7.9%	17.80	17.21	97%
C. San Gabriel Valley	7.5%	17.58	15.90	90%
D. San Gabriel Mountains	13.4%	27.25	24.58	90%
E. Little Rock, Big Rock	4.5%	18.76	15.76	84%
F. Santa Monica Mountains	5.7%	20.37	18.38	90%
G. Santa Clara	18.9%	17.10	14.77	86%
H. Desert	28.0%	8.20	7.13	87%
County*	100.0%	15.84	13.77	87%
Los Angeles (Station No. 716) **		15.66	11.00	70%
Cogswell Dam (Station No. 334-B)**		34.17	34.26	100%

* - Seasonal Normal and Total Precipitation to Date sections of this line are derived from Area Weighted Average.

** - Automatic gage

*** - Data Revised March 2011



PRECIPITATION

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
11D	Upper Franklin Canyon Reservoir	SP	592 F2	34-07-10	118-24-35	867	20.69	
13C	North Hollywood-Lakeside	S	563 B5	34-08-46	118-21-13	550	17.81	
20B	Girard Reservoir	SP	559 J4	34-09-07	118-36-36	986	19.20	E
21B	Woodland Hills	S	560 A2	34-10-14	118-35-33	875	13.77	
23B	Chatsworth Reservoir	SP	529 G1	34-13-44	118-37-18	900	15.78	
25C	Northridge-L.A.D.W.P.	SP	530 H1	34-13-52	118-32-28	810	7.87	
33A	Pacoima Dam	S	4642 F7	34-19-48	118-23-59	1500	14.11	
42C	Redondo Beach-City Hall	SP	762 G5	33-50-43	118-23-20	70	9.99	
43D	Palos Verdes Estates	S	792 H4	33-47-58	118-23-29	216	12.56	
46D	Big Tujunga Dam	S	4725 C6	34-17-40	118-11-14	2315	29.57	
63C	Santa Anita Dam	S	537 E2	34-11-03	118-01-12	1400	28.06	
82F	Table Mountain	S	4561 G6	34-22-56	117-40-39	7420	10.78	E
89B	San Dimas Dam	S	570 F2	34-09-10	117-46-17	1350	23.97	
93C	Claremont-Police Station	S	601 C3	34-05-45	117-43-18	1170	14.99	
95	San Dimas-Fire Warden	S	600 B3	34-06-26	117-48-19	955	17.30	E
96C	Puddingstone Dam	S	600 B4	34-05-31	117-48-24	1030	16.17	
106F	Whittier City Yard	S	677 B5	33-58-57	118-02-50	300	8.95	
107D	Downey-Fire Department	S	705 J7	33-55-48	118-08-47	110	17.11	
109D	West Arcadia	S	566 G7	34-07-42	118-04-22	547	17.43	
120	Vincent Patrol Station	S	4375 H6	34-29-17	118-08-27	3135	5.13	
125B	San Francisquito Canyon Ph#1 - Saugus	SP	X	34-35-25	118-27-15	2105	15.80	
134C	Puddingstone Diversion	S	570 F5	34-07-52	117-46-55	1160	17.14	
144	Sierra Madre Dam	S	537 B4	34-10-34	118-02-32	1100	26.93	
167C	Arcadia Pumping Plant #1	SP	567 D2	34-09-31	118-02-02	611	21.17	
169	Sierra Madre Pumping Plant	SP	567 B2	34-09-47	118-02-21	700	25.95	E
170F	Potrero Heights	S	636 H5	34-02-32	118-04-44	285	15.32	
174B	Glendora	S	570 A6	34-07-43	117-49-08	930	18.23	E
175B	La Canada Irrigation District	S	535 A1	34-13-39	118-12-40	2020	26.32	
176	Altadena-Rubio Canyon	SP	536 A1	34-10-55	118-08-15	1125	21.42	
196C	La Verne-Fire Station	S	600 G2	34-06-06	117-46-20	1050	17.99	
216C	Glendale - Jackson	S	564 F5	34-09-54	118-15-01	615	15.52	A
223C	Big Dalton Dam	S	570 B1	34-10-06	117-48-36	1587	24.45	
225	Montana Ranch-Lakewood	S	766 C4	33-50-35	118-07-09	47	11.43	
227D	San Gabriel-Bruington-Orton	S	596 D2	34-06-18	118-06-32	472	15.05	

PRECIPITATION

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
228C	Beverly Hills City Hall	S	632 G1	34-06-00	118-23-40	245	15.43	
235C	Henniger Flats	S	536 F5	34-11-38	118-05-17	2550	29.10	
237C	Stone Canyon Reservoir	SP	591 J3	34-06-21	118-27-13	865	21.03	
238	Hollywood Dam	SP	593 F2	34-07-04	118-19-55	750	17.14	
251C	La Crescenta	S	534 F1	34-13-20	118-14-40	1440	20.60	E
252C	Castaic Lake	SP	4369	34-29-53	118-36-53	1150	14.14	E
287B	Glendora-City Hall	S	569 E5	34-08-09	117-51-52	785	23.03	E
292D	Encino Reservoir	SP	561 B4	34-08-56	118-30-57	1075	18.27	
293B	Los Angeles Reservoir	SP	481 E5	34-17-18	118-28-54	1150	16.51	
294B	Sierra Madre-Mira Monte Pumping Plant	SP	567 A1	34-10-11	118-02-51	985	25.96	E
299F	Little Rock - Schwab	S	4287 H7	34-32-12	117-58-43	2800	4.90	
306H	Zuma Beach	S	667 B1	34-01-15	118-49-42	15	12.91	
322	Munz Valley Ranch	S	4013 A4	34-42-50	118-21-15	2600	9.78	
334B	Cogswell Dam	S	XI	34-14-37	117-57-35	2300	36.98	
336	Silver Lake Reservoir	SP	537 A1	34-06-08	118-15-54	445	15.92	
338C	Mt. Wilson-Observatory	SP	571 G6	34-14-07	118-04-28	5709	24.17	A
356C	Spadra-Lanterman Hospital	S	640 B4	34-02-31	117-48-35	690	13.45	
372	San Francisquito Power House No.2	SP	X	34-32-02	118-31-27	1580	16.62	
373C	Briggs Terrace	S	504 H6	34-14-17	118-13-27	2200	27.16	
387B	Covina City Yard	SP	599 B5	34-05-02	117-53-57	508	14.29	
390B	Morris Dam	S	539 C6	34-10-53	117-52-43	1210	26.92	
405B	Soledad Canyon	S	4463 J6	34-26-23	118-17-33	2150	12.41	
406C	West Azusa	S	598 H2	34-06-53	117-54-56	505	18.78	E
409B	Pyramid Reservoir	SP	X	34-40-34	118-46-47	2505	12.19	E
425B	San Gabriel Dam	S	509 E3	34-12-19	117-51-38	1481	31.81	
436C	Hansen Dam	SP	502 G3	34-16-08	118-23-59	1110	13.37	
445B	Live Oak Dam	S	570 J5	34-08-02	117-44-38	1510	15.14	
449B	Eaton Wash Dam	S	566 E1	34-10-06	118-05-33	880	20.89	A
453D	Devil's Gate Dam	S	535 E7	34-10-53	118-10-27	980	18.61	A
455B	Lancaster-State Hwy Maintenance Sta.	S	4105 J1	34-40-57	118-08-02	2395	5.20	E
465C	Sepulveda Dam	SP	561 G2	34-10-06	118-28-11	683	17.12	
482	Los Angeles-U.S.C.	SP	674 A1	34-01-14	118-17-15	208	12.71	
497	Claremont-Slaughter	S	571 B7	34-07-35	117-43-55	1350	17.67	
542	Fairmont	SP	X	34-42-15	118-25-40	3050	16.00	E

PRECIPITATION

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
591B	Santa Anita Reservoir	SP	536 E7	34-11-08	118-06-16	1205	23.99	
598D	Neenach-Check 43-California D.W.R.	SP	X	34-47-40	118-37-15	2965	9.08	E
610B	Pasadena-City Hall	DA	565 J4	34-08-54	118-08-36	864	20.77	
612B	Pasadena-Chlorine Plant	SP	535 F3	34-12-04	118-09-49	1160	24.51	
613C	Pasadena Fire Station	SP	566 A6	34-07-15	118-08-05	779	19.39	
626	Thompson Creek Dam Precipitation	S	571 D4-E4	34-08-26	117-42-39	1670	19.08	
627	San Gabriel Canyon-Power House	SP	568 J3	34-09-20	117-54-28	744	24.64	A
634C	Santa Monica	S	671 E2	34-00-43	118-29-27	94	9.79	
662D	Long Beach Airport	SP	791 J1	33-49-00	118-09-00	34	10.90	
680B	Westwood (U.C.L.A.)	SP	632 B1	34-04-10	118-26-30	430	15.39	
683B	Sunset Ridge	S	535 F5	34-12-53	118-08-47	2110	25.40	
716	Los Angeles-Ducommun St.	SP	634 H4	34-03-09	118-14-13	306	12.87	
734C	Los Angeles International Airport	SP	702 G5	33-56-25	118-23-44	105	9.74	
742C	San Gabriel Fire Department	SP	596 F4	34-06-11	118-05-56	445	13.07	
747	Sandberg-Airways Station	SP	X	34-44-47	118-43-29	4517	8.91	A
749B	Burbank Valley Pump Plant	SP	533 C6	34-11-11	118-20-54	655	11.34	E
794	Lower Franklin Reservoir	SP	592 F6	34-05-43	118-24-40	585	14.80	
795	Pasadena-Jourdan	SP	566 F5	34-08-52	118-05-14	705	20.53	
797	De Soto Reservoir	SP	500 B2	34-16-17	118-35-12	1127	18.89	
802C	Eagle Rock Reservoir	SP	565 C5	34-08-47	118-11-20	970	17.55	E
807	Ascot Reservoir	SP	595 C6	34-04-46	118-11-14	620	13.11	E
1006	San Pedro-City Reservoir	SP	824 B4	33-44-37	118-17-47	150	15.63	
1037	Arcadia-Arboretum	S	567 A5	34-08-48	118-02-59	565	15.28	
1041B	Santa Fe Dam	SP	598 A	34-07-04	117-58-24	427	21.06	
1051B	Canoga Park-Pierce College	SP	530 D	34-10-51	118-34-23	800	14.76	
1058B	Palmdale	SP	4196	34-35-17	118-05-31	2595	5.26	
1071B	Descanso Gardens	S	535 B	34-12-07	118-12-46	1325	22.86	
1081B	Glendale-Gregg	SP	534 F	34-11-45	118-14-30	1350	21.04	
1087	Green-Verdugo Pumping Plant	SP	503 D	34-15-25	118-20-11	1340	16.15	
1088B	La Habra Heights-Mutual Water Co.	S	708 D	33-56-55	117-57-51	445	12.60	
1114B	Whittier Narrows Dam	SP	636 H	34-01-29	118-05-02	239	14.67	
1115	San Antonio Dam	SP	571 J	34-09-24	117-40-20	2120	21.63	
1126A	Los Angeles-East Valley	SP	532 E	34-12-30	118-24-35	780	8.03	
1158	Torrance Municipal Airport	SP	793 E	33-47-59	118-20-08	102	12.34	

PRECIPITATION


Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
1166B	Mile High Ranch	S	XI	34-24-40	117-46-15	5280	15.81	E
1194	Santa Ynez Reservoir	SP	630 E	34-04-23	118-33-59	735	12.14	
1212	Lancaster FSS/FAA	SP	4014	34-44-00	118-13-00	2340	5.08	
1216	Rancho Palos Verdes	S	822 H	33-45-10	118-23-32	780	7.78	E
1217	Los Angeles Country Club	S	632 D	34-04-10	118-25-17	380	15.29	
1222	Northridge-Garland	S	501 C	34-14-17	118-30-59	911	12.14	
1223	Woodland Hills-Sherman	S	559 E	34-10-06	118-38-57	1035	14.27	A
1252	Palos Verdes Landfill	SP	793 D	33-45-40	118-20-03	400	13.76	E
1253	Carson-County Sanitation	SP	794 C	33-48-07	118-16-58	40	11.81	
1254	Long Beach Reclamation Plant	SP	796 G	33-48-11	118-05-20	20	10.21	
1255	Los Coyotes Reclamation Plant	SP	736 E	33-53-05	118-06-24	70	10.50	
1256	South Gate Transfer Station	SP	705 G	33-56-40	118-09-56	100	11.54	E
1257	San Jose Creek Reclamation Plant	SP	637 F	34-01-55	118-01-16	275	15.62	
1258	Puente Hills Landfill	SP	637 D	34-01-35	118-01-49	300	15.18	E
1259	Whittier Narrows Reclamation Plant	SP	636 J	34-03-59	118-03-54	225	14.64	
1260	Spadra Landfill	SP	640 A	34-02-36	117-49-50	700	12.85	E
1261	La Canada Reclamation Plant	SP	535 D	34-13-00	118-11-14	1800	24.17	
1262	Saugus Reclamation Plant	SP	4550	34-24-48	118-32-23	1150	13.81	
1263	Valencia Reclamation Plant	SP	4549	34-25-55	118-37-13	1000	11.03	
1264	Calabasas Landfill	SP	558 G	34-08-25	118-42-35	800	15.25	E
1265	Scholl Canyon Landfill	SP	565 C	34-08-38	118-11-07	1000	18.23	E
1266	Mission Canyon Landfill	SP	591 G	34-08-40	118-28-45	1150	24.10	E
1267	Lancaster Reclamation Plant	SP	3925	34-46-38	118-09-11	2302	3.70	
1268	Palmdale Reclamation Plant	SP	4196	34-35-30	118-05-10	2565	4.81	
1271	Pomona Waste Reclamation Plant	SP	640 E	34-03-18	117-47-34	786	13.42	
1274	Whittier - Valna Drive	S	707 F	33-57-39	118-01-10	255	12.01	
1277	DPW Headquarters, Fremont	S	595 H6	34-05-12	118-09-01	450	14.81	
1280	Avalon	SP	Cat Island	33-20-31	118-19-31	29	9.53	
1281	Middle Ranch	SP	Cat Island	33-21-16	118-26-03	684	14.08	
1282	Catalina Airport-in-the-sky	SP	Cat Island	33-24-11	118-24-55	1561	14.47	
1285	Two Harbors	SP	Cat Island	33-26-11	118-39-04	20	9.83	
1290	Woodland Hills	S	559 J1	34-10-39	118-36-45	891	14.91	

PRECIPITATION

DAILY RAINFALL SUMMARY

See Appendix A

Rain Gage Locations



LEGEND

-  ALERT RAIN GAGE
-  STANDARD RAIN GAGE

10 0 10 20 Miles

SCALE



EVAPORATION

EVAPORATION

Public Works, the Metropolitan Water District, Palmdale Water District, the California Dept. of Water Resources, and Descanso Gardens provided daily evaporation data for 15 [evaporation stations](#) during the reporting period. [Monthly and Seasonal](#) summaries are provided in the report. Daily records of active and inactive stations are available in Public Works' files, along with some data for other agencies and districts. This data can be obtained by contacting the [custodian](#) of hydrologic records.

LENGTH OF RECORD:

The Los Angeles County Flood Control District (now administered by Public Works) installed its first evaporation pan in March 1929 at Santa Anita Dam. Public Works has data for 37 evaporation stations which have monthly evaporation for more than 15 seasons.

CUSTODIAN

Unpublished information may be obtained by contacting:

County of Los Angeles
Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460
(626) 458-6120

EVAPORATION

ACTIVE STATIONS

ID	Station Name	Equipment	Pan Elev.	Thomas Guide	North Latitude	West Longitude
33-A	Pacoima Dam	24X36 S	1500 ft.	482 F1	34-19-48	118-23-59
46-D	Big Tujunga Dam	24X36 S	2315 ft.	xi	34-17-40	118-11-14
63-C	Santa Anita Dam	24X36 S	1400 ft.	710 B2	34-11-03	118-01-12
89-B	San Dimas Dam	24X36 S	1350 ft.	470 F2	34-09-10	117-46-17
96-C	Puddingstone Dam	24X36 S	1030 ft.	600 A4	34-05-31	117-48-24
223-B	Big Dalton Dam	24X36 S	1587 ft.	570 B4	34-10-06	117-48-36
252-C	Castaic Reservoir	48X10 S	1150 ft.	4369 H6	34-29-53	118-36-53
334-B	Cogswell Dam	24X36 S	2300 ft.	ix	34-14-37	117-57-35
390-B	Morris Dam	72X36 US	1210 ft.	ix	34-10-53	117-52-43
409-B	Pyramid Reservoir	48X10 S	2505 ft.	593 E1	34-40-34	118-46-47
425-B	San Gabriel Dam	24X36 S	1481 ft.	ix	34-12-19	117-51-38
598-D	Check 43	24X36 S	2999 ft.	1001	34-47-40	118-37-15
1058-B	Palmdale	24X36 S	2595 ft.	4196 E6	34-35-17	118-05-31
1071-B	Descanso Gardens	24X36 S	1325 ft.	535 B4	34-12-07	118-12-46
1240	Pearblossom	24X36 S	3030 ft.	4378 F3	34-30-32	117-55-15

FOOTNOTES

24X36 S Screened land pan, 24 inches in diameter by 36 inches deep.

48X10 S Screened land pan, 48 inches in diameter by 10 inches deep.

72X36 US Unscreened land pan, 72 inches in diameter by 36 inches deep.

EVAPORATION

MONTHLY SUMMARY


ID	Station Name	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total
33-A	Pacoima Dam	10.89	7.63	6.01	5.20	5.50	8.90	8.58	8.26	10.92	10.68	9.65	11.05	103.20
46-D	Big Tujunga Dam	7.60	6.26	4.75	3.27	4.01	6.58	7.66	9.31	14.02	[13.03]	[8.97]	10.33	[95.76]
63-C	Santa Anita Dam	5.42	3.92	2.76	1.92	2.25	4.05	4.56	4.55	5.39	6.06	6.14	6.09	53.09
89-B	San Dimas Dam	3.98	2.38	1.61	1.31	1.47	3.40	[4.22]	[3.25]	[]	[]	[]	[]	[21.58]
96-C	Puddingstone Dam	4.39	2.73	1.95	1.45	1.43	3.38	5.18	5.43	7.04	8.01	7.84	6.29	55.09
223-C	Big Dalton Dam	4.61	3.12	1.84	[1.22]	1.94	3.58	4.75	5.17	6.91	7.98	7.53	6.39	[55.00]
252-C*	Castaic Dam	7.11	4.73	3.10	3.90	4.36	7.74	8.83	8.98	[]	[]	[9.12]	[]	[57.87]
334-B	Cogswell Dam	4.05	3.33	1.05	0.86	1.43	3.17	3.80	4.71	6.98	8.07	7.55	5.91	50.89
390-B	Morris Dam	7.21	4.90	3.68	2.74	3.52	6.61	7.47	7.80	10.95	11.28	10.92	9.71	86.79
409-B*	Pyramid Reservoir	7.88	6.00	3.86	5.45	4.55	7.53	8.73	10.49	[]	[]	[13.30]	[]	[67.79]
425-B	San Gabriel Dam	6.77	4.91	3.39	2.59	3.38	5.70	6.57	6.79	8.70	9.21	9.22	8.61	75.80
598-D*	Check 43	[]	[7.19]	[3.95]	[3.01]	[5.17]	10.84	13.99	[15.66]	[23.54]	[21.66]	[24.55]	18.65	[148.20]
1058-B	Palmdale	[4.46]	[3.68]	[1.00]	[1.17]	[2.89]	[4.68]	[5.41]	[9.26]	[10.30]	[14.10]	[12.72]	[8.75]	[78.39]
1071-B	Descanso Gardens	3.24	2.00	1.72	3.23	1.48	2.70	4.41	4.40	6.38	6.48	6.15	4.72	46.88
1240*	Pearblossom	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]

Units are in inches.

[] Missing Data.

*Department of Water Resources

Evaporation Locations



LEGEND

■ Evaporation Station



RUNOFF

RUNOFF

Public Works operated 62 stream gaging [stations](#) during the 2007-08 water year. [Mean daily flow](#) and maximum instantaneous flow rates for each station are summarized and published in this volume. [Annual summaries](#) of peak flows and volumes are also provided. Additional data can be obtained by contacting the [custodian](#) of hydrologic records.

LEGEND

Stations are designated by letters and numbers which indicate ownership, operation agency, and type of station.

- **Prefix F** - Indicates a station originally owned and operated by the Los Angeles County Flood Control District and now owned and operated by Public Works.
- **Prefix E** - Indicates a station owned by the U.S. Army Corps of Engineers, but operated and maintained by the U.S. Geological Survey.
- **Prefix U or G** - Indicates a station originally constructed and operated by the U.S. Geological Survey, but now operated by Public Works.
- **Prefix L** - Indicates a station formerly owned by the Little Rock Water District, but now owned and operated by Public Works.
- **Suffix R** - Indicates a recorder station.
- **Suffix B** - Indicates that the station has been moved from its original location. B represents second location, C a third location, etc.

ALERT SYSTEM

Automated Local Evaluation in Real Time

Public Works operates and maintains the ALERT computer system to monitor meteorological conditions at 24 river stage locations in the County.

Public Works' ALERT System also receives rainfall, streamflow, and reservoir data from the Corps of Engineers' Los Angeles Telemetry System.

COOPERATION

Public Works receives or has access to stream flow data from other agencies. Public Works exchanges data with the following agencies:

- U.S. Geological Survey, Water Resource Division
- U.S. Army Corps of Engineers
- State Department of Water Resources
- The Metropolitan Water District of Southern California
- San Gabriel River Water Committee

CUSTODIAN

Unpublished information may be obtained by contacting:

County of Los Angeles
Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460
(626) 458-6120

RUNOFF

INDEX OF STREAM GAGING STATIONS

Station No.	Station Name	Thomas Guide Page	Regulated	Drainage Area Sq.Mile	Length Of Record
F81D-R	ALHAMBRA WASH above Klingerman Street	636 G3	No	15.2	09/02/1936
F317-R	ARCADIA WASH below Grand Avenue	597 C4	Yes	8.5	12/12/1955
F277-R	ARROYO SECO below Devils Gate Dam	535 E7	Yes	32.5	11/30/1942
F38C-R	BALLONA CREEK above Sawtelle Blvd.	672 G4	Yes	88.6	08/10/1967
F120B-R	BIG DALTON CREEK below Big Dalton Dam	509/540	Yes	4.8	06/03/1940
F394-R	BIG ROCK CREEK upstream from Pallett Creek	4469 D3	No	34.3	10/01/1986
F168-R	BIG TUJUNGA CREEK below Big Tujunga Dam	4645/4725	Yes	82.3	12/08/1931
F377B-R	BOUQUET CREEK above Bouquet Canyon Road	4461 C5	Yes	60.9	10/01/2003
F329-R	BRADBURY CHANNEL below Central Avenue	568 C5	Yes	3.3	06/14/1957
F342-R	BRANFORD STREET CHANNEL below Sharp Avenue	502 E7	Yes	5.01	01/12/1962
E285-R	BURBANK WESTERN STORM DRAIN at Riverside Dr.	563 H3	Yes	25	10/01/1949
F37B-R	COMPTON CREEK near Greenleaf Drive	734 J6	No	22.6	10/03/1938
F354-R	COYOTE CREEK below Spring Street	796 H2	Yes	185	12/17/1963
F274B-R	DALTON WASH at Merced Avenue	638 D1	Yes	35.95	11/02/1958
F318-R	EATON WASH at Loftus Drive	597 A7	Yes	22.8	02/23/1956
F271-R	EATON WASH below Eaton Wash Dam	566 F1	Yes	12.4	10/01/1940
U7-R	FISH CREEK above mouth of canyon	568 G1	No	6.36	07/01/2017
L1-R	LITTLE ROCK CREEK above Little Rock Dam	4467 D2	No	49.2	10/01/1930
F356-R	LIVE OAK CREEK below Live Oak Dam	571 A5	Yes	2.28	11/29/1963
F300-R	LOS ANGELES RIVER at Tujunga Avenue	562 J6	Yes	401	05/08/1950
F319-R	LOS ANGELES RIVER below Wardlow River Road	765 C1	Yes	815	01/13/1956
F57C-R	LOS ANGELES RIVER above Arroyo Seco	594 H6	Yes	511	12/08/1939
F34D-R	LOS ANGELES RIVER below Firestone Blvd.	705 F4	Yes	596	11/12/1956
F130-R	MALIBU CREEK below Cold Creek	628 H1	Yes	104.96	01/17/1931
F395-R	MESCAL CREEK at mouth of canyon	4471 D4	Yes	5.41	01/28/1983
F328B-R	MINT CANYON CREEK at Sierra Highway	4462 C6	No	28	10/01/2003
F181-R	MONTEBELLO STORM DRAIN above Rio Hondo	676 E4	No	9.6	01/12/1932
F118B-R	PACOIMA CREEK FLUME below Pacoima Dam	4642 F7	Yes	28.2	02/09/1935
F305-R	PACOIMA DIVERSION at Branford Street	502 D7	Yes	48.8	10/30/1953
F122-R	PALLETT CREEK at Valyermo Highway	4469 D2	No	15.8	10/31/1961
F192B-R	RIO HONDO below Lower Azusa Avenue	597 D5	Yes	40.9	12/18/1958
F45B-R	RIO HONDO above Stuart and Gray Road	705 G4	Yes	140	11/20/1951
F313B-R	RIO HONDO BYPASS - Zone 1 Ditch	637 A7	Yes	Controlled	11/28/1983
F338-R	RUBIO DIVERSION CHANNEL below Gooseberry Inlet	536 C5	Yes	2.1	12/16/1959
F82C-R	RUBIO WASH at Glendon Way	596 H7	Yes	10.9	11/06/1936
F303-R	SAN DIMAS CREEK below San Dimas Dam	570 F2	Yes	16.2	12/24/1951
F218-R	SAN DIMAS WASH below Puddingstone Diversion	570 E5	Yes	19.9	01/26/1933
F220B-R	SAN GABRIEL - AZUSA Conduit 10 Ft. Weir Below S.G. Dam	509/539	Yes	0	10/23/1963

RUNOFF

INDEX OF STREAM GAGING STATIONS

Station No.	Station Name	Thomas Guide Page	Regulated	Drainage Area Sq.Mile	Length Of Record
F250-R	SAN GABRIEL - AZUSA Conduit 25 Ft. Weir Below S.G. Dam	509/539	Yes	202.7	02/14/1935
U8-R	SAN GABRIEL RIVER below Morris Dam	569 B2	Yes	212.4	05/18/1994
F190-R	SAN GABRIEL RIVER at Foothill Blvd.	568 E5	Yes	230	04/25/1932
F263C-R	SAN GABRIEL RIVER below San Gabriel River Pkwy	676 J2	Yes	206.3	08/09/1968
F262C-R	SAN GABRIEL RIVER above Florence Avenue	706 E5	Yes	215.8	08/06/1968
G44B-R	SAN GABRIEL RIVER above Whittier Narrows Dam	637 A7	Yes	442	01/06/1948
E281-R	SAN GABRIEL RIVER below Santa Fe Dam	568 B2	Yes	239	02/09/1943
F209-R	SAN GABRIEL RIVER below Cogswell Dam	508 C5	Yes	41	12/08/1933
F42B-R	SAN GABRIEL RIVER above Spring Street	796 G1	Yes	231	11/16/1964
F251-R	SAN GABRIEL RIVER - West Fork at toe of Cogswell Dam	508 C5	Yes	39.2	04/26/1935
F312B-R	SAN JOSE CHANNEL above Workman Mill Road	637 G6	Yes	83.4	04/23/1992
F193B-R	SANTA ANITA WASH at Longden Avenue	597 F2	Yes	18.8	01/05/1960
F260C-R	SANTA ANITA WASH below Foothill Blvd.	567 D4	Yes	17.2	12/11/1959
F92-R	SANTA CLARA RIVER at Old Road Bridge	4450 C2	Yes	410.4	09/01/1981
F93B-R	SANTA CLARA RIVER above Lang Railroad Station	4462 J7	No	157	02/08/2002
F280-R	SANTA FE DIVERSION CHANNEL below Santa Fe Dam	598 B2	Yes	Controlled	10/01/1942
F125-R	SANTIAGO CANYON CREEK above Little Rock Creek	4467 D2	No	11.2	09/29/1953
F278-R	SAWPIT CREEK below Sawpit Dam	537 H7	Yes	3.3	02/06/1942
F194B-R	SAWPIT WASH below Live Oak Avenue	597 G2	Yes	16.1	12/05/1960
F32B-R	THOMPSON CREEK below Thompson Creek Dam	571 E4	Yes	3.7	10/01/1944
F54C-R	TOPANGA CREEK above mouth of canyon	630 C3	No	18	01/01/1930
F252-R	VERDUGO WASH at Estelle Avenue	564 C3	Yes	26.8	12/02/1935
F304-R	WALNUT CREEK above Puente Avenue	638 B1	Yes	57.6	10/14/1952
F40-R	WALNUT CREEK below Puddingstone Dam	600 B4	Yes	33.2	12/28/2027

RUNOFF

STREAM GAGING STATION INFORMATION

[See Appendix B](#)


DAILY DISCHARGE

[See Appendix C](#)

STREAM GAGING STATION PEAK FLOW

[See Appendix D](#)

STREAM GAGE STATION LOCATIONS



LEGEND

● Stream Gage Station



RESERVOIRS

RESERVOIRS

Following the damaging flood of 1914 and creation of the Los Angeles County Flood Control District in 1915, a program of flood control and water conservation was initiated by the District. Part of this program included the construction of 14 dams which were completed between 1920 and 1939. These dams continued to be operated and maintained by Public Works to control flood waters during storm periods. Public Works makes post storm releases, when feasible, in amounts that can be conserved in downstream spreading grounds and by channel percolation. In addition, five Corps of Engineers' dams - Lopez, Hansen, Santa Fe, Sepulveda, and Whittier Narrows Dams, are operated by the Corps in conjunction with Public Works' dams to achieve flood control and/or water conservation.

RECORDS:

Public Works' 14 dams and reservoirs' locations are shown on the [map](#). Data on the yearly reservoir operation summaries for each reservoir are provided by selecting from the Yearly Summary on the left. Data for these facilities can be obtained by contacting the custodian of hydrologic records.

Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460
(626) 458-6120



RESERVOIRS

YEARLY RESERVOIR OPERATION SUMMARY

[See Appendix E](#)

Location	Appendix E
Big Dalton Dam	Appendix E 01
Big Tujunga Dam	Appendix E 02
Cogswell Dam	Appendix E 03
Devil's Gate Dam	Appendix E 04
Eaton Wash Dam	Appendix E 05
Live Oak Dam	Appendix E 06
Morris Dam	Appendix E 07
Pacoima Dam	Appendix E 08
Puddingstone Dam	Appendix E 09
Puddingstone Diversion	Appendix E 10
San Dimas Dam	Appendix E 11
San Gabriel Dam	Appendix E 12
Santa Anita Dam	Appendix E 13
Thompson Creek Dam	Appendix E 14

BIG DALTON DAM AND RESERVOIR



PURPOSE - Flood Control and Conservation.

DATE CONSTRUCTED - Started December 1927. Completed August 1929.



LOCATION -- Big Dalton Canyon, 4.0 miles northeast of Glendora.

DRAINAGE AREA - 4.5 square miles.

CAPACITY - 963 acre - feet.



SPILLWAY ELEVATION - 1,706 feet.

BIG TUJUNGA DAM AND RESERVOIR





PURPOSE - Flood Control and Conservation.
DATE CONSTRUCTED - Started January 1930. Completed July 1931.
LOCATION -- Big Tujunga Canyon, 10.0 miles northeast of Sunland.
DRAINAGE AREA - 82.3 square miles.
CAPACITY - 6,027 acre - feet.
SPILLWAY ELEVATION - 2,290 feet.

COGSWELL DAM AND RESERVOIR





PURPOSE - Flood Control, Conservation, and Recreation.
DATE CONSTRUCTED - Started March 1932. Completed April 1934.
LOCATION - 22.0 miles northeast of Azusa.
DRAINAGE AREA - 39.2 square miles.
CAPACITY - 9,339 acre - feet.
SPILLWAY ELEVATION - 2,385 feet.

DEVIL'S GATE DAM AND RESERVOIR





PURPOSE - Flood Control, and Conservation.
 DATE CONSTRUCTED - Started May 1919. Completed June 1920.
 LOCATION - On Arroyo Seco, northwest of Pasadena.
 DRAINAGE AREA - 31.9 square miles.
 CAPACITY - 1,928 acre - feet.
 SPILLWAY ELEVATION - 1,054 feet.

EATON WASH DAM AND RESERVOIR



PURPOSE - Debris Storage, and Conservation.
DATE CONSTRUCTED - Started January 1936. Completed February 1937.
LOCATION - Eaton Wash, northeast of Pasadena.
DRAINAGE AREA - 12.4 square miles.
CAPACITY - 879 acre - feet.
SPILLWAY ELEVATION - 887.5 feet.

LIVE OAK DAM AND RESERVOIR



PURPOSE - Flood Control, and Conservation.

DATE CONSTRUCTED - Started August 1921. Completed November 1922.



LOCATION - 2.5 miles northeast of La Verne.

DRAINAGE AREA - 2.3 square miles.

CAPACITY - 240 acre - feet.

SPILLWAY ELEVATION - 1,496 feet.

MORRIS DAM AND RESERVOIR



PURPOSE - Water Conservation.

DATE CONSTRUCTED - Started April 1932. Completed 1935.

LOCATION - San Gabriel 5 miles north of Azusa.

DRAINAGE AREA - 14.3 square miles (uncontrolled)



202.7 square miles controlled by San Gabriel and Cogswell Dam.

Total 217 square miles.

CAPACITY - 21,800 acre - feet.

SPILLWAY ELEVATION - 1,152 feet.

PACOIMA DAM AND RESERVOIR



PURPOSE - Flood Control and Conservation.

DATE CONSTRUCTED - Started March 1925. Completed February 1929.



LOCATION - Pacoima Canyon, 4.0 miles northeast of San Fernando.

DRAINAGE AREA - 28.2 square miles.

CAPACITY - 3,929 acre - feet.

SPILLWAY ELEVATION - 1,950 feet.

PUDDINGSTONE DAM AND RESERVOIR



PURPOSE - Flood Control and Recreation.

DATE CONSTRUCTED - Started February 1925. Completed January 1928.

LOCATION - 1.0 miles south of San Dimas.

DRAINAGE AREA - 11.0 square miles (uncontrolled)



22.1 square miles (controlled)

Total 23.1 square miles.

CAPACITY - 16,856 acre - feet.



SPILLWAY ELEVATION - 970 feet.

PUDDINGSTONE DIVERSION DAM AND RESERVOIR



PURPOSE - Flood Control and Diversion of flow and Conservation.
DATE CONSTRUCTED - Started September 1927. Completed July 1928.
LOCATION - 2.0 miles northeast of San Dimas.
DRAINAGE AREA - 3.7 square miles (uncontrolled)
 16.2 square miles (controlled)
 Total 19.9 square miles.
CAPACITY - 148 acre - feet.
SPILLWAY ELEVATION - 1,152 feet.

SAN DIMAS DAM AND RESERVOIR



PURPOSE - Flood Control and Conservation.

DATE CONSTRUCTED - Started November 1920. Completed September 1922.



LOCATION -- 3.0 miles northeast of San Dimas.

DRAINAGE AREA - 16.2 square miles.

CAPACITY - 1,515 acre - feet.

SPILLWAY ELEVATION - 1,462 feet.

SAN GABRIEL DAM AND RESERVOIR



PURPOSE - Flood Control and Conservation.

DATE CONSTRUCTED - Started December 1932. Completed July 1939.

LOCATION - San Gabriel Canyon, 7.5 miles north of Azusa.

DRAINAGE AREA - 163.5 square miles (uncontrolled)

39.2 square miles (controlled)



Total 202.7 square miles.

(includes Cogswell drainage)

CAPACITY - 41,549 acre - feet.

SPILLWAY ELEVATION - 1,453 feet.

SANTA ANITA DAM AND RESERVOIR



PURPOSE - Flood Control and Conservation.

DATE CONSTRUCTED - Started October 1924. Completed March 1927.



LOCATION - 2.5 miles north of Arcadia.

DRAINAGE AREA - 10.8 square miles.

CAPACITY - 836 acre - feet.

SPILLWAY ELEVATION - 1,316 feet.

THOMPSON CREEK DAM AND RESERVOIR



PURPOSE - Flood Control and Conservation.


DATE CONSTRUCTED - Started September 1925. Completed March 1928.

LOCATION -- 3.0 miles north of Claremont.

DRAINAGE AREA - 3.5 square miles.

CAPACITY -447.5 acre - feet.

SPILLWAY ELEVATION - 1,634 feet.



1. Big Dalton Dam
 2. Big Tujunga Dam
 3. Cogswell Dam
 4. Devil's Gate Dam
 5. Eaton Wash Dam

6. Live Oak Dam
 7. Morris Dam
 8. Pacoima Dam
 9. Puddingstone Dam
 10. Puddingstone Diversion Dam

11. San Dimas Dam
 12. San Gabriel Dam
 13. Santa Anita Dam
 14. Thompson Creek Dam

EROSION CONTROL

EROSION CONTROL

Each year eroded material in various forms (debris consisting of rock, sand, trees, etc.) flows out of the mountain watersheds of the County of Los Angeles. In an effort to control this potentially disruptive force, Public Works maintains a series of debris basins in canyon mouths and upstream stabilization structures in selected watersheds.

DEBRIS BASINS:

The purpose of a debris basin is to entrap the sediment flows emanating from the canyon and let the relatively desilted water pass into the downstream flood control channels.

Public Works maintained over 100 debris basins during the reporting period. Their locations are shown in a PDF [map](#) (1.67MB).

Data for sediment inflow at individual debris basins and unpublished information may be obtained by contacting:

County of Los Angeles
Department of Public Works
Water Resources Division
Hydrology Section
P.O. Box 1460
Alhambra, CA 91802-1460
(626) 458-6120

STABILIZATION STRUCTURES:

Public Works has constructed stabilization structures to control erosion in natural canyons. These structures serve to prevent down cutting by stabilizing alluvium deposits. In addition, they store debris generated by the watershed and serve to stabilize side banks, reducing side slope sloughing and bank erosion.

Public Works maintained 217 stabilization structures in 47 major watersheds during the reporting period. The Department has not constructed any stabilization structures since the 1973-74 water year.

EMERGENCY STRUCTURES:

Public Works has constructed emergency structures (rail and timber) to entrap the debris from burned watersheds. The structures serve to protect improvements (road, channel, residence, etc.) located downstream of the watersheds.

Watersheds within the County of Los Angeles periodically burn. Maps of areas burned during the reporting period can be obtained by contacting the Water Resources Division/Hydrology Section.

EROSION CONTROL

LOCATION MAP

See Appendix F

EROSION CONTROL

DEBRIS BASIN - DESIGN DATA:

Including 2007-2008 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Uncontrolled Drainage Area Above Basin	Bottom Elev. at Max Cap.	Elevation Port Invert	Elevation Spillway Crest	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity
		(Sq. Mi.)	(Ft.)	(Ft.)	(Ft.)	(Ft.)	(AMSL)	(Cu. Yds.)
Aliso	1970-71	2.77	1,108	1,108	1,120	70.0	1,134	42,000 ⁽⁸⁾
Arbor Dell	1971-72	0.11	899	898	916	22.9	920	15,800
Auburn	1954-55	0.19	1,260	1,261	1,278	30.0	1,286	39,000
Bailey	1945-46	0.60	1,123	1,123	1,155	30.0	1,166	129,000
Beatty	1970-71	0.27	800	800	807	32.0	816	43,000
Big Dalton	1959-60	2.94	1,102	1,102 ⁽³⁾	1,132	116.0	1,149	518,000
Bigbriar	1971-72	0.02	1,898	1,896	1,910	14.0	1,911	2,600
Blanchard	1968-69	0.47	2,026	2,026	2,054	40.0	2,065	75,000
Blue Gum	1968-69	0.19	2,020	2,020	2,042	25.0	2,053	40,000
Brace	1971-72	0.29	1,190	1,190	1,196	20.0	1,205	30,000
Bracemar	1971-72	0.01	1,140	1,140	1,146	8.0	1,148	700 ⁽¹⁴⁾
Bradbury	1954-55	0.68	912	913	920	58.0	928	90,000
Brand	1935-36	1.04	860	860	890	60.0	903	166,000
Buena Vista	1985-86	0.10	979	979	992	39.0	998	22,000
Carriage House	1970-71	0.03	1,350	1,350	1,363	15.0	1,367	6,100
Carter	1954-55	0.12	1,224	1,223	1,248	30.0	1,255	28,000
Cassara	1976-77	0.21	1,272	1,272	1,292	66.0	1,295	37,000
Chamberlain	1974-75	0.04	1,085	1,084	1,098	20.0	1,101	4,700
Chandler	1995-96	0.16	1,055	1,052	1,073	36.0	1,078	20,000 ⁽¹⁵⁾
Childs	1963-64	0.30	1,022	1,022	1,059	23.0	1,071	50,000
Cloud Creek	1972-73	0.01	2,350	2,351	2,360	⁽⁵⁾	2,362	5,100
Cloudcroft	1973-74	0.21	314	315	330	36.0	330	35,000
Cooks	1951-52	0.58	2,058	2,058	2,083	48.0	2,092	52,000
Cooks M-1A	1975-76	⁽¹³⁾	2,120	0 ⁽¹⁰⁾	2,142	⁽¹⁰⁾	0 ⁽¹⁰⁾	34,000
Crescent Glen	2001-2	0.07	1,149	1,149	1,171	19.3	1,174	21,000
Crestview	1983-84	0.03	864	864	886	20.0	892	5,900 ⁽¹⁴⁾
Crocker	1983-84	0.67	1,064	1,064	1,070	36.0	1,077	19,000 ⁽¹⁴⁾
Deer	1954-55	0.59	1,185	1,185	1,201	56.0	1,210	57,000

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

EROSION CONTROL

DEBRIS BASIN - DESIGN DATA:

Including 2007-2008 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Uncontrolled Drainage Area Above Basin	Bottom Elev. at Max Cap.	Elevation Port Invert	Elevation Spillway Crest	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity
		(Sq. Mi.)	(Ft.)	(Ft.)	(Ft.)	(Ft.)	(AMSL)	(Cu. Yds.)
Denivelle	1976-77	0.18	1,471	1,471	1,479	46.0	1,483	7,900
Devonwood	1981-82	0.05	1,899	1,899	1,922	⁽¹⁶⁾	1,928	11,000
Dry Canyon-South Fork	1978-79	0.49	1,063	1,063	1,075	32.0	1,079	7,900
Dunsmuir	1935-36	0.84	2,228	2,228	2,257	60.0	2,272	103,000
Eagle	1936-37	0.48	1,850	1,846	1,880	60.0	1,895	63,000
Elmwood	1964-65	0.31	912	912	938	22.0	952	61,000
Emerald-East	1964-65	0.15	1,185	1,181	1,192	30.0	1,204	13,600
Englewild	1961-62	0.44	1,275	1,275	1,297	50.0	1,300	41,000
Fair Oaks	1935-36	0.20	1,544	1,544	1,562	⁽⁶⁾	1,567	24,000
Fern	1935-36	0.31	1,440	1,440	1,476	25.0	1,482	43,000
Fieldbrook	1974-75	0.35	713	713	722	28.0	728	11,100 ⁽¹⁵⁾
Golf Club Drive	1970-71	0.99	881	881	902	36.7	915	15,000
Gooseberry	1998-99	0.19	1,440	1,440	1,460	25.0	1,469	35,000
Gordon	1973-74	0.18	1,076	1,075	1,096	22.0	1,105	35,600
Gould	1947-48	0.36	1,530	1,528	1,548	55.0	1,558	53,000
Gould (Upper)	1976-77	0.18	1,864	1,864	1,898	32.0	1,901	52,000
Halls	1935-36	0.83	1,642	1,642	1,662	131.0	1,664	94,000
Harrow	1958-59	0.43	1,255	1,255	1,269	40.0	1,278	68,000
Haven Way	1991-92	0.13	1,323	1,323	1,329	20.0	1,336	38,200
Hay	1936-37	0.20	1,890	1,890	1,908	36.0	1,915	37,000
Hillcrest	1962-63	0.35	864	864	885	18.0	901	58,000
Hog	1969-70	0.32	1,520	1,520	1,535	32.0	1,547	43,000
Hook East	1968-69	0.18	1,198	1,198	1,215	37.0	1,222	26,000
Hook West	1970-71	0.17	1,145	1,145	1,165	40.0	1,172	36,600
Inverness	1982-83	0.03	1,253	1,253	1,257	20.0	1,261	3,300
Irving Drive	1974-75	0.03	906	905	915	12.0	920	1,200
Kinneloa	1964-65	0.20	1,370	1,370	1,403	76.0	1,408	36,000 ⁽¹⁵⁾

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

EROSION CONTROL

DEBRIS BASIN - DESIGN DATA:

Including 2007-2008 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Uncontrolled Drainage Area Above Basin	Bottom Elev. at Max Cap.	Elevation Port Invert	Elevation Spillway Crest	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity
		(Sq. Mi.)	(Ft.)	(Ft.)	(Ft.)	(Ft.)	(AMSL)	(Cu. Yds.)
Kinneloa - West	1966-67	0.19	1,385	1,385	1,413	22.0	1,421	35,000
La Tuna	1955-56	5.34	1,109	1,110	1,140	75.0	1,157	495,000
Lannan	1954-55	0.25	1,017	1,015	1,036	14.0	1,043	41,000
Las Flores	1935-36	0.45	1,685	0 ⁽⁹⁾	1,716	50.0	1,726	56,000
Las Lomas	1983-84	0.07	887	887	906	77.0	909	17,000
Limekiln	1963-64	3.72	992	992	1,003	77.0	1,019	172,000
Lincoln	1935-36	0.50	1,276	1,276	1,304	56.0	1,323	38,000
Linda Vista	1970-71	0.37	980	980	990	40.0	996	3,200
Little Dalton	1959-60	3.31	1,140	1,140	1,186	84.0	1,200	661,000
Maddock	1954-55	0.26	889	892	901	36.0	904	45,000
Marston/Paragon	1988-89	0.20	1,456	1,456	1,460	20.0	1,466	5,300
May No. 1	1953-54	0.70	1,666	1,666	1,684	60.0	1,693	64,000
May No. 2	1953-54	0.09	1,663	1,664 ⁽²⁾	1,670	20.0	1,674	13,000
Monument	1981-82	0.11	944	942	950	12.0	954	7,000
Morgan	1964-65	0.60	1,138	1,138	1,162	45.0	1,172	78,500
Mountbatten	1983-84	0.01	1,136	1,136	1,145	20.0	1,146	3,300
Mull	1973-74	0.15	1,147	1,147	1,154	20.0	1,165	13,000
Mullally (11)	1974-75	0.34	2,420	2,420	2,435	42.0	2,440	9,400
Nichols	1937-38	0.94	480	481	485	50.0	495	14,000
Oak	1975-76	0.05	2,144	2,146	2,153	50.0	2,156	13,000
Oak Park	2001-02	0.07	1,042	1,042	1,060	18.7	1,064	15,000
Oakglade	1974-75	0.06	1,275	1,280	1,298	20.0	1,305	15,200
Oakmont View Drive	1984-85	0.02	1,316	1,316	1,328	20.0	1,329	3,400
Oliver	1989-90	0.18	1,258	1,258	1,278	41.0	1,283	32,000
Pickens	1935-36	1.50	1,564	1,564	1,600	123.0	1,613	125,000
Pinelawn	1973-74	0.02	2,431	2,431	2,443	⁽⁷⁾	2,449	3,200
Rowley	1953-54	0.21	1,704	1,704	1,714	60.0	1,722	43,000
Rowley (Upper)	1976-77	0.31	1,926	1,926	1,946	42.0	1,951	29,000

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

EROSION CONTROL

DEBRIS BASIN - DESIGN DATA:

Including 2007-2008 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Uncontrolled Drainage Area Above Basin	Bottom Elev. at Max Cap.	Elevation Port Invert	Elevation Spillway Crest	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity
		(Sq. Mi.)	(Ft.)	(Ft.)	(Ft.)	(Ft.)	(AMSL)	(Cu. Yds.)
Rubio	1943-44	1.26	1,582	1,582	1,611	66.8	1,626	150,000
Ruby (Lower)	1955-56	0.28	811	810	834	45.0	840	40,200
Rye	1981-82	1.11	1,074	1,074	1,078	58.2	1,082	19,000
Saddleback	1988-89	0.04	1,781	1,779	1,791	23.5	1,797	16,000
Santa Anita	1959-60	1.70	748	749 ⁽³⁾	775	160.0	796	395,000
Sawpit	1954-55	2.84	930	930	982	110.0	1,000	636,000
Scholl	1945-46	0.66	950	950 ⁽²⁾	956	76.0	966	9,300
Schoolhouse	1962-63	0.28	1,460	1,460	1,478	20.0	1,491	68,000
Schwartz	1976-77	0.25	1,295	1,295	1,313	35.0	1,319	45,000
Shields	1937-38	0.06	2,050	2,050	2,058	30.0	2,070	20,000
Sierra Madre Dam (12)	1927-28	2.39	1,120	1,120	1,172	62.5	1,175	136,000
Sierra Madre Villa	1957-58	1.46	1,069	1,069	1,089	48.0	1,103	402,000
Snover	1936-37	0.21	1,863	1,863	1,879	40.0	1,894	25,000
Sombrero	1969-70	1.06	1,540	1,540	1,565	45.0	1,580	88,000
Spinks	1958-59	0.44	750	750	762	40.0	766	56,000
Starfall	1973-74	0.13	2,428	2,428	2,442	30.0	2,447	15,000
Stetson	1969-70	0.29	1,556	1,555	1,570	32.0	1,579	41,000
Stough	1940-41	1.65	1,006	1,006	1,032 ⁽⁴⁾	100.0	1,044	181,000
Sturtevant	1967-68	0.03	975	971	984	8.0	990	1,400
Sullivan	1970-71	2.38	570	570	587	50.0	599	51,000
Sunnyside	1970-71	0.02	1,290	1,290	1,300	15.0	1,304	3,400
Sunset (Lower)	1963-64	0.45	1,004	995	1,040	40.0	1,056	159,000
Sunset (Upper)	1928-29	0.44	1,574	1,574	1,604	75.0	1,610	16,000
Sunset Canyon-Deer	1982-83	0.21	1,382	1,381	1,402	24.0	1,409	5,000
Turnbull	1952-53	0.99	476	476	492	40.0	503	22,000
Upper Shields	1976-77	0.22	2,498	2,498	2,530	33.0	2,537	40,000
Verdugo	1935-36	9.40	1,110	1,110	1,120	145.0	1,131	131,000
Ward	1956-57	0.12	2,022	2,022	2,043	58.0	2,045	26,000

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

EROSION CONTROL

DEBRIS BASIN - DESIGN DATA:

Including 2007-2008 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Uncontrolled Drainage Area Above Basin	Bottom Elev. at Max Cap.	Elevation Port Invert	Elevation Spillway Crest	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity
		(Sq. Mi.)	(Ft.)	(Ft.)	(Ft.)	(Ft.)	(AMSL)	(Cu. Yds.)
West Ravine	1935-36	0.25	1,484	1,470 ⁽¹⁾	1,502	20.0	1,506	39,000
Westridge	1974-75	0.02	894	894	905	10.7	906	2,400 ⁽¹⁴⁾
Wildwood	1967-68	0.65	1,343	1,343	1,354	50.0	1,360	21,000
William S. Hart Park	1983-84	0.09	1,282	1,280	1,290	19.0	1,293	2,400
Wilson	1962-63	2.58	1,493	1,493	1,526	60.0	1,543	313,000
Winery	1968-69	0.18	1,920	1,920	1,935	20.0	1,945	29,000
Zachau	1956-57	0.35	1,803	1,803	1,820	44.0	1,828	48,000
118 DEBRIS BASINS		75.77						7,907,900

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

EROSION**DEBRIS BASIN - DEBRIS PRODUCTION SUMMARY**

Debris Basin	DPA Zone	Number of Seasons	Total Debris Deposited	Average Annual Debris Production	Maximum Seasonal Debris Production
			(Cu. Yds.)	(Cu. Yds./Yr.)	(Cu. Yds.)
Aliso	4	39	299,957	7,691	52,206
Arbor Dell	2	38	8,603	226	4,294
Auburn	1	55	105,295	1,914	19,712
Bailey	1	64	321,126	5,018	116,309
Beatty	1	38	14,110	371	7,639
Big Dalton	1	49	1,208,452	24,662	296,680
Bigbriar	1	28	4,968	177	866
Blanchard	1	41	80,441	1,962	36,593
Blue Gum	1	41	42,357	1,033	19,123
Brace	2	38	42,628	1,122	11,971
Bracemar	2	28	676	24	393
Bradbury	1	53	274,167	5,173	70,219
Brand	1	70	487,118	6,959	109,195
Buena Vista	1	23	490	21	402
Carriage House	1	38	7,725	203	3,459
Carter	1	55	43,499	791	12,559
Cassara	1	33	32,647	989	10,301
Chamberlain	2	34	1,156	34	437
Chandler	2	13	200	15	200
Childs	1	45	101,952	2,266	30,154
Cloud Creek	1	37	4,234	114	971
Cloudcroft	4	35	13,992	400	6,060
Cooks	1	57	178,390	-646,419	52,902
Cooks M-1A	1	33	55,947	-440,112	15,641
Crescent Glen	1	8	1,148	144	1,148
Crestview	1	23	60	3	60
Crocker	8	26	13,706	527	5,745
Deer	1	55	177,248	-612,451	44,186
Denivelle	2	33	13,647	414	5,477
Devonwood	1	27	10,325	382	40,117
Dry Canyon-South Fork	4	30	12,526	418	5,325
Dunsmuir	1	73	386,738	5,298	86,189
Eagle	1	71	205,688	2,897	41,690
Elmwood	1	44	57,891	1,316	16,089
Emerald-East	2	43	13,901	323	2,170
Englewild	1	47	114,457	2,435	60,194
Fair Oaks	1	73	116,816	1,600	12,453
Fern	1	73	189,106	2,590	23,867
Fieldbrook	6	34	2,210	65	489
Golf Club Drive	2	39	44,109	1,131	11,631
Gooseberry	1	13	2,709	208	1,682

EROSION**DEBRIS BASIN - DEBRIS PRODUCTION SUMMARY**

Debris Basin	DPA Zone	Number of Seasons	Total Debris Deposited	Average Annual Debris Production	Maximum Seasonal Debris Production
			(Cu. Yds.)	(Cu. Yds./Yr.)	(Cu. Yds.)
Gordon	1	36	8,409	234	3,810
Gould	1	61	123,514	2,025	23,684
Gould Upper	1	31	41,970	1,354	13,393
Halls	1	64	406,317	6,349	55,165
Harrow	1	51	84,024	1,648	63,393
Haven Way	2	38	15,350	404	38,000
Hay	1	71	80,125	1,129	18,249
Hillcrest	1	46	67,313	1,463	10,321
Hog	1	41	15,546	379	3,980
Hook East	1	40	48,187	1,205	40,153
Hook West	1	38	7,498	197	3,603
Inverness	2	26	1,804	69	1,341
Irving Drive	2	34	1,617	48	577
Kinneloa East	1	43	107,395	2,498	30,899
Kinneloa West	1	42	160,495	3,821	43,499
La Tuna	2	53	697,221	13,155	172,051
Lannan	1	55	83,774	1,523	18,243
Las Flores	1	69	246,554	3,573	35,600
Las Lomas	1	26	58	2	48
Limekiln	4	45	414,233	9,205	55,055
Lincoln	1	73	177,885	2,437	48,289
Linda Vista	2	33	16,831	510	3,400
Little Dalton	1	49	1,329,180	27,126	337,789
Maddock	1	54	56,006	13,516	16,170
Marston Paragon	5	20	1,949	97	879
May No.1	2	55	209,336	3,806	45,771
May No.2	2	55	26,834	488	6,176
Monument	6	27	999	37	345
Morgan	1	44	39,214	891	12,923
Mountbatten	1	25	182	7	60
Mull	1	35	3,036	87	1,052
Mullally	1	34	74,583	2,194	24,434
Nichols	4	71	137,396	1,935	24,106
Oak	1	33	14,435	437	6,911
Oak Park	1	8	0	0	0
Oakglade	1	34	1,657	49	1,242
Oakmont View Drive	1	24	686	29	221
Oliver	1	32	33,580	1,049	16,255
Pickens	1	73	762,552	10,446	140,584
Pinelawn	1	35	5,575	159	1,199
Rowley Lower	1&7	55	81,173	1,476	16,659

EROSION**DEBRIS BASIN - DEBRIS PRODUCTION SUMMARY**

Debris Basin	DPA Zone	Number of Seasons	Total Debris Deposited	Average Annual Debris Production	Maximum Seasonal Debris Production
			(Cu. Yds.)	(Cu. Yds./Yr.)	(Cu. Yds.)
Rowley Upper	1	32	53,020	1,657	31,884
Rubio	1	65	424,489	6,531	133,045
Ruby Lower	1	53	21,722	410	8,302
Rye	5	27	19,619	727	10,049
Saddleback	1	18	5,010	278	2,440
Santa Anita	1	49	1,041,139	21,248	171,176
Sawpit	1	54	742,080	13,742	233,834
Scholl	2	63	23,363	371	3,457
Schoolhouse	1	46	34,491	750	2,552
Schwartz	1	32	45,576	1,424	23,359
Shields	1	71	163,355	2,301	35,147
Sierra Madre Dam	1	71	336,235	4,736	95,170
Sierra Madre Villa	1	51	794,822	15,585	171,775
Snover	1	71	113,411	1,597	16,719
Sombrero	1	39	46,787	1,200	15,696
Spinks	1	50	74,956	1,499	16,361
Starfall	1	35	27,121	775	14,194
Stetson	1	39	23,150	594	14,161
Stough	2	68	167,609	2,465	15,347
Sturtevant	1	41	1,391	34	457
Sullivan	4	38	177,181	4,663	47,000
Sunnyside	1	38	4,351	115	1,621
Sunset Canyon-Deer	1	25	6,808	272	3,678
Sunset Lower	1	65	169,139	2,602	29,164
Sunset Upper	1	67	151,565	2,262	27,037
Turnbull	6	56	78,991	1,411	15,864
Upper Shields	1	32	46,667	1,458	16,853
Verdugo	1	71	882,517	12,430	105,364
Ward Lower	1	64	71,954	1,124	17,769
West Ravine	1	73	172,651	2,365	29,866
Westridge	1&7	25	258	10	187
Wildwood	3&5	41	123,853	3,021	16,699
William S Hart Park	5	24	490	20	321
Wilson	2	46	314,266	6,832	62,830
Winery	1	40	36,511	913	9,229
Zachau	1	52	112,630	2,166	48,060

WATER CONSERVATION

Information presented in this section includes amounts of local, imported, and reclaimed water conserved in groundwater recharge areas and information on the seawater barrier projects which prevent salt water intrusion into groundwater zones in the coastal areas. Pertinent data is presented regarding the locations and descriptions of Public Works' water conservation facilities as well as facilities owned by others. Additional data not presented in this report or its appendices can be obtained by contacting the [custodian](#) of hydrologic records.

CONSERVING THE WATERS

In addition to the flood control program, Public Works has the equally important mission of conserving as much of the storm and other waters as practicable. The use of water conservation facilities adjacent to river channels and in soft-bottom channels permits water to percolate into groundwater basins for later pumping. These groundwater recharge facilities are located in areas where the underlying soils are composed of permeable formations and in hydraulic connection with the underlying aquifer.

The various types of water conserved, local, imported, and reclaimed are construed to have the following meanings in this section: Local water is primarily runoff due to rainfall on the mountain and valley watersheds, dam releases, and rising water within the County. Imported water is water originating outside the County either from Northern California or from the Colorado River. Reclaimed water is the effluent produced by the Whittier Narrows Water Reclamation Plant, the San Jose Creek Water Reclamation Plant, and the Pomona Water Reclamation Plant, all operated by the County of Los Angeles Sanitation District. Reclaimed water is also injected at the seawater barriers. Both West Basin and the Department of Water and Power provide tertiary treated water used for direct injection.

The importance of this activity is apparent when it is realized that about 30 to 40 percent of the water used in the County is pumped from groundwater supplies. The growth of the County, combined with periodic droughts, has seriously depleted these supplies on numerous occasions.

Public Works' policy is to conserve the maximum possible amount of storm water consistent with runoff quantity and quality, capacities of the spreading facilities, and groundwater conditions.

IMPORTED WATER

During the reporting period, Public Works received water imported from the Colorado River and the State Water Project by the Metropolitan Water District (MWD) and spread it in the Coastal Plain at Public Works' Rio Hondo and San Gabriel Coastal Spreading Grounds on behalf of the Water Replenishment District of Southern California. MWD water is also spread in the Main San Gabriel Basin, Upper San Gabriel Canyon Basin, and Glendora Basin.

Public Works spreads imported water from MWD and the San Gabriel Valley Municipal Water District (SGVMWD) in the San Gabriel Valley on behalf of, the Upper San Gabriel Valley Municipal Water District, and the Three Valleys Municipal Water District

WATER CONSERVATION

in the following facilities:

- San Gabriel Canyon Spreading Grounds
- Santa Fe Spreading Grounds
- San Gabriel River
- Little Dalton Spreading Grounds
- Forbes Spreading Grounds
- Irwindale Spreading Basin/Manning Pit
- Citrus Spreading Grounds
- Ben Lomond Spreading Grounds
- Valley Rubber Dam Spreading Areas

RECYCLED WATER

The County Sanitation District's Whittier Narrows Water Reclamation Plant effluent purchased by the Water Replenishment District of Southern California is transported to the Rio Hondo and San Gabriel Coastal Basin Spreading Grounds for groundwater replenishment.

The County Sanitation District's San Jose Creek Water Reclamation Plant made its first delivery of effluent in November 1972. The effluent released into San Jose Creek, San Gabriel River, or directly delivered to San Gabriel Coastal Spreading Ground via pipeline can be purchased by the Water Replenishment District of Southern California.

Water from the Pomona Reclamation Plant is released down the San Jose Creek - San Gabriel River System to Public Works' recharge facilities in the Central Basin spreading grounds.

The maximum amount of reclaimed water allowed for spreading in the Montebello Forebay, effective July 1991, is 60,000 acre-feet per year but not to exceed 150,000 acre-feet over a three-year period.

SEAWATER BARRIER PROJECTS

Public Works operates three barrier projects to protect the groundwater in the West Coast and Central Basins against seawater intrusion by creating freshwater pressure ridges along the coastline. The pressure ridges are created by injecting freshwater through a series of injection wells. The amounts of water injected by these wells during the reporting period are as follows:

Facility	Imported Water (Acre-Feet)	Recycled Water (Acre-Feet)
Alamitos Barrier Project:		
Los Angeles Portion	3,470	1,285
Orange County Portion*	1,283	475
Dominguez Gap Barrier Project	4,547	2,528
West Coast Basin Barrier Project	3,661	10,953

*Injected on behalf of the Orange County Water District

WATER CONSERVATION

SEASONAL DATA AND MAPS

During the reporting period, weekly, monthly, and semi-annual measurements of groundwater levels in observation wells located throughout the groundwater basins in the County of Los Angeles were made and processed.

Locations of the key wells noted herein are shown on the well map in the Water Conservation Summary section. Historical key well level data can be downloaded as [ASCII](#) file or from the pull down selection in the Water Conservation Summary section.

Static groundwater elevation contour maps for the three major groundwater regions in the County of Los Angeles are available from the local basin water agencies:

Groundwater Basin	Contact
Upper Los Angeles River Area (San Fernando Valley)	Upper Los Angeles River Watermaster P.O. Box 111, Room 1455 Los Angeles, CA 90051 (213) 367-1020 (213) 367-1131 (FAX)
San Gabriel Valley	Main San Gabriel Basin Watermaster 729 North Azusa Avenue Azusa, CA 91702 (626) 815-1300 (626) 815-1303 (FAX)
Coastal Plain	Water Replenishment District of Southern California 12621 East 166th Street Cerritos, CA 90703 (562) 921-5521 (562) 921-6101 (FAX)

GROUNDWATER BASINS AND GROUNDWATER RECHARGE

Groundwater in the County of Los Angeles is stored in basins underlying five major geographic areas. These groundwater basins are separated by geologic features which impede groundwater movement or by political boundaries. A map of these groundwater basins and Public Works' spreading grounds is available upon request from Public Works. General spreading grounds facility information is included in the summary section. Monthly water conservation data for the reporting period at Public Works' facilities and other pertinent facilities are included in the Water Conservation Summary section of this report. The monthly imported and recycled water deliveries for the reporting period are also included in the Water Conservation Summary section. The following is a background summary of Public Works' groundwater recharge activities within each of these major areas:

COUNTY-WIDE

Public Works operates 2,436 acres of spreading grounds and soft-bottom channel spreading areas for replenishment of local groundwater supplies. Public Works also assisted in the operation and maintenance of 269 acres of spreading grounds owned by others. An additional 656 acres of spreading grounds are controlled maintained and operated by other agencies. The total gross acreage of spreading grounds in the

WATER CONSERVATION

County of Los Angeles is 3,361 acres.

Groundwater replenishment consists of storm runoff, imported water, and recycled water. Countywide, Public Works spread the following amounts during the reporting period:

County Rainfall Index (% of Normal)	87 *
Storm Runoff (acre-feet)	173,078
Imported Water (acre-feet)	4,828
Recycled Water (acre-feet)	39,767

Public Works is continuing its efforts to improve its water spreading facilities in order to maximize the amounts of water conserved and to simplify the spreading operations.

SAN GABRIEL VALLEY

Public Works operates 20 spreading facilities in the San Gabriel Valley that receive direct valley runoff and flows from the San Gabriel Mountains. Some of these facilities can also receive imported water. Valleywide, Public Works spread the following amounts during the reporting period:

Storm Runoff (acre-feet)	91,654
Imported Water (acre-feet)	3,318
Diversions to Grounds Owned by Others (acre-feet)	6,749

Public Works' spreading grounds replenished the Valley's several groundwater basins as follows:

	Storm Water (acre-feet)	Imported Water (acre-feet)	Key Wells
Main San Gabriel Basin	53,495	1,813	3030F, 2965C
Upper San Gabriel Canyon Basin	31,882	1,505	4284A
Lower San Gabriel Canyon Basin	543	0	4285

WATER CONSERVATION

Wayhill Basin	218	0	
Foothill Basin	1451	0	
Glendora Basin	764	0	
Claremont Heights Basin	0	0	4508A, 4508B
Live Oak Basin	0	0	
Chino Basin	0	0	
San Dimas Basin	193	0	
Pomona Basin	0	0	3251E, 3261P, 4469A
Puente and Spadra Basins	0	0	
Raymond Basin	3,108	0	4057H

COASTAL PLAIN

The groundwater basins underlying the Coastal Plain are divided by geological features into the Central (includes the Montebello and Los Angeles Forebays), West Coast, Santa Monica, and Hollywood Basins. Most of the water is spread in the Montebello Forebay. Public Works spread the following amounts in the Coastal Plain during the reporting period:

Storm Runoff (acre-feet)	55,791
Imported Water (acre-feet)	1,510
Recycled Water (acre-feet)	39,767

Central Basin

The Central Basin has the most storage capacity of the basins in the Coastal Plain. In addition to the water recharged in Public Works' spreading facilities, water injected in the Alamitos Barrier Project also contributes to the replenishment of the pressure aquifers underlying the Central Basin. The basin contains Key Well Nos. 460K, 1601T, and 906D.

West Coast Basin

The West Coast basin is the second largest basin underlying the Coastal Plain and is separated by the Newport-Inglewood Fault zone. Groundwater is primarily recharged by Central Basin subsurface flows and by water injected by Public Works in the West Coast Basin and Dominguez Gap Barrier Projects. Groundwater elevations in the West Coast basin are below sea level except in the area of the West Coast Basin Barrier injection mound. The basin contains Key Well Nos. 1346D and 760C.

WATER CONSERVATION

Santa Monica and Hollywood Basins

Public Works has no spreading facilities in either of these basins.

SAN FERNANDO VALLEY

The San Fernando Valley is also known as the Upper Los Angeles River Area (ULARA). Most of the runoff from the surrounding mountains flows to the Valley. The Valley is composed of four basins:

San Fernando Main Basin

The basin is the largest basin underlying the San Fernando Valley. The basin contains Key Well Nos. 3872H and 4709. Public Works spread the following during the reporting period:

Storm Runoff (acre-feet)	25,633
Imported Water (acre-feet)	0
Recycled Water (acre-feet)	0

Sylmar, Verdugo, and Eagle Rock Basins

Public Works has no spreading facilities in these much smaller basins.

SANTA CLARITA VALLEY

Public Works has no spreading facilities in the area. Much of the Valley is open space, permitting substantial natural percolation. The Upper Santa Clarita subunit comprises five basins.

ANTELOPE VALLEY

There are several groundwater subbasins underlying the Antelope Valley. Five of them are located within the County of Los Angeles.

Public Works operates no spreading facilities in the Antelope Valley.

Key Well Nos. 9974 and 8825 are located in the Lancaster and Little Rock subbasins, respectively

WATER CONSERVATION

SUMMARY

PUBLIC WORKS FACILITIES

[See Appendix G](#)

OTHER FACILITIES

[See Appendix H](#)

TOTAL MONTHLY WATER CONSERVED

[See Appendix I](#)

IMPORTED WATER OUTLET RELEASES

[See Appendix J](#)

RECLAIMED WATER


[See Appendix K](#)

GROUND WATER FLUCTUATION

[See Appendix L](#)

Select groundwater well levels data from links below by clicking on the Well Number.

Location	Well No.	Ground Surface Elev. (ft)
Coastal Plain, City of Long Beach	0460K	26.6
Coastal Plain	0760C	50.0
Coastal Plain, City of Long Beach	0906D	88.8
Central Basin	1601T	159.7
Main San Gabriel Basin	2965C	245.0
Main San Gabriel Basin, Baldwin Park	3030F	386.7
Pomona Basin	3261P	999.4
San Fernando Valley, Canoga Park	3600H	788.5
San Fernando Valley, Burbank	3872H	546.5
Raymond Basin	4057H	749.9
San Gabriel Canyon Basin, North of Azusa	4284A	658.8
Upper Claremont Heights	4508A	1482.0
Santa Clarita Valley, Near Castaic Junction	7057P	1131.0
Little Rock, South of Palmdale	8825	2777.0
Antelope Valley, South of Lancaster	9974	2512.0



Legend

● Keywell Location



Not to scale

APPENDIX A

HYDROLOGIC REPORT 2007 – 2008

PRECIPITATION – DAILY RAINFALL SUMMARY

PRECIPITATION

DAILY RAINFALL SUMMARY

11D Upper Franklin Canyon Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-10

Longitude: 118-24-35

Elevation: 867 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.23									
2												
3					0.25		0.06					
4					0.11							
5				4.65								
6				0.60								
7			0.53	0.87				0.01				
8												
9			0.03									
10												
11												
12												
13	1.00											
14												
15												
16												
17												
18			0.26									
19			1.17									
20			0.03		0.21							
21			0.07		0.01							
22				0.24	0.07							
23				0.07	0.17			0.04				
24				1.31	0.96			0.08				
25				2.94	0.57							
26				0.28								
27				2.20								
28				1.15								
29						0.02						
30		0.50										
31												
Totals	1.00	0.50	2.32	14.31	2.35	0.02	0.06	0.13	0.00	0.00	0.00	0.00
											Water Year Total:	20.69

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

13C North Hollywood-Lakeside

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-46

Longitude: 118-21-13

Elevation: 550 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.64									
2												
3					0.09		0.06					
4					0.13							
5				4.56								
6				0.57								
7				0.81				0.06				
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18			0.08									
19			0.63									
20												
21			0.07		0.11							
22				0.13	0.43							
23				0.04	0.05			0.02				
24				1.29	0.44			0.18				
25				2.78	0.35							
26				1.26								
27				2.10								
28				0.92								
29												
30		0.01										
31												
Totals	0.00	0.01	1.42	14.46	1.60	0.00	0.06	0.26	0.00	0.00	0.00	0.00
											Water Year Total:	17.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

20B Girard Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-07

Longitude: 118-36-36

Elevation: 986 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.47		0.06					
4					0.07							
5				3.21								
6				0.26								
7			0.14	0.85								
8												
9			0.01									
10			0.05									
11		0.01E										
12												
13	0.40											
14												
15	0.02											
16												
17	0.04											
18			0.22									
19			0.59									
20			0.02		0.15							
21			0.05		0.02							
22				0.32	0.56							
23				0.20	0.11			0.01				
24				1.17	1.17			0.05				
25				4.32	0.09			0.01				
26				0.28								
27				2.76								
28	0.02			0.95								
29				0.02								
30		0.52E										
31												
Totals	0.48	0.53	1.08	14.34	2.64	0.00	0.06	0.07	0.00	0.00	0.00	0.00
											Water Year Total:	19.20

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

21B Woodland Hills

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-14

Longitude: 118-35-33

Elevation: 875 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.50							
4				0.22								
5				1.52								
6				0.24								
7			0.11	0.71								
8												
9			0.04									
10												
11		0.01										
12												
13	0.33											
14												
15												
16						0.19						
17												
18			0.38									
19			0.31									
20			0.03		0.14							
21				0.04								
22				0.20	0.55							
23				0.59								
24				0.80	0.90			0.06				
25				3.06	0.01							
26												
27				2.01								
28	0.01			0.28								
29												
30		0.53										
31												
Totals	0.34	0.54	0.87	9.67	2.10	0.19	0.00	0.06	0.00	0.00	0.00	0.00
											Water Year Total:	13.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

23B Chatsworth Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-13-44

Longitude: 118-37-18

Elevation: 900 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.11									
2												
3					0.58		0.04					
4					0.59							
5				2.01								
6				0.52								
7			0.31	0.17								
8												
9												
10												
11												
12												
13	0.50											
14												
15												
16						0.04						
17	0.01											
18	0.02		0.41									
19			0.99									
20			0.22		0.11							
21			0.02		0.05							
22				0.05	0.57							
23				0.07	0.01							
24				0.97	0.85			0.02				
25				2.72	0.01			0.07				
26				0.86								
27				1.98								
28				0.87								
29				0.01								
30												
31						0.02						
Totals	0.53	0.00	2.06	10.23	2.77	0.06	0.04	0.09	0.00	0.00	0.00	0.00
											Water Year Total:	15.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

25C Northridge-L.A.D.W.P.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-13-52

Longitude: 118-32-28

Elevation: 810 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.37									
2												
3							0.02					
4					0.42							
5				0.97	0.08							
6				0.01								
7			0.19	0.54								
8												
9												
10												
11												
12												
13	0.35											
14	0.01				0.01							
15												
16						0.02						
17												
18	0.01											
19			0.01									
20					0.17							
21			0.01		0.09							
22				0.01	0.08							
23				0.06	0.11							
24				0.72								
25				0.98	0.12							
26				1.11								
27				0.89								
28				0.49								
29				0.02								
30												
31												
Totals	0.37	0.00	0.58	5.80	1.08	0.02	0.02	0.00	0.00	0.00	0.00	0.00
	Water Year Total:											7.87

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

33A Pacoima Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-19-48

Longitude: 118-23-59

Elevation: 1500 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.55									
2												
3					0.13		0.02					
4					0.24							
5				2.27								
6				0.31								
7			0.50	0.74				T				
8			0.05					T				
9			0.02									
10												
11												
12		T						T				
13	0.47							T				
14	T											
15												
16	T					0.01						
17												
18			0.16									
19			1.10									
20			0.03		0.12							
21			0.05		0.09							
22				0.08	0.24							
23				0.05	0.05			0.08				
24				1.13	0.37			0.52				
25				1.96	0.08			T				
26				0.20								
27				1.17								
28	T			1.26								
29				T								
30		0.03				0.03						
31												
Totals	0.47	0.03	2.46	9.17	1.32	0.04	0.02	0.60	0.00	0.00	0.00	0.00
	Water Year Total: 14.11											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

42C Redondo Beach-City Hall

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-50-43

Longitude: 118-23-20

Elevation: 70 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.01						
2							0.03					
3					0.93		0.01					
4				0.46								
5				0.20								
6				0.54								
7			0.21	0.01								
8			0.05									
9												
10												
11												
12	0.10											
13	0.25											
14					0.10						0.04	
15											0.01	
16												
17	0.09											
18			0.62									
19			0.12									
20			0.05		0.13							
21				0.01	0.15							
22				0.17	0.37							
23				0.66	0.13							
24				0.49	1.42							
25				1.26								
26				0.36								
27				0.79								
28	0.01			0.18								
29												
30						0.03						
31												
Totals	0.45	0.00	1.05	5.13	3.23	0.04	0.04	0.00	0.00	0.00	0.05	0.00
	Water Year Total:											9.99

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

43D Palos Verdes Estates

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-47-58

Longitude: 118-23-29

Elevation: 216 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.17									
2												
3					0.96		0.05					
4												
5				1.05								
6												
7			0.26	0.65								
8												
9			0.12									
10												
11			0.02									
12												
13	0.29											
14					0.06							
15												
16												
17	0.09											
18			0.13									
19			0.87		0.11							
20												
21				0.01								
22				0.25	0.51							
23				0.16								
24				0.81	1.61			0.08				
25				2.01								
26												
27				1.36								
28				0.14								
29												
30		0.76				0.03						
31												
Totals	0.38	0.76	1.57	6.44	3.25	0.03	0.05	0.08	0.00	0.00	0.00	0.00
												Water Year Total: 12.56

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

46D Big Tujunga Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-17-40

Longitude: 118-11-14

Elevation: 2315 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.68									
2												
3					0.25		0.02					
4					0.32							
5				5.30								
6				0.94								
7			2.00	1.07								
8			0.05									
9			0.05									
10												
11												
12												
13	0.04											
14												
15												
16						0.04						
17												
18			0.02									
19			1.09									
20			T		0.08							
21			0.07									
22				0.02	0.33							
23				0.01	0.20			0.51				
24				1.70	0.60			1.70				
25				5.25	0.14							
26				0.27								
27				3.60								
28				3.10								
29				0.07								
30		0.05					T					
31												
Totals	0.04	0.05	3.96	21.33	1.92	0.04	0.02	2.21	0.00	0.00	0.00	0.00
											Water Year Total:	29.57

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

63C Santa Anita Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-11-03

Longitude: 118-01-12

Elevation: 1400 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.04									
2					0.01	0.07						
3					0.47		0.03					
4					0.42		0.01		0.02			
5				6.05	T				0.01			
6				1.07								
7			1.83	1.02				0.09				
8			0.21					0.07				
9			0.12									
10												
11												
12												
13	0.38							0.13		0.03		
14					0.22							
15					T							
16	0.02					0.22						
17												
18			0.06									
19			2.25									
20			0.07		0.23							
21			0.17		0.09							
22				0.08	0.56							
23				0.06	0.06			2.00				
24				1.14	0.33			0.72				
25				2.30	0.23			T				
26				0.05								
27				2.12								
28				1.46								
29				0.01								
30		0.05				0.37						
31						0.11						
Totals	0.40	0.05	5.75	15.36	2.62	0.77	0.04	3.01	0.03	0.03	0.00	0.00
											Water Year Total:	28.06

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

82F **Table Mountain**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-22-56

Longitude: 117-40-39

Elevation: 7420 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.21									
2												
3												
4				A	0.18							
5				A								
6				2.72A								
7			A									
8			A									
9			1.09A									
10			0.11									
11												
12										T		
13										T		
14												
15						0.46E						
16												
17												
18			A									
19			0.09A									
20			A									
21			0.05A	A								
22				0.04A								
23				A								
24				0.45A	A			0.23E				
25				A	0.34A			0.07E			1.15	
26				A								
27	T			A								
28			T	2.05A								
29												T
30		1.54E										
31												
Totals	0.00	1.54	1.55	5.26	0.52	0.46	0.00	0.30	0.00	0.00	1.15	0.00
												Water Year Total: 10.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

89B San Dimas Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-10

Longitude: 117-46-17

Elevation: 1350 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.44			T						
2					0.02	0.04						
3					0.29		T					
4					0.60		0.02					
5				5.48								
6				0.47								
7			1.70	1.39				0.02				
8			0.17					0.02				
9			0.10									
10												
11												
12								0.01				
13	0.40							0.06				
14					T					0.25		
15												
16						0.16						
17												
18			0.02									
19			1.24									
20			0.02		0.14							
21			0.18	0.02	0.34							
22			0.01	0.05	0.51							
23				0.02	0.15			1.10				
24				0.87	0.56							
25				1.47	0.26							
26				0.05				0.62				
27				0.87								
28				2.31								
29				0.14								
30		0.03		0.01		0.18						
31						0.16						
Totals	0.40	0.03	4.88	13.15	2.87	0.54	0.02	1.83	0.00	0.25	0.00	0.00
	Water Year Total: 23.97											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

93C Claremont-Police Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-05-45

Longitude: 117-43-18

Elevation: 1170 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.02						
3					0.50		0.01					
4				0.35								
5				3.33								
6				0.37								
7			0.93	0.71								
8												
9			0.12									
10												
11												
12												
13	0.49									0.08		
14												
15						0.01						
16												
17												
18			0.03									
19			0.94									
20			0.15		0.24							
21				0.01								
22				0.05	0.72							
23					0.11			0.38				
24				0.83	0.28							
25				0.93	0.02							
26												
27				1.24								
28				0.61								
29												
30		1.53										
31												
Totals	0.49	1.53	2.17	8.43	1.87	0.03	0.01	0.38	0.00	0.08	0.00	0.00
	Water Year Total: 14.99											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

95 San Dimas-Fire Warden

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-26

Longitude: 117-48-19

Elevation: 955 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.73									
2						0.03						
3												
4					0.53							
5												
6				4.45								
7			0.70	0.87								
8			0.29									
9												
10												
11												
12												
13	0.35E									0.16E		
14												
15												
16						0.17						
17												
18												
19												
20			1.06									
21			0.20									
22								0.31				
23					0.92							
24												
25				2.23	0.67							
26												
27				0.98								
28				1.60								
29												
30												E
31						0.05						
Totals	0.35	0.00	3.98	10.13	2.12	0.25	0.00	0.31	0.00	0.16	0.00	0.00
										Water Year Total:		17.30

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

96C **Puddingstone Dam**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-05-31

Longitude: 117-48-24

Elevation: 1030 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.35			T						
2						0.01						
3					0.22		T					
4					0.26							
5				4.05	T							
6				0.20								
7			0.62	0.95				T				
8			0.11									
9			0.02					T				
10												
11												
12												
13	0.47							0.05		0.23		
14					0.05							
15												
16						0.10						
17												
18			T									
19			1.02									
20			0.01		0.08							
21			0.16		0.12							
22				0.09	0.53							
23				T	0.11			0.21				
24				0.73	0.39			0.24				
25				1.27	0.17			T				
26				0.03								
27				0.98								
28				1.31								
29				0.03								
30												
31						T						
Totals	0.47	0.00	3.29	9.64	1.93	0.11	0.00	0.50	0.00	0.23	0.00	0.00
										Water Year Total:		16.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

106F Whittier City Yard

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-58-57

Longitude: 118-02-50

Elevation: 300 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.27							
4				0.57								
5				0.48								
6				0.62								
7			0.34									
8												
9												
10												
11												
12												
13	0.48	0.48										
14												
15												
16												
17												
18			0.51									
19			0.24									
20			0.04		0.17							
21					0.24							
22				0.07	0.24			0.14				
23				0.65	0.03							
24				0.55	0.34							
25				0.62								
26				0.31								
27				0.96								
28				0.24								
29												
30		0.36										
31												
Totals	0.48	0.84	1.13	5.07	1.29	0.00	0.00	0.14	0.00	0.00	0.00	0.00
	Water Year Total:											8.95

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

107D Downey-Fire Department

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-55-48

Longitude: 118-08-47

Elevation: 110 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.20									
2							0.02					
3					3.80							
4					0.02							
5				1.10								
6			0.46	0.60								
7				0.65								
8												
9												
10												
11												
12												
13	0.61											
14					0.04							
15												
16												
17												
18			0.07									
19			0.88									
20					0.15							
21					0.05							
22				0.50	0.77							
23												
24				1.00	0.72							
25				2.05	0.01							
26												
27				0.75								
28				1.15								
29				0.50								
30		0.01										
31												
Totals	0.61	0.01	2.61	8.30	5.56	0.00	0.02	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	17.11

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

109D West Arcadia

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-42

Longitude: 118-04-22

Elevation: 547 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.78									
2												
3								0.01				
4								0.04				
5				4.68								
6				0.40								
7			0.68	0.80								
8												
9												
10												
11												
12												
13	0.50											
14					0.74							
15												
16						0.10						
17												
18												
19			1.30									
20			0.10		0.12							
21			0.12		0.32							
22												
23					0.28							
24				1.07	0.13			0.52				
25				1.90								
26				0.05								
27				1.40								
28				0.90								
29												
30		0.18				0.30						
31						0.01						
Totals	0.50	0.18	2.98	11.20	1.59	0.41	0.00	0.57	0.00	0.00	0.00	0.00
											Water Year Total:	17.43

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

120 Vincent Patrol Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-29-17

Longitude: 118-08-27

Elevation: 3135 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5				0.93								
6												
7				0.43								
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18			0.02									
19												
20												
21					0.09							
22												
23					0.16							
24				0.71				0.27				
25				1.16								
26				0.06								
27				0.66								
28				0.64								
29												T
30												
31												
Totals	0.00	0.00	0.02	4.59	0.25	0.00	0.00	0.27	0.00	0.00	0.00	0.00
	Water Year Total:											5.13

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

125B San Francisquito Canyon Ph#1 - Saugus

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-35-25

Longitude: 118-27-15

Elevation: 2105 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.02									
2												
3					0.33		0.02					
4				0.20	0.03							
5				2.60								
6				0.56								
7			0.81	0.72				0.01				
8			0.10									
9			0.10	0.01								
10												
11												
12												
13	0.31											
14												
15												
16												
17												
18			0.45									
19			1.01									
20			T		0.11							
21			0.16		0.06							
22				0.13	0.21							
23				0.16				0.04				
24				1.10	0.67							
25				2.30	0.14			0.01				
26				0.04								
27				2.10								
28				0.88								
29				0.01								0.05
30		0.23				0.12						
31												
Totals	0.31	0.23	2.65	10.81	1.55	0.12	0.02	0.06	0.00	0.00	0.00	0.05
											Water Year Total:	15.80

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

134C Puddingstone Diversion

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-52

Longitude: 117-46-55

Elevation: 1160 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.34			T						
2					0.02	0.02						
3					0.25							
4					0.29		0.02					
5				3.86								
6				0.17								
7			1.00	0.81				0.02				
8			0.11					0.04				
9			0.05									
10												
11												
12												
13	0.35							0.07				
14					0.02					0.18		
15												
16						0.24						
17												
18			0.01									
19			0.96									
20			0.02		0.09							
21			0.19		0.16							
22			0.01	0.05	0.40							
23				0.02	0.24			0.45				
24				0.74	0.41							
25				1.33	0.20							
26				0.03				0.29				
27				0.89								
28				1.61								
29				0.01								
30		0.02				0.13						
31						0.02						
Totals	0.35	0.02	3.69	9.52	2.08	0.41	0.02	0.87	0.00	0.18	0.00	0.00
											Water Year Total:	17.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

144 Sierra Madre Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-34

Longitude: 118-02-32

Elevation: 1100 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.98									
2						0.02						
3					0.47							
4					0.33							
5				6.20								
6				1.05								
7			1.60	0.99								
8			0.16									
9			0.10									
10												
11												
12												
13								0.06				
14					0.40							
15												
16						0.31						
17												
18												
19			1.60									
20					2.02							
21			0.32									
22				0.14	0.45							
23				0.05	0.05			2.08				
24				1.07	0.18			0.28				
25				2.02	0.38							
26				0.02								
27				1.90								
28				1.64								
29												
30		0.06										
31												
Totals	0.00	0.06	4.76	15.08	4.28	0.33	0.00	2.42	0.00	0.00	0.00	0.00
											Water Year Total:	26.93

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

167C **Arcadia Pumping Plant #1**

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-31

Longitude: 118-02-02

Elevation: 611 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.03						
2			0.17									
3					0.46							
4				0.02								
5				5.58								
6				0.73								
7			1.09	0.81				0.03				
8			0.15									
9			0.03									
10												
11												
12								0.02		0.02		
13												
14												
15						0.36						
16												
17												
18			0.20									
19			1.30									
20			0.26		0.46							
21					0.18							
22				0.06	0.18			1.76				
23								0.25				
24				1.17	0.50			0.04				
25				2.05								
26				1.97								
27				0.44								
28												
29												
30		0.82				0.03						
31												
Totals	0.00	0.82	3.20	12.83	1.78	0.42	0.00	2.10	0.00	0.02	0.00	0.00
											Water Year Total:	21.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

169 **Sierra Madre Pumping Plant**

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-47

Longitude: 118-02-21

Elevation: 700 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.98									
2						0.05						
3					0.45							
4					0.20							
5				6.38								
6				0.63								
7			1.42	1.00								
8			0.18									
9			0.06									
10												
11												
12												
13								0.05				
14					0.43							
15												
16						0.30						
17												
18												
19			1.75									
20					1.75							
21			0.41									
22				0.08	0.42							
23				0.03	0.03			2.04				
24				1.19	0.14			0.28				
25				2.06	0.42							
26				0.03								
27				1.70								
28				1.44								
29												
30		0.05										E
31												E
Totals	0.00	0.05	4.80	14.54	3.84	0.35	0.00	2.37	0.00	0.00	0.00	0.00
Water Year Total:												25.95

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

170F Potrero Heights

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-32

Longitude: 118-04-44

Elevation: 285 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.14									
2												
3					0.29							
4												
5			0.57	2.45								
6			T	0.37								
7			0.02	0.58								
8				T								
9												
10												
11												
12												
13	0.67											
14					0.30							
15												
16												
17												
18			0.35									
19			1.40									
20			0.04		0.27							
21												
22				0.10	0.46			0.10				
23				0.20	0.09			0.12				
24				0.85	0.54							
25				1.93								
26				T								
27				2.00								
28				0.51								
29												0.02
30		0.95										
31												
Totals	0.67	0.95	2.52	8.99	1.95	0.00	0.00	0.22	0.00	0.00	0.00	0.02
	Water Year Total:											15.32

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

174B **Glendora**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-43

Longitude: 117-49-08

Elevation: 930 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					2.78							
4												
5				3.86								
6				0.41								
7			1.15									
8												
9												
10												
11												
12												
13	0.39E											
14												
15												
16												
17			A									
18			A									
19			A									
20			A		A							
21			1.15A		A							
22					A							
23					A							
24				0.27E	1.53A							
25				1.88E								
26								A				
27				0.96E				0.80A				
28				1.60E								
29												
30		1.45										
31												
Totals	0.39	1.45	2.30	8.98	4.31	0.00	0.00	0.80	0.00	0.00	0.00	0.00
												Water Year Total: 18.23

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

175B La Canada Irrigation District

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-13-39

Longitude: 118-12-40

Elevation: 2020 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.02						
3					0.49		0.02					
4					0.26							
5				4.87								
6				1.86								
7			1.40	1.07				0.08				
8			0.10					0.02				
9			0.05									
10												
11												
12												
13	0.46											
14												
15	0.02											
16						0.25						
17												
18			0.19									
19			1.86									
20			0.02		0.20							
21					0.01							
22				0.09	0.35							
23				0.02	0.12			0.80				
24				1.39	0.68			0.58				
25				3.75	0.16							
26				0.09								
27				1.89								
28				2.28								
29		0.40										T
30		0.27				0.20						
31												
Totals	0.48	0.67	3.62	17.31	2.27	0.47	0.02	1.48	0.00	0.00	0.00	0.00
												Water Year Total: 26.32

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

176 Altadena-Rubio Canyon

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-55

Longitude: 118-08-15

Elevation: 1125 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.77									
2												
3					0.40							
4					0.09							
5				4.98								
6				1.38								
7				0.92								
8			1.15									
9			0.20									
10												
11												
12												
13	0.38											
14												
15						0.24						
16												
17												
18												
19			1.55									
20					0.24							
21				0.03	0.16							
22				0.03	0.30							
23				0.04	0.24			0.38				
24				1.26	0.43							
25				2.53								
26				0.18								
27				2.15								
28				1.18								
29				0.03								0.04
30						0.14						
31												
Totals	0.38	0.00	3.67	14.71	1.86	0.38	0.00	0.38	0.00	0.00	0.00	0.04
Water Year Total:												21.42

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

196C La Verne-Fire Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-06

Longitude: 117-46-20

Elevation: 1050 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.08						
2												
3					0.45							
4				0.11E								
5				3.81E								
6				0.26E								
7			0.75	0.80E								
8			0.12									
9			0.01									
10												
11												
12								0.04				
13												
14												
15												
16						1.00						
17												
18			0.10									
19			0.81									
20			0.03		0.20							
21					0.50							
22				0.07	0.50							
23					0.16			0.54				
24				0.90	0.42							
25				1.12								
26				0.68								
27				1.77								
28				1.35								
29												
30		1.38				0.03						
31												
Totals	0.00	1.38	1.82	10.87	2.23	1.11	0.00	0.58	0.00	0.00	0.00	0.00
											Water Year Total:	17.99

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

216C **Glendale - Jackson**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-54

Longitude: 118-15-01

Elevation: 615 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					T							
3					0.32		0.03					
4				0.19								
5				A								
6				A								
7			0.71	4.64A				0.01				
8												
9			0.05									
10												
11												
12												
13	0.54											
14					T							
15						0.03						
16						0.03						
17												
18			0.28									
19			0.85									
20			0.01		0.13							
21				T	T							
22				0.12	0.46			T				
23				0.20				0.02				
24				1.21	0.57							
25				2.31								
26												
27				1.58								
28				0.78								
29												
30		0.44				0.01						
31												
Totals	0.54	0.44	1.90	11.03	1.48	0.07	0.03	0.03	0.00	0.00	0.00	0.00
												Water Year Total: 15.52

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

223C **Big Dalton Dam**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-06

Longitude: 117-48-36

Elevation: 1587 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.42			T		0.02				
2			T		0.03	0.04						
3					0.28		0.01					
4					0.69		0.01		0.02			
5				3.96					T			
6				0.68								
7			2.03	1.29				0.05				
8			0.09	0.01				0.04				
9			0.09									
10												
11												
12												
13	0.41							0.06		0.07		
14	T											
15												
16	0.02					0.11						
17	T											
18	T		0.05									
19			1.48									
20			0.04		0.36							
21			0.24	0.01								
22				0.07	0.56							
23				0.02	0.11			1.71				
24				1.15	0.45			0.65				
25				1.46	0.23			0.01				
26				0.08								
27				1.15								
28				2.62								
29				0.11								
30		0.08				0.29	T					
31						0.09						
Totals	0.43	0.08	5.44	12.61	2.71	0.53	0.02	2.54	0.02	0.07	0.00	0.00
											Water Year Total:	24.45

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

225 Montana Ranch-Lakewood

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-50-35

Longitude: 118-07-09

Elevation: 47 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.25		0.09					
3					0.35							
4				1.19								
5				0.23								
6			0.32	0.60								
7												
8												
9												
10												
11												
12	0.55											
13	0.05				0.05							
14												
15												
16												
17	0.01		0.08									
18			0.81									
19					0.18							
20			0.03		0.10							
21				0.18	0.65							
22				T				0.04				
23				1.35				0.03				
24				0.99	0.77							
25												
26												
27				0.68								
28				0.76								
29		0.09					0.01					0.02
30		0.97										
31												
Totals	0.61	1.06	1.24	5.98	2.35	0.01	0.09	0.07	0.00	0.00	0.00	0.02
											Water Year Total:	11.43

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

227D San Gabriel-Bruington-Orton

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-18

Longitude: 118-06-32

Elevation: 472 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.28									
2												
3					0.24							
4												
5				4.30								
6				0.23								
7			0.92	0.44								
8												
9												
10												
11												
12												
13												
14												
15						0.13						
16												
17												
18			0.68									
19			0.72									
20			0.06		0.10							
21			0.01	T								
22				0.10	0.40			0.24				
23					0.03			0.05				
24				1.10								
25				1.70								
26												
27				2.07								
28				0.38								
29												
30		0.87										
31												
Totals	0.00	0.87	2.67	10.32	0.77	0.13	0.00	0.29	0.00	0.00	0.00	0.00
											Water Year Total:	15.05

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

228C Beverly Hills City Hall

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-00

Longitude: 118-23-40

Elevation: 245 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.38		0.07					
3					0.01							
4				2.60								
5				0.23								
6			0.45	0.74								
7												
8			0.01									
9												
10												
11												
12	1.17											
13												
14												
15												
16												
17			0.21									
18			1.04									
19												
20												
21				0.20	1.03							
22				0.05	0.30							
23				1.10	0.64			0.11				
24				2.24								
25				0.16								
26				1.46								
27				0.62								
28												
29												
30		0.61										
31												
Totals	1.17	0.61	1.71	9.40	2.36	0.00	0.07	0.11	0.00	0.00	0.00	0.00
											Water Year Total:	15.43

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

235C Henniger Flats

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-11-38

Longitude: 118-05-17

Elevation: 2550 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.19			0.09						
2					0.05	0.03						
3					0.80		0.02					
4				0.21	0.03		0.01		0.05			
5				5.32								
6				2.32								
7			2.07	1.07				0.19				
8			0.07					0.02				
9			0.15									
10								0.02				
11												
12								0.19				
13	0.44							0.03				
14					0.13							
15						0.18						
16						0.02						
17	0.01											
18			0.53									
19			1.56									
20			0.19		0.28							
21			0.15		0.03							
22				0.08	0.58			0.12				
23				0.14				1.55				
24				1.52	0.60			0.16				
25				2.53								
26												
27				2.68								
28				1.19								
29												0.05
30		0.80				0.63						
31						0.02						
Totals	0.45	0.80	4.91	17.06	2.50	0.97	0.03	2.28	0.05	0.00	0.00	0.05
											Water Year Total:	29.10

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

237C Stone Canyon Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-06-21

Longitude: 118-27-13

Elevation: 865 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.33									
2												
3					0.35		0.06					
4					0.15							
5				4.65								
6				0.47								
7			0.50	0.86				0.03				
8												
9			0.05									
10												
11												
12												
13	1.09											
14												
15												
16	0.01											
17												
18			0.25									
19			1.34									
20			0.02		0.22							
21			0.05									
22				0.13	0.74							
23				0.11	0.13			0.05				
24				1.12	1.14			0.08				
25				2.22	0.68							
26				0.43								
27				2.34								
28				1.02								
29						0.05						
30		0.36										
31												
Totals	1.10	0.36	2.54	13.35	3.41	0.05	0.06	0.16	0.00	0.00	0.00	0.00
											Water Year Total:	21.03

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

238 **Hollywood Dam**

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-04

Longitude: 118-19-55

Elevation: 750 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.50									
2												
3					0.28		0.06					
4					0.05							
5				3.52								
6				0.41								
7			0.57	0.81								
8												
9			0.05									
10												
11												
12												
13	0.71											
14												
15												
16												
17												
18			0.18									
19			1.03									
20					0.14							
21			0.06									
22				0.18	0.57							
23				0.05	0.12							
24				1.36	0.51			0.27				
25					0.05							
26				3.05								
27				1.81								
28				0.80								
29												
30												
31												
Totals	0.71	0.00	2.39	11.99	1.72	0.00	0.06	0.27	0.00	0.00	0.00	0.00
											Water Year Total:	17.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

251C La Crescenta

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-13-20

Longitude: 118-14-40

Elevation: 1440 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.03									
2			1.17		A							
3			0.04		0.60A		0.01					
4				0.18								
5				1.86E								
6				3.71E								
7								0.04				
8												
9												
10												
11												
12								0.01				
13	0.51											
14												
15						0.11						
16												
17												
18			0.34									
19			1.53		T							
20			0.03		0.13							
21			0.03	0.06	T							
22				0.10	0.39							
23				0.11	A			0.40				
24				1.41	0.88A			A				
25				2.78				0.15A				
26				A								
27				3.37A								
28				0.01								
29				T		A						
30		0.58				0.03A						
31												
Totals	0.51	0.58	3.17	13.59	2.00	0.14	0.01	0.60	0.00	0.00	0.00	0.00
											Water Year Total:	20.60

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

252C Castaic Lake

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-29-53

Longitude: 118-36-53

Elevation: 1150 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.07									
2			0.01									
3					0.26		0.03					
4				0.06	0.04							
5				2.79	0.01							
6				0.38								
7			0.44	0.70								
8												
9			0.08									
10												
11												
12												
13	0.33											
14												
15												
16						0.15						
17												
18			0.48									
19			1.24									
20					0.06							
21			0.04		0.01							
22				0.09	0.38							
23			0.01	0.35								
24				1.01	0.54							
25				1.98	0.02							
26				0.15								
27				1.38								
28	0.06			0.77								
29												
30		0.20				0.02			E			E
31										E		
Totals	0.39	0.20	2.37	9.66	1.32	0.17	0.03	0.00	0.00	0.00	0.00	0.00
Water Year Total:												14.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

287B **Glendora-City Hall**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-09

Longitude: 117-51-52

Elevation: 785 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.36									
2						0.04						
3												
4					0.68		0.02		0.01			
5				5.83E								
6				0.62E								
7			1.35	0.54E				0.05				
8			0.12					0.04				
9												
10												
11												
12								0.01				
13	0.46							0.04		0.09		
14					0.01							
15												
16	0.02											
17						0.14						
18			0.02									
19			1.47									
20			0.04		0.13							
21			0.31		0.09							
22				0.11E	0.53							
23								1.49				
24				0.51E				0.22				
25				2.23E	0.67							
26												
27				1.44E								
28				2.07E								
29												
30		0.02				0.20	0.02					0.03
31												
Totals	0.48	0.02	4.67	13.35	2.11	0.38	0.04	1.85	0.01	0.09	0.00	0.03
										Water Year Total:		23.03

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

292D Encino Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-56

Longitude: 118-30-57

Elevation: 1075 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.65									
2												
3					0.15		0.05					
4					0.17							
5				3.73								
6				0.36								
7			0.16	0.82								
8			0.02									
9			0.04									
10												
11												
12												
13	0.56											
14												
15	0.02											
16												
17	0.05											
18			0.07									
19			0.55									
20			0.01		0.23							
21			0.05		0.04							
22				0.18	0.56							
23				0.10	0.10							
24				1.45	1.07							
25				2.23	0.05							
26				0.75								
27				2.83								
28				1.22								
29												
30												
31												
Totals	0.63	0.00	1.55	13.67	2.37	0.00	0.05	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	18.27

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

293B Los Angeles Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-17-18

Longitude: 118-28-54

Elevation: 1150 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.55									
2												
3					0.42							
4					0.45							
5				2.51								
6				0.22								
7			0.46	0.86				0.02				
8			0.03									
9			0.04									
10												
11												
12												
13	0.60											
14												
15	0.02											
16						0.18						
17												
18			0.56									
19			0.97									
20			0.10		0.15							
21			0.13		0.10							
22				0.23	0.35							
23				0.05	0.10			0.05				
24				0.87	0.55			0.14				
25				2.60	0.10			0.01				
26				0.24								
27				1.68								
28				1.09								
29				0.03								
30		0.05										
31												
Totals	0.62	0.05	2.84	10.38	2.22	0.18	0.00	0.22	0.00	0.00	0.00	0.00
											Water Year Total:	16.51

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

294B Sierra Madre-Mira Monte Pumping Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-11

Longitude: 118-02-51

Elevation: 985 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.97									
2						0.08						
3					0.45							
4					0.20							
5				6.20								
6				1.05								
7			1.44	0.99								
8			0.16									
9			0.08									
10												
11												
12												
13								0.06				
14					0.43							
15												
16						0.31						
17												
18												
19			1.75									
20					1.75							
21												
22				0.14	0.42							
23				0.05	0.03			2.08				
24				1.19	0.14			0.28				
25				2.06	0.42							
26				0.03								
27				1.70								
28				1.44								
29												0.01E
30		0.05							E			
31										E	E	
Totals	0.00	0.05	4.40	14.85	3.84	0.39	0.00	2.42	0.00	0.00	0.00	0.01
Water Year Total:												25.96

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

299F Little Rock - Schwab

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-32-12

Longitude: 117-58-43

Elevation: 2800 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3							0.03					
4												
5				0.49								
6												
7				0.32								
8												
9			0.10									
10												
11												
12												
13	0.03									0.15		
14												
15												
16						0.09						
17												
18												
19			0.05									
20					0.37							
21			0.07									
22						T						
23								0.53				
24				0.25	0.03							
25				0.94								
26												
27				0.70								
28				0.04								
29												0.01
30		0.70										
31												
Totals	0.03	0.70	0.22	2.74	0.40	0.09	0.03	0.53	0.00	0.15	0.00	0.01
										Water Year Total:		4.90

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

306H Zuma Beach

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-01-15

Longitude: 118-49-42

Elevation: 15 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.10							
3					1.92		0.12					
4				0.04								
5				0.93								
6				0.03								
7			0.28	0.60								
8												
9			0.10									
10												
11												
12		0.03										
13	0.82											
14												
15											0.05	
16												
17	0.03											
18			0.26									
19												
20			0.73		0.20							
21												
22				0.32	0.57							
23				0.48	0.03			0.03				
24				0.58	1.17							
25				1.27								
26												
27				1.74								
28				0.14								
29												
30		0.34										
31												
Totals	0.85	0.37	1.37	6.13	3.99	0.00	0.12	0.03	0.00	0.00	0.05	0.00
											Water Year Total:	12.91

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

322 Munz Valley Ranch

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-42-50

Longitude: 118-21-15

Elevation: 2600 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3							0.08					
4					0.19							
5				2.13								
6			0.14	0.52								
7			0.07	0.28								
8												
9												
10												
11												
12												
13	0.08											
14												
15												
16												
17												
18			0.14									
19												
20			0.03		0.07							
21												
22				0.06	0.08							
23				0.58								
24				0.24	0.24							
25				2.01								
26												
27				2.13								
28				0.42								
29												
30		0.29										
31												
Totals	0.08	0.29	0.38	8.37	0.58	0.00	0.08	0.00	0.00	0.00	0.00	0.00
												Water Year Total: 9.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

334B Cogswell Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-37

Longitude: 117-57-35

Elevation: 2300 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.18									
2			0.02									
3					0.35		0.02					
4					0.64							
5				6.31								
6				1.66								
7			0.93	1.26								
8			0.21	T								
9			0.09									
10												
11												
12								T				
13	0.33									0.19		
14												
15												
16						0.14						
17												
18			0.08									
19			1.32									
20			0.01		0.09							
21			0.05	0.02	0.07							
22				0.09	1.07							
23				0.09	0.06			0.43				
24				1.77	0.77			2.57				
25				6.56	0.27			T				
26				0.58								
27				4.46								
28				3.17								
29				0.02								
30		0.06										0.04
31						T						
Totals	0.33	0.06	3.89	25.99	3.32	0.14	0.02	3.00	0.00	0.19	0.00	0.04
										Water Year Total:		36.98

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

336 Silver Lake Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-06-08

Longitude: 118-15-54

Elevation: 445 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.48									
2												
3					0.15		0.06					
4				3.20								
5				0.55								
6				0.66								
7			0.60					0.02				
8												
9			0.02									
10												
11												
12												
13	0.74											
14					0.03							
15												
16												
17												
18												
19												
20												
21			1.40									
22				0.16	0.10							
23				0.01	0.01							
24				1.31	0.53			0.05				
25				2.62	0.15							
26					0.34							
27				1.88	0.11							
28				0.74								
29												
30												
31												
Totals	0.74	0.00	2.50	11.13	1.42	0.00	0.06	0.07	0.00	0.00	0.00	0.00
											Water Year Total:	15.92

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

338C Mt. Wilson-Observatory

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-14-07

Longitude: 118-04-28

Elevation: 5709 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.78							
4				2.34								
5				1.75								
6			0.37	1.28								
7			1.22	0.42								
8												
9			0.08									
10												
11												
12	0.09											
13	0.34											
14												
15												
16						0.04						
17			0.01									
18			1.26									
19			0.53									
20			0.07		0.21							
21					0.16							
22				0.45	0.06			0.12				
23				A	0.01			1.74				
24				A	0.79			0.13				
25				2.03								
26				3.02								
27				3.09								
28				0.86								
29				0.10								0.01
30		0.76				0.05						
31												
Totals	0.43	0.76	3.54	15.34	2.01	0.09	0.00	1.99	0.00	0.00	0.00	0.01
												Water Year Total: 24.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

356C Spadra-Lanterman Hospital

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-31

Longitude: 117-48-35

Elevation: 690 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3			0.09				0.06					
4				T	0.50							
5												
6												
7			0.40	3.68			T					
8												
9												
10			0.07									
11												
12												
13												
14					0.11							
15	0.44											
16												
17												
18			0.05									
19			0.78									
20			0.11		0.19							
21					T							
22				0.09	0.59			0.15				
23								0.27				
24				0.92								
25				0.79	0.51							
26												
27								0.05				
28				2.24								
29				0.03								0.01
30		1.32										
31												
Totals	0.44	1.32	1.50	7.75	1.90	0.00	0.06	0.47	0.00	0.00	0.00	0.01
												Water Year Total: 13.45

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

372 San Francisquito Power House No.2

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-32-02

Longitude: 118-31-27

Elevation: 1580 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.06									
2												
3					0.26		0.03					
4				0.20	0.02							
5				2.80								
6				0.36								
7			0.75	0.90								
8				0.02								
9				0.01								
10												
11			0.05									
12												
13	0.36											
14	0.02											
15						0.01						
16												
17												
18			0.44									
19			1.20									
20			0.10		0.10							
21					0.08							
22				0.19	0.22							
23				0.41	0.05				T			
24				1.25	0.70				T			
25				2.75	0.06							
26				0.07								
27				1.80								
28	T			0.90								
29				0.10								
30		0.25				0.10						
31												
Totals	0.38	0.25	2.60	11.76	1.49	0.11	0.03	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	16.62

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

373C Briggs Terrace

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-17

Longitude: 118-13-27

Elevation: 2200 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.70							
4				0.43								
5				4.74			0.03	0.02				
6				1.44								
7			1.83	1.06				0.07				
8			0.06			0.41						
9												
10												
11												
12	0.42							0.07				
13												
14												
15												
16												
17												
18			1.03									
19			1.05									
20			0.14									
21				0.04	0.21							
22				0.12				0.13				
23				0.43	0.52			1.20				
24				2.00	0.90							
25				3.12								
26												
27				2.64								
28				1.46								
29												T
30		0.67				0.22						
31												
Totals	0.42	0.67	4.11	17.48	2.33	0.63	0.03	1.49	0.00	0.00	0.00	0.00
Water Year Total:												27.16

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

387B Covina City Yard

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-05-02

Longitude: 117-53-57

Elevation: 508 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.10									
2												
3					0.39							
4												
5				1.97								
6				0.27								
7			0.56	0.67								
8												
9			0.03									
10												
11										0.07		
12												
13	0.53											
14					0.14							
15												
16						0.15						
17												
18			0.09									
19			1.00									
20			0.03		0.15							
21			0.13									
22				0.15	0.47			0.90				
23					0.02			0.28				
24				0.90	0.58			0.06				
25				1.18	0.08							
26												
27				1.62								
28				0.59								
29												0.01
30		1.17										
31												
Totals	0.53	1.17	1.94	7.35	1.83	0.15	0.00	1.24	0.00	0.07	0.00	0.01
												Water Year Total: 14.29

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

390B Morris Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-53

Longitude: 117-52-43

Elevation: 1210 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.03									
2					0.02	0.05						
3					0.28							
4					0.47				0.02			
5				6.51								
6				1.10								
7			1.91	0.88				0.04				
8			0.20					0.02				
9			0.07									
10												
11												
12												
13	0.30							0.07		0.28		
14					0.02							
15												
16	0.02					0.16						
17												
18			0.08									
19			1.64									
20			0.06		0.16							
21			0.20		0.10							
22				0.11	0.42							
23				0.06	0.08			2.03				
24				0.90	0.39			0.60				
25				1.80	0.22							
26				0.08								
27				1.57								
28				2.64								
29				0.02								
30		0.06				0.15	0.02					0.01
31						0.07						
Totals	0.32	0.06	5.19	15.67	2.16	0.43	0.02	2.76	0.02	0.28	0.00	0.01
										Water Year Total:		26.92

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

405B Soledad Canyon

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-26-23

Longitude: 118-17-33

Elevation: 2150 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.02							
4				0.34								
5				2.00								
6				0.05								
7				0.41								
8												
9			0.03									
10												
11												
12												
13	0.23											
14												
15												
16												
17												
18			0.18									
19			0.12									
20			0.04		0.13							
21				0.18								
22				0.02	0.04							
23				0.20				0.02				
24				1.26	0.04							
25				2.14								
26												
27				2.82								
28				1.40								
29												0.04
30		0.70										
31												
Totals	0.23	0.70	0.37	10.82	0.23	0.00	0.00	0.02	0.00	0.00	0.00	0.04
											Water Year Total:	12.41

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

406C West Azusa

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-53

Longitude: 117-54-56

Elevation: 505 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.02							
3					0.28							
4					0.18							
5				5.02								
6				0.23								
7			0.68	0.67								
8			0.02									
9												
10												
11												
12												
13	0.48									0.19		
14					0.03							
15												
16						0.16E						
17												
18												
19			1.35									
20					0.15							
21					0.07							
22				0.20	0.37			1.48E				
23					0.08			0.30E				
24					0.52			0.04E				
25				1.95	0.13							
26												
27				1.18								
28				1.61								
29												
30		1.35				0.04						
31												
Totals	0.48	1.35	2.05	10.86	1.83	0.20	0.00	1.82	0.00	0.19	0.00	0.00
										Water Year Total:		18.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

409B Pyramid Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-40-34

Longitude: 118-46-47

Elevation: 2505 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2			0.05									
3					0.02		0.06					
4					0.12							
5				2.33								
6				0.05								
7			0.02	0.35								
8												
9			0.07									
10												
11												
12												
13	0.07											
14												
15												
16						0.02						
17												
18			0.01									
19			0.46									
20												
21					0.05							
22				0.11	0.01							
23			0.01	1.20	0.04			0.20				
24					T			0.18				
25				2.00	0.34							
26				0.94								
27				2.00								
28	0.05			1.39								
29												
30		0.04										E
31										E		
Totals	0.12	0.04	0.62	10.37	0.58	0.02	0.06	0.38	0.00	0.00	0.00	0.00
											Water Year Total:	12.19

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

425B San Gabriel Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-12-19

Longitude: 117-51-38

Elevation: 1481 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.28									
2			T									
3					0.23		T					
4					0.79							
5	T			6.25								
6				2.35								
7			1.86	1.47				0.01				
8			0.33									
9			0.12									
10												
11												
12												
13	0.24									0.38		
14	0.01											
15												
16	0.02					0.04						
17												
18			0.03									
19			1.53									
20			0.01		0.10							
21			0.08		0.13							
22				0.06	0.63							
23				0.07	0.09			1.06				
24				1.26	0.49			1.45				
25				2.86	0.25							
26				0.95								
27				1.87								
28				3.38								
29												
30		0.05				0.05						
31						0.03						
Totals	0.27	0.05	5.24	20.52	2.71	0.12	0.00	2.52	0.00	0.38	0.00	0.00
											Water Year Total:	31.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

436C Hansen Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-16-08

Longitude: 118-23-59

Elevation: 1110 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.37		0.01					
4				0.09								
5				1.55								
6				0.11								
7			0.46	0.65								
8			0.01									
9			0.01									
10												
11												
12												
13	0.51											
14												
15						0.07						
16												
17												
18			0.24									
19			0.67									
20					0.10							
21			0.02	0.03								
22				0.04	0.31							
23				0.39				0.16				
24				1.25	0.32			0.10				
25				2.71								
26												
27				2.11								
28				0.50								
29												
30		0.58										
31												
Totals	0.51	0.58	1.41	9.43	1.10	0.07	0.01	0.26	0.00	0.00	0.00	0.00
											Water Year Total:	13.37

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

445B **Live Oak Dam**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-02

Longitude: 117-44-38

Elevation: 1510 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.81									
2						0.01						
3					0.25							
4					0.23							
5				3.30								
6				1.61								
7			0.93	0.63				0.02				
8			0.08									
9			0.04									
10												
11												
12												
13	0.25							0.05				
14												
15												
16						0.23						
17												
18												
19			0.77									
20					0.09							
21			0.15		0.20							
22				0.01	0.35							
23					0.20			0.19				
24				0.62	0.30			0.49				
25				0.89	0.07							
26				0.01								
27				0.70								
28				1.12								
29				0.25								
30		0.21				0.08						
31												
Totals	0.25	0.21	2.78	9.14	1.69	0.32	0.00	0.75	0.00	0.00	0.00	0.00
												Water Year Total: 15.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

449B Eaton Wash Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-06

Longitude: 118-05-33

Elevation: 880 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.73			0.01						
2						0.05						
3					0.31							
4					0.15							
5				5.30								
6				0.96								
7			1.02	0.83				0.08				
8			A									
9			0.13A									
10												
11												
12												
13								0.02				
14					0.23							
15	0.40											
16	0.03					0.07						
17												
18			0.03									
19			1.43									
20					0.12							
21			0.08		0.03							
22				0.07	0.38							
23					0.03			0.81				
24				1.23	0.29			A				
25				2.25	0.13			0.22A				
26				0.11								
27				1.75								
28				1.33								
29				0.01								0.03
30		0.09										0.02
31						0.13						
Totals	0.43	0.09	3.42	13.84	1.67	0.26	0.00	1.13	0.00	0.00	0.00	0.05
												Water Year Total: 20.89

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

453D Devil's Gate Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-53

Longitude: 118-10-27

Elevation: 980 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			A									
2			0.46A									
3					0.25							
4					0.15							
5				4.38								
6				1.44								
7			0.80	0.74				0.05				
8			A									
9			0.23A									
10												
11												
12												
13	0.36											
14												
15												
16	0.02					0.06						
17												
18			0.04									
19			1.27									
20					0.11							
21			0.05		0.02							
22				0.03	0.34							
23					0.07			0.61				
24				0.56	0.40			0.13				
25				2.36	0.13							
26				0.41								
27				1.40								
28				1.44								A
29												0.02A
30		0.17				0.09						0.02
31												
Totals	0.38	0.17	2.85	12.76	1.47	0.15	0.00	0.79	0.00	0.00	0.00	0.04
Water Year Total:												18.61

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

455B Lancaster-State Hwy Maintenance Sta.

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-40-57

Longitude: 118-08-02

Elevation: 2395 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4				0.60E	0.29E							
5				0.14E								
6				0.35E								
7			0.01	0.10E								
8												
9												
10												
11												
12	0.15											
13												
14												
15												
16												
17												
18			0.03E									
19			0.06E									
20					0.06							
21					0.31							
22												
23				0.25E	0.35			T				
24				0.41E								
25				0.44E								
26				0.25E								
27				0.80E								
28				0.08E								
29												
30		0.51										0.01
31												
Totals	0.15	0.51	0.10	3.42	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01
												Water Year Total: 5.20

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

465C Sepulveda Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-06

Longitude: 118-28-11

Elevation: 683 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.01									
2												
3					0.34		0.04					
4				0.61								
5				2.97								
6				0.33								
7			0.12	0.81								
8												
9			0.03									
10												
11												
12												
13	0.57											
14												
15												
16												
17	0.01											
18			0.18									
19			0.34									
20					0.22							
21			0.02	0.10								
22				0.12	0.52			0.01				
23				0.62								
24				1.01	0.81			0.14				
25				3.01								
26												
27				3.19								
28				0.39								
29												
30		0.60										
31												
Totals	0.58	0.60	0.70	13.16	1.89	0.00	0.04	0.15	0.00	0.00	0.00	0.00
											Water Year Total:	17.12

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

482 Los Angeles-U.S.C.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-14

Longitude: 118-17-15

Elevation: 208 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.30		0.05					
4				0.21								
5				1.48								
6				0.04								
7			0.48	0.61								
8												
9												
10												
11												
12												
13	0.88											
14												
15												
16												
17												
18			0.42									
19			0.85									
20					0.14							
21			0.06	0.04								
22				0.12	0.47			0.06				
23					0.04							
24				1.13	0.41			0.08				
25				2.01								
26												
27				1.76								
28				0.50								
29		0.50										T
30		0.07										
31												
Totals	0.88	0.57	1.81	7.90	1.36	0.00	0.05	0.14	0.00	0.00	0.00	0.00
	Water Year Total:											12.71

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

497 **Claremont-Slaughter**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-35

Longitude: 117-43-55

Elevation: 1350 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.12									
2					0.01	0.02						
3					0.55		0.03					
4				0.10	0.04							
5				4.42								
6				0.31								
7			1.05	0.81				0.03				
8			0.02									
9			0.07									
10												
11												
12								0.03				
13	0.40							0.02				
14					0.11							
15						0.17						
16						0.10						
17												
18			0.09									
19			0.90									
20					0.48							
21												
22				0.04	0.52			0.04				
23				0.09	0.19			1.11				
24				0.70	0.04							
25				1.12	0.04							
26												
27				1.45								
28				1.03								
29				0.05								
30		1.37										
31												
Totals	0.40	1.37	2.25	10.12	1.98	0.29	0.03	1.23	0.00	0.00	0.00	0.00
											Water Year Total:	17.67

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

542 Fairmont

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-42-15

Longitude: 118-25-40

Elevation: 3050 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.17E									
2												
3					0.41		0.13					
4					0.29							
5				3.22	T							
6				0.70	T							
7			0.17E	0.52								
8			0.11E	0.02								
9												
10												
11												
12												
13	0.10											
14												
15												
16												
17												
18			0.03E									
19			0.33E									
20					0.06							
21			0.02E									
22				0.18	0.20							
23				0.15	0.13			0.04E				
24				0.88	0.32							
25				3.50	0.06							
26				0.28								
27				2.23								
28				1.58								
29				0.03								T
30		0.10										0.02
31						0.02						
Totals	0.10	0.10	0.83	13.29	1.47	0.02	0.13	0.04	0.00	0.00	0.00	0.02
											Water Year Total:	16.00

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

591B Santa Anita Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-11-08

Longitude: 118-06-16

Elevation: 1205 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.37									
2						0.07						
3					0.43		0.03	0.03				
4					0.15							
5				5.41								
6				1.45								
7			1.23	0.99				0.09				
8			0.14					0.03				
9			0.10									
10												
11												
12												
13	0.40											
14					0.26							
15	0.02											
16												
17												
18												
19			1.75									
20			0.01		0.20							
21					0.03							
22					0.42							
23				0.09	0.06			1.30				
24				1.37	0.37			0.15				
25				2.60	0.12							
26				0.03								
27				1.85								
28				1.45								
29				0.02								
30		0.55										0.04
31						0.38						
Totals	0.42	0.55	3.60	15.26	2.04	0.45	0.03	1.60	0.00	0.00	0.00	0.04
												Water Year Total: 23.99

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

598D Neenach-Check 43-California D.W.R.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-47-40

Longitude: 118-37-15

Elevation: 2965 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2			0.02									
3					0.02		0.11					
4				0.03	0.43							
5				1.23								
6				0.03								
7			T	0.34								
8			0.07									
9			0.08									
10												
11			0.02									
12												
13												
14										0.21		
15												
16						0.11						
17						T						
18												
19			0.11									
20			0.05		0.07							
21					0.06							
22				0.10	T							
23			0.04	0.12				T				
24					0.07			0.02				
25					T							
26				2.90								
27				2.49								
28				0.30								
29				0.05								T
30												
31	E											
Totals	0.00	0.00	0.39	7.59	0.65	0.11	0.11	0.02	0.00	0.21	0.00	0.00
	Water Year Total:											9.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

610B Pasadena-City Hall

Gage Type: Daily Automatic

Observation Time: 2400

Latitude 34-08-54

Longitude: 118-08-36

Elevation: 864 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.11			0.01						
2					0.41	0.01						
3							0.03					
4				0.16								
5				5.20								
6			0.02	0.73								
7			1.07	0.84				0.04				
8			0.01									
9			0.11									
10												
11												
12												
13	0.56				0.26							
14												
15	0.01											
16												
17												
18			0.12		0.01							
19			1.50		0.17							
20			0.03									
21			0.04	0.01	0.35							
22				0.08	0.16			0.11				
23				0.06	0.09			0.52				
24				1.36	0.10			0.06				
25				2.14	0.07							
26					0.04							
27			0.02	2.71								
28				0.50								
29												0.03
30		0.82				0.09						
31												
Totals	0.57	0.82	3.03	13.79	1.66	0.11	0.03	0.73	0.00	0.00	0.00	0.03
Water Year Total:												20.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

612B Pasadena-Chlorine Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-12-04

Longitude: 118-09-49

Elevation: 1160 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.54									
2						0.04						
3							0.02	0.02				
4					0.55							
5				5.25								
6				1.87								
7			1.29	1.00				0.06				
8			0.20									
9			0.07									
10												
11												
12												
13	0.48											
14												
15												
16												
17												
18												
19			1.70									
20					0.17							
21					0.04							
22					0.39							
23				0.08	0.15			0.54				
24				1.50	0.62			0.10				
25				3.34	0.20							
26				0.08								
27				1.94								
28				1.83								
29				0.03								
30		0.20										0.01
31						0.20						
Totals	0.48	0.20	3.80	16.92	2.12	0.24	0.02	0.72	0.00	0.00	0.00	0.01
Water Year Total:												24.51

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

613C Pasadena Fire Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-15

Longitude: 118-08-05

Elevation: 779 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.59									
2						0.01						
3					0.25		0.03	0.03				
4					0.10							
5				5.36								
6				0.56								
7			0.95	0.78				0.04				
8			0.05									
9			0.06									
10												
11												
12												
13	0.53											
14					0.28							
15												
16												
17												
18												
19			1.00									
20			0.02		0.12							
21					0.03							
22					0.40							
23				0.11	0.06			0.57				
24				1.25	0.70			0.05				
25				2.07	0.06							
26				0.02								
27				1.99								
28				0.87								
29												
30		0.32										0.05
31						0.08						
Totals	0.53	0.32	2.67	13.01	2.00	0.09	0.03	0.69	0.00	0.00	0.00	0.05
	Water Year Total:											19.39

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

626 Thompson Creek Dam Precipitation

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-26

Longitude: 117-42-39

Elevation: 1670 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.94									
2					T	0.03						
3					0.33		0.02					
4					0.29							
5				4.31								
6				0.30								
7			1.14	0.84				0.03				
8			0.10									
9			0.07									
10												
11												
12												
13	0.37							0.05		0.25		
14					T							
15												
16						0.31						
17												
18			0.08									
19			0.89									
20					0.15							
21					0.35							
22				0.06	0.47							
23			0.23		0.23			1.21				
24				0.72	0.39			0.41				
25				1.15	0.07							
26				T								
27				0.84								
28				1.54								
29				0.21								
30		0.52				0.14						
31						0.04						
Totals	0.37	0.52	3.45	9.97	2.28	0.52	0.02	1.70	0.00	0.25	0.00	0.00
											Water Year Total:	19.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

627 San Gabriel Canyon-Power House

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-20

Longitude: 117-54-28

Elevation: 744 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.05						
3					0.59							
4				A	0.06				0.02			
5				6.10A								
6				0.88								
7			1.26	0.83				0.04				
8			0.19					0.02				
9		0.01	0.06									
10												
11												
12												
13	0.40							0.07		0.33		
14					0.03							
15												
16	0.02					0.15						
17												
18			0.04									
19			1.63									
20			0.06		0.12							
21			0.18		0.16							
22			1.16	0.12	0.39							
23				0.03	0.05			1.96				
24				0.94	0.62			0.30				
25				1.84	0.03							
26				0.02								
27				1.55								
28				2.03								
29				0.02								0.02
30		0.06				0.20						
31												
Totals	0.42	0.07	4.58	14.36	2.05	0.40	0.00	2.39	0.02	0.33	0.00	0.02
										Water Year Total:		24.64

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

634C Santa Monica

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-00-43

Longitude: 118-29-27

Elevation: 94 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.02									
2												
3					0.32		0.05					
4				0.08								
5				0.79								
6				0.08								
7			0.35	0.53								
8												
9			0.01									
10												
11		0.01										
12												
13	1.11											
14												
15												
16	0.01											
17												
18			0.50									
19			1.08									
20			0.01									
21			0.01	0.02								
22				0.13	0.48							
23				0.40	0.01							
24				0.46	0.77			0.06				
25				0.82								
26												
27				1.03								
28				0.05								
29												
30		0.60										
31												
Totals	1.12	0.61	1.98	4.39	1.58	0.00	0.05	0.06	0.00	0.00	0.00	0.00
												Water Year Total: 9.79

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

662D Long Beach Airport

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-49-00

Longitude: 118-09-00

Elevation: 34 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						T						
2							0.03					
3					0.49		0.02					
4				0.58								
5				0.52				T				
6				0.63								
7			0.25	T				T				
8			0.05									
9			0.03									
10												
11												
12	0.13											
13	0.41											
14					0.11							
15												
16												
17	0.02											
18			0.73									
19			0.05		T							
20			T		0.16							
21				0.02	0.20							
22				0.09	0.34			0.01				
23				1.42	0.02			0.17				
24				0.85	0.87			T				
25				0.46								
26				0.22								
27	T			0.87								
28				0.23								
29												0.01
30		0.91										
31												
Totals	0.56	0.91	1.11	5.89	2.19	0.00	0.05	0.18	0.00	0.00	0.00	0.01
	Water Year Total:											10.90

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

680B Westwood (U.C.L.A.)

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-04-10

Longitude: 118-26-30

Elevation: 430 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.01									
2												
3					0.45		0.07					
4				0.15								
5				2.35								
6				0.15								
7			0.41	0.84				0.01				
8												
9			0.12									
10												
11			T									
12								T				
13	1.13											
14					0.01							
15												
16												
17												
18			0.33									
19			1.10									
20			0.01		0.28							
21			0.02	0.01								
22				0.16	0.90			T				
23				0.19	0.02			0.11				
24				0.85	0.82			0.09				
25				2.04								
26												
27				1.79								
28				0.36								
29												
30		0.57				0.04						
31												
Totals	1.13	0.57	2.00	8.89	2.48	0.04	0.07	0.21	0.00	0.00	0.00	0.00
											Water Year Total:	15.39

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

683B **Sunset Ridge**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-12-53

Longitude: 118-08-47

Elevation: 2110 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.35									
2					0.01	0.06						
3					0.50							
4					0.05				0.02			
5				4.35								
6				2.00								
7			1.64	1.27				0.09				
8												
9			0.17					0.50				
10			0.14					0.02				
11												
12								0.04				
13								0.05				
14	0.48											
15	0.01											
16						0.20						
17												
18			0.25									
19			1.35									
20					0.22							
21			0.18		0.07							
22				0.06	0.37							
23					0.07			1.00				
24				1.28	0.44			0.32				
25				2.85	0.18			0.01				
26				0.03								
27				1.90								
28				2.00								
29												
30		0.47				0.39						
31						0.01						
Totals	0.49	0.47	4.08	15.74	1.91	0.66	0.00	2.03	0.02	0.00	0.00	0.00
											Water Year Total:	25.40

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

716 Los Angeles-Ducommun St.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-03-09

Longitude: 118-14-13

Elevation: 306 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.64									
2			0.01									
3					0.16		0.02					
4					0.15							
5				2.16								
6				0.08								
7			0.66	0.65								
8												
9												
10												
11												
12												
13	0.80											
14					0.17							
15												
16												
17												
18			0.08									
19			1.30									
20					0.10							
21			0.05		0.02							
22				0.12	0.38							
23				0.01	0.10							
24				1.17	0.29							
25				1.37	0.06							
26				0.09								
27				1.49								
28				0.72								
29				0.01								
30		0.01										
31												
Totals	0.80	0.01	2.74	7.87	1.43	0.00	0.02	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	12.87

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

734C Los Angeles International Airport

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-56-25

Longitude: 118-23-44

Elevation: 105 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						T						
2							0.03					
3					0.68							
4				0.74								
5				0.06								
6			0.01	0.62								
7			0.36	T								
8			0.06									
9												
10												
11		T										
12	0.29											
13	0.35											
14					0.02						T	
15	T					T						
16												
17			T									
18			0.75									
19		T	0.36									
20			0.05		0.26							
21				T	0.18							
22				0.17	0.10			T				
23				0.80	0.18			0.11				
24				0.25	0.75			T				
25				0.95								
26				0.36								
27	T			0.64								
28			T	0.08								
29						0.01						T
30		0.50				0.02						
31												
Totals	0.64	0.50	1.59	4.67	2.17	0.03	0.03	0.11	0.00	0.00	0.00	0.00
	Water Year Total:											9.74

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

742C San Gabriel Fire Department

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-06-11

Longitude: 118-05-56

Elevation: 445 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.19							
4		0.01		2.45								
5				0.44								
6				0.88								
7			0.34	0.01				0.01				
8												
9												
10				0.01								
11												
12	0.09							0.01				
13	0.43											
14					0.13							
15						0.01						
16												
17			0.02									
18			0.88									
19			0.52									
20		0.01	0.07		0.11							
21					0.10							
22				0.11	0.22			0.15				
23				0.77	0.10			0.27				
24				0.56	0.31							
25				0.98								
26				0.47								
27				1.22								
28				0.32								
29												0.04
30		0.83										
31												
Totals	0.52	0.85	1.83	8.22	1.16	0.01	0.00	0.44	0.00	0.00	0.00	0.04
	Water Year Total:											13.07

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

747 Sandberg-Airways Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-44-47

Longitude: 118-43-29

Elevation: 4517 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					T							T
2					T		0.07					
3					0.07		0.14					
4				1.10	0.19							
5				0.04								
6			0.02	0.22								
7			0.06	0.24								
8			0.04									
9			0.02	T								
10												
11		0.01			T							
12	0.05											
13										T		
14												
15						0.02						
16	0.02					0.01						
17	T											
18			0.30									
19			0.02		0.01							
20	T	T	0.05		0.10							
21			0.01	T	0.03							
22				0.44	0.05							
23				0.88	0.05			0.35				
24			T	0.58	0.17			T				
25				A	T			T				
26			T	0.81A								
27	0.11		T	2.35		T						
28			T	0.16								
29			0.01									0.01
30		0.10	T	T								
31												
Totals	0.18	0.11	0.53	6.82	0.67	0.03	0.21	0.35	0.00	0.00	0.00	0.01
												Water Year Total: 8.91

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

749B Burbank Valley Pump Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-11-11

Longitude: 118-20-54

Elevation: 655 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.15		0.03					
3					0.05							
4				0.20								
5				0.65								
6			0.22	0.88								
7			0.02									
8			0.04									
9												
10												
11												
12												
13	0.51											
14												
15												
16												
17												
18			0.64									
19					0.10							
20			0.05		0.02							
21				0.01	0.25							
22				0.01	0.05			0.05				
23				1.38	0.35			0.15				
24				2.70	0.20							
25				A								
26				1.30A								
27				0.63								
28												
29												
30		0.70										
31							E					
Totals	0.51	0.70	0.97	7.76	1.17	0.00	0.03	0.20	0.00	0.00	0.00	0.00
											Water Year Total:	11.34

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

794 Lower Franklin Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-05-43

Longitude: 118-24-40

Elevation: 585 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.14									
2												
3					0.20		0.04					
4					0.17							
5				2.75								
6				0.20								
7			0.40	0.76				0.01				
8												
9			0.02									
10												
11												
12												
13	0.87											
14												
15												
16												
17												
18			0.23									
19			1.02									
20			0.03		0.22							
21			0.05		0.01							
22				0.25	0.07							
23				0.04	0.73			0.03				
24				0.95				0.08				
25				2.00	0.71							
26				0.14								
27				1.47								
28				0.79								
29						0.02						
30		0.40										
31												
Totals	0.87	0.40	1.89	9.35	2.11	0.02	0.04	0.12	0.00	0.00	0.00	0.00
											Water Year Total:	14.80

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

795 Pasadena-Jourdan

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-52

Longitude: 118-05-14

Elevation: 705 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.72									
2												
3						0.03	0.03	0.03				
4					0.38							
5				5.95								
6												
7			0.92	1.27				0.08				
8			0.09									
9			0.08									
10												
11												
12												
13	0.45											
14					0.54							
15												
16												
17												
18												
19			1.46									
20			0.01		0.19							
21					0.02							
22					0.32							
23				0.09	0.04			0.57				
24				1.22	0.41			0.20				
25				2.30	0.06							
26				0.02								
27				1.63								
28				1.08								
29				0.02								
30		0.22										0.02
31						0.08						
Totals	0.45	0.22	3.28	13.58	1.96	0.11	0.03	0.88	0.00	0.00	0.00	0.02
Water Year Total:												20.53

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

797 De Soto Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-16-17

Longitude: 118-35-12

Elevation: 1127 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.46									
2												
3					0.60							
4					0.61							
5				2.67								
6				0.10								
7			0.46	0.81								
8												
9												
10												
11												
12												
13	0.54											
14												
15												
16						0.20						
17	0.01											
18	0.04		0.44									
19			1.08									
20			0.37		0.17							
21			0.12		0.10							
22				0.12	0.62							
23				0.13	0.06							
24				1.07	0.93			0.03				
25				3.11	0.03			0.16				
26				1.04								
27				2.03								
28				0.78								
29												
30												
31												
Totals	0.59	0.00	2.93	11.86	3.12	0.20	0.00	0.19	0.00	0.00	0.00	0.00
											Water Year Total:	18.89

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

802C Eagle Rock Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-47

Longitude: 118-11-20

Elevation: 970 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.64									
2												
3					0.20		0.05					
4					0.12							
5				3.60								
6				0.75								
7			0.75	0.82				0.05				
8												
9			0.17									
10												
11												
12												
13	0.42											
14	0.01				0.09							
15												
16												
17												
18			1.25									
19												
20			0.08E		0.11							
21			0.05E	0.01	0.01							
22				0.70	0.38							
23				0.01	0.06			0.36				
24				1.25	0.30			0.19				
25				2.15	0.08							
26												
27				1.57								
28				1.32								
29												
30												
31												
Totals	0.43	0.00	2.94	12.18	1.35	0.00	0.05	0.60	0.00	0.00	0.00	0.00
											Water Year Total:	17.55

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

807 Ascot Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-04-46

Longitude: 118-11-14

Elevation: 620 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.15									
2					E		0.01					
3					0.17							
4				2.01	0.17							
5				0.47								
6				0.51								
7			0.62									
8												
9			0.09									
10												
11												
12	0.09											
13	0.27											
14					0.12							
15												
16												
17												
18			1.07									
19			0.01									
20			0.68		0.10							
21			0.31	0.04	0.01							
22				0.52	0.36							
23				0.01	0.05			0.06				
24				0.02	0.31							
25				2.01	0.05							
26				0.01								
27				1.56								
28				0.82	0.01							
29												
30		0.42										
31												
Totals	0.36	0.42	2.93	7.98	1.35	0.00	0.01	0.06	0.00	0.00	0.00	0.00
											Water Year Total:	13.11

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1006 San Pedro-City Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-44-37

Longitude: 118-17-47

Elevation: 150 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.26									
2												
3					1.25		0.04					
4					0.04							
5			0.09	0.78								
6				0.07								
7			0.65	0.51								
8												
9			0.16									
10												
11												
12												
13	0.70											
14					0.61							
15												
16												
17	0.10											
18			0.71									
19			0.87							0.03		
20			0.14		0.15							
21			0.16		0.05							
22				0.40	0.70			0.03				
23				0.05	0.05							
24				0.80	2.60			0.19				
25				0.81	0.07			0.03				
26				0.10								
27				0.60								
28				0.76								
29			0.05									
30		1.02										
31												
Totals	0.80	1.02	3.09	4.88	5.52	0.00	0.04	0.25	0.00	0.03	0.00	0.00
										Water Year Total:		15.63

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1037 **Arcadia-Arboretum**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-48

Longitude: 118-02-59

Elevation: 565 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.91			T						
2												
3							0.02					
4				T	0.21							
5				2.95								
6												
7			0.95					0.03				
8			0.12	1.07								
9												
10												
11												
12								T				
13	0.34											
14					0.46							
15												
16						0.20						
17												
18			0.04									
19			1.28		T							
20			0.01		0.09							
21			0.10	0.05	0.10							
22				0.04	0.12							
23				T	0.03			1.07				
24				0.93	0.10			0.02				
25				1.62								
26				T								
27	T											
28				1.56								
29				T								0.02
30		0.77				0.07						
31												
Totals	0.34	0.77	3.41	8.22	1.11	0.27	0.02	1.12	0.00	0.00	0.00	0.02
											Water Year Total:	15.28

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1041B Santa Fe Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-04

Longitude: 117-58-24

Elevation: 427 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.21									
2												
3					0.39							
4				0.04								
5				4.78								
6				0.37								
7			0.60	0.73								
8												
9												
10												
11												
12												
13	0.48									0.23		
14					0.58							
15						0.21						
16												
17												
18			0.11									
19			1.37									
20			0.07		0.16							
21			0.05									
22				0.12	0.40			2.66				
23				0.12	0.01			0.44				
24				0.79	0.54			0.03				
25				1.50								
26												
27				2.22								
28				0.85								
29												
30		1.00										
31												
Totals	0.48	1.00	2.41	11.52	2.08	0.21	0.00	3.13	0.00	0.23	0.00	0.00
										Water Year Total:		21.06

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1051B Canoga Park-Pierce College

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-51

Longitude: 118-34-23

Elevation: 800 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.01									
2												
3					0.56		0.05					
4				0.10								
5				1.43								
6				0.16								
7			0.13	0.84								
8			0.01									
9			0.03									
10												
11												
12		0.01										
13	0.37											
14												
15	0.01											
16						0.12						
17	0.03											
18			0.28									
19			0.46									
20			0.01		0.15							
21			0.03	0.01								
22				0.14	0.56							
23				0.36								
24				1.21	0.89			0.05				
25				2.87								
26				0.01								
27				2.83								
28	0.01			0.42								
29												
30		0.61										
31												
Totals	0.42	0.62	0.96	10.38	2.16	0.12	0.05	0.05	0.00	0.00	0.00	0.00
											Water Year Total:	14.76

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1058B Palmdale

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-35-17

Longitude: 118-05-31

Elevation: 2595 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.01		0.03					
4												
5				0.67								
6				0.06								
7			0.03									
8				0.28								
9			0.04									
10												
11												
12												
13	0.01											
14												
15												
16												
17												
18												
19			0.20									
20					0.21							
21					0.01							
22												
23				0.28	0.03			0.18				
24				0.36	0.11							
25				0.87								
26												
27				0.70								
28												
29				0.23								
30		0.95										
31												
Totals	0.01	0.95	0.27	3.45	0.37	0.00	0.03	0.18	0.00	0.00	0.00	0.00
	Water Year Total:											5.26

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1071B Descanso Gardens

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-12-07

Longitude: 118-12-46

Elevation: 1325 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.04	0.02					
3					0.34							
4				0.18	0.18							
5				1.95								
6				3.04								
7			1.31	0.86								
8												
9												
10												
11												
12												
13	0.55											
14												
15	0.02					0.01						
16												
17												
18			0.39									
19			1.43									
20					0.16							
21				0.20	0.01							
22				0.08	0.46							
23				0.02	0.02			0.62				
24				1.59	0.64			0.07				
25				3.29	0.09							
26												
27				1.64								
28				3.00								
29												
30		0.55				0.10						
31												
Totals	0.57	0.55	3.13	15.85	1.90	0.15	0.02	0.69	0.00	0.00	0.00	0.00
											Water Year Total:	22.86

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1081B Glendale-Gregg

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-11-45

Longitude: 118-14-30

Elevation: 1350 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					T	0.01						
2												
3					0.51		0.01					
4				0.22								
5				4.28								
6				1.86								
7			1.03	0.76				0.04				
8			0.01									
9			0.07									
10												
11												
12								0.02				
13	0.63											
14					T							
15						0.03						
16						0.04						
17			T									
18			0.49									
19			1.50		T							
20			0.02		0.16							
21			0.03	0.05	T							
22				0.11	0.47			T				
23				0.28	T			0.21				
24				1.26	0.73			0.12				
25				2.44								
26												
27	T			2.00								
28	T			1.02								
29												T
30		0.56				0.07						
31												
Totals	0.63	0.56	3.15	14.28	1.87	0.15	0.01	0.39	0.00	0.00	0.00	0.00
Water Year Total:												21.04

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1087 Green-Verdugo Pumping Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-15-25

Longitude: 118-20-11

Elevation: 1340 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.17									
2												
3					0.23		0.03					
4					0.05							
5				1.69	0.01							
6				0.26								
7			0.72	0.87				0.02				
8			0.05									
9			0.03									
10												
11												
12								0.01				
13	0.44											
14												
15												
16						0.18						
17												
18			0.06			0.01						
19			0.84									
20			0.03		0.15							
21			0.08	0.03	0.06							
22				0.08	0.31							
23				0.02	0.13			0.16				
24				1.61	0.32			0.40				
25				3.44				0.02				
26				0.07								
27				1.77								
28				1.09	0.04							
29												
30		0.55		0.01		0.10						
31						0.01						
Totals	0.44	0.55	1.98	10.94	1.30	0.30	0.03	0.61	0.00	0.00	0.00	0.00
											Water Year Total:	16.15

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1088B La Habra Heights-Mutual Water Co.

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-56-55

Longitude: 117-57-51

Elevation: 445 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.18									
2												
3					0.31		0.02					
4					0.13							
5				1.60								
6				0.33								
7			0.51	0.67								
8												
9			0.06									
10												
11												
12								T				
13	1.61											
14					0.01							
15												
16												
17												
18			0.05									
19			0.76									
20			0.05		0.12							
21			0.10		0.06							
22				0.23	0.48							
23				0.02	0.05			0.21				
24				0.70	0.35			0.01				
25				1.28	0.05			0.02				
26				T								
27				0.80								
28				0.73								
29				0.02								0.02
30		0.04				0.02						
31												
Totals	1.61	0.04	2.71	6.38	1.56	0.02	0.02	0.24	0.00	0.00	0.00	0.02
Water Year Total:												12.60

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1114B Whittier Narrows Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-29

Longitude: 118-05-02

Elevation: 239 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.17									
2												
3					0.34							
4				0.14								
5				2.07								
6				0.36								
7			0.33	0.63								
8												
9												
10												
11												
12												
13	0.71							0.01				
14					0.02							
15												
16												
17												
18			0.33									
19			1.35									
20					0.18							
21			0.05		0.01							
22				0.08	0.43			0.02				
23				0.21	0.04			0.04				
24				0.86	0.61							
25				2.09								
26												
27				2.00								
28				0.53								
29												
30		1.06										
31												
Totals	0.71	1.06	2.23	8.97	1.63	0.00	0.00	0.07	0.00	0.00	0.00	0.00
											Water Year Total:	14.67

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1115 San Antonio Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-24

Longitude: 117-40-20

Elevation: 2120 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.01	0.03						
3					0.48							
4				0.09	0.12							
5				4.81								
6				0.74								
7			1.94	0.86				0.02				
8												
9			0.02									
10												
11												
12												
13	0.22							0.05		0.05		
14					0.01							
15						0.08						
16						0.05						
17												
18			0.15									
19			0.79									
20			0.01		0.54							
21			0.22									
22				0.05	0.44			0.04				
23				0.07	0.23			2.55				
24				0.88	0.39							
25				1.17								
26												
27				1.67								
28				1.48								
29				0.03								
30		1.07				0.27						
31												
Totals	0.22	1.07	3.13	11.85	2.22	0.43	0.00	2.66	0.00	0.05	0.00	0.00
										Water Year Total:		21.63

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1126A Los Angeles-East Valley

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-12-30

Longitude: 118-24-35

Elevation: 780 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.64									
2												
3					0.03		0.02					
4					0.12							
5			0.01	1.64								
6				0.06								
7			0.24	0.79				0.02				
8			0.01									
9			0.03									
10												
11												
12												
13	0.60											
14												
15					0.02							
16						0.07						
17												
18			0.05									
19			0.46									
20			0.27		0.11							
21			0.07		0.15							
22				0.11	0.26							
23				0.15	0.23							
24				0.49	0.42							
25					0.06							
26				0.42								
27				0.06								
28				0.27								
29				0.15								
30												
31												
Totals	0.60	0.00	1.78	4.14	1.40	0.07	0.02	0.02	0.00	0.00	0.00	0.00
	Water Year Total:											8.03

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1158 Torrance Municipal Airport

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-47-59

Longitude: 118-20-08

Elevation: 102 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.80		0.06					
4												
5				1.60								
6				0.02								
7			0.24	0.57								
8			0.02									
9			0.13									
10												
11												
12												
13	0.22											
14					0.01							
15												
16												
17	0.13											
18			T									
19			0.62									
20			T	T	0.08							
21			0.06									
22				0.35	0.48							
23				0.30								
24				1.02	1.73			0.13				
25				1.23								
26												
27				1.35								
28				0.31								
29				T								
30		0.88					T					
31												
Totals	0.35	0.88	1.07	6.75	3.10	0.00	0.06	0.13	0.00	0.00	0.00	0.00
											Water Year Total:	12.34

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1166B Mile High Ranch

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-24-40

Longitude: 117-46-15

Elevation: 5280 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.08									
2												
3												
4												
5				1.71								
6				0.13								
7				0.36								
8												
9												
10												
11												
12										0.75		
13	0.10E									0.45		
14										0.75		
15						0.12				0.75		
16						0.24						
17												
18												
19												
20												
21					0.20							
22												
23												
24						0.30		0.63E				
25				3.06				0.01E				
26												
27				3.36								
28				1.27								
29												
30		1.54						E				
31												
Totals	0.10	1.54	0.08	9.89	0.50	0.36	0.00	0.64	0.00	2.70	0.00	0.00
										Water Year Total:		15.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1194 Santa Ynez Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-04-23

Longitude: 118-33-59

Elevation: 735 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2							0.03					
3					0.27							
4				2.20								
5				0.71								
6				0.73								
7			0.84	0.11				0.01				
8												
9												
10			0.02									
11			0.01									
12	0.17											
13	0.08											
14												
15												
16												
17			0.02									
18			1.17									
19			0.64									
20			0.02		0.13							
21				0.02	0.14							
22				0.21	0.39							
23				0.47	0.07			0.16				
24				0.40	1.25			0.04				
25				0.75								
26				0.09								
27				0.16								
28				0.10								
29												
30		0.72				0.01						
31												
Totals	0.25	0.72	2.72	5.95	2.25	0.01	0.03	0.21	0.00	0.00	0.00	0.00
											Water Year Total:	12.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1212 Lancaster FSS/FAA

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-44-00

Longitude: 118-13-00

Elevation: 2340 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					T		T					
3					0.37		0.01					
4				0.62								
5				0.18								
6			T	0.28								
7			0.01	0.10	T							
8			0.03							T		
9			T									
10												
11		T										
12	0.16									T		
13	0.02									T		
14												
15						T						
16						T						
17	T											
18			0.01									
19			0.04									
20			T		0.04							
21				T	T							
22				T	0.01			0.01				
23				0.27	0.04			0.06				
24			T	0.54	0.02							
25				0.48								
26				0.29								
27	T			0.83								
28				0.14								
29												0.02
30		0.50				T						
31												
Totals	0.18	0.50	0.09	3.73	0.48	0.00	0.01	0.07	0.00	0.00	0.00	0.02
												Water Year Total: 5.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1216 Rancho Palos Verdes

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-45-10

Longitude: 118-23-32

Elevation: 780 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.24		0.11					
3					0.23							
4				0.76								
5				0.03								
6			0.14	0.52								
7			0.04									
8			0.04									
9			0.01									
10												
11		T										
12	0.01											
13												
14					0.03							
15												
16	0.01											
17			T									
18			0.59									
19					0.11							
20			0.07		0.34							
21				0.09								
22				T								
23				0.68	1.55							
24				0.44				0.08E				
25								0.03E				
26				0.63								
27				0.20								
28						0.05						
29												
30		0.75										T
31												
Totals	0.02	0.75	0.89	3.35	2.50	0.05	0.11	0.11	0.00	0.00	0.00	0.00
												Water Year Total: 7.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1217 Los Angeles Country Club

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-04-10

Longitude: 118-25-17

Elevation: 380 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.58									
2			0.11				0.11					
3					0.16							
4				2.50								
5				0.20								
6				0.81								
7			0.49									
8			0.11									
9												
10												
11												
12												
13	1.22											
14												
15												
16												
17			0.21									
18			1.11									
19			0.20		0.17							
20												
21				0.14	0.91							
22				0.14	0.14			0.02				
23				0.94	0.74			0.05				
24				1.76	0.09			0.02				
25				0.28								
26				1.48								
27				0.53								
28												
29												
30		0.07										
31												
Totals	1.22	0.07	2.81	8.78	2.21	0.00	0.11	0.09	0.00	0.00	0.00	0.00
											Water Year Total:	15.29

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1222 Northridge-Garland

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-17

Longitude: 118-30-59

Elevation: 911 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2							T					
3					0.69							
4				0.20								
5				1.23								
6				0.08								
7			0.29	0.67								
8			0.02									
9												
10												
11												
12												
13	0.41											
14												
15						0.02						
16												
17	0.01											
18			0.40									
19			0.62									
20			0.05		0.25							
21			0.05	0.04								
22				0.10	0.47							
23				0.42								
24				0.70	0.61			0.20				
25				1.68								
26												
27				1.98								
28				0.40								
29												
30		0.55										
31												
Totals	0.42	0.55	1.43	7.50	2.02	0.02	0.00	0.20	0.00	0.00	0.00	0.00
											Water Year Total:	12.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1223 Woodland Hills-Sherman

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-06

Longitude: 118-38-57

Elevation: 1035 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2							A					
3					0.53		0.04A					
4				0.30								
5				1.64								
6				0.27								
7			0.15	0.77								
8												
9												
10												
11		0.03										
12												
13												
14	0.39											
15												
16												
17	0.03											
18			0.45									
19			0.38									
20			0.03		0.15							
21				0.10	T							
22				0.10	0.48							
23				0.70				T				
24				0.80	0.88			0.01				
25												
26												
27	T			5.58								
28												
29												
30		0.46				T						
31												
Totals	0.42	0.49	1.01	10.26	2.04	0.00	0.04	0.01	0.00	0.00	0.00	0.00
											Water Year Total:	14.27

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1252 Palos Verdes Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-45-40

Longitude: 118-20-03

Elevation: 400 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.28E									
2												
3							0.05					
4					1.00							
5				1.80								
6				0.64								
7			0.30E									
8			0.02E									
9			0.10E									
10												
11												
12												
13	0.34E											
14												
15												
16												
17	0.12E											
18			0.05E									
19			0.81E									
20			0.03E		0.10							
21			0.06E									
22				0.36	0.54							
23				0.02								
24				1.25								
25				1.20	1.94							
26								0.20				
27												
28				1.85								
29												
30		0.70E										
31												
Totals	0.46	0.70	1.65	7.12	3.58	0.00	0.05	0.20	0.00	0.00	0.00	0.00
											Water Year Total:	13.76

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1253 Carson-County Sanitation

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-48-07

Longitude: 118-16-58

Elevation: 40 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2							0.05					
3					0.65							
4				1.11								
5				0.50								
6				0.53								
7			0.21	0.44								
8			0.22									
9			0.02									
10												
11												
12												
13	0.33											
14												
15												
16												
17												
18			0.38									
19			0.17			T						
20					0.10							
21				0.01	0.09							
22				0.27	0.46							
23				0.82	0.04							
24				0.36	1.66			0.17				
25				0.75								
26				0.22								
27				1.14								
28				0.05								
29												
30		1.06										
31												
Totals	0.33	1.06	1.00	6.20	3.00	0.00	0.05	0.17	0.00	0.00	0.00	0.00
											Water Year Total:	11.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1254 Long Beach Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-48-11

Longitude: 118-05-20

Elevation: 20 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.20		0.02					
3					0.24							
4				1.03								
5				0.12								
6			0.35	0.47								
7			0.08									
8			0.09									
9												
10												
11												
12	0.65											
13	0.04				0.07							
14												
15					0.15							
16												
17			0.01									
18			0.63									
19			T									
20					0.03							
21				0.39	0.63							
22				T	0.01			0.01				
23				1.04	0.86							
24				0.82	0.05							
25				0.01								
26				0.45								
27				0.60								
28				0.06								
29		0.09										
30		1.01										
31												
Totals	0.69	1.10	1.16	4.99	2.24	0.00	0.02	0.01	0.00	0.00	0.00	0.00
											Water Year Total:	10.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1255 Los Coyotes Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-53-05

Longitude: 118-06-24

Elevation: 70 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.22		0.04					
3					0.21							
4				1.06								
5				0.18								
6			0.36	0.61								
7			0.02									
8												
9												
10												
11												
12	0.26											
13	0.03				0.01							
14												
15												
16												
17			0.06									
18			0.74									
19			T		0.15							
20					0.05							
21				0.08	0.60							
22								0.02				
23				1.30	0.44							
24				1.20	0.07							
25				0.01								
26				0.69								
27				1.00								
28				0.02								
29		0.10										
30		0.97										
31												
Totals	0.29	1.07	1.18	6.15	1.75	0.00	0.04	0.02	0.00	0.00	0.00	0.00
											Water Year Total:	10.50

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1256 South Gate Transfer Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-56-40

Longitude: 118-09-56

Elevation: 100 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.86E									
2												
3												
4					0.40							
5				1.00								
6				0.70								
7			0.39E									
8												
9												
10												
11												
12												
13	0.53E											
14												
15												
16												
17												
18			0.08E									
19			1.00E									
20					0.18							
21			0.04E		0.08							
22				0.03	0.50							
23				0.07								
24				0.80								
25				1.50	1.15							
26												
27												
28				2.00								
29				0.15								
30		0.08E										
31												
Totals	0.53	0.08	2.37	6.25	2.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	11.54

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1257 San Jose Creek Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-55

Longitude: 118-01-16

Elevation: 275 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					T		T					
3					0.32							
4				2.64								
5				0.37								
6			0.40	0.80								
7			T									
8												
9												
10												
11												
12	0.54											
13					T							
14												
15												
16												
17			0.07									
18			1.36									
19			0.02		T							
20			0.04		0.18							
21				0.08	0.47							
22				T	0.07			1.83				
23				0.96	0.55							
24				1.40	0.08							
25				0.03								
26				1.10								
27				1.26								
28				0.02								
29			T									
30		1.03										
31												
Totals	0.54	1.03	1.89	8.66	1.67	0.00	0.00	1.83	0.00	0.00	0.00	0.00
											Water Year Total:	15.62

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1258 Puente Hills Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-35

Longitude: 118-01-49

Elevation: 300 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			1.08E									
2												
3							0.02					
4					0.33							
5				2.09								
6			0.41E	1.29								
7												
8												
9												
10												
11												
12										0.18		
13	0.54E											
14												
15												
16												
17												
18			0.09E									
19			1.30E									
20					0.12							
21			0.04E		0.12							
22				0.10	0.60							
23				0.02				1.41				
24				0.96								
25				1.28	0.67							
26												
27								0.02				
28				2.44								
29				0.03								
30		0.04E										
31												
Totals	0.54	0.04	2.92	8.21	1.84	0.00	0.02	1.43	0.00	0.18	0.00	0.00
	Water Year Total: 15.18											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1259 Whittier Narrows Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-03-59

Longitude: 118-03-54

Elevation: 225 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.15		0.02					
3					0.21							
4				2.07								
5				0.19								
6			0.33	0.75								
7												
8			0.01									
9												
10												
11												
12	0.64											
13	0.02				0.10							
14												
15												
16												
17			0.13									
18			1.41									
19			0.02		0.13							
20			0.06		0.07							
21				0.06	0.45							
22				0.06	0.11			0.70				
23				0.84	0.51							
24				1.94	0.16							
25				0.03								
26				0.98								
27				1.41								
28				0.03								
29		0.08										
30		0.97										
31												
Totals	0.66	1.05	1.96	8.36	1.89	0.00	0.02	0.70	0.00	0.00	0.00	0.00
											Water Year Total:	14.64

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1260 Spadra Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-02-36

Longitude: 117-49-50

Elevation: 700 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4					0.46							
5				2.02								
6				1.08								
7			0.43E									
8			0.04E									
9			0.06E									
10												
11					0.14							
12												
13	0.39E											
14												
15												
16												
17												
18												
19			0.89E									
20			0.02E		0.09							
21			0.14E		0.09							
22				0.10	0.60							
23				0.02				0.44				
24				0.83								
25				0.79	0.58							
26												
27								0.11				
28				2.24								
29				0.02								
30		1.27E										
31												
Totals	0.39	1.27	1.58	7.10	1.96	0.00	0.00	0.55	0.00	0.00	0.00	0.00
											Water Year Total:	12.85

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1261 La Canada Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-13-00

Longitude: 118-11-14

Elevation: 1800 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.35		0.02					
3					0.22							
4				3.54								
5				3.54								
6			1.20	0.97								
7			0.12									
8			0.06									
9												
10												
11												
12	0.47											
13												
14												
15						0.16						
16												
17			0.07									
18			1.68									
19			0.02		0.15							
20			0.12		0.04							
21				0.05	0.38							
22				0.02	0.30			0.68				
23				1.51	0.30							
24				3.50	0.25							
25				0.21								
26				1.92								
27				1.62								
28				0.05								
29		0.05										
30		0.60										
31												
Totals	0.47	0.65	3.27	16.93	1.99	0.16	0.02	0.68	0.00	0.00	0.00	0.00
											Water Year Total:	24.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1262 Saugus Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-24-48

Longitude: 118-32-23

Elevation: 1150 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.07		0.02					
3					0.05							
4				2.78								
5				0.11								
6			0.22	0.88								
7												
8			0.02									
9												
10												
11												
12	0.30											
13												
14												
15												
16												
17			0.06									
18			0.72									
19			0.10		0.12							
20			0.09		0.01							
21				0.10	0.12							
22				0.08				0.03				
23				0.98	0.31							
24				2.32	0.02							
25				0.78								
26				1.81								
27				1.41								
28												
29		0.05										
30		0.25										
31												
Totals	0.30	0.30	1.21	11.25	0.70	0.00	0.02	0.03	0.00	0.00	0.00	0.00
											Water Year Total:	13.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1263 **Valencia Reclamation Plant**

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-25-55

Longitude: 118-37-13

Elevation: 1000 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.13		0.02					
3					0.03							
4				1.95								
5				0.14								
6			0.18	0.75								
7			T									
8												
9												
10												
11												
12	0.27											
13												
14												
15						0.03						
16												
17			0.10									
18			0.92									
19			0.13		0.12							
20			0.10		0.05							
21				0.05	0.14							
22				0.05	T							
23				0.80	0.25							
24				1.40	0.07							
25				0.60								
26				1.75								
27				0.81								
28												
29		0.06										
30		0.13										
31												
Totals	0.27	0.19	1.43	8.30	0.79	0.03	0.02	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	11.03

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1264 Calabasas Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-25

Longitude: 118-42-35

Elevation: 800 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3							0.09					
4					0.50							
5				3.30								
6				1.04								
7			0.11E									
8												
9			0.03E									
10												
11												
12												
13	0.33E											
14												
15												
16												
17	0.02E											
18			0.18E									
19			0.58E									
20			0.04E		0.16							
21												
22				0.13	0.50							
23				0.02								
24				0.95								
25				2.56	1.24							
26												
27								0.05				
28				3.02								
29												
30		0.40E										
31												
Totals	0.35	0.40	0.94	11.02	2.40	0.00	0.09	0.05	0.00	0.00	0.00	0.00
	Water Year Total: 15.25											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1265 Scholl Canyon Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-38

Longitude: 118-11-07

Elevation: 1000 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.63E									
2												
3							0.02					
4					0.37							
5				4.00								
6				1.65								
7			0.77E					0.03				
8												
9			0.17E									
10												
11					0.01							
12												
13	0.42E											
14	0.01E											
15												
16												
17						0.02						
18												
19			1.25E									
20			0.05E		0.10							
21			0.05E		0.01							
22				0.10	0.43							
23				0.03				0.32				
24				1.34				0.27				
25				2.54	0.50							
26												
27												
28				3.10								
29												
30		0.02E										
31						0.02						
Totals	0.43	0.02	2.92	12.76	1.42	0.04	0.02	0.62	0.00	0.00	0.00	0.00
											Water Year Total:	18.23

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1266 Mission Canyon Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-40

Longitude: 118-28-45

Elevation: 1150 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.19E									
2												
3							0.05					
4					0.54							
5												
6				8.34								
7			0.38E					0.01				
8												
9			0.03E									
10												
11												
12												
13	0.75E											
14												
15												
16												
17	0.01E											
18			0.21E									
19			0.96E									
20			0.02E		0.15							
21			0.05E		0.06							
22				0.19	0.79							
23				0.09				0.78				
24				1.25								
25				2.80	1.60							
26												
27												
28				4.46								
29												
30		0.39E										
31												
Totals	0.76	0.39	1.84	17.13	3.14	0.00	0.05	0.79	0.00	0.00	0.00	0.00
											Water Year Total:	24.10

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1267 **Lancaster Reclamation Plant**

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-46-38

Longitude: 118-09-11

Elevation: 2302 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.01							
3					0.05							
4				0.49								
5				0.06								
6				0.37								
7												
8			0.02									
9												
10												
11												
12	0.17											
13												
14												
15												
16												
17												
18			0.06									
19			T									
20					T							
21												
22					0.02							
23				0.21	0.08							
24				0.82	T							
25				0.05								
26				0.65								
27				0.12								
28				0.06								
29												
30		0.46										
31												
Totals	0.17	0.46	0.08	2.83	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Water Year Total:											3.70

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

 E - Estimated

 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1268 Palmdale Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-35-30

Longitude: 118-05-10

Elevation: 2565 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2							0.03					
3												
4				0.60								
5				0.04								
6			0.01	0.31								
7			0.01									
8			0.04									
9												
10												
11												
12	0.01											
13												
14												
15						0.05						
16												
17												
18			0.20									
19			0.02									
20					0.26							
21												
22								0.01				
23				0.39	0.07							
24				1.15	0.03							
25												
26				0.43								
27				0.35								
28				0.01								
29												
30		0.79										
31												
Totals	0.01	0.79	0.28	3.28	0.36	0.05	0.03	0.01	0.00	0.00	0.00	0.00
	Water Year Total:											4.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1271 Pomona Waste Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-03-18

Longitude: 117-47-34

Elevation: 786 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2					0.20							
3					0.29							
4				2.72								
5				0.30								
6			0.44	0.80								
7			0.07									
8			0.06									
9												
10												
11												
12	0.49											
13					0.06							
14												
15						0.03						
16												
17												
18			0.90									
19			0.01		0.06							
20			0.17		0.07							
21				0.06	0.58							
22				0.02	0.09			0.24				
23				0.72	0.18							
24				0.98	0.17							
25				0.03								
26				1.10								
27				1.10								
28				0.03								
29												
30		1.45										
31												
Totals	0.49	1.45	1.65	7.86	1.70	0.03	0.00	0.24	0.00	0.00	0.00	0.00
											Water Year Total:	13.42

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1274 Whittier - Valna Drive

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-57-39

Longitude: 118-01-10

Elevation: 255 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.97									
2												
3					0.22		0.03					
4					0.12							
5				1.56								
6				0.15								
7			0.46	0.69								
8												
9			0.01									
10												
11												
12												
13	0.50							0.03		0.14		
14	0.03											
15												
16												
17												
18			0.09									
19			0.81									
20			0.01		0.15							
21			0.13		0.06							
22				0.14	0.58							
23				0.02	0.01			0.45				
24				1.08	0.38			0.01				
25				1.07	0.07							
26				0.01								
27				0.88								
28				1.02								
29				0.01								
30		0.12										
31												
Totals	0.53	0.12	2.48	6.63	1.59	0.00	0.03	0.49	0.00	0.14	0.00	0.00
											Water Year Total:	12.01

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1277 DPW Headquarters, Fremont

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-05-12

Longitude: 118-09-01

Elevation: 450 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.92									
2												
3					0.10		0.01					
4					0.09							
5				3.51								
6				0.36								
7			0.67	0.69								
8												
9												
10												
11												
12												
13	0.67											
14					0.31							
15					0.01							
16						0.01						
17												
18			0.08									
19			1.57									
20			0.01		0.08							
21			0.03		0.02							
22				0.08	0.28							
23				0.01	0.08			0.27				
24				0.97	0.31			0.02				
25				1.51	0.04							
26				0.02								
27				1.26								
28				0.76								
29												
30		0.06										
31												
Totals	0.67	0.06	3.28	9.17	1.32	0.01	0.01	0.29	0.00	0.00	0.00	0.00
	Water Year Total: 14.81											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1280 Avalon

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-20-31

Longitude: 118-19-31

Elevation: 29 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.10									
2												
3					0.83		0.25					
4												
5				0.70								
6				0.22								
7			0.37	0.65								
8												
9			0.05									
10												
11												
12												
13	0.20											
14												
15												
16												
17												
18			0.05									
19			0.45									
20												
21												
22				0.10	1.94							
23				0.08								
24				0.40	0.63							
25				0.65				0.09				
26												
27				0.72								
28				0.12								
29			0.03									
30		0.90										
31												
Totals	0.20	0.90	1.05	3.64	3.40	0.00	0.25	0.09	0.00	0.00	0.00	0.00
												Water Year Total: 9.53

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1281 Middle Ranch

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-21-16

Longitude: 118-26-03

Elevation: 684 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.85									
2												
3					0.78		0.36					
4												
5				1.25				0.04				
6												
7				0.62								
8			0.46									
9			0.22									
10												
11												
12												
13	0.23											
14												
15												
16								0.09				
17												
18			0.85									
19			0.85									
20			0.10									
21			0.11		0.22							
22				0.12	2.17							
23				0.74								
24					1.16			0.01				
25				1.23	0.01			0.01				
26				0.06								
27				1.16								
28				0.32								
29			0.06									
30												
31												
Totals	0.23	0.00	3.50	5.50	4.34	0.00	0.36	0.15	0.00	0.00	0.00	0.00
											Water Year Total:	14.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1282 Catalina Airport-in-the-sky

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-24-11

Longitude: 118-24-55

Elevation: 1561 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.89									
2												
3					0.68		0.33					
4		0.02			0.84		0.05					
5				1.70				0.02				
6				0.11				0.04				
7			0.30	0.53								
8			0.05	0.01								
9			0.09									
10												
11								0.02				
12								0.03				
13	0.33											
14												
15					0.01							
16												
17		0.04										
18			0.05									
19			0.70									
20			0.10		0.24							
21			0.10		0.07			0.02				
22				0.06	1.38							
23					0.02							
24				0.96	0.56			0.06				
25				1.83				0.08				
26				0.06				0.02				
27				1.33								
28				0.62								
29			0.04	0.04								
30						0.04						
31												
Totals	0.33	0.06	2.32	7.25	3.80	0.04	0.38	0.29	0.00	0.00	0.00	0.00
											Water Year Total:	14.47

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1285 Two Harbors

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-26-11

Longitude: 118-39-04

Elevation: 20 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1			0.45									
2												
3					0.48		0.52					
4					0.37							
5				0.69				0.18				
6				0.04				0.02				
7				0.46								
8			0.06									
9			0.06									
10												
11												
12	0.03	0.03										
13	0.22											
14	0.02											
15					0.05							
16												
17												
18												
19			0.83									
20			0.02		0.15							
21			0.07		0.22							
22				0.12	1.98							
23												
24				0.46	0.33							
25				0.72								
26												
27	0.01			0.52								
28				0.63								
29			0.01	0.02								
30		0.06										
31												
Totals	0.28	0.09	1.50	3.66	3.58	0.00	0.52	0.20	0.00	0.00	0.00	0.00
	Water Year Total:											9.83

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total

E - Estimated

T - Trace, unmeasurable amount of rain

Data Revised: July 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1290 Woodland Hills

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-39

Longitude: 118-36-45

Elevation: 891 Feet

Water Year from 10/01/2007 to 09/30/2008

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3					0.61		0.05					
4				0.47								
5				1.30								
6												
7			0.13	0.75								
8		T		0.02								
9												
10												
11												
12												
13	0.40T											
14												
15												
16						0.04						
17	0.02											
18			0.50									
19			0.32									
20			0.03		0.14							
21				0.01								
22				0.21	0.55			T				
23				0.68				T				
24				0.80	1.00			0.05				
25				3.14								
26				0.01								
27				2.70								
28				0.48								
29												
30		0.50										
31												
Totals	0.42	0.50	0.98	10.57	2.30	0.04	0.05	0.05	0.00	0.00	0.00	0.00
											Water Year Total:	14.91

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: July 2011

APPENDIX B



HYDROLOGIC REPORT 2007 – 2008

RUNOFF - STREAM GAGING STATION INFORMATION

RUNOFF – STREAM GAGING STATION INFORMATION**ALHAMBRA WASH**



Above Klingerman Street

STATION NO. F81D-R

**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Wading or from footbridge.**DRAINAGE AREA** - 15.2 square miles.**LOCATION** - 250 feet above Klingerman Street and 2650 feet below Garvey Avenue, City of Rosemead**REGULATION** - None.**DIVERSION** - None.**CHANNEL** - Concrete, rectangular in section, 40.0 feet wide by 12.7 feet deep.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - At Station F81-R, January 14, 1930 to September 30, 1934; at Station F81B-R, October 1, 1934 to February 25, 1935; at Station F81C-R February 25, 1935 to April 27, 1936; at Station F81B-R April 27, 1936 to May 22, 1936; at Station F81D-R, September 2, 1936 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION**ARCADIA WASH**

Below Grand Ave



STATION NO. F317-R**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Low flows measured by wading. High flows measured from upstream side of Grand Avenue bridge.**DRAINAGE AREA** - 8.5square miles.**LOCATION** - On the west wall of Arcadia Wash about 75 feet downstream from centerline of Grand Avenue.**REGULATION** - Several debris basins located upstream.**DIVERSION** - None.**CHANNEL** - Concrete, rectangular section, 32.0 feet wide by 12.0 feet deep.**CONTROL****LENGTH OF RECORD** - December 12, 1955 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

ARROYO SECO

Below Devil's Gate Dam

STATION NO. F277-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 32.5 square miles.

LOCATION - On the east side of the channel about 0.5 mile below Devil's Gate Dam, and about 0.5 mile above Washington Street, Pasadena. Elevation of Gage is about 926 feet.

REGULATION - Flow regulated by Devil's Gate Dam and Pasadena Water Department's Gated Diversion into channel above station.

DIVERSION - Pasadena Water Department diverts flow approximately two miles above Devil's Gate Dam for domestic use. Flow may be diverted to channel between Devil's Gate Dam and station from Pasadena Water Department.

CHANNEL - sand and gravel, natural section.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station P277-R, November 30, 1942 to September 30, 1980. At station F277, October 01, 1980 to date.



REMARKS - Located, constructed, and operated by the Pasadena Water Department January 1940. The operation taken over by the Los Angeles County Flood Control District November 30, 1942 in cooperation with the Pasadena Water Department.

RUNOFF – STREAM GAGING STATION PEAK FLOW

AZUSA CONDUIT

(Sandbox 10ft weir)

STATION NO. F220B-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT – Weir formula with gage height observation.

DRAINAGE AREA - None

LOCATION - On the concrete conduit which diverts from San Gabriel Dam, 160 feet below the dam.

REGULATION - Flow regulated by San Gabriel Dam.

CHANNEL – Concrete, rectangular in section, 10.0 feet wide by 7.6 feet deep



CONTROL – 10 feet concrete weir.

LENGTH OF RECORD – February 26, 1933 to date.

REMARKS - Approximate capacity 95 second/feet.

RUNOFF – STREAM GAGING STATION INFORMATION**AZUSA CONDUIT**

(Sandbox 20ft weir)



STATION NO. F250-R**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Weir formula with gage height observation.**DRAINAGE AREA** - 202.7square miles.**LOCATION** - On the concrete conduit which diverts from San Gabriel Dam, 160 feet below the dam.**REGULATION** - Regulated in section.**DIVERSION** - None.**CHANNEL** - 25 foot concrete weir.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - February 26, 1933 to date.**REMARKS** - Approximate capacity 95 second-feet.

RUNOFF – STREAM GAGING STATION INFORMATION

BALLONA CREEK

Above Sawtelle Blvd

STATION NO. F38C-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 88.6square miles.

LOCATION - 530.0 feet above Sawtelle Boulevard, 1.5 miles southwest of Culver City.

REGULATION - Stone Canyon Reservoir prior to January, 1951. Upper and Lower Franklin Canyon Reservoir, Hollywood Reservoir, and Silver Lake Reservoir.

DIVERSION - None.

CHANNEL - Concrete rubble, trapezoidal in section.

CONTROL - Channel forms control.



LENGTH OF RECORD - At station F38-R, February 27, 1928 to April 27, 1936; at Station F38B-R, May 14, 1936 to August 10, 1967; at Station F38C-R, August 10, 1967 to date.

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION**BIG DALTON CREEK**

Below Big Dalton Dam

STATION NO. F120B-R

**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading**DRAINAGE AREA** - 4.8 square miles.**LOCATION** - On the left (southeast) bank about 400 feet below the old toe wall on the downstream side of Big Dalton Dam and about 5 miles northeast of Glendora. Elevation of zero gage height is 1539.63 feet.**REGULATION** - 4.5 square miles regulated by Big Dalton Dam. 0.3 square miles unregulated flow from KERIL Canyon.**DIVERSION** - None.**CHANNEL** - Sand and gravel, natural section.**CONTROL** - Concrete stabilizer.**LENGTH OF RECORD** - Reservoir outflow records from October 1929 to June 3, 1940, recorder records from June 3, 1940 to September 30, 1955, from October 1, 1955 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION


BIG ROCK CREEK

Upstream from Pallett Creek

STATION NO. F394-R



Thomas Guide Page: 4469, D-3



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from stream gaging.

DRAINAGE AREA - 34.3 square miles.

LOCATION - 300 feet upstream from confluence with Pallett Creek, and 1.4 miles northwest of Valermo.

REGULATION - None.

DIVERSION - None.

CHANNEL - Natural flow affected by pumping along creek.

CONTROL - Concrete stabilizer.

LENGTH OF RECORD - October 1986 to current year.



REMARKS -

RUNOFF – STREAM GAGING STATION INFORMATION

BIG TUJUNGA CREEK

Below Big Tujunga Dam

STATION NO. F168-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 82.3 square miles.

LOCATION - On the right (northwest) bank, 2800 feet below Big Tujunga Dam and about 12 miles northeast of Sunland, Elevation of zero gage height is 2063.34 feet.

REGULATION - Flow regulated by Big Tujunga Dam.

DIVERSION - None.

CHANNEL - Sand, gravel, and boulders.

CONTROL - No artificial Control.



LENGTH OF RECORD - Stream measurements from December 8, 1931 to November 7, 1932 and January 20, 1938 to May 29, 1938; recorder records from November 8, 1932 to January 13, 1938 and from May 31, 1938 to September 30, 1955, from September 30, 1955 to date.

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION**BOUQUET CREEK**

Above Bouquet Canyon Road

STATION NO. F377B-R



**RECORDER** continuous water stage.**METHOD OF MEASUREMENT** wading or from bridge.**DRAINAGE AREA** 60.9square miles.**LOCATION** in San Francisco Grant, on left bank, 500 feet upstream from Bouquet Canyon Road bridge, 1.5 miles northeast of Saugus, and 1.7 miles downstream from Haskell Canyon Creek**REGULATION** Bouquet Reservoir.**DIVERSION** none.**CHANNEL** concrete sides with natural bottom, trapezoidal in section.**CONTROL** concrete stabilizer.**LENGTH OF RECORD** - October 1, 2003 to date.**REMARKS** - Records fair except for estimated daily discharges, which are poor. Partial regulation by Bouquet Reservoir, capacity 36,500 acre-feet, principally used as equalizing reservoir to city of Los Angeles aqueduct. Some pumping of wells for irrigation upstream from station.

RUNOFF – STREAM GAGING STATION INFORMATION

BRADBURY CHANNEL

Below Central Avenue

STATION NO. F329-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Low flows measured by wading. High flows measured from footbridge four feet downstream from recorder.

DRAINAGE AREA - 3.3square miles.

LOCATION - On the east wall of Bradbury Channel, 200 feet downstream from the centerline of Central Avenue, one mile east of Duarte.

REGULATION - Two debris basins located upstream.

DIVERSION - None.

CHANNEL - Rectangular concrete, 18 feet wide, 12 feet deep.

CONTROL - Channel forms control.

LENGTH OF RECORD - June 14, 1957 to date.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

BRANFORD STREET CHANNEL

Below Sharp Avenue

STATION NO. F342-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Low flows measured by wading.

DRAINAGE AREA - 5.01 square miles.

LOCATION - On the south bank of channel, 125 feet downstream from Sharp Avenue, about 3.6 miles south of San Fernando.

REGULATION - Flow from Lopez Creek is diverted to Hansen Dam at the mouth of Lopez Canyon.

DIVERSION - None.

CHANNEL - Trapezoidal, 10 feet wide at bottom and 7.5 feet deep with 1.5 to 1 side slopes.

CONTROL - Channel forms control.

LENGTH OF RECORD - January 12, 1962 to date.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

BURBANK WESTERN STORM DRAIN

At Riverside Dr.

STATION NO. E285-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from bridge.

DRAINAGE AREA - 25.0square miles.

LOCATION - 20 feet upstream from Riverside Drive, Glendale.

REGULATION - Several debris basins on tributaries.

DIVERSION - None.

CHANNEL - Concrete, rectangular section.

CONTROL - Channel forms control.

LENGTH OF RECORD - October 1, 1949 to date.



REMARKS - Operated in cooperation with the USCE.

RUNOFF – STREAM GAGING STATION INFORMATION

COMPTON CREEK

Near Greenleaf Drive.

STATION NO. F37B-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from bridge.

DRAINAGE AREA - 22.6square miles.

LOCATION - 120.0 feet above Greenleaf Boulevard, 1.5 miles south west of Compton.

REGULATION - None.

DIVERSION - None.

CHANNEL - Concrete, rectangular in section, 60 feet wide by 13 feet deep.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F37-R, January 22, 1928 to June 9, 1938; at Station F37B-R, October 3, 1938 to date.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

COYOTE CREEK

Below Spring Street.

STATION NO. F354-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 185.0 square miles.

LOCATION - 241.0 feet below Spring Street, 5.7 miles northeast of Long Beach.

REGULATION - Partially regulated by Fullerton Dam, Brea Dam, and Carbon Canyon Dam.

DIVERSION - None.

CHANNEL - Concrete, trapezoidal in section.

CONTROL - Channel forms control.

LENGTH OF RECORD - December 19, 1936 to date.



REMARKS - Previous gaging station for record correlation: Station F41-S, December 1, 1928 to January 14, 1930; Station F41-R, January 14, 1930 to October 30, 1936; Station F41B-R, October 30, 1936 to February 17, 1937; Station F41C-R, February 18, 1937 to February 8, 1956; Station F320-R, February 9, 1956 to July 2, 1965.

RUNOFF – STREAM GAGING STATION INFORMATION

DALTON WASH

At Merced Avenue

STATION NO. F274B-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Low flows measured by wading. High flows measured from footbridge 100 feet from station.

DRAINAGE AREA - 35.95square miles.

LOCATION - On the west bank and upstream of Merced Avenue about 150 feet, about one-half mile above the junction with Walnut Wash and about one mile south of Baldwin Park.

REGULATION - Partly regulated by Big Dalton Dam, San Dimas Dam, Puddingstone Diversion Dam, Big Dalton Spreading Grounds, Little Dalton Spreading Grounds, Big Dalton Debris Basin, Little Debris Basin and Irwindale Spreading Grounds.

DIVERSION - None.

CHANNEL - Concrete, rectangular section.



CONTROL - Channel forms control.

LENGTH OF RECORD

REMARKS - Flow may include imported water originating at San Dimas.

RUNOFF – STREAM GAGING STATION INFORMATION

EATON WASH Below Eaton Wash Dam STATION NO. F271-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 12.4 square miles.

LOCATION - On the right (west) bank of the concrete outlet channel 190 feet below the beginning of the open section at the base of Eaton Wash Dam. Elevation of gage about 840 feet.

REGULATION - Flow regulated by Eaton Wash Dam.

DIVERSION - Pasadena Water Department diverts flow above the mouth of Eaton Canyon.

CHANNEL - Concrete, rectangular section.

CONTROL - Channel forms control.

LENGTH OF RECORD - Reservoir outflow records from February 2, 1937 to October 10, 1940. Recorder records from October 10, 1940 to September 30, 1955, from September 30, 1955 to date.



REMARKS -

RUNOFF – STREAM GAGING STATION INFORMATION

EATON WASH

At Loftus Drive.

STATION NO. F318-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Low flows measured by wading. High flows measured from upstream side of East Loftus Drive bridge.

DRAINAGE AREA - 22.8square miles.

LOCATION - On the west wall of the channel 52 feet above the centerline of East Loftus Drive bridge, 1.3 miles west of El Monte.

REGULATION - Partly regulated by Eaton Dam.

DIVERSION - The Pasadena Water Department diverts some water just above the mouth of Eaton Canyon. The Flood Control District Diverts water to spreading grounds below Eaton Dam and below Huntington Drive.

CHANNEL - Rectangular concrete, 60 feet wide, 11.3 feet.

CONTROL - Channel forms control.



LENGTH OF RECORD - 1956 to date.

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

FISH CREEK

Above mouth of canyon.
STATION NO. U7-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 6.36square miles.

LOCATION - 0.8 mile upstream of mouth of canyon and 3.0 miles northeast of Duarte.

REGULATION - None.

DIVERSION - None.

CHANNEL - Natural, rock and gravel.

CONTROL - Concrete control.

LENGTH OF RECORD - July to September 1916; July 1917 to date.



REMARKS - Operated and maintained by USGS until October 1, 1971.

RUNOFF – STREAM GAGING STATION INFORMATION

LEAKAGE

At toe of Cogswell Dam.

STATION NO. F251-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 39.2 square miles.

LOCATION - About 200 feet below San Gabriel Dam No 2, and about 7 miles above the junction of the east and west Forks of the San Gabriel River.

REGULATION - Except for the bank runoff from a very small area below the dam, the flow is entirely regulated by San Gabriel Dam No 2.

DIVERSION - Water released from San Gabriel Dam No 2 enters river below station F251-R.

CHANNEL - Sand and gravel, natural section.

CONTROL -



LENGTH OF RECORD - Recorder records from April 26, 1935 to October 9, 1935 and from March 7, 1936 to September 30, 1936. Discharged measurement only, October 10, 1935 to March 6, 1936, from October 1, 1988 to date.

REMARKS -

RUNOFF – STREAM GAGING STATION INFORMATION**LITTLE ROCK CREEK**

Above Little Rock Dam.

STATION NO. L1-R



**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Stream gaging.**DRAINAGE AREA** - 49.2 square miles.**LOCATION** - 2.0 miles above Little Rock Dam, 5.0 miles south of Little Rock.**REGULATION** - None.**DIVERSION** - None.**CHANNEL** - Sand, gravel, and boulder, natural in section.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - October 1, 1930 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

LIVE OAK CREEK

Below Live Oak Dam.

STATION NO. F356-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 2.28 square miles.

LOCATION - On the right (west) bank of stream, 0.5 mile above mouth of canyon and 100 feet below Live Oak Dam, about 2.5 miles northeast of La Verne. Elevation of gage 1427.01 feet.

REGULATION - Flow regulated by Live Oak Dam, spillway enter canyon below station and are not included in these records.

DIVERSION - None.

CHANNEL - Four-foot, San Dimas type flume six feet deep.

CONTROL -

LENGTH OF RECORD - At Station F356-R from November 29, 1963 to September 30, 1965, for prior records (beginning January 1928) see Station F31-R, Live Oak Creek near mouth of canyon, and from September 30, 1965 to date.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

Above Arroyo Seco

STATION NO. F57C-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 511.0square miles.

LOCATION - 800 feet above the confluence of the Arroyo Seco with the Los Angeles River, Los Angeles.

REGULATION - Partially regulated by Sepulvedo, Pacoima, Big Tujunga, and Hansen Dams; and by several spreading grounds, reservoirs, and debris basins.

DIVERSION - None.

CHANNEL - Concrete, rectangular in section, with a trapezoidal low-flow channel.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F57-R, December 5, 1929 to May 26, 1938; at Station F57B-R, April 5, 1939 to December 8, 1939; at Station F57C-R, December 8, 1939 to date.



REMARKS - Subject to diversions from Big Tujunga Creek, and other diversions for domestic and irrigation uses.

RUNOFF – STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

Below Wardlow River Road.

STATION NO. F319-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 815.0 square miles.

LOCATION - 900.0 feet below Wardlow Road, Long Beach.

REGULATION - Flow is subject to the same regulation as Station F34D-R and P45B-R.

DIVERSION - Flows diverted to Dominguez Gap Spreading Grounds.

CHANNEL - Trapezoidal, concrete, 302.0 feet wide at bottom with 2.25:1 side slopes. Low flow channel 28.0 feet wide by 1.0 foot deep in center of channel.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F180-R, October 31, 1931 to January 13, 1956; at Station F319-R, January 13, 1956 to date.



REMARKS - Prior to 1931, see Station F36-R.

RUNOFF – STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

Below Firestone Blvd.

STATION NO. F34D-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from bridge.

DRAINAGE AREA - 596.0 square miles.

LOCATION - 472.0 feet downstream of Firestone Boulevard, 3.0 miles west of Downey.

REGULATION - Partially regulated by Sepulveda, Pacoima, Big Tujunga, Hansen, and Devils Gate Dam; and by several spreading grounds, reservoirs, and debris basins.

DIVERSION - None.

CHANNEL - Concrete, with rip-rap side slopes, trapezoidal in section, with trapezoidal low flow channel.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F34-R, March 1, 1928 to April 11, 1938; at Station F34B-r, April 11, 1938 to November 3, 1949; at Station F34C-R, November 4, 1949 to December 11, 1956; at Station F34D-R, December 11, 1956 to date.



REMARKS - Subject to diversion from Big Tujunga Creek, Arroyo Seco, and other domestic irrigation diversions.

RUNOFF – STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

At Tujunga Avenue.

STATION NO. F300-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 401.0 square miles.

LOCATION - 200.0 feet above Tujunga Avenue bridge, Studio City.

REGULATION - Flow regulated by Sepulveda, Big Tujunga, Hansen, Pacoima Dams, Lopez Debris Dam, and Project No. 85 Diversion.

DIVERSION - None.

CHANNEL - Concrete, rectangular section, 120 feet wide by 19 feet deep.



CONTROL - Channel forms control.

LENGTH OF RECORD - May 8, 1950 to date.

REMARKS - Subject to diversions at mouth of Big Tujunga and Pacoima Canyons for irrigation, at Big Tujunga, Branford, Hansen, and Pacoima Spreading Grounds.

RUNOFF – STREAM GAGING STATION INFORMATION**MALIBU CREEK**

Below Cold Creek.


STATION NO. F130-R**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Wading**DRAINAGE AREA** - 104.96square miles.**LOCATION** - 0.2 mile downstream of Cold Creek, 6.0 miles southwest of Calabasas.**REGULATION** - Lake Sherwood Dam, Lake Eleanor Dam, Malibu Lake Dam and Crags Dam. Other small recreational dams affect low summer flows.**DIVERSION** - None.**CHANNEL** - Coarse sand and gravel, lines with trees and brush, natural in section.**CONTROL** - Concrete stabilizer.**LENGTH OF RECORD** - January 17, 1931 to date.**REMARKS** - Cableway washed out on January 25, 1969, no high flow measurements since that date.

RUNOFF – STREAM GAGING STATION INFORMATION


MESCAL CREEK

At mouth of canyon.

STATION NO. F395-R



Thomas Guide Page: 4471, D-4



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 5.41 square miles.

LOCATION - On left bank, 75 feet east of Mescal Canyon Motorway, 2.7 miles south of Fort Tejon Road, and 3.8 miles southwest of Pinon Hills.

REGULATION - Slight regulation of low flow by Jackson Lake

DIVERSION - One small diversion upstream from station for domestic use.

CHANNEL -

CONTROL -

LENGTH OF RECORD - October 2001 to September 2005 discontinued.



REMARKS -

RUNOFF – STREAM GAGING STATION INFORMATION

MINT CANYON CREEK

At Sierra Highway.

STATION NO. F328B-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 28.00square miles.

LOCATION on left bank, on upstream side of Sierra Highway bridge, 1.6 miles upstream from confluence with Santa Clara River, and 3.3 miles east of Saugus.

REGULATION none.

DIVERSION none.

CHANNEL natural, sand and gravel.

CONTROL concrete control at downstream end of bridge.

LENGTH OF RECORD October 1, 2003 to date.



REMARKS Station F328B-R

RUNOFF – STREAM GAGING STATION INFORMATION

MONTEBELLO STORM DRAIN

Above Rio Hondo.

STATION NO. F181-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from footbridge.

DRAINAGE AREA - 9.6square miles.

LOCATION - 150.0 feet east of Mines Avenue and 500.0 feet west of Rio Hondo.

REGULATION - None.

DIVERSION - None.

CHANNEL - 14.0 foot by 10.0 foot concrete, box section.



CONTROL - Channel forms control.

LENGTH OF RECORD - January 12, 1932 to date.

REMARKS - May be affected by backwater during flood flows.

RUNOFF – STREAM GAGING STATION INFORMATION**PACOIMA CREEK FLUME**

Below Pacoima Dam.



STATION NO. F118B-R**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading or from bridge.**DRAINAGE AREA** - 28.2 square miles.**LOCATION** - East of San Fernando, and about 500 feet downstream from Pacoima Dam, former station F118-R was approximately 450 feet downstream, former station U13-R was approximately 0.5 mile downstream. Elevation of gage, about 1650 feet.**REGULATION** - Regulated by Pacoima Dam, station F118-R and F118B-R do not include spillway discharges, station U13-R was so located that it would have included spillway discharge.**DIVERSION** - Water passing over Pacoima Dam spillway enters Pacoima Creek below station F118-R.**CHANNEL** - Gravel and boulders.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - At Station U13-R, Pacoima Creek near San Fernando, California, at office of USGS, water resources branch, Los Angeles, from March 1916 to September 1929, from October 1, 1929 to March 23, 1933, records based on Dam outflow records and gage readings at the marsh flume below Pacoima Dam, these records are available at the office of the Los Angeles County Flood Control District, at Station F118-R March 24, 1933 to February 1, 1935, at Station F118B-R February 9, 1935 to April 28, 1937 and June 25, 1937 to June 15, 1943, and from September 15, 1943 to September 30, 1955, and from October 1, 1955 to date.**REMARKS** - Located, constructed and operated by the Los Angeles County Flood Control District in cooperation with the USGS, Water Resources Branch.

RUNOFF – STREAM GAGING STATION INFORMATION

PACOIMA DIVERSION

At Branford Street.

STATION NO. F305-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from footbridge.

DRAINAGE AREA - 48.8 square miles.

LOCATION - On the left (northeasterly) bank of the channel, 35 feet above Branford street bridge. Elevation of zero gage height 844 feet.

REGULATION - Flow regulated by Pacoima Dam and Pacoima Spreading Grounds.

DIVERSION - Small diversions for irrigation near mouth of canyon, water diverted to Lopez Basin and Pacoima Spreading Grounds during spreading operations.

CHANNEL - Trapezoidal concrete, with grouted rock walls.

CONTROL - Channel forms control.

LENGTH OF RECORD - October 30, 1953 to September 30, 1967, from October 1, 1988 to date.



REMARKS - Located and constructed by the Corps of Engineers, Department of Army, operated by the Los Angeles County Flood Control District.

RUNOFF – STREAM GAGING STATION INFORMATION

PALLETT CREEK

At Valyermo Highway.

STATION NO. F122-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from bridge.

DRAINAGE AREA - 15.8square miles.

LOCATION - Upstream side of Valyermo Highway bridge, 5.0 miles southeast of Pearblossom.

REGULATION - None.

DIVERSION - None.

CHANNEL - Sand and gravel, natural section.

CONTROL - Channel forms control for low flows; bridge form control for high flows.

LENGTH OF RECORD - At Station F122-S, December 29, 1930 to October 31, 1961; at Station F122-R, October 31, 1961 to date.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

RIO HONDO

Below Lower Azusa Avenue.

STATION NO. F192B-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 40.9square miles.

LOCATION - 300 feet downstream from Lower Azusa Road, 1.5 miles north of El Monte.

REGULATION - Partially regulated by Sierra Madre Dam, Santa Anita Dam, Sawpit Dam, Santa Fe Dam, Peck Pit, Buena Vista Pit, and several debris basins.

DIVERSION - None.

CHANNEL - Concrete, trapizoidal section, 80.0 feet wide by 14.0 feet deep.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F192-R, February 22, 1932 to May 7, 1958; at Station F192B-R, May 7, 1958 to date.



REMARKS - Subject to diversions from Monrovia, Sawpit, and Little Santa Anita Creeks. Also from the San Gabriel River below Santa Fe Dam; and form irrigation and spreading.

RUNOFF – STREAM GAGING STATION INFORMATION

RIO HONDO

Above Stuart and Gray Road.

STATION NO. F45B-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 140.0square miles.

LOCATION - 0.6 mile upstream of the confluence of Rio Hondo and Los Angeles River, 1.5 miles west of Downey.

REGULATION - Partially regulated by Sierra Madre, Santa Anita, Sawpit, Eaton, Santa Fe, and Whittier Narrows Dams, several debris basins, and spreading grounds.

DIVERSION - None.

CHANNEL - Concrete with rip-rap side slopes, trapezoidal in section.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F45-R, March 1, 1928 to April 18, 1951; at Station F45B-R, October 31, 1951 to date.



REMARKS - Subject to diversions from Eaton Creek, Monrovia Creek, Sawpit Creek, Little Santa Anita Canyon, and other locations for irrigation and spreading. High flows from San Gabriel River may flow into Rio Hondo above Whittier Narrows Dam.

RUNOFF – STREAM GAGING STATION INFORMATION

RIO HONDO BYPASS

Zone One Ditch

STATION NO. F313B-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading or from footbridge.

DRAINAGE AREA – 445.7 square miles.

LOCATION - On the left (south) bank of the channel 400 feet below diversion headworks.

REGULATION - Flow regulated at headworks installed to divert a portion of Zone I water from the San Gabriel River to Rio Hondo.

DIVERSION - None.

CHANNEL - Soil, sand, and clay.

CONTROL - Artificial controls below station.



LENGTH OF RECORD - October 1, 1953 to October 1, 1963, and from October 1, 1974 to September 30, 1982, and from October 1, 1982 to date.

REMARKS - Used only for Zone I purchased water diverted to Rio Hondo Spreading Grounds.

RUNOFF – STREAM GAGING STATION INFORMATION**RUBIO DIVERSION CHANNEL**

Below Gooseberry Inlet.

STATION NO. F338-R



**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Low flows measured by wading. High flows measured from steel footbridge 27 feet above station.**DRAINAGE AREA** - 2.1square miles.**LOCATION** - On the north bank, 375 feet upstream of Crest Drive, 3.5 miles northeast of Pasadena.**REGULATION** - Flow partially regulated by Rubio and Goosebury Debris Basins.**DIVERSION** - None.**CHANNEL** - Retangular concrete, 12 feet wide and 11 feet deep.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - December 16, 1959 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

RUBIO WASH

At Glendon Way.

STATION NO. F82C-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Low flows measured by wading. High flows measured from footbridge at station.

DRAINAGE AREA - 10.9square miles.

LOCATION - On the east side of channel, 10 feet south of the westerly extension of Glendon Way, Rosemead.

REGULATION - Partly regulated by Las Flores and Rubio debris basins.

DIVERSION - None.

CHANNEL - Concrete, rectangular in section, 48.0 feet wide by 10.5 feet deep.

CONTROL - Channel forms control.

LENGTH OF RECORD - See station summary.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

SAN DIMAS CREEK

Below San Dimas Dam.

STATION NO. F303-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 16.2 square miles.

LOCATION - On the left (east) bank of San Dimas Creek, 350 feet below San Dimas Dam. Elevation of zero gage height 1325 feet.

REGULATION - Flow regulated by San Dimas Dam and partially by old water tunnel 150 feet above station.

DIVERSION - None.

CHANNEL - Natural channel.

CONTROL - A concrete control installed below station to keep low flow at left bank.

LENGTH OF RECORD - December 24, 1951 to date.



REMARKS - Located, constructed and operated by the Los Angeles County Flood Control District.

RUNOFF – STREAM GAGING STATION INFORMATION

SAN DIMAS WASH

Below Puddingstone Diversion.

STATION NO. F218-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA - 19.9 square miles.

LOCATION - On San Dimas type flume about 75 feet west of the southerly end of Puddingstone Diversion Dam about 3 miles northwest of La Verne. Elevation of zero gage height 1126.86 feet

REGULATION - Flow entirely regulated by Puddingstone Diversion Dam, spillway discharge enters wash below the station, inflow into Puddingstone Diversion Dam is regulated by San Dimas Dam.

DIVERSION - San Dimas Water Company diverts water below San Dimas Dam for irrigation.

CHANNEL - Sand and gravel.



CONTROL - 3ft X 3ft San Dimas Type Flume control.

LENGTH OF RECORD - October 1, 1945 to date

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION**SAN GABRIEL RIVER**

Below Santa Fe Dam.



STATION NO. E281-R**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading or from cable car.**DRAINAGE AREA** 236.0 Square miles (Revised)**LOCATION** – 1.7 north of Baldwin Park. Elevation of gage about 400 feet.**REGULATION** - Flow regulated by Santa Fe Dam.**DIVERSION** - There are diversions for irrigation, power development and spreading, discharges over the spillway of Dam flow to the Rio Hondo and are not recorded at this station, five gated openings on the west side of the stilling basin may divert flow to a diversion canal to the Rio Hondo. Such diversions are measured at station F280-R, Santa Fe Channel.**CHANNEL** - A stilling basin located in the outlet channel immediately below Santa Fe Dam.**CONTROL** - 194.84 foot concrete overflow section to the San Gabriel River and 5 gated openings to the Rio Hondo Diversion Channel.**LENGTH OF RECORD** – February 9, 1943 to date.**REMARKS** – Station operated by USGS. Outflow from Santa Fe Dam may be diverted through Santa Fe Diversion Channel. Refer to Station F280-R.

RUNOFF – STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

Below Cogswell Dam.

STATION NO. F209-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 41.0 square miles.

LOCATION - On the left (northeast) bank of the west fork of the San Gabriel River about 7 miles above junction of the east and west forks and 0.5 mile downstream from Cogswell Dam. Elevation of zero gage height 2083.37 feet.

REGULATION - 40.4 square miles regulated by Cogswell Dam, 0.6 square mile unregulated.

DIVERSION - None.

CHANNEL - Sand, Gravel, and boulders.



CONTROL - Concrete control with low flow notch about 35 feet below the station.

LENGTH OF RECORD - October 1, 1933 to October 1, 1967, and from October 1, 1988 to date.

REMARKS



RUNOFF – STREAM GAGING STATION INFORMATION**SAN GABRIEL RIVER**

At Foothill Blvd.

STATION NO. F190-R**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Wading or from cable car.**DRAINAGE AREA** - 230.0square miles.**LOCATION** - Downstream side of Foothill Boulevard bridge, 2.0 miles west of Azusa.**REGULATION** - Partially regulated by Cogswell, San Gabriel, and Morris Dams.**DIVERSION** - None.**CHANNEL** - Sand, gravel and rock, trapezoidal section with soft bottom.**CONTROL** - Gunited rock stabilizers.**LENGTH OF RECORD** - February 22, 1932 to date.**REMARKS** - Flows may include imported originating at the Metropolitan Water District outlet below Morris Dam.



RUNOFF – STREAM GAGING STATION INFORMATION**SAN GABRIEL RIVER**

Above Florence Avenue.

STATION NO. F262C-R**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading or from cable car.**DRAINAGE AREA** - 215.8square miles.**LOCATION** - 1,400 feet above Florence Avenue, 2.0 miles east of Downey.**REGULATION** - Partially regulated by Cogswell, San Gabriel, Morris, Santa Fe, Big Dalton, San Dimas, Puddingstone Diversion, Puddingstone, Live Oak, Thompson Creek, and Whittier Narrows Dams, Several debris basin, MWD outlets, and several spreading grounds.**DIVERSION** - None.**CHANNEL** - Sand bottom with rip-rap slopes, trapzoidal section.**CONTROL** - Concrete stabilizer.**LENGTH OF RECORD** - At Station F267-R, February 27, 1937 to September 30, 1967; at Station F262B-R, August 6, 1968 to date.**REMARKS** - No recording during 1967-1968 season due to channel construction.

RUNOFF – STREAM GAGING STATION INFORMATION**SAN GABRIEL RIVER**

Below San Gabriel River Pkwy.



STATION NO. F263C-R**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading or from cable car.**DRAINAGE AREA** - 206.3square miles.**LOCATION** - 462.0 feet below San Gabriel River Parkway, 1.4 miles northeast of Pico Rivera.**REGULATION** - Partially regulated by Santa Fe, Big Dalton, Puddingstone Diversion, Puddingstone, and Thompson Creek Dams. Flows may include imported water from several Metropolitan Water District outlets. Water is at times diveted to the Zone one ditch, upstream of Whittier Narrows Dam.**DIVERSION** - None.**CHANNEL** - Rip-rap slopes with sand bottom trapezoidal section.**CONTROL** - Concrete stabilizer.**LENGTH OF RECORD** - At Station F263-R, February 4, 1937 to March 6, 1952; at Station F263B-R, March 6, 1952 to August 9, 1968; at Station F263C-R, August 9, 1968 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

Below Morris Dam.

STATION NO. U8-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 212.4square miles.

LOCATION - 1.1 miles downstream of Morris Dam, 27 miles northeast of Azusa.

REGULATION - All flows regulated by Cogswell Dam, 27 miles northeast of Azusa.

DIVERSION - None.

CHANNEL - Gravel and boulder, natural section.

CONTROL - Concrete control.

LENGTH OF RECORD - May 1894 to date.



REMARKS - Flows up to 90 cfs are at times diverted past the station through the Azusa Conduit, flows at station may include imported water from the MWD outlet below Morris Dam.

RUNOFF – STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

Above Whittier Narrow Dam.

STATION NO. G44B-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Stream gaging.

DRAINAGE AREA - 442 square miles.

LOCATION - On top of Whittier Narrows Dam, San Gabriel side, adjacent to radial gates.

REGULATION - Flows regulated by several reservoirs including Cogswell, San Gabriel, Morris, and Santa Fe Dams.

DIVERSION - Surface flows controlled by Whittier Narrows Dams radial gates; San Gabriel side to Rio Hondo side.

CHANNEL - Natural, rock and gravel.

CONTROL - Concrete and radial gates.

LENGTH OF RECORD - October 1, 1991 to date.



REMARKS -

RUNOFF – STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

Above Spring Street.

STATION NO. F42B-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 231.0 square miles.

LOCATION - 455.0 feet north of Spring Street, 4.0 miles east of Signal Hill, Long Beach.

REGULATION - Partially regulated by Cogswell, San Gabriel, Morris, Santa Fe, Big Dalton, San Dimas, Puddingstone Diversion, Puddingstone, Live Oak, Thompson Creek, and Whittier Narrows Dams, Several debris basins, MWD outlet, and several spreading grounds.

DIVERSION - None.

CHANNEL - Concrete, trapezoidal section with low flow channel.

CONTROL - Channel forms control.

LENGTH OF RECORD - At Station F42-R, February 6, 1928 to May 26, 1964; at Station F42B-R, November 16, 1964 to date.



REMARKS - High flows into Whittier Narrows Reservoir are partially diverted to the Rio Hondo.

RUNOFF – STREAM GAGING STATION INFORMATION

SAN JOSE CHANNEL

Above Workman Mill Road.

STATION NO. F312B-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA - 83.4square miles.

LOCATION - 1,650 feet above Workman Mill Road, 3.0 miles southeast of El Monte.

REGULATION - Partially regulated by Thompson Creek Dam and Pomona Sewage Treatment Plant.

DIVERSION - None.

CHANNEL - Grouted rip-rap side slopes with natural bottom, trapezoidal section.

CONTROL - Rock stabilizer.

LENGTH OF RECORD - September 13, 1955 to date.



REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION

SANTA ANITA WASH

Below Foothill Blvd.

STATION NO. F260C-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA 17.2 square miles.

LOCATION - Approximately 1/4 mile downstream from Foothill Blvd. in Arcadia. Located on the right bank of the Santa Anita Wash.

REGULATION - Flow partially regulated by Big Santa Anita Dam and Sierra Madre Dam.

DIVERSION - About 2 second feet diverted for irrigation at mouth of Santa Anita Canyon. The city of Sierra Madre diverts water from Sierra Madre Wash and Santa Anita Creek for spreading in Sierra Madre Spreading Grounds. The Flood Control District diverts water from Santa Anita Creek for spreading at mouth of Santa Anita Canyon.

CHANNEL - Concrete, rectangular section.

CONTROL - Channel forms control.



LENGTH OF RECORD - October 1, 1935 to October 1, 1938, and from October 1, 1957 to October 1, 1967, and from October 1, 1974 to date.

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION**SANTA ANITA WASH**

At Longden Avenue.

STATION NO. F193B-R



**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Wading or from bridge.**DRAINAGE AREA** - 18.8square miles.**LOCATION** - 30.0 feet above Longden Avenue, 1.5 miles south of Arcadia.**REGULATION** - Regulated by Santa Anita and Sierra Madre Dams, and Santa Anita Debris Basin.**DIVERSION** - None.**CHANNEL** - Concrete, rectangular section, 35.0 feet wide by 14.0 feet deep.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - At Station F193-R, April 25, 1932 to March 1, 1938; at Station F193B-R, January 5, 1960 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

SANTA CLARA RIVER

At Old Road Bridge.

STATION NO. F92C-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Stream Gaging or from bridge.

DRAINAGE AREA - 410.4square miles.

LOCATION - Downstream side of Old Highway bridge, 3 miles west of Saugus.

REGULATION - Partially regulated by Bouquet Canyon and Dry Canyon Reservoirs.

DIVERSION - None.

CHANNEL - Sand and gravel with brush, natural section.

CONTROL - None.

LENGTH OF RECORD - At Station F92-R, January 18, 1930 to March 28, 1938, and September 24, 1956 to date; at Station F92B-R, October 1, 1938 to September 24, 1956.

REMARKS - Subject to diversions for irrigation.

RUNOFF – STREAM GAGING STATION INFORMATION

SANTA CLARA RIVER

Above Lang Railroad Station.

STATION NO. F93B-R



CROSS-SECTION

NOT AVAILABLE

RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT Wading

DRAINAGE AREA 157.0square miles.

LOCATION On right bank, 0.2 mi from railroad bridge, 1.8 mi downstream from Agua Dulce Canyon, and 1.0 mi southeast of Lang.

REGULATION None.

DIVERSION Small diversions for irrigation and recreation above station.

CHANNEL Sand, gravel, and rock, natural section.



CONTROL None.

LENGTH OF RECORD February 2002 to date.

REMARKS



RUNOFF – STREAM GAGING STATION INFORMATION**SANTA FE DIVERSION CHANNEL**

Below Santa Fe Dam.

STATION NO. F280-R**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Wading or from footbridge.**DRAINAGE AREA** - Controlled square miles.**LOCATION** - 400.0 feet downstream of Santa Fe Dam outlet and 1.5 miles north of Baldwin Park.**REGULATION** - Flow regulated by five gates of stilling basin outlet of Santa Fe Dam.**DIVERSION** - None.**CHANNEL** - Sand and gravel, natural section.**CONTROL** - Concrete stabilizer.**LENGTH OF RECORD** - At Station F280-S, October 1, 1942 to May 12, 1944; at Station F280-R, May 12, 1944 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION**SANTIAGO CANYON CREEK**

Above Little Rock Creek.



STATION NO. F125-R**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading**DRAINAGE AREA** - 11.2square miles.**LOCATION** - 1,000 feet above Little Creek and 4.5 miles south of Little Rock.**REGULATION** - None.**DIVERSION** - None.**CHANNEL** - Sand, gravel and boulders.**CONTROL** - Concrete and rubble wall.**LENGTH OF RECORD** - September 29, 1953 to date.**REMARKS** - No high flow measurements.

RUNOFF – STREAM GAGING STATION INFORMATION

SAWPIT CREEK

Below Sawpit Dam.

STATION NO. F278-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from footbridge.

DRAINAGE AREA 3.3 square miles.

LOCATION - On the right (north) side of the stream, about 500 feet downstream from Sawpit Dam and about 2.5 miles north of Monrovia. Elevation of gage 1199.27 feet.

REGULATION - Flow regulated by Sawpit Dam, station F278-R measures outlet discharge, spillway discharge enters Sawpit Creek below the station.

DIVERSION - City of Monrovia diverts flow above Sawpit Dam.

CHANNEL - Sand and gravel



CONTROL - A broad-crested weir forms the control.

LENGTH OF RECORD - October 1, 1941 to date.

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION**SAWPIT WASH**

Below Live Oak Avenue.



STATION NO. F194B-R**RECORDER** - 5 min. interval data logger.**METHOD OF MEASUREMENT** - Wading from footbridge.**DRAINAGE AREA** - 16.1square miles.**LOCATION** - 1,500 feet below Live Oak Ave, 3.0 miles south of Monrovia.**REGULATION** - Partially regulated by Sawpit and Santa Fe Dams, and several debris basins.**DIVERSION** - None.**CHANNEL** - Concrete, rectangular section, 35.0 feet wide by 15.0 feet deep.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - At Station F194-R, February 22, 1932 to September 1, 1935; at Station F194B-R, December 5, 1960 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

THOMPSON CREEK

Below Thompson Creek Dam.

STATION NO. F32B-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading

DRAINAGE AREA 3.7 square miles.

LOCATION - On the left (east) bank about 300 feet below Thompson Creek Dam tunnel outlet and about 2.5 miles north of Claremont. Elevation of zero gage height 1579.94 feet.

REGULATION - Inflow to Thompson Creek Dam from Cobal and Palmer Canyons can be directed through a 3-ft X 3-ft outlet tunnel to Thompson Creek Spreading Grounds.

DIVERSION - Flow through the diversion tunnel can be controlled by tow slide gates so that any flow in excess of the capacity of gate openings is passed over a spillway back to the reservoir, flow through the 24 inch outlet valve passes the station, discharged over the spillway of the dam would not be recorded at this station.

CHANNEL - San Dimas type flume.



CONTROL - None.

LENGTH OF RECORD - October 1, 1945 to date.

REMARKS

RUNOFF – STREAM GAGING STATION INFORMATION**TOPANGA CREEK**



Above mouth of canyon.

STATION NO. F54C-R**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading**DRAINAGE AREA** - 18.0square miles.**LOCATION** - Downstream side to Topanga Canyon Road bridge, 2.0 miles north of Topanga Beach.**REGULATION** - None.**DIVERSION** - None.**CHANNEL** - Rock and gravel, natural section.**CONTROL** - None.**LENGTH OF RECORD** - At Station F54-R, January 1, 1930 to June 4, 1940; at Station F54B-R, June 5, 1940 to January 31, 1990; at Station 54C-R, October 1, 1997 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION**VERDUGO WASH**

At Estelle Avenue.

STATION NO. F252-R



**RECORDER** - Continuous water stage.**METHOD OF MEASUREMENT** - Wading or from Concord Street bridge.**DRAINAGE AREA** - 26.8square miles.**LOCATION** - 800 feet east of San Fernando Road, 2.0 miles northwest of Glendale.**REGULATION** - Partially regulated by several debris basins.**DIVERSION** - None.**CHANNEL** - Concrete, rectangular section.**CONTROL** - Channel forms control.**LENGTH OF RECORD** - December 2, 1935 to date.**REMARKS**

RUNOFF – STREAM GAGING STATION INFORMATION

WALNUT CREEK

Above Puente Avenue.

STATION NO. F304-R



RECORDER - 5 min. interval data logger.

METHOD OF MEASUREMENT - Wading or from footbridge.

DRAINAGE AREA - 57.6 square miles.

LOCATION - 845.0 feet upstream of Puente Avenue bridge, Baldwin park.

REGULATION - Partially regulated by San Dimas, Puddingstone Diversion, Puddingstone, and Live Oak Dams.

DIVERSION - None.

CHANNEL - Concrete, rectangular section.

CONTROL - Channel forms control.

LENGTH OF RECORD - October 14, 1952 to April 11, 1961, January 3, 1962 to date.



REMARKS - No record during April 11, 1961 to January 3, 1962 due to channel construction

RUNOFF – STREAM GAGING STATION INFORMATION

WALNUT CREEK

Below Puddingstone Dam.

STATION NO. F40-R



RECORDER - Continuous water stage.

METHOD OF MEASUREMENT - Wading or from cable car.

DRAINAGE AREA 33.2 square miles.

LOCATION - On the right (east) bank about 1000 feet below Puddingstone Dam near San Dimas. Elevation of zero gage height 824.90 feet.

REGULATION - Flow regulated by Puddingstone Dam.

DIVERSION - San Dimas Water Company diverts outflow from Dam above the station and also releases water to Puddingstone Diversion channel at Juanita street station F307-R, for purchase by Los Angeles County Parks and Recreation Department.

CHANNEL - Sand and gravel.

CONTROL - Concrete stabilizer.

LENGTH OF RECORD - October 1, 1931 to date.

REMARKS

APPENDIX C

HYDROLOGIC REPORT 2007 – 2008

RUNOFF – DAILY DISCHARGE

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F81D Alhambra Wash Near Klingerman Street
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.32	2.85	10.2	1.99	1.77	1.46	2.12	3.82	1.93	2.14	2.69	1.67
2	2.42	2.87	4.37	2.50	1.77	1.25	2.29	3.97	2.03	3.17	2.19	1.80
3	2.42	2.77	3.10	2.42	33.7	1.25	2.79	3.53	3.31	2.88	2.13	1.76
4	2.49	2.57	2.80	596	3.88	1.25	2.42	3.28	2.48	1.95	2.38	1.74
5	5.20	3.01	2.80	260	2.10	1.26	2.53	3.46	2.86	1.89	3.48	1.77
6	2.72	3.21	2.44	173	1.77	1.25	2.42	3.96	2.02	2.10	4.67	1.73
7	2.75	3.15	123	25.5	1.77	1.30	2.42	3.96	1.83	1.96	3.39	1.68
8	3.12	3.21	6.14	4.51	3.31	1.25	2.61	3.87	1.67	2.20	1.91	1.73
9	2.72	3.29	4.47	2.46	2.58	1.25	3.08	3.20	2.76	2.86	1.46	1.84
10	3.81	3.21	2.76	1.77	3.98	1.25	2.80	3.01	2.53	3.22	1.42	1.77
11	3.29	3.09	2.11	1.77	6.61	1.28	2.97	2.92	2.63	3.14	1.57	1.68
12	9.36	2.94	1.77	2.23	.83	1.41	2.80	3.06	2.29	2.48	1.62	1.39
13	71.4	3.04	1.86	2.28	.05	1.38	2.80	3.23	2.17	2.73	1.70	1.30
14	3.44	3.49	1.77	1.83	37.5	1.39	2.80	4.10	1.81	2.68	1.73	1.37
15	3.29	3.57	2.32	2.75	1.84	5.35	2.97	4.67	2.87	2.61	2.21	1.37
16	2.77	4.47	2.74	2.45	1.25	2.64	3.20	4.44	1.88	2.88	1.73	1.56
17	2.29	5.14	2.43	2.10	1.15	1.58	2.80	4.30	2.28	3.12	1.66	2.13
18	2.56	5.98	131	2.01	1.16	1.50	2.95	4.31	2.05	2.66	1.68	1.67
19	2.03	6.30	135	2.32	1.19	1.50	2.88	4.48	2.65	2.40	1.72	1.41
20	1.84	5.55	5.55	3.48	14.2	1.65	2.80	4.46	2.35	2.49	1.72	1.62
21	1.77	5.39	4.04	2.49	5.87	1.87	3.02	4.43	1.95	2.67	1.58	1.58
22	1.70	5.07	2.09	10.6	58.6	1.77	3.19	27.0	1.86	3.17	2.24	1.39
23	1.75	4.82	1.77	141	4.81	1.62	2.93	20.7	1.78	2.99	1.89	1.68
24	1.77	4.47	1.66	114	63.5	1.70	3.02	4.25	2.05	2.45	1.83	2.09
25	2.03	5.27	1.77	248	3.80	2.10	3.21	2.11	2.10	2.57	1.86	2.25
26	2.96	5.03	1.62	61.6	1.58	2.31	3.18	1.64	1.77	2.08	1.98	1.71
27	3.31	5.13	1.44	340	1.55	2.30	3.87	1.63	1.77	1.77	2.00	1.55
28	3.76	5.26	1.77	66.7	1.54	2.28	3.41	1.59	1.89	1.77	1.77	1.50
29	3.21	5.25	1.93	5.44	1.65	2.41	3.60	2.05	1.87	1.77	1.79	1.83
30	3.25	151	1.93	4.15	-----	2.54	3.65	2.05	2.66	2.06	1.72	2.19
31	3.06	-----	1.95	2.12	-----	2.39	-----	2.18	-----	2.30	1.63	-----
Total	160.81	270.40	470.60	2089.47	265.31	55.74	87.53	145.66	66.10	77.16	63.35	50.76
Mean	5.19	9.01	15.2	67.4	9.15	1.80	2.92	4.70	2.20	2.49	2.04	1.69
Max	71.4	151	135	596	63.5	5.35	3.87	27.0	3.31	3.22	4.67	2.25
Min	1.70	2.57	1.44	1.77	.05	1.25	2.12	1.59	1.67	1.77	1.42	1.30
Acre-Ft	319	536	933	4140	526	111	174	289	131	153	126	101
Wtr Year 2008	Total	3802.89	Mean	10.4	Max	596	Min	.05	Inst Max	5560	Acre-Ft	7540
Cal Year 2007	Total	3226.31	Mean	8.84	Max	194	Min	1.44	Inst Max	2550	Acre-Ft	6400

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F317 Arcadia Wash Below Grand Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.99	2.15	2.79	1.19	1.39	1.52	1.26	.79	.29	.24	.23	1.18
2	1.76	2.02	1.51	1.22	1.31	1.33	1.06	.80	.22	.26	.27	1.35
3	1.70	2.11	1.60	1.40	56.9	1.15	1.08	.76	.20	.26	.24	.70
4	1.73	2.22	1.54	381	1.71	1.69	1.12	.84	.19	.36	.30	.73
5	1.83	2.36	1.69	205	1.33	2.16	1.03	.88	.29	.27	.29	.75
6	1.75	2.39	12.4	145	1.21	2.10	.93	.84	.19	.30	.24	.85
7	1.62	2.17	86.9	27.1	1.25	2.15	1.02	1.02	.18	.28	.26	.78
8	1.83	1.99	3.46	2.37	1.53	2.27	.96	.91	.18	.20	.27	.76
9	2.10	2.13	2.66	1.53	1.21	2.20	.88	.88	.28	.21	.26	.71
10	2.11	2.12	1.74	1.26	1.18	2.12	2.50	.98	.42	.29	.28	.75
11	2.06	1.98	1.82	1.36	1.31	2.12	5.07	.95	.32	.27	.28	.71
12	6.89	2.06	1.69	1.27	1.27	2.27	4.89	1.27	.38	.29	.31	.74
13	47.1	2.17	1.50	1.13	1.35	2.26	4.77	1.12	.28	.28	.23	.89
14	2.13	1.82	1.14	1.39	36.8	2.32	5.24	.81	.27	.26	.26	.79
15	1.99	2.18	1.24	1.66	1.38	24.3	5.51	.51	.27	.30	.27	.79
16	1.75	2.04	1.14	1.25	1.30	2.82	6.00	.62	.37	.25	.28	.74
17	1.69	2.17	1.11	1.36	1.23	2.09	6.62	.71	.28	.23	.39	.87
18	1.85	2.14	89.2	1.78	1.29	2.90	6.83	.59	.33	.21	.31	.77
19	1.80	2.16	82.2	1.28	1.25	2.23	6.99	.52	.35	.27	.25	.77
20	1.70	2.02	19.6	1.23	23.5	2.30	8.07	.55	.32	.25	.27	.78
21	1.72	2.04	1.71	1.35	5.79	2.17	5.57	.47	.37	.32	.51	.69
22	2.03	1.84	1.12	8.37	43.6	2.24	1.30	37.1	.41	.49	.82	.81
23	2.61	1.75	1.11	88.0	3.30	2.12	1.33	77.8	.34	.30	.97	.79
24	2.58	1.76	1.19	91.6	68.9	2.19	1.28	.45	.23	.25	.75	1.08
25	2.03	1.96	1.05	202	2.48	2.36	1.15	.19	.21	.22	.82	.82
26	1.98	2.01	1.17	25.4	1.18	2.55	1.22	.19	.29	.22	.73	.79
27	2.14	1.79	1.79	230	1.18	2.64	1.18	.14	.26	.25	.84	.87
28	2.01	1.83	1.14	63.7	1.25	2.50	1.63	.15	.23	.28	.83	.76
29	2.16	1.72	1.22	1.89	1.35	2.51	1.75	.17	.30	.26	.79	2.57
30	2.02	104	1.28	1.30	-----	10.0	1.45	.17	.28	.26	.80	.69
31	2.53	-----	1.30	1.16	-----	1.90	-----	.20	-----	.24	.77	-----
Total	111.19	163.10	331.01	1495.55	268.73	97.48	89.69	133.38	8.53	8.37	14.12	26.28
Mean	3.59	5.44	10.7	48.2	9.27	3.14	2.99	4.30	.28	.27	.46	.88
Max	47.1	104	89.2	381	68.9	24.3	8.07	77.8	.42	.49	.97	2.57
Min	1.62	1.72	1.05	1.13	1.18	1.15	.88	.14	.18	.20	.23	.69
Acre-Ft	221	324	657	2970	533	193	178	265	17	17	28	52
Wtr Year 2008	Total	2747.43	Mean	7.51	Max	381	Min	.14	Inst Max	3820	Acre-Ft	5450
Cal Year 2007	Total	1218.67	Mean	3.34	Max	116	Min	.04	Inst Max	950	Acre-Ft	2420

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F277 Arroyo Seco Below Devil'S Gate Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.16	.62	2.24	1.85	52.9	5.63	7.66	8.28	2.60	2.87	.87	2.09
2	.15	.93	1.82	1.76	25.3	5.62	7.75	8.23	2.60	2.86	1.22	1.90
3	.15	.73	1.85	1.39	52.8	5.16	7.75	8.31	2.72	2.88	1.11	1.83
4	.16	.78	.70	477	29.9	5.20	7.74	8.35	2.76	2.59	.99	1.67
5	.18	.87	.34	287	9.43	5.45	7.60	8.22	3.03	2.03	1.02	1.64
6	.17	1.03	1.27	391	6.08	5.23	7.49	8.09	3.15	1.56	1.40	1.57
7	.17	1.15	89.5	33.2	6.52	5.34	7.37	8.13	3.32	1.74	1.35	1.37
8	.18	1.24	1.27	0	7.80	5.53	7.29	8.06	3.46	1.55	1.30	1.24
9	.20	1.35	1.65	1.16	8.69	5.94	7.19	7.75	3.79	1.19	1.25	1.26
10	.21	1.36	1.20	2.57	7.60	6.11	7.38	7.78	4.30	1.36	1.20	1.07
11	.26	1.45	1.46	2.90	6.23	6.40	7.39	7.41	4.17	1.49	1.16	.93
12	.29	1.60	1.18	3.06	6.10	6.91	7.29	6.92	4.51	1.62	1.11	.68
13	25.6	1.06	1.30	3.14	6.36	7.18	7.53	7.19	4.60	1.73	1.07	.83
14	.28	.62	1.24	120	7.18	7.34	7.84	6.93	4.30	1.84	1.02	.66
15	.30	.78	1.23	144	8.50	10.5	7.63	7.02	3.84	1.94	.98	.73
16	.31	.93	1.36	184	5.55	6.82	7.85	6.95	4.21	2.06	.94	.68
17	.31	1.12	1.49	8.66	5.54	6.74	7.70	6.60	3.90	2.04	.90	.68
18	.30	1.29	70.2	5.55	5.80	6.77	7.83	6.53	3.96	1.47	.86	.78
19	.32	1.05	91.1	5.05	5.63	6.91	8.09	6.32	3.78	1.64	.82	.67
20	.36	.98	3.15	4.95	8.83	6.93	7.81	5.92	3.15	1.49	1.32	.51
21	.34	1.32	2.09	5.02	8.19	7.12	7.82	5.76	2.74	1.38	1.39	.54
22	.27	1.08	1.68	4.95	22.0	7.26	7.79	20.2	2.52	1.40	1.35	.48
23	.30	1.26	1.70	108	6.16	7.40	7.75	25.7	2.50	1.51	1.26	.55
24	.65	1.33	1.88	157	41.9	7.66	7.62	4.52	2.66	1.83	1.37	.66
25	.38	1.49	1.72	573	15.9	8.20	7.63	3.64	2.47	1.72	1.67	.85
26	.63	1.66	1.66	319	6.96	7.80	7.74	3.48	2.55	.63	1.81	.79
27	.41	1.73	1.60	620	7.31	7.79	7.75	3.58	2.75	.58	1.78	.63
28	.45	1.90	1.62	658	7.18	8.05	7.88	3.44	2.69	.81	1.78	.79
29	.58	2.05	2.05	537	6.18	8.14	8.16	3.14	2.76	.75	1.95	.57
30	.82	44.0	1.90	296	-----	9.13	8.35	2.98	2.75	.80	2.14	.79
31	.60	-----	1.95	83.9	-----	7.63	-----	2.78	-----	.81	2.09	-----
Total	35.49	78.76	295.40	5040.11	394.52	213.89	230.67	228.21	98.54	50.17	40.48	29.44
Mean	1.14	2.63	9.53	163	13.6	6.90	7.69	7.36	3.28	1.62	1.31	.98
Max	25.6	44.0	91.1	658	52.9	10.5	8.35	25.7	4.60	2.88	2.14	2.09
Min	.15	.62	.34	0	5.54	5.16	7.19	2.78	2.47	.58	.82	.48
Acre-Ft	70	156	586	10000	783	424	458	453	195	100	80	58
Wtr Year 2008	Total	6735.68	Mean	18.4	Max	658	Min	0	Inst Max	6480	Acre-Ft	13360
Cal Year 2007	Total	2427.57	Mean	6.65	Max	209	Min	.08	Inst Max	1380	Acre-Ft	4820

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 06/01/2010

Summary Report

Site: F38C Ballona Creek Above Sawtelle Boulevard
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	26.9	28.0	44.9	35.1	147	41.9	80.3	364	65.5	29.1	33.3	117
2	28.0	28.1	31.6	36.7	146	43.4	82.1	306	72.2	29.5	32.7	97.8
3	28.7	28.8	31.5	36.2	489	136	89.4	240	64.0	28.2	28.3	89.8
4	30.3	29.3	32.4	2040	157	207	96.1	175	64.6	29.0	26.9	93.6
5	27.8	30.8	31.4	827	157	193	103	118	57.9	30.4	24.0	90.8
6	30.4	31.3	31.4	963	151	154	111	65.2	52.1	35.7	22.8	84.7
7	29.5	31.9	544	246	123	86.9	118	27.6	56.4	46.8	19.3	84.9
8	27.9	33.0	49.6	48.7	33.0	81.8	126	16.7	65.3	53.5	16.6	88.8
9	32.4	35.4	34.8	41.7	34.1	81.0	134	9.82	75.5	58.6	17.3	86.4
10	28.1	37.2	36.3	37.7	38.1	84.1	142	9.70	79.2	57.2	20.9	77.4
11	27.1	36.8	37.6	36.9	38.6	86.9	150	10.4	65.0	49.6	21.1	75.8
12	313	40.0	34.5	36.3	36.4	88.0	158	7.67	60.6	42.8	22.3	73.2
13	661	39.8	32.9	35.2	33.5	89.1	166	9.10	62.7	36.9	20.8	73.7
14	24.3	37.7	32.6	39.1	44.9	90.4	175	9.68	72.8	21.6	21.9	71.2
15	24.0	38.4	34.5	37.9	37.1	90.7	183	4.28	71.9	13.3	21.1	66.8
16	23.5	32.0	34.2	44.4	38.0	91.8	192	5.70	82.8	12.3	20.8	63.8
17	24.8	37.3	34.1	43.4	43.0	93.2	201	7.23	100	11.3	21.1	64.1
18	24.5	31.3	883	49.0	43.7	95.6	210	9.36	111	11.3	23.0	63.8
19	24.2	34.2	808	38.8	43.7	99.8	219	11.6	108	11.2	18.8	56.2
20	23.0	35.4	47.2	38.3	172	102	228	15.1	113	11.1	18.3	59.7
21	24.0	33.8	45.0	53.6	151	106	238	18.1	151	12.4	28.0	56.6
22	26.4	33.5	31.5	172	743	105	248	27.3	90.7	12.4	42.4	55.9
23	30.8	37.6	30.6	1160	51.0	104	258	26.2	78.4	14.4	43.3	41.3
24	26.2	39.5	32.0	899	829	129	268	34.2	55.9	15.1	47.0	41.5
25	25.0	40.9	31.3	2570	45.7	109	279	23.2	36.7	17.0	49.9	43.3
26	25.2	44.8	32.5	638	38.8	110	289	30.0	28.2	17.2	49.2	52.9
27	25.0	38.0	35.0	1850	36.3	97.8	300	40.8	27.0	17.4	48.8	50.6
28	25.2	40.2	34.5	507	37.6	94.3	311	41.6	26.4	18.3	55.6	57.1
29	25.6	40.5	35.4	170	39.8	92.0	323	44.2	30.9	20.5	69.6	42.8
30	27.2	654	35.7	159	-----	92.6	334	43.4	31.8	22.0	41.4	23.4
31	27.2	-----	35.6	151	-----	87.1	-----	43.4	-----	28.1	55.9	-----
Total	1747.2	1679.5	3225.6	13041.0	3978.3	3163.4	5811.9	1794.54	2057.5	814.2	982.4	2044.9
Mean	56.4	56.0	104	421	137	102	194	57.9	68.6	26.3	31.7	68.2
Max	661	654	883	2570	829	207	334	364	151	58.6	69.6	117
Min	23.0	28.0	30.6	35.1	33.0	41.9	80.3	4.28	26.4	11.1	16.6	23.4
Acre-Ft	3470	3330	6400	25870	7890	6270	11530	3560	4080	1610	1950	4060
Wtr Year 2008	Total	40340.44	Mean	110	Max	2570	Min	4.28	Inst Max	11900	Acre-Ft	80010
Cal Year 2007	Total	19829.1	Mean	54.3	Max	919	Min	22.8	Inst Max	8010	Acre-Ft	39330

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F120B Big Dalton Creek Below Big Dalton Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.31	.30	.39	.40	.77	.22	.11	.20	.56	.70	.30	.10
2	.60	.30	.32	.45	.70	.20	.12	.20	.60	.62	.30	.10
3	.42	.25	.20	.37	1.01	.18	.13	.20	.60	.60	.30	.10
4	.40	.20	.20	.42	.80	.18	.10	.27	.60	.60	.30	.10
5	.40	.20	.13	3.48	.70	.16	.17	.30	.60	.60	.26	.10
6	.40	.20	.16	.97	1.20	.14	.20	.30	.70	.60	.20	.10
7	.33	.20	.58	1.04	1.19	.16	.25	.35	.78	.60	.20	.10
8	.30	.21	.52	.97	.97	.17	.20	.39	.80	.60	.20	.10
9	.30	.29	.43	.70	.93	.17	.20	.30	2.42	.55	.20	.10
10	.38	.23	.40	.53	.89	.21	.20	.23	10.0	.50	.20	.09
11	.37	.12	.40	.59	.85	.22	.20	.20	20.6	.50	.20	.07
12	.40	.10	.40	.56	.81	.27	.20	.20	15.1	.50	.20	.03
13	.32	.05	.37	.58	.77	.31	.20	.20	14.4	.50	.20	.01
14	.25	.07	.30	.60	.73	.30	.14	.20	2.27	.50	.20	0
15	.22	.16	.30	.56	.69	.30	.10	.20	1.11	.47	.20	0
16	.28	.20	.30	.50	.65	.30	.15	.20	1.00	.40	.20	0
17	.20	.23	.30	.40	.61	.30	.21	.14	1.00	.40	.20	0
18	.20	.32	.32	.40	.57	9.74	.20	.13	1.00	.40	.20	0
19	.20	.46	.56	.35	.53	12.9	.20	.23	1.00	.40	.20	0
20	.20	.44	.50	.40	.50	10.1	.20	.26	1.00	.40	.20	0
21	.20	.48	.49	.46	.46	5.81	.20	.26	1.00	.40	.20	0
22	.21	.50	.55	.39	.42	2.38	.20	.26	.98	.40	.20	0
23	.30	.47	.50	.30	.38	1.56	.20	.74	.90	.40	.20	0
24	.25	.40	.45	.41	.34	1.52	.20	.40	.90	.40	.16	0
25	.21	.46	.40	.93	.30	1.39	.20	.40	.80	.40	.10	0
26	.24	.41	.40	.48	.26	1.46	.14	.41	.80	.40	.10	0
27	.31	.37	.40	2.10	.22	.97	.10	.40	.80	.40	.10	0
28	.29	.28	.40	4.27	.20	.13	.10	.45	.80	.37	.10	0
29	.30	.20	.40	2.24	.20	.10	.15	.49	.71	.30	.10	0
30	.38	.36	.40	1.60	-----	.15	.19	.50	.70	.30	.10	0
31	.34	-----	.42	1.04	-----	.10	-----	.50	-----	.30	.10	-----
Total	9.51	8.46	11.89	28.49	18.65	52.10	5.16	9.51	84.53	14.51	5.92	1.10
Mean	.31	.28	.38	.92	.64	1.68	.17	.31	2.82	.47	.19	.037
Max	.60	.50	.58	4.27	1.20	12.9	.25	.74	20.6	.70	.30	.10
Min	.20	.05	.13	.30	.20	.10	.10	.13	.56	.30	.10	0
Acre-Ft	19	17	24	57	37	103	10	19	168	29	12	2.2
Wtr Year 2008	Total	249.83	Mean	.68	Max	20.6	Min	0	Inst Max	127	Acre-Ft	496
Cal Year 2007	Total	411.05	Mean	1.13	Max	13.1	Min	.05	Inst Max	22.2	Acre-Ft	815

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F394 Big Rock Creek Upstream from Pallett Creek
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.02	1.02	12.6	.50	11.5	14.4	16.4	12.6	16.1	5.81	7.78	4.27
2	1.09	1.06	8.73	.75	9.34	17.3	22.2	13.1	15.7	5.12	7.34	3.99
3	1.20	1.06	3.96	.98	7.09	16.9	12.4	13.7	15.7	4.89	6.70	3.86
4	1.20	1.12	1.56	1.19	5.66	15.9	14.0	14.2	15.7	4.88	6.94	3.81
5	1.20	1.33	1.74	104	3.78	15.2	13.3	14.8	14.5	4.81	6.90	3.73
6	1.15	.85	1.32	36.7	3.41	20.6	12.5	12.8	14.4	4.93	6.24	3.78
7	1.00	1.04	.65	9.72	3.41	21.3	11.7	11.4	14.1	5.09	5.51	3.80
8	1.00	1.04	1.17	8.92	3.41	17.7	10.9	12.0	13.3	5.65	5.13	3.91
9	1.08	1.28	1.20	8.76	2.75	16.5	12.6	12.3	12.6	5.80	4.78	3.95
10	1.07	1.62	1.19	8.61	2.67	15.0	14.5	12.9	12.3	5.71	4.33	3.99
11	1.00	1.20	1.15	8.46	2.22	13.6	14.5	13.7	12.0	5.90	4.31	4.12
12	3.03	1.35	1.07	7.62	2.27	13.4	14.5	14.0	11.0	6.82	3.92	4.07
13	4.51	1.33	1.16	6.92	1.91	13.9	14.5	14.2	10.9	7.92	4.03	4.06
14	.96	1.38	1.06	6.19	1.20	12.6	14.6	14.2	10.7	7.69	4.36	4.01
15	.71	1.36	1.14	6.03	1.20	13.1	14.5	14.4	10.0	7.22	3.83	3.96
16	.82	1.37	1.20	5.63	1.20	12.1	14.5	14.0	9.37	7.30	3.73	4.63
17	.84	1.26	1.20	5.63	1.20	11.8	14.5	14.4	9.14	6.87	3.77	4.47
18	.85	1.26	1.20	5.63	1.20	13.8	14.5	14.3	9.06	6.27	3.77	4.68
19	.82	1.15	1.77	5.37	1.20	12.3	14.5	14.5	8.77	6.34	3.82	4.59
20	1.54	1.12	2.71	5.63	2.22	10.8	14.5	13.9	7.89	6.73	4.04	6.16
21	2.18	1.16	2.47	5.63	2.88	10.6	14.5	14.5	7.73	6.50	3.96	5.96
22	2.12	1.64	1.74	5.63	2.51	11.1	14.5	14.5	7.69	5.63	3.92	5.85
23	1.37	1.51	1.87	6.67	2.28	11.1	14.5	17.0	7.66	5.86	3.86	4.79
24	1.34	1.48	2.27	7.85	4.28	11.5	14.5	15.5	7.76	5.86	3.74	4.62
25	1.03	1.20	2.10	10.6	29.7	11.5	14.5	14.7	7.17	6.26	3.91	4.65
26	.86	1.18	1.50	10.1	38.0	11.8	14.5	14.5	6.81	6.60	3.68	4.34
27	.76	1.13	1.30	386	42.9	12.4	14.5	14.3	6.37	6.34	3.75	4.41
28	.75	1.10	3.07	130	53.7	12.7	14.5	13.3	6.40	6.97	3.67	4.51
29	.84	1.92	3.42	42.7	51.6	12.9	14.5	13.2	6.29	7.25	3.68	5.90
30	.87	16.5	2.75	13.5	-----	13.4	13.4	12.9	6.29	7.33	3.78	6.48
31	.99	-----	1.42	12.2	-----	13.3	-----	12.6	-----	7.70	4.00	-----
Total	39.20	53.02	71.69	874.12	296.69	430.5	429.5	428.4	313.40	194.05	143.18	135.35
Mean	1.26	1.77	2.31	28.2	10.2	13.9	14.3	13.8	10.4	6.26	4.62	4.51
Max	4.51	16.5	12.6	386	53.7	21.3	22.2	17.0	16.1	7.92	7.78	6.48
Min	.71	.85	.65	.50	1.20	10.6	10.9	11.4	6.29	4.81	3.67	3.73
Acre-Ft	78	105	142	1730	588	854	852	850	622	385	284	268
Wtr Year 2008	Total	3409.10	Mean	9.31	Max	386	Min	.50	Inst Max	742	Acre-Ft	6760
Cal Year 2007	Total	1320.79	Mean	3.62	Max	16.5	Min	.65	Inst Max	32.3	Acre-Ft	2620

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F168 Big Tujunga Creek Below Big Tujunga Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.60	24.7	10.4	10.2	183	78.7	5.98	.28	.04	10.9	9.33	1.39
2	.68	24.9	10.1	28.9	190	66.5	3.96	.33	.02	11.7	8.48	1.56
3	.71	24.9	9.69	28.4	178	57.9	3.90	.17	.01	11.6	7.39	1.47
4	.70	24.7	9.42	10.3	183	50.9	3.36	.10	0	11.5	6.15	2.04
5	.71	24.6	9.38	22.2	96.9	44.5	3.09	.11	0	11.4	5.32	1.99
6	.75	24.4	9.26	25.3	72.2	41.9	.86	.09	0	11.3	4.71	1.62
7	.68	24.2	9.92	29.0	53.7	41.0	.55	.07	0	11.4	4.24	1.46
8	.59	23.5	9.27	30.1	48.4	40.3	.41	.10	0	11.1	3.85	0
9	.48	19.1	8.59	27.9	49.3	40.2	.25	.20	0	11.0	3.52	0
10	.38	18.6	8.54	24.8	51.8	39.7	.25	.34	0	10.9	3.20	0
11	.32	18.5	8.49	23.7	51.7	36.4	.23	.55	0	10.6	3.16	0
12	.30	18.7	7.79	22.2	48.9	33.4	.22	.64	0	10.4	3.05	0
13	.45	18.7	7.54	21.6	51.3	33.4	.21	.44	0	10.4	2.98	0
14	.62	18.6	7.26	21.4	51.3	33.4	.24	.19	0	10.5	2.96	0
15	.67	20.6	6.93	24.6	45.5	33.4	.50	2.10	0	10.2	2.96	0
16	42.0	23.1	6.79	23.2	41.9	33.3	.43	.71	0	10.1	2.90	0
17	.75	21.1	6.56	23.1	40.0	32.8	.42	.23	0	9.98	2.78	0
18	.62	20.4	6.90	22.8	39.3	32.7	.46	.40	0	9.90	2.91	0
19	.61	20.1	7.04	21.7	39.1	32.7	.47	.20	0	9.86	2.90	0
20	.73	20.0	6.73	14.7	39.2	32.7	.44	.23	0	9.73	2.74	0
21	.89	20.1	6.74	13.9	39.1	32.3	.43	.24	0	9.63	2.72	0
22	.83	20.4	6.04	13.8	38.1	32.1	.42	.24	0	9.70	2.70	0
23	.81	20.8	5.75	14.1	38.6	32.1	.44	.85	1.68	9.57	2.60	0
24	.72	20.9	5.64	15.7	38.2	32.1	.48	.91	14.4	9.44	2.52	0
25	24.9	20.8	5.59	25.1	79.4	31.6	.48	.38	33.0	9.29	2.70	0
26	23.6	20.8	5.59	20.9	81.0	31.5	.46	.30	30.0	9.14	2.53	0
27	23.7	20.3	5.39	251	83.5	31.1	.45	.40	18.8	9.02	2.36	0
28	24.7	20.0	5.30	343	80.0	30.9	.41	.33	9.78	8.87	2.48	0
29	23.7	19.8	5.24	181	78.3	30.5	.34	.27	9.63	8.77	2.44	0
30	25.4	20.6	5.12	174	-----	30.2	.21	.26	9.55	8.60	2.34	.03
31	24.4	-----	5.01	166	-----	27.2	-----	.23	-----	8.46	2.13	-----
Total	227.00	637.9	228.01	1674.6	2110.7	1177.4	30.35	11.89	126.91	314.96	113.05	11.56
Mean	7.32	21.3	7.36	54.0	72.8	38.0	1.01	.38	4.23	10.2	3.65	.39
Max	42.0	24.9	10.4	343	190	78.7	5.98	2.10	33.0	11.7	9.33	2.04
Min	.30	18.5	5.01	10.2	38.1	27.2	.21	.07	0	8.46	2.13	0
Acre-Ft	450	1270	452	3320	4190	2340	60	24	252	625	224	23
Wtr Year 2008	Total	6664.33	Mean	18.2	Max	343	Min	0	Inst Max	672	Acre-Ft	13220
Cal Year 2007	Total	1988.25	Mean	5.45	Max	63.5	Min	.01	Inst Max	115	Acre-Ft	3940

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F377B Bouquet Creek Above Bouquet Canyon Road
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	48.6	0	0	0	0	0	0	0	0
5	0	0	0	37.4	0	0	0	0	0	0	0	0
6	0	0	0	23.5	0	0	0	0	0	0	0	0
7	0	0	1.33	9.98	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	.03	0	0	0	0	0	0	0	0	0	0	0
12	.06	0	0	0	0	0	0	0	0	0	0	0
13	1.46	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	.01	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	3.38	0	0	0	0	0	0	0	0	0
19	0	0	10.9	0	0	0	0	0	0	0	0	0
20	0	0	.01	0	.27	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	17.1	.75	0	0	0	0	0	0	0
24	0	0	0	99.8	1.78	0	0	0	0	0	0	0
25	0	0	0	74.3	0	0	0	0	0	0	0	0
26	0	0	0	15.8	0	0	0	0	0	0	0	0
27	0	0	0	131	0	0	0	0	0	0	0	0
28	0	0	0	48.7	0	0	0	0	0	0	0	0
29	0	.03	0	0	0	0	0	0	0	0	0	0
30	0	2.11	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
Total	1.55	2.14	15.62	506.18	2.81	0	0	0	0	0	0	0
Mean	.050	.071	.50	16.3	.097	0	0	0	0	0	0	0
Max	1.46	2.11	10.9	131	1.78	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	3.1	4.2	31	1000	5.6	0	0	0	0	0	0	0
Wtr Year 2008	Total	528.30	Mean	1.44	Max	131	Min	0	Inst Max	751	Acre-Ft	1050
Cal Year 2007	Total	50.48	Mean	.14	Max	10.9	Min	0	Inst Max	141	Acre-Ft	100

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F329 Bradbury Channel Below Central Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.61	.52	.34	.37	.35	.31	.54	.50	.08	.08	.10	.09
2	.13	.15	.27	.18	.32	.26	.08	.21	.10	.07	.13	.09
3	.12	.36	.29	.21	1.44	.19	.24	.22	.13	.46	.13	.33
4	.13	.34	.13	43.4	.38	.36	.16	.33	.11	.09	.09	.11
5	.19	.33	.17	29.1	.20	.17	.07	.19	.37	.08	.09	.09
6	.17	.37	.50	14.4	.10	.10	.07	.30	.44	.07	.07	.08
7	.14	.49	6.58	2.11	.07	.08	.18	.87	.09	.09	.09	.07
8	.09	.27	.38	1.23	.07	.07	.13	.56	.09	.09	.09	.08
9	.14	.28	.36	.78	.07	.37	.16	.23	.08	.10	.10	.08
10	.14	.07	.27	.10	.07	.07	.38	.07	.09	.16	.16	.14
11	.18	.07	.19	.07	.07	.07	.16	.08	.10	.31	.31	.11
12	.27	.07	.08	.24	.06	.21	.21	.09	.09	1.84	1.84	.16
13	2.04	.09	.11	.12	.07	.18	.11	.17	.10	.65	.65	.21
14	.49	.10	.06	.11	3.18	.26	.14	.09	.16	.30	.30	.19
15	.30	.07	0	.24	.10	.76	.56	.07	.18	.18	.18	.10
16	.07	.16	0	.10	.09	.17	.18	.08	.07	.08	.08	.08
17	.07	.07	.02	.07	.07	.16	.13	.75	.07	.08	.08	.08
18	.26	.03	7.89	.07	.07	.38	.16	.37	.08	.39	.39	.10
19	.07	.06	5.58	.07	.07	.08	.38	.10	.07	.14	.39	.10
20	.07	.07	1.21	.08	.58	.08	.16	.60	.07	.27	.08	.09
21	.07	.07	.48	.10	.29	.08	.21	.58	.07	.09	.08	.16
22	.07	.51	.64	.73	1.08	.07	.11	9.53	.08	.09	.08	.10
23	.22	.61	.71	6.31	.28	.07	.14	15.9	.07	.07	.11	.08
24	.07	.50	.52	9.33	3.21	.14	.10	.81	.08	.07	.24	.08
25	.09	.07	.55	15.5	.13	.43	.09	.60	.07	.07	.08	.10
26	.08	.04	.36	2.18	.30	.07	.07	.59	.07	.10	.08	.08
27	.21	.07	.40	27.5	.22	.07	.07	.57	.08	.14	.09	.09
28	.10	.07	.39	11.7	.11	.05	.07	.33	.08	.09	.07	.09
29	.11	.10	.35	.92	.19	.30	.07	.07	.19	.07	.08	.23
30	.11	6.92	.39	.62	-----	1.19	.23	.08	.12	.07	.08	.40
31	.11	-----	.29	.49	-----	.72	-----	.08	-----	.07	.08	-----
Total	6.92	12.93	29.51	168.43	13.24	7.52	5.36	35.02	3.48	6.46	6.42	3.79
Mean	.22	.43	.95	5.43	.46	.24	.18	1.13	.12	.21	.21	.13
Max	2.04	6.92	7.89	43.4	3.21	1.19	.56	15.9	.44	1.84	1.84	.40
Min	.07	.03	0	.07	.06	.05	.07	.07	.07	.07	.07	.07
Acre-Ft	14	26	59	334	26	15	11	69	6.9	13	13	7.5
Wtr Year 2008	Total	299.08	Mean	.82	Max	43.4	Min	0	Inst Max	376	Acre-Ft	593
Cal Year 2007	Total	199.60	Mean	.55	Max	10.9	Min	0	Inst Max	176	Acre-Ft	396

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F342 Branford Street Channel Below Sharp Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.42	.39	.41	.38	.35	.37	.42	.31	.26	.28	.32	.28
2	.41	.38	.38	.34	.34	.34	.36	.29	.27	.29	.31	.27
3	.44	.41	.36	.37	15.0	.34	.34	.26	.27	.34	.31	.29
4	.46	.44	.31	52.1	.48	.36	.38	.27	.29	.29	.29	.26
5	.37	.39	.33	7.42	.49	.34	.34	.28	.26	.28	.29	.28
6	.36	.39	1.49	24.0	.39	.35	.32	.31	.28	.32	.29	.26
7	.31	.37	8.39	3.81	.34	.36	.31	.30	.28	.29	.29	.27
8	.52	.37	.87	.40	.36	.37	.29	.30	.28	.31	.33	.28
9	.38	.39	.38	.37	.39	.35	.27	.30	.31	.29	.31	.25
10	.38	.37	.33	.36	.39	.34	.29	.27	.30	.38	.30	.27
11	.37	.36	.32	.35	.36	.35	.30	.28	.31	.30	.30	.26
12	4.77	.36	.34	.36	.35	.35	.29	.25	.29	.31	.32	.29
13	9.81	.38	.34	.32	.37	.36	.25	.28	.36	.29	.31	.28
14	.42	.65	.38	.35	.35	.37	.30	.26	.27	.31	.32	.25
15	.40	.37	.42	.36	.36	2.89	.27	.28	.26	.31	.31	.27
16	.39	.45	.36	.37	.39	.42	.29	.25	.30	.29	.32	.26
17	.37	.38	.40	.38	.39	.37	.28	.25	.29	.30	.31	.27
18	.35	.36	18.3	.36	.39	.36	.34	.33	.27	.29	.37	.28
19	.35	.39	6.51	.39	.43	.43	.32	.31	.26	.28	.48	.26
20	.37	.36	1.41	.38	2.97	.35	.27	.30	.30	.30	.28	.27
21	.30	.37	.40	.93	4.02	.35	.34	.28	.30	.29	.29	.27
22	.42	.36	.36	1.55	7.06	.39	.32	.36	.30	.28	.30	.28
23	.33	.33	.36	33.1	1.42	.38	.31	2.75	.29	.30	.37	.26
24	.39	.33	.35	48.3	9.56	.39	.30	1.65	.30	.29	.27	.29
25	.39	.34	.31	46.6	.43	.37	.31	.34	.30	.33	.27	.25
26	.38	.36	.32	22.3	.37	.42	.27	.30	.31	.30	.28	.26
27	.41	.38	.32	64.9	.35	.36	.29	.27	.30	.32	.30	.26
28	.42	.35	.35	20.1	.37	.39	.26	.29	.32	.31	.30	.28
29	.42	.36	.40	.46	.37	.39	.29	.27	.28	.33	.30	.25
30	.40	16.4	.39	.38	-----	.40	.27	.29	.29	.31	.29	.27
31	.39	-----	.52	.35	-----	.37	-----	.28	-----	.33	.36	-----
Total	25.90	27.54	46.11	332.14	48.84	13.98	9.19	12.76	8.70	9.44	9.69	8.07
Mean	.84	.92	1.49	10.7	1.68	.45	.31	.41	.29	.30	.31	.27
Max	9.81	16.4	18.3	64.9	15.0	2.89	.42	2.75	.36	.38	.48	.29
Min	.30	.33	.31	.32	.34	.34	.25	.25	.26	.28	.27	.25
Acre-Ft	51	55	91	659	97	28	18	25	17	19	19	16
Wtr Year 2008	Total	552.36	Mean	1.51	Max	64.9	Min	.25	Inst Max	486	Acre-Ft	1100
Cal Year 2007	Total	308.00	Mean	.84	Max	25.5	Min	.04	Inst Max	332	Acre-Ft	611

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: E285 Burbank-Western Storm Drain
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.3	19.1	21.1	18.5	17.2	21.7	39.7	24.1	15.9	17.8	11.2	9.27
2	15.3	19.7	20.3	18.5	17.4	22.4	39.2	24.5	16.1	17.2	9.73	9.75
3	15.6	19.1	20.5	19.7	24.4	23.6	38.5	24.5	16.9	17.1	8.71	9.32
4	16.4	19.7	19.5	441	21.1	23.3	37.1	22.6	17.0	17.0	8.18	9.96
5	16.4	21.4	19.1	89.3	19.0	23.3	34.7	21.9	16.9	16.8	8.29	9.59
6	16.0	18.5	19.1	171	18.7	24.2	35.7	20.6	16.8	16.1	8.10	9.94
7	15.8	20.5	57.5	38.8	18.8	26.2	37.2	21.0	16.3	15.9	7.62	10.4
8	16.4	20.5	17.2	15.9	19.0	27.5	35.0	21.1	16.8	15.7	7.22	10.9
9	8.47	20.6	17.6	16.7	18.8	27.8	32.6	20.8	16.8	15.4	6.81	11.5
10	15.3	20.4	17.5	18.2	18.0	28.2	30.6	22.4	16.2	15.4	6.40	10.9
11	15.5	20.1	18.0	18.2	18.5	29.8	28.1	23.4	16.4	15.4	5.99	11.0
12	22.1	20.7	18.7	17.8	18.8	31.3	27.3	25.3	15.7	15.6	5.61	11.1
13	52.3	20.8	18.8	17.6	19.1	34.1	26.6	27.6	14.7	16.1	5.74	10.3
14	13.6	20.8	17.8	18.6	19.1	35.0	26.3	28.3	15.3	16.5	7.90	10.0
15	14.4	19.3	17.6	18.5	19.0	36.6	26.8	28.4	16.1	15.9	10.3	10.3
16	15.1	19.7	17.6	19.2	19.2	37.3	22.9	25.9	16.6	16.4	10.4	9.83
17	15.1	19.7	17.7	19.0	19.5	36.0	23.1	21.1	16.8	16.8	10.2	10.2
18	15.3	19.5	90.6	19.1	20.0	37.7	25.0	18.1	16.6	16.8	9.99	11.0
19	15.8	20.0	44.2	18.3	20.0	38.3	25.5	17.2	16.0	17.0	10.1	10.1
20	15.5	20.7	17.8	18.3	26.9	39.4	25.0	16.9	15.7	17.0	9.79	9.54
21	14.7	20.7	18.1	19.9	31.3	40.5	25.0	16.0	15.4	16.3	9.56	9.42
22	15.1	18.7	16.9	22.5	51.3	40.9	24.7	15.4	15.5	15.7	9.53	9.61
23	15.9	18.5	16.2	239	25.4	41.9	25.5	16.4	15.8	14.7	9.14	9.49
24	16.5	19.0	17.1	295	91.3	41.4	24.7	17.4	16.0	14.9	8.93	8.27
25	17.2	18.8	16.8	516	22.5	42.0	25.4	15.0	17.1	14.5	9.42	7.48
26	18.1	19.3	17.7	129	20.5	41.3	24.0	13.7	17.3	14.4	9.59	7.64
27	17.2	20.0	17.5	319	20.7	43.6	22.8	14.1	17.4	14.1	8.71	7.67
28	17.1	18.4	17.8	117	20.0	45.7	23.8	14.5	17.5	14.1	9.23	7.19
29	17.2	19.3	18.0	22.9	21.1	43.8	24.6	14.6	17.5	14.3	10.2	7.24
30	19.0	117	17.8	17.3	-----	44.5	24.7	15.3	17.9	13.4	9.79	7.31
31	19.3	-----	19.8	16.8	-----	42.2	-----	15.6	-----	12.4	9.83	-----
Total	532.97	690.5	701.9	2746.6	696.6	1071.5	862.1	623.7	493.0	486.7	272.21	286.22
Mean	17.2	23.0	22.6	88.6	24.0	34.6	28.7	20.1	16.4	15.7	8.78	9.54
Max	52.3	117	90.6	516	91.3	45.7	39.7	28.4	17.9	17.8	11.2	11.5
Min	8.47	18.4	16.2	15.9	17.2	21.7	22.8	13.7	14.7	12.4	5.61	7.19
Acre-Ft	1060	1370	1390	5450	1380	2130	1710	1240	978	965	540	568
Wtr Year 2008	Total	9464.00	Mean	25.9	Max	516	Min	5.61	Inst Max	3260	Acre-Ft	18770
Cal Year 2007	Total	7513.07	Mean	20.6	Max	174	Min	8.47	Inst Max	2240	Acre-Ft	14900

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F37B Compton Creek near Greenleaf Drive
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.33	.23	4.25	.05	.79	.30	.02	.33	.12	.96	1.21	1.08
2	.47	.27	1.89	.15	1.89	.08	.15	.29	.14	.29	1.31	1.52
3	.44	.36	1.84	.02	94.7	0	.25	.84	.21	.42	1.26	2.24
4	.54	.55	1.33	154	1.23	0	.16	1.25	.30	.27	1.18	2.28
5	.40	.18	.51	141	.71	0	.03	1.27	.24	1.00	1.35	2.26
6	.06	.20	.15	121	.52	.01	.09	1.04	.70	.32	1.25	2.31
7	0	.99	78.2	20.8	.42	.90	.01	.51	.24	.23	.96	2.52
8	.08	.25	.85	.69	.36	1.37	.01	.36	.12	.16	.22	2.32
9	.26	.09	.46	.33	.36	.74	.24	.64	.21	1.11	.53	1.31
10	.18	.33	.64	.27	.23	.44	.19	.32	.45	1.42	1.05	1.34
11	.22	.15	.18	.48	.12	.36	.07	.30	.66	.23	.42	.90
12	.48	.06	.15	.29	.16	.72	.07	.46	1.29	.32	.43	1.05
13	123	.26	.02	.12	.33	.68	1.06	.24	1.04	1.05	.53	1.24
14	.81	.05	0	.19	4.51	.35	.48	1.28	.17	.91	.81	1.11
15	.82	.12	0	0	.77	.16	.27	1.05	.15	.37	.47	.99
16	.42	.40	0	.12	.36	.09	.10	.53	.81	.27	.45	.97
17	.73	.17	.23	.25	.36	.98	.42	.41	1.21	1.28	.53	1.18
18	.35	.14	104	.16	.46	.35	.22	.54	.99	1.60	.64	1.29
19	.23	.26	126	.11	.36	.93	.30	.45	.23	.27	.60	.92
20	.86	.33	2.41	.08	16.0	1.75	.21	1.39	.30	.25	.52	1.16
21	.18	.03	2.88	.31	6.19	1.37	.28	1.89	.76	.49	.61	1.23
22	0	.04	.29	13.5	76.3	.02	.16	4.15	1.21	.41	.63	2.02
23	.48	.13	.50	239	1.74	.35	.14	.83	1.83	.23	.62	1.87
24	.37	.02	.11	31.9	150	.02	.21	.45	1.19	.58	.51	.98
25	.30	0	0	272	1.26	1.27	.18	.37	.39	1.31	.54	.87
26	.26	0	0	28.2	.66	1.10	.43	.12	.50	1.34	.88	.69
27	.41	0	0	205	.57	.98	.66	.42	1.23	1.29	.74	1.82
28	.30	.28	0	67.8	.90	.20	.45	.11	1.18	1.11	.57	2.03
29	.18	.81	.26	1.77	1.01	.16	.37	1.06	1.12	1.14	.57	1.33
30	.15	150	.30	.90	-----	.87	.37	.14	1.16	1.31	.54	4.25
31	.27	-----	.27	.54	-----	.06	-----	.11	-----	1.31	.63	-----
Total	133.58	156.70	327.72	1301.03	363.27	15.63	7.60	23.15	20.15	23.25	22.56	47.08
Mean	4.31	5.22	10.6	42.0	12.5	.52	.25	.75	.67	.75	.73	1.57
Max	123	150	126	272	150	1.75	1.06	4.15	1.83	1.60	1.35	4.25
Min	0	0	0	0	.12	0	.01	.11	.12	.16	.22	.69
Acre-Ft	265	311	650	2580	721	31	15	46	40	46	45	93
Wtr Year 2008	Total	2441.72	Mean	6.69	Max	272	Min	0	Inst Max	1890	Acre-Ft	4840
Cal Year 2007	Total	1041.50	Mean	2.85	Max	150	Min	0	Inst Max	1010	Acre-Ft	2070

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F354 Coyote Creek Below Spring Street
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	21.6	12.6	40.4	59.9	39.2	76.2	27.6	29.8	43.9	18.2	38.4	6.96
2	28.2	6.90	3.54	52.2	6.96	98.1	23.6	24.7	12.4	26.7	58.7	9.71
3	33.3	8.91	5.19	17.7	395	76.9	39.2	24.7	17.9	31.7	80.8	12.5
4	39.1	13.3	1.91	272	26.4	79.3	30.6	23.2	19.5	37.2	78.0	17.2
5	33.7	23.8	7.16	1560	26.5	69.4	30.2	24.0	17.9	22.7	116	15.2
6	33.8	19.5	18.4	937	38.3	53.9	31.2	23.9	27.7	24.7	54.6	10.1
7	49.7	26.0	462	360	13.2	85.4	26.3	24.6	43.5	24.0	52.8	7.75
8	33.5	8.35	43.7	38.2	10.2	84.7	18.7	20.9	40.4	18.9	60.4	5.85
9	54.6	10.1	39.0	22.7	14.1	65.8	27.7	18.5	19.3	46.9	40.8	9.62
10	52.6	14.3	20.9	31.2	21.8	25.9	30.9	15.8	28.0	12.6	22.6	16.1
11	58.2	3.47	36.5	30.4	24.9	41.6	31.5	12.1	28.7	40.3	39.7	13.9
12	52.2	18.4	40.3	20.4	38.7	39.8	23.3	34.1	5.31	57.2	42.9	14.8
13	630	23.2	42.9	14.9	60.8	57.6	28.1	23.0	5.60	33.3	22.5	37.1
14	58.6	9.64	46.8	19.0	87.8	95.5	39.4	13.8	4.83	29.5	21.1	20.0
15	18.6	16.2	50.2	17.8	48.9	78.8	54.5	23.1	6.81	17.3	34.5	22.4
16	51.4	24.2	48.2	19.8	72.2	108	37.2	49.9	11.1	23.2	26.0	21.6
17	65.2	26.3	42.9	15.4	78.1	108	12.7	40.3	24.8	38.9	20.5	58.3
18	56.4	31.2	357	14.0	41.7	53.8	14.2	57.0	4.54	11.5	26.6	19.1
19	41.1	26.7	626	12.8	61.8	81.2	13.5	32.9	21.4	16.7	20.7	27.7
20	29.0	38.0	49.9	13.8	244	75.5	13.8	20.6	13.4	17.8	19.1	31.7
21	27.9	43.7	64.6	30.3	92.5	70.5	20.8	14.9	23.6	71.6	24.6	28.2
22	27.9	33.8	28.9	164	889	65.5	35.5	251	16.9	25.7	26.9	34.9
23	27.9	18.5	29.1	680	136	60.7	35.7	33.9	29.6	68.0	4.00	15.3
24	27.9	23.3	28.3	426	857	56.0	24.8	12.7	14.9	31.7	7.33	13.2
25	27.9	20.0	29.6	1430	112	51.2	24.5	12.3	7.68	33.9	25.0	17.5
26	27.9	26.3	42.4	50.0	69.3	46.7	19.8	17.6	6.25	30.6	19.1	36.7
27	27.9	29.7	39.2	1270	60.4	48.0	31.8	19.0	6.80	25.9	9.82	14.3
28	27.9	16.1	34.4	502	55.4	51.4	28.9	5.20	6.24	21.2	7.46	21.4
29	27.9	29.3	45.3	60.8	101	54.9	27.3	7.38	18.4	45.1	8.15	38.3
30	27.9	388	48.6	38.4	-----	58.3	28.4	6.78	18.7	98.9	13.0	43.5
31	15.0	-----	55.2	37.9	-----	25.9	-----	33.7	-----	70.7	13.8	-----
Total	1734.8	989.77	2428.50	8218.6	3723.16	2044.5	831.7	951.36	546.06	1072.6	1035.86	640.89
Mean	56.0	33.0	78.3	265	128	66.0	27.7	30.7	18.2	34.6	33.4	21.4
Max	630	388	626	1560	889	108	54.5	251	43.9	98.9	116	58.3
Min	15.0	3.47	1.91	12.8	6.96	25.9	12.7	5.20	4.54	11.5	4.00	5.85
Acre-Ft	3440	1960	4820	16300	7380	4060	1650	1890	1080	2130	2050	1270
Wtr Year 2008	Total	24217.80	Mean	66.2	Max	1560	Min	1.91	Inst Max	6640	Acre-Ft	48040
Cal Year 2007	Total	13120.96	Mean	35.9	Max	1040	Min	1.15	Inst Max	3710	Acre-Ft	26030

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F274B Dalton Wash at Merced Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.84	.57	18.6	.97	.12	.92	2.52	.11	1.46	.09	.68	.51
2	.68	.55	6.75	.80	.11	.91	1.94	.11	1.46	.09	.70	.88
3	.59	.55	1.15	.33	22.2	.65	1.71	.11	1.11	.09	.65	.54
4	.68	.55	20.6	683	2.71	.55	1.43	.11	.88	.09	.68	.41
5	.48	.55	47.3	630	2.22	1.53	.90	.11	.64	.09	.45	.37
6	.53	.55	51.5	111	1.29	3.80	1.33	.15	.55	.09	.64	.36
7	.59	.55	29.6	6.48	8.59	.15	1.44	.32	.47	.09	.59	.34
8	.61	.55	5.09	2.89	86.4	.14	1.31	.12	.37	.09	.37	.54
9	.51	.55	5.25	1.49	18.1	.14	1.37	.14	.30	.09	.30	.51
10	.72	.55	2.01	1.50	13.7	.15	2.49	.11	.30	.29	.28	.38
11	.82	.55	1.73	1.41	3.33	.12	1.22	.14	.24	.71	.26	.53
12	1.58	.55	1.91	.59	1.80	.12	1.46	.13	.22	4.20	.26	1.10
13	54.1	.55	1.36	.46	1.88	.12	1.72	.12	.15	2.47	.25	.66
14	.88	.55	1.46	.25	10.3	1.05	1.43	.10	.15	.52	.50	.55
15	.78	.55	3.04	.28	.26	17.5	.21	.13	.15	.28	.63	1.02
16	.67	.55	1.66	.50	.28	2.26	.14	.11	.15	.53	.58	.43
17	.63	.55	.96	.35	.70	2.46	.12	.11	.14	.42	.36	.46
18	.52	.55	31.9	.63	.22	.49	.12	.11	.15	1.32	.40	.38
19	.43	.55	62.5	.57	.23	.77	.12	.12	.12	2.03	.30	.59
20	.44	.55	17.3	.48	14.0	1.15	.12	.14	.12	1.89	.31	.43
21	.53	.55	1.48	.35	2.63	1.08	.11	.20	.12	2.25	.38	.83
22	.56	.55	.15	6.34	52.1	1.69	.12	132	.11	2.72	.36	.35
23	.58	.55	.38	51.1	3.61	3.50	.16	6.42	.11	.89	.45	.46
24	.58	.55	.62	42.9	89.1	3.49	.12	3.30	.10	.62	.46	.32
25	.62	.55	.86	121	2.23	1.86	.12	2.53	.11	.43	.31	.57
26	.61	.55	.71	29.6	.31	2.46	.13	2.20	.11	.67	.45	.54
27	.62	.55	.25	479	.44	1.69	.13	1.87	.10	.35	.39	.65
28	.60	.55	.63	165	.87	1.44	.13	1.80	.09	.51	.46	.59
29	.69	.55	.72	7.25	.86	2.65	.12	1.64	.09	1.69	.46	.84
30	.66	183	.12	.75	-----	4.70	.12	1.46	.09	1.12	.78	.73
31	.72	-----	.34	.13	-----	3.42	-----	1.46	-----	.48	.53	-----
Total	73.85	198.97	317.93	2347.40	340.59	62.96	24.36	157.48	10.16	27.20	14.22	16.87
Mean	2.38	6.63	10.3	75.7	11.7	2.03	.81	5.08	.34	.88	.46	.56
Max	54.1	183	62.5	683	89.1	17.5	2.52	132	1.46	4.20	.78	1.10
Min	.43	.55	.12	.13	.11	.12	.11	.10	.09	.09	.25	.32
Acre-Ft	146	395	631	4660	676	125	48	312	20	54	28	33
Wtr Year 2008	Total	3591.99	Mean	9.81	Max	683	Min	.09	Inst Max	7410	Acre-Ft	7120
Cal Year 2007	Total	4795.77	Mean	13.1	Max	183	Min	.12	Inst Max	2520	Acre-Ft	9510

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F271 Eaton Wash Below Eaton Wash Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	.04	26.1	2.51	.12	0	0	0	0	0
2	0	0	0	0	26.1	2.34	.06	0	0	0	0	0
3	0	0	0	0	25.9	2.18	.13	0	0	0	0	0
4	0	0	2.39	1.06	25.7	2.15	.13	0	1.81	0	0	0
5	0	0	0	2.42	25.6	2.08	.17	0	0	0	0	0
6	0	0	0	32.5	26.0	1.95	.25	0	0	0	0	0
7	0	0	0	9.46	17.0	1.88	.39	0	0	0	0	0
8	0	0	0	.06	12.2	1.93	.22	0	0	0	0	0
9	0	0	0	.06	12.2	1.74	.24	0	0	0	0	0
10	0	0	0	.06	12.2	1.62	.22	0	0	0	0	0
11	0	0	0	.06	12.3	1.53	.24	0	0	0	0	0
12	0	0	0	.06	12.3	1.46	.25	0	0	0	0	0
13	0	0	0	.06	12.5	1.30	.24	0	0	0	0	0
14	0	0	0	18.9	12.5	1.42	2.37	0	0	0	0	0
15	0	0	0	29.9	12.3	3.38	.39	0	0	0	0	0
16	0	0	0	29.1	12.2	1.60	.32	0	0	0	0	0
17	0	0	0	27.8	12.2	.93	.29	0	0	0	0	0
18	0	0	0	26.1	12.3	.89	.21	0	0	0	0	0
19	0	0	0	24.5	12.0	.67	.30	0	0	0	0	0
20	0	0	.42	22.4	18.5	.53	.36	0	0	0	0	0
21	0	0	.69	19.1	27.0	.38	.12	0	0	0	0	0
22	0	0	.72	15.1	8.69	.24	.15	0	0	0	0	0
23	0	0	.72	2.13	.05	.22	.15	0	0	0	0	0
24	0	0	.72	.04	.02	.22	.06	0	0	0	0	0
25	0	0	.72	.09	11.8	.19	0	0	0	0	0	0
26	0	0	.72	.02	27.0	.18	0	0	0	0	0	0
27	0	0	.65	49.7	24.0	.16	0	0	0	0	0	0
28	0	0	.43	61.0	22.3	.13	0	0	0	0	0	0
29	0	0	.29	40.1	3.36	.15	0	0	0	0	0	0
30	0	0	.24	23.9	-----	.23	0	0	0	0	0	0
31	0	-----	.16	23.7	-----	.13	-----	0	-----	0	0	-----
Total	0	0	8.87	459.42	462.32	36.32	7.38	0	1.81	0	0	0
Mean	0	0	.29	14.8	15.9	1.17	.25	0	.060	0	0	0
Max	0	0	2.39	61.0	27.0	3.38	2.37	0	1.81	0	0	0
Min	0	0	0	0	.02	.13	0	0	0	0	0	0
Acre-Ft	0	0	18	911	917	72	15	0	3.6	0	0	0
Wtr Year 2008	Total	976.12	Mean	2.67	Max	61.0	Min	0	Inst Max	657	Acre-Ft	1940
Cal Year 2007	Total	16.69	Mean	.046	Max	4.92	Min	0	Inst Max	657	Acre-Ft	33

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F318 Eaton Wash at Loftus Drive
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.55	.28	.34	.16	.13	.16	.24	.27	.25	.26	.20	.26
2	.31	.23	.27	.13	.12	.17	.21	.25	.30	.23	.18	.29
3	.28	.23	.25	.25	13.5	.18	.29	.23	.54	.18	.18	.27
4	.28	.26	.21	373	.14	.22	.26	.25	.71	.15	.18	.28
5	.22	.44	.20	186	.09	.15	.26	.29	.29	.14	.16	.30
6	.21	.35	.43	247	.17	.12	.26	.27	.25	.13	.14	.35
7	.19	.45	83.1	30.4	.15	.11	.27	.66	.28	.17	.19	.31
8	.22	.40	.21	.47	.14	.15	.35	.25	.26	.15	.17	.32
9	.19	.31	.48	.43	.14	.11	.26	.28	.28	.12	.20	.27
10	.22	.21	.18	.35	.14	.12	.29	.25	.26	.14	.16	.27
11	.25	.24	.14	.33	.17	.13	.29	.25	.26	.14	.18	.23
12	2.84	.22	.15	.33	.22	.12	.27	.36	.26	.17	.19	.38
13	40.2	.24	.19	.33	.28	.13	.25	.26	.26	.16	.16	.30
14	.21	.21	.20	.25	49.9	.14	.26	.27	.26	.19	.21	.29
15	.28	.20	.16	.11	.06	4.07	.30	.28	.25	.15	.18	.35
16	.26	.22	.19	.14	.09	.08	.23	.25	.28	.14	.22	.35
17	.21	.45	.19	.15	.05	.09	.27	.25	.27	.12	.16	.33
18	.17	.51	91.8	.10	.11	.14	.26	.26	.26	.17	.14	.32
19	.29	.23	94.4	.17	.15	.21	.25	.30	.28	.16	.13	.31
20	.18	.20	2.13	.23	4.77	.22	.30	.30	.33	.14	.06	.32
21	.21	.24	.26	.23	2.59	.23	.26	.24	.34	.20	.06	.34
22	.23	.19	.12	2.39	27.5	.23	.24	17.6	.29	.18	.06	.35
23	.34	.17	.11	119	.62	.21	.27	30.1	.27	.15	.07	.33
24	.25	.19	.12	70.0	30.2	.23	.23	.37	.28	.16	.07	.32
25	.21	.26	.17	220	.10	.26	.27	.24	.31	.20	.07	.31
26	.21	.24	.18	44.6	.07	.20	.28	.29	.27	.18	.19	.27
27	.26	.25	.11	353	.08	.20	.30	.25	.25	.16	.28	.27
28	.23	.22	.17	178	.08	.28	.25	.29	.26	.18	.27	.27
29	.27	.24	.14	26.0	.13	.28	.33	.27	.26	.19	.32	.59
30	.19	102	.16	.12	-----	.79	.30	.26	.26	.21	.26	.29
31	.21	-----	.15	.05	-----	.21	-----	.25	-----	.18	.27	-----
Total	50.17	109.88	276.91	1853.72	131.89	9.94	8.10	55.94	8.92	5.20	5.31	9.44
Mean	1.62	3.66	8.93	59.8	4.55	.32	.27	1.80	.30	.17	.17	.31
Max	40.2	102	94.4	373	49.9	4.07	.35	30.1	.71	.26	.32	.59
Min	.17	.17	.11	.05	.05	.08	.21	.23	.25	.12	.06	.23
Acre-Ft	100	218	549	3680	262	20	16	111	18	10	11	19
Wtr Year 2008	Total	2525.42	Mean	6.90	Max	373	Min	.05	Inst Max	2980	Acre-Ft	5010
Cal Year 2007	Total	955.48	Mean	2.62	Max	102	Min	.11	Inst Max	1020	Acre-Ft	1900

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: U7 Fish Creek
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.22	2.48	2.05	2.03	17.1	6.57	3.70	4.97	3.29	1.87	.62	.12
2	1.22	2.36	1.89	2.02	15.1	6.47	3.92	4.68	3.20	1.87	.62	.11
3	1.22	2.19	1.79	2.06	19.9	6.06	4.31	4.49	3.16	1.87	.62	.10
4	1.22	2.08	1.78	12.5	18.3	5.94	4.53	4.53	3.18	1.83	.62	.11
5	1.22	2.20	1.78	121	15.6	5.87	4.81	4.68	3.14	1.78	.61	.11
6	1.22	2.28	1.73	58.5	14.3	5.57	5.00	5.00	2.90	1.78	.61	.11
7	1.22	2.28	7.81	35.7	13.0	5.30	5.07	5.33	2.87	1.75	.58	.12
8	1.22	2.28	3.39	17.5	12.1	5.16	5.20	5.32	2.86	1.68	.56	.11
9	1.22	2.33	2.18	12.1	11.1	4.90	5.22	5.23	2.81	1.68	.56	.10
10	1.22	2.36	2.06	8.60	10.2	4.72	5.12	5.22	2.70	1.68	.65	.11
11	1.22	2.07	2.07	6.57	9.33	4.67	4.95	4.96	2.71	1.68	.68	.11
12	1.22	1.80	2.00	5.01	8.68	4.67	4.72	5.05	2.70	1.68	.70	.11
13	1.22	1.72	1.97	4.05	8.42	4.60	4.63	4.94	2.65	1.68	.69	.12
14	1.22	1.68	1.97	3.56	8.36	4.58	4.61	4.42	2.46	1.68	.68	.12
15	1.22	1.68	1.97	3.32	6.80	4.79	4.88	4.08	2.39	1.68	.68	.12
16	1.22	1.68	1.97	3.10	5.39	4.81	5.09	3.80	2.35	1.65	.70	.13
17	1.22	1.68	1.97	2.87	5.22	5.40	5.00	3.51	2.31	1.67	.70	.13
18	1.22	1.68	2.30	2.86	5.15	5.56	4.83	3.33	2.19	1.68	.71	.13
19	1.22	1.59	8.92	2.83	5.00	5.59	5.03	3.31	2.06	1.68	.71	.12
20	1.22	1.59	3.31	2.74	5.50	5.62	5.20	3.32	2.00	1.74	.73	.12
21	1.22	1.59	2.46	2.68	5.23	5.51	5.27	3.40	1.97	1.84	.74	.12
22	1.22	1.59	2.09	2.62	7.86	5.34	5.19	3.61	1.97	1.87	.76	.13
23	1.22	1.59	2.00	3.07	6.97	5.17	5.19	13.7	1.97	1.78	.76	.12
24	1.22	1.59	2.05	6.86	9.17	5.17	5.27	5.53	1.91	1.78	.70	.11
25	1.22	1.59	2.16	66.7	8.55	5.21	5.05	4.34	1.87	1.78	.68	.12
26	1.22	1.59	2.15	24.5	7.66	4.05	4.75	4.06	1.95	1.78	.66	.12
27	1.23	1.58	2.07	114	7.19	2.89	4.56	3.94	1.97	1.78	.62	.12
28	1.47	1.50	2.07	91.2	6.85	2.96	4.44	3.81	1.97	1.78	.62	.11
29	1.71	1.50	2.07	39.1	6.68	3.18	4.41	3.64	1.97	1.78	.62	.11
30	2.23	1.76	2.07	26.0	-----	3.47	4.76	3.46	1.93	1.78	.62	.11
31	2.39	-----	2.07	20.3	-----	3.46	-----	3.36	-----	1.20	.37	-----
Total	40.75	55.89	78.17	705.95	280.71	153.26	144.71	143.02	73.41	53.76	20.18	3.48
Mean	1.31	1.86	2.52	22.8	9.68	4.94	4.82	4.61	2.45	1.73	.65	.12
Max	2.39	2.48	8.92	121	19.9	6.57	5.27	13.7	3.29	1.87	.76	.13
Min	1.22	1.50	1.73	2.02	5.00	2.89	3.70	3.31	1.87	1.20	.37	.10
Acre-Ft	81	111	155	1400	557	304	287	284	146	107	40	6.9
Wtr Year 2008	Total	1753.29	Mean	4.79	Max	121	Min	.10	Inst Max	548	Acre-Ft	3480
Cal Year 2007	Total	609.40	Mean	1.67	Max	9.63	Min	.09	Inst Max	23.4	Acre-Ft	1210

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: L1 Little Rock Creek Above Little Rock Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	4.95	71.9	43.6	46.4	12.2	7.01	.53	0	0
2	0	0	0	4.80	66.6	42.2	37.3	11.6	6.19	.49	0	0
3	0	0	0	4.72	65.1	33.2	30.7	10.8	5.64	.45	0	0
4	0	0	0	5.69	64.5	28.8	26.3	10.2	5.26	.41	0	0
5	0	0	0	138	50.3	27.2	27.6	9.88	4.89	.38	0	0
6	0	0	0	68.1	47.5	23.7	34.7	9.39	4.47	.34	0	0
7	0	0	0	44.4	48.0	20.7	43.8	8.57	4.12	.31	0	0
8	0	0	0	30.3	55.2	19.8	31.9	7.97	3.71	.27	0	0
9	0	0	1.88	25.0	67.8	20.1	25.6	7.46	3.23	.21	0	0
10	0	0	3.95	21.7	73.8	18.8	24.8	6.90	2.77	.15	0	0
11	0	0	3.45	22.2	77.8	19.1	24.0	6.34	2.50	.09	0	0
12	0	0	3.19	22.8	84.5	21.3	23.2	6.15	2.26	.07	0	0
13	0	0	3.22	20.5	97.5	22.5	22.5	5.68	2.03	.06	0	0
14	0	0	3.00	18.4	97.9	28.7	21.7	5.22	1.78	.04	0	0
15	0	0	2.87	16.7	75.7	25.1	21.0	4.79	1.56	.02	0	0
16	0	0	2.88	15.0	62.4	22.3	20.3	4.33	1.36	0	0	0
17	0	0	2.89	13.7	57.6	18.1	19.6	3.90	1.16	0	0	0
18	0	0	2.93	12.4	57.5	15.5	18.9	3.51	1.01	0	0	0
19	0	0	3.86	11.3	57.4	14.7	18.2	3.10	.91	0	0	0
20	0	0	7.96	10.4	56.1	14.6	17.6	2.69	.80	0	0	0
21	0	0	6.64	9.53	52.7	14.3	16.9	2.53	.70	0	0	0
22	0	0	5.52	8.82	55.4	14.4	16.3	2.78	.66	0	0	0
23	0	0	4.89	9.60	54.7	14.6	15.6	4.76	.61	0	0	0
24	0	0	4.51	12.2	84.0	15.0	15.1	10.3	.56	0	0	0
25	0	0	4.00	29.2	94.2	15.8	14.4	7.59	.53	0	0	0
26	0	0	3.64	23.5	77.0	17.2	13.7	6.66	.51	0	0	0
27	0	0	3.26	578	71.0	18.9	13.2	6.61	.48	0	0	0
28	0	0	2.97	250	72.2	17.6	13.0	7.18	.45	0	0	0
29	0	.26	3.01	129	71.3	18.0	12.9	6.82	.41	0	0	0
30	0	.26	2.94	93.6	-----	18.2	12.8	6.09	.39	0	0	0
31	0	-----	3.04	70.7	-----	16.9	-----	5.20	-----	0	-----	-----
Total	0	0.52	86.50	1725.21	1967.6	660.9	680.0	207.20	67.96	3.82	0	0
Mean	0	.017	2.79	55.7	67.8	21.3	22.7	6.68	2.27	.12	0	0
Max	0	.26	7.96	578	97.9	43.6	46.4	12.2	7.01	.53	0	0
Min	0	0	0	4.72	47.5	14.3	12.8	2.53	.39	0	0	0
Acre-Ft	0	1.0	172	3420	3900	1310	1350	411	135	7.6	0	0
Wtr Year 2008	Total	5399.71	Mean	14.8	Max	578	Min	0	Inst Max	1430	Acre-Ft	10710
Cal Year 2007	Total	720.44	Mean	1.97	Max	8.18	Min	0	Inst Max	8.63	Acre-Ft	1430

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F356 Live Oak Creek Below Live Oak Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.52	.39	.57	.39	4.02	.91	.54	.39	.73	.91	.91	1.00
2	.52	.39	.52	.39	3.85	.91	.54	.39	.71	.91	.91	1.45
3	.52	.39	.52	.39	3.89	.97	.39	.49	.75	.91	.91	.95
4	.52	.39	.52	.39	3.81	1.04	.39	.52	.78	.91	.91	.92
5	.52	.39	.52	.51	3.72	1.04	.32	.52	.71	.91	.91	.91
6	.52	2.92	.52	.49	3.58	.95	.26	.52	.66	.91	.91	.91
7	.52	4.19	.52	.30	3.56	.91	.26	.52	.65	.94	.91	.92
8	.52	.87	.51	0	3.35	.85	1.26	.40	.69	.91	.91	.94
9	.52	.65	.39	0	3.25	.88	.75	.39	.72	.91	.91	.96
10	.52	.65	.39	0	3.12	.78	.63	.39	.81	.91	.91	.97
11	.52	.62	.39	0	3.04	.94	.58	.39	.84	.93	.91	.93
12	.52	.52	.39	0	2.90	.91	.52	.44	.78	.97	.91	1.00
13	.52	.52	.39	0	2.89	.84	.52	.46	.78	1.11	.91	1.03
14	.52	.52	.39	2.09	2.77	.82	.53	.42	.78	1.24	.91	.98
15	.52	.52	.39	3.36	2.62	.86	.74	.39	.78	1.22	.91	.96
16	.52	.52	.39	3.35	2.34	.90	.65	.39	.78	1.15	.91	.95
17	.52	.63	.39	3.26	1.67	.91	.67	.39	.78	1.16	.91	1.05
18	.52	.60	.39	3.11	.93	.89	.58	.39	.78	1.17	.91	.98
19	.52	.52	.39	2.83	.54	.87	.52	.39	.78	1.17	.91	.94
20	.52	.54	.39	2.68	.26	.84	.45	.41	.76	1.06	.91	.91
21	.52	.65	.39	2.43	.14	.78	.39	.45	.78	.98	.91	.91
22	.52	.65	.39	.83	.24	.78	.39	.48	.75	.97	.91	.89
23	.64	.65	.39	.58	.16	.75	.39	.83	.78	1.06	.91	.94
24	.39	.65	.39	.46	.24	.78	.39	.79	.78	.92	.91	.91
25	.39	.65	.39	.25	.14	.71	.39	.73	.78	.88	.91	.90
26	.39	.65	.39	.13	2.44	.65	.39	.70	.78	.65	.91	.91
27	.39	.65	.39	.25	3.58	.63	.39	.72	.87	.65	.81	.91
28	.39	.65	.39	.26	2.64	.57	.39	.74	.91	.65	1.02	.91
29	.39	.65	.39	.19	.91	.54	.39	.75	.91	.65	1.17	.91
30	.39	.79	.39	1.43	-----	.57	.39	.78	.91	.81	.85	.78
31	.39	-----	.39	3.85	-----	.52	-----	.74	-----	.90	.72	-----
Total	15.20	23.38	13.17	34.20	66.60	25.30	15.00	16.31	23.30	29.43	28.23	28.63
Mean	.49	.78	.42	1.10	2.30	.82	.50	.53	.78	.95	.91	.95
Max	.64	4.19	.57	3.85	4.02	1.04	1.26	.83	.91	1.24	1.17	1.45
Min	.39	.39	.39	0	.14	.52	.26	.39	.65	.65	.72	.78
Acre-Ft	30	46	26	68	132	50	30	32	46	58	56	57
Wtr Year 2008	Total	318.75	Mean	.87	Max	4.19	Min	0	Inst Max	35.0	Acre-Ft	632
Cal Year 2007	Total	437.09	Mean	1.20	Max	4.19	Min	0	Inst Max	35.0	Acre-Ft	867

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F319 Los Angeles River Below Wardlow Road
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	131	119	261	125	156	122	120	128	122	112	112	112
2	127	116	129	126	144	126	118	127	122	112	112	112
3	126	117	126	128	1180	130	128	124	118	112	112	112
4	127	119	129	3370	200	126	124	125	118	114	112	112
5	123	119	124	10300	145	119	122	128	118	115	112	112
6	118	119	126	1830	142	117	123	131	115	115	112	112
7	117	118	1230	2000	144	118	122	130	115	115	112	112
8	118	119	145	164	146	120	123	137	115	115	112	112
9	117	119	134	151	140	121	121	135	116	115	112	116
10	117	119	127	147	132	118	120	133	115	115	112	115
11	117	120	126	149	128	119	122	134	113	114	112	114
12	118	118	123	150	128	120	121	134	112	112	112	112
13	1570	117	130	153	124	121	118	133	112	112	112	112
14	131	117	128	161	234	119	117	136	112	112	112	112
15	124	116	126	182	127	119	120	131	113	115	112	112
16	125	115	121	156	129	138	119	135	118	115	112	113
17	125	117	121	146	124	119	115	128	116	115	112	117
18	127	120	1030	119	122	118	115	128	115	115	112	118
19	117	119	2220	123	124	122	115	127	115	115	112	115
20	117	117	157	122	283	119	118	131	113	115	112	115
21	117	118	164	126	150	121	118	130	112	113	115	116
22	115	122	126	206	1190	119	135	138	112	112	119	116
23	115	121	119	2600	200	120	128	176	112	117	114	116
24	115	119	119	2150	1960	118	127	176	114	115	112	116
25	115	118	119	9560	195	117	125	133	115	115	112	119
26	115	119	117	415	140	115	120	120	113	115	112	114
27	117	117	116	11000	131	117	125	120	112	115	112	113
28	118	118	120	4420	127	119	126	119	112	120	112	116
29	119	118	124	1000	124	120	124	119	112	115	112	116
30	117	1970	126	348	-----	118	127	117	112	115	112	116
31	119	-----	126	186	-----	119	-----	118	-----	113	112	-----
Total	5174	5400	8189	51813	8269	3734	3656	4081	3439	3545	3484	3425
Mean	167	180	264	1671	285	120	122	132	115	114	112	114
Max	1570	1970	2220	11000	1960	138	135	176	122	120	119	119
Min	115	115	116	119	122	115	115	117	112	112	112	112
Acre-Ft	10260	10710	16240	102800	16400	7410	7250	8090	6820	7030	6910	6790
Wtr Year 2008	Total	104209	Mean	285	Max	11000	Min	112	Inst Max	57800	Acre-Ft	206700
Cal Year 2007	Total	60738	Mean	166	Max	3460	Min	105	Inst Max	11300	Acre-Ft	120500

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F34D Los Angeles River Below Firestone Boulevard
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	130	130	180	127	141	138	136	136	139	130	130	127
2	130	130	133	127	139	136	136	136	139	129	130	127
3	130	130	133	127	212	136	136	136	139	127	130	127
4	130	130	133	639	162	136	136	136	139	129	130	127
5	130	130	133	630	149	136	136	136	139	130	130	127
6	130	130	133	307	140	136	136	136	139	130	130	127
7	130	130	222	284	139	136	136	137	139	130	130	127
8	130	130	149	161	139	136	136	139	139	130	130	127
9	130	130	140	151	139	136	136	139	139	129	130	127
10	130	133	137	143	139	136	136	139	139	127	130	127
11	130	133	134	138	139	136	136	139	139	125	129	127
12	130	133	133	134	139	136	136	139	139	124	127	127
13	266	133	133	133	139	136	136	139	138	127	127	130
14	155	133	131	132	148	136	136	139	136	127	127	130
15	136	133	130	135	139	136	136	139	136	127	127	130
16	133	133	130	136	139	136	136	139	135	126	127	130
17	133	133	130	136	139	136	136	139	133	124	127	130
18	131	133	222	134	139	136	136	139	131	124	127	130
19	130	133	282	133	138	136	136	139	130	127	127	130
20	130	133	160	133	145	136	136	139	130	127	127	130
21	130	133	146	133	139	136	136	139	130	127	127	130
22	130	133	138	135	201	136	136	139	130	127	127	130
23	130	133	133	361	155	136	136	139	130	127	127	130
24	130	133	131	354	265	136	136	143	130	127	127	130
25	130	133	130	945	156	136	136	139	130	127	127	130
26	130	133	130	191	140	136	136	139	130	127	127	130
27	130	133	130	1050	139	134	136	139	130	127	127	129
28	130	133	130	393	139	133	136	139	130	130	127	127
29	130	133	129	203	139	133	136	139	130	130	127	127
30	130	314	127	170	-----	133	136	139	130	130	127	127
31	130	-----	127	154	-----	135	-----	139	-----	130	127	-----
Total	4204	4144	4529	8129	4376	4206	4080	4293	4037	3958	3969	3854
Mean	136	138	146	262	151	136	136	138	135	128	128	128
Max	266	314	282	1050	265	138	136	143	139	130	130	130
Min	130	130	127	127	138	133	136	136	130	124	127	127
Acre-Ft	8340	8220	8980	16120	8680	8340	8090	8520	8010	7850	7870	7640
Wtr Year 2008	Total	53779	Mean	147	Max	1050	Min	124	Inst Max	5460	Acre-Ft	106700
Cal Year 2007	Total	49509	Mean	136	Max	406	Min	124	Inst Max	1090	Acre-Ft	98200

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F300 Los Angeles River at Tujunga Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	78.3	79.3	170	75.7	234	73.4	69.0	66.4	62.1	50.1	50.4	49.4
2	77.5	78.7	99.0	74.8	181	72.4	69.5	66.0	61.0	49.9	50.4	49.9
3	76.2	77.9	89.4	74.2	1490	75.2	71.4	65.8	60.1	49.9	50.4	49.9
4	76.4	77.6	85.8	2590	706	76.1	71.5	65.4	58.8	49.9	50.4	49.9
5	77.1	77.6	84.3	1860	278	74.1	71.5	63.9	56.6	50.0	50.4	49.9
6	76.4	77.6	84.0	1790	192	69.7	71.5	63.3	54.8	50.1	50.4	50.0
7	75.7	77.6	669	1240	180	69.0	71.5	62.7	54.7	50.3	50.4	50.2
8	74.9	77.1	125	282	172	69.0	71.0	62.3	54.7	50.4	50.4	50.4
9	74.3	76.9	108	163	164	69.0	70.4	62.1	54.7	49.6	50.4	50.4
10	73.9	76.9	99.8	138	157	68.4	69.7	62.1	54.7	48.2	50.4	50.4
11	73.0	76.9	92.7	124	154	68.3	69.6	62.1	55.2	47.1	50.4	50.4
12	80.7	76.9	87.8	115	152	68.3	69.2	62.1	54.8	47.0	50.4	50.5
13	1230	76.3	85.7	112	151	68.3	68.6	62.2	54.7	47.4	50.4	50.9
14	85.7	75.5	83.8	107	153	66.5	68.0	62.5	54.7	47.8	49.9	51.2
15	81.9	75.4	82.8	104	155	66.8	67.7	62.7	54.7	48.5	49.9	51.4
16	81.2	75.5	82.2	102	165	72.1	67.8	62.7	54.8	47.5	49.9	51.4
17	79.6	75.5	81.9	102	167	71.6	67.7	62.8	55.0	47.7	49.6	51.4
18	81.6	75.5	1070	101	168	70.6	67.7	63.3	54.1	48.1	49.4	51.4
19	80.9	75.5	1000	101	170	69.8	67.7	63.3	53.5	48.4	49.4	51.4
20	79.7	75.8	149	100	1190	69.0	66.9	63.3	52.8	48.4	49.1	51.4
21	76.7	75.5	110	102	878	69.0	66.4	63.3	52.5	48.5	48.9	51.4
22	75.0	75.5	88.8	557	2080	69.0	67.6	63.1	52.5	49.1	48.9	51.6
23	75.0	75.5	77.8	1820	925	68.6	67.7	63.3	52.5	49.4	48.9	51.9
24	74.9	75.5	73.8	2850	2760	68.3	67.7	103	51.5	49.4	48.9	51.5
25	75.5	75.1	72.2	4410	1260	68.3	67.7	97.1	50.9	49.4	48.9	51.4
26	76.4	74.8	71.5	1680	691	68.3	67.7	83.1	50.5	49.4	48.9	51.0
27	77.4	74.4	71.9	5570	328	68.3	67.3	76.7	50.4	49.4	48.5	50.5
28	77.7	73.8	73.0	2620	84.6	68.3	67.0	71.6	50.4	49.4	48.6	49.7
29	78.6	73.5	74.4	1350	76.7	68.3	66.7	68.4	50.4	49.3	48.9	48.7
30	79.0	856	75.8	837	-----	68.7	66.4	65.7	50.4	49.7	49.3	47.6
31	79.5	-----	75.9	435	-----	69.0	-----	63.7	-----	50.4	49.4	-----
Total	3560.7	3065.6	5295.3	31586.7	15462.3	2161.7	2060.1	2086.0	1628.5	1519.7	1540.5	1517.1
Mean	115	102	171	1019	533	69.7	68.7	67.3	54.3	49.0	49.7	50.6
Max	1230	856	1070	5570	2760	76.1	71.5	103	62.1	50.4	50.4	51.9
Min	73.0	73.5	71.5	74.2	76.7	66.5	66.4	62.1	50.4	47.0	48.5	47.6
Acre-Ft	7060	6080	10500	62650	30670	4290	4090	4140	3230	3010	3060	3010
Wtr Year 2008	Total	71484.2	Mean	195	Max	5570	Min	47.0	Inst Max	14900	Acre-Ft	141800
Cal Year 2007	Total	39017.9	Mean	107	Max	3720	Min	48.4	Inst Max	21700	Acre-Ft	77390

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F57C Los Angeles River Above Arroyo Seco
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	79.1	87.4	101	90.9	121	337	446	209	93.8	78.6	80.5	80.5
2	80.3	90.0	83.0	92.4	115	358	511	184	87.8	80.0	80.7	80.6
3	81.7	92.4	82.2	98.5	1090	418	520	171	86.7	83.3	79.4	80.1
4	82.3	92.7	80.2	3580	141	332	473	159	82.9	85.4	79.7	79.0
5	82.3	96.5	79.6	2570	113	323	468	141	79.5	80.7	77.9	79.1
6	80.8	93.5	83.1	1670	113	322	465	128	79.2	79.7	78.2	79.7
7	80.9	96.1	624	1020	118	357	466	128	83.0	82.1	77.8	80.0
8	81.8	95.3	86.2	112	121	389	465	117	81.6	79.4	79.4	79.0
9	82.2	95.8	85.9	112	120	375	460	107	80.8	73.8	79.9	79.4
10	86.7	95.3	83.4	110	125	331	476	108	79.2	72.3	80.1	80.0
11	87.7	92.4	83.7	108	134	342	478	102	80.4	74.7	78.3	79.3
12	98.3	93.1	85.8	103	141	322	455	98.2	78.1	81.1	77.2	80.6
13	923	90.3	85.1	102	150	317	422	109	78.4	83.3	78.0	79.2
14	83.7	89.1	85.6	103	162	293	390	97.0	79.5	82.6	76.3	78.7
15	83.4	87.9	87.7	100	161	328	395	101	80.2	79.6	78.8	79.0
16	83.1	90.2	87.3	98.3	185	312	385	94.5	79.9	72.5	78.8	77.6
17	84.0	91.2	88.1	97.3	177	241	356	90.1	77.2	78.0	78.3	77.9
18	82.5	89.6	947	101	187	262	336	88.1	72.7	80.1	77.8	77.3
19	84.7	89.7	887	103	200	281	323	90.0	73.4	79.8	77.0	75.8
20	82.2	87.4	93.3	105	510	312	314	89.8	73.9	78.8	76.2	76.1
21	79.1	92.0	108	132	257	305	317	85.4	72.8	79.5	77.1	75.6
22	82.7	89.7	78.5	234	1340	314	344	94.5	74.2	79.0	77.3	64.5
23	83.0	87.5	79.2	2120	252	310	293	117	75.0	77.4	77.2	60.4
24	83.5	84.5	80.8	2680	2310	307	284	163	75.0	80.1	76.1	57.3
25	84.8	84.7	80.9	6230	263	327	272	86.0	77.0	78.7	76.6	60.2
26	87.4	86.0	82.5	595	216	341	267	86.5	77.3	78.3	77.1	59.7
27	86.2	85.4	85.2	6830	232	374	248	88.8	76.9	77.1	78.9	59.4
28	87.3	85.0	87.0	2450	252	384	232	88.3	80.2	79.2	80.4	59.1
29	87.5	84.7	89.1	746	275	418	221	87.2	79.3	77.9	79.9	58.6
30	87.9	998	89.9	187	-----	450	209	88.7	82.3	80.2	81.0	58.0
31	89.3	-----	90.9	136	-----	456	-----	89.6	-----	78.4	80.9	-----
Total	3449.4	3613.4	4871.2	32816.4	9581	10538	11291	3486.7	2378.2	2451.6	2432.8	2191.7
Mean	111	120	157	1059	330	340	376	112	79.3	79.1	78.5	73.1
Max	923	998	947	6830	2310	456	520	209	93.8	85.4	81.0	80.6
Min	79.1	84.5	78.5	90.9	113	241	209	85.4	72.7	72.3	76.1	57.3
Acre-Ft	6840	7170	9660	65090	19000	20900	22400	6920	4720	4860	4830	4350
Wtr Year 2008	Total	89101.4	Mean	243	Max	6830	Min	57.3	Inst Max	27100	Acre-Ft	176700
Cal Year 2007	Total	48853.8	Mean	134	Max	2500	Min	78.5	Inst Max	7960	Acre-Ft	96900

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F130 Malibu Creek Below Cold Creek
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.68	2.77	13.8	8.75	85.6	43.9	16.7	6.39	5.29	1.99	2.72	2.47
2	3.58	2.82	9.45	7.65	77.7	45.9	23.4	6.69	5.07	1.98	2.86	2.43
3	3.32	2.83	8.18	8.98	166	38.8	23.5	7.01	5.07	1.89	2.91	2.46
4	3.23	2.73	8.23	259	107	32.3	20.1	7.53	5.07	1.90	2.88	2.49
5	3.16	2.51	7.60	911	76.6	37.0	25.0	8.21	5.07	1.86	2.83	2.53
6	3.08	2.33	7.60	107	69.2	33.1	20.6	8.97	5.07	1.84	2.68	2.53
7	2.96	2.12	10.4	199	60.3	32.0	21.6	9.72	4.98	1.87	2.45	2.46
8	2.41	1.96	11.1	52.4	49.6	40.0	17.0	10.5	4.93	1.92	2.40	2.58
9	2.30	1.80	9.81	31.5	48.9	35.2	18.4	11.3	5.07	2.04	2.35	2.96
10	2.29	1.68	9.97	25.7	39.7	36.8	18.5	12.2	5.07	2.16	2.31	5.40
11	2.34	1.64	8.83	23.4	40.2	31.7	18.1	12.9	4.91	2.20	2.26	7.56
12	2.29	1.64	7.46	22.9	35.3	33.2	16.4	12.6	4.36	2.24	2.21	6.87
13	5.11	1.64	7.98	19.9	34.2	34.2	16.4	12.3	3.83	2.24	2.18	6.25
14	5.69	2.12	7.23	16.0	30.5	30.4	18.1	12.3	3.48	2.11	2.29	5.23
15	4.27	2.86	7.97	16.5	32.5	31.8	17.2	12.5	3.24	2.00	2.25	4.27
16	3.94	2.69	8.10	14.7	27.8	30.7	18.3	12.0	3.05	1.97	2.19	3.30
17	3.59	2.69	6.10	13.3	26.8	22.6	19.0	11.0	2.87	1.92	2.07	2.67
18	3.31	2.71	13.3	13.7	27.6	20.0	19.6	9.31	2.69	1.95	1.94	2.00
19	3.01	2.97	54.9	12.3	29.0	22.2	20.4	6.28	2.61	1.99	1.98	1.74
20	2.83	3.08	16.5	14.0	34.2	19.4	22.1	4.93	2.49	2.19	2.01	1.68
21	2.55	3.08	14.6	12.8	38.2	18.8	22.9	4.50	2.35	2.24	2.06	1.77
22	2.26	3.09	13.3	25.7	97.0	18.6	22.9	4.37	2.22	2.33	2.13	1.73
23	2.10	3.08	9.68	155	53.1	16.4	23.2	4.37	2.12	2.49	2.24	1.68
24	2.03	3.14	12.0	400	381	15.8	23.3	4.44	2.01	2.55	2.16	1.53
25	2.18	3.21	10.8	1270	121	15.2	23.2	4.74	2.01	2.57	1.96	2.58
26	2.34	3.09	8.91	233	80.4	15.2	21.1	4.99	2.12	2.56	2.13	1.40
27	2.47	3.08	10.1	1940	65.0	14.8	12.6	5.17	2.14	2.53	2.30	1.15
28	2.61	3.08	8.07	953	52.9	15.5	8.46	5.31	2.14	2.46	2.42	1.04
29	2.60	3.08	7.66	279	48.8	17.4	6.81	5.31	2.14	2.45	2.45	.95
30	2.70	8.08	9.17	159	-----	19.1	6.31	5.31	2.08	2.50	2.48	.94
31	2.65	-----	7.57	113	-----	18.8	-----	5.31	-----	2.55	2.52	-----
Total	92.88	83.60	346.37	7318.18	2036.1	836.8	561.18	248.46	105.55	67.49	72.62	84.65
Mean	3.00	2.79	11.2	236	70.2	27.0	18.7	8.01	3.52	2.18	2.34	2.82
Max	5.69	8.08	54.9	1940	381	45.9	25.0	12.9	5.29	2.57	2.91	7.56
Min	2.03	1.64	6.10	7.65	26.8	14.8	6.31	4.37	2.01	1.84	1.94	.94
Acre-Ft	184	166	687	14520	4040	1660	1110	493	209	134	144	168
Wtr Year 2008	Total	11853.88	Mean	32.4	Max	1940	Min	.94	Inst Max	3850	Acre-Ft	23510
Cal Year 2007	Total	3180.99	Mean	8.72	Max	80.1	Min	.72	Inst Max	189	Acre-Ft	6310

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F395 Mescal Creek near Pinon Hills
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	2.55	0	2.37	.86	3.82	0	2.62	1.18	0	.04
2	0	0	1.36	0	2.43	.62	36.2	0	2.62	1.14	0	.04
3	0	0	.45	0	2.49	.56	122	0	2.62	.79	0	.04
4	0	0	0	0	2.56	.54	107	0	2.62	.49	0	.04
5	0	0	0	0	2.62	.51	79.8	0	2.62	.53	0	.04
6	0	0	0	0	2.69	.48	71.3	0	2.55	.16	0	.04
7	0	0	0	0	2.76	.45	63.4	0	2.41	0	0	.04
8	0	0	0	0	2.83	.43	56.9	0	2.38	0	0	.04
9	0	0	0	0	2.90	.40	58.0	0	2.27	0	0	.04
10	0	0	0	0	2.97	.38	63.3	0	2.18	0	0	.04
11	0	0	0	0	3.05	.36	68.8	0	2.08	0	0	.04
12	0	0	0	0	3.12	.34	74.7	0	2.05	0	0	.02
13	0	0	0	0	3.20	.32	80.9	0	1.94	0	0	.01
14	0	0	0	0	3.27	.29	87.5	0	1.90	0	0	0
15	0	0	0	0	3.35	.27	94.4	0	1.81	0	0	0
16	0	0	0	0	3.43	.25	102	0	1.75	0	0	0
17	0	0	0	0	3.51	.23	109	0	1.66	0	0	0
18	0	0	0	0	3.59	.21	117	0	1.52	0	0	0
19	0	0	0	0	3.68	4.53	125	0	1.44	0	.52	0
20	0	0	0	0	3.76	4.38	134	0	1.22	0	.65	0
21	0	0	0	0	3.85	2.29	138	0	.96	0	.47	0
22	0	0	0	0	3.94	1.40	138	0	.83	0	0	0
23	0	0	0	0	4.02	1.20	138	0	1.02	0	2.94	0
24	0	0	0	3.97	4.11	2.50	138	0	1.26	0	.18	0
25	0	0	0	.34	4.20	3.60	138	0	2.11	0	0	0
26	0	0	0	13.8	4.42	4.25	138	0	1.91	0	0	0
27	0	0	0	26.0	5.83	4.11	138	0	1.78	0	0	0
28	0	0	0	24.1	8.64	3.82	138	0	1.62	0	0	0
29	0	1.63	0	22.4	6.44	3.71	102	0	1.43	0	0	0
30	0	3.26	0	20.7	-----	3.26	25.7	.82	1.29	0	0	0
31	0	-----	0	11.1	-----	1.82	-----	2.62	-----	0	.02	-----
Total	0	4.89	4.36	122.41	106.03	48.37	2886.72	3.44	56.47	4.29	4.78	0.47
Mean	0	.16	.14	3.95	3.66	1.56	96.2	.11	1.88	.14	.15	.016
Max	0	3.26	2.55	26.0	8.64	4.53	138	2.62	2.62	1.18	2.94	.04
Min	0	0	0	0	2.37	.21	3.82	0	.83	0	0	0
Acre-Ft	0	9.7	8.6	243	210	96	5730	6.8	112	8.5	9.5	.93
Wtr Year 2008	Total	3242.23	Mean	8.86	Max	138	Min	0	Inst Max	139	Acre-Ft	6430
Cal Year 2007	Total	9.25	Mean	.025	Max	3.26	Min	0	Inst Max	3.26	Acre-Ft	18

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 04/13/2009

Summary Report

Site: F328B Mint Canyon Creek at Sierra Highway
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	9.16	0	0	0	0	0	0	0	0	0
2	0	0	3.18	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	1.41	0	0	0	0	0	0	0	0
5	0	0	0	.38	0	0	0	0	0	0	0	0
6	0	0	0	1.04	0	0	0	0	0	0	0	0
7	0	0	0	.24	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	.19	0	0	0	0	0	0	0	0
24	0	0	0	3.26	0	0	0	0	0	0	0	0
25	0	0	0	11.4	0	0	0	0	0	0	0	0
26	0	0	0	3.11	0	0	0	0	0	0	0	0
27	0	0	0	27.0	0	0	0	0	0	0	0	0
28	0	0	0	5.54	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0
30	0	5.97	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
Total	0	5.97	12.34	53.57	0	0	0	0	0	0	0	0
Mean	0	.20	.40	1.73	0	0	0	0	0	0	0	0
Max	0	5.97	9.16	27.0	0	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	0	12	24	106	0	0	0	0	0	0	0	0
Wtr Year 2008	Total	71.88	Mean	.20	Max	27.0	Min	0	Inst Max	150	Acre-Ft	143
Cal Year 2007	Total	18.74	Mean	.051	Max	9.16	Min	0	Inst Max	11.9	Acre-Ft	37

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F181 Montebello Storm Drain Above Rio Hondo
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.18	.15	.24	.18	.22	.18	.22	.22	.22	.22	.22	.22
2	.18	.15	.22	.18	.22	.18	.22	.22	.22	.22	.22	.22
3	.18	.15	.22	.18	.35	.18	.22	.22	.22	.22	.22	.22
4	.18	.15	.22	2.17	.22	.18	.22	.22	.22	.22	.22	.22
5	.18	.17	.22	15.2	.22	.18	.22	.22	.22	.22	.22	.21
6	.18	.18	.22	1.13	.22	.18	.22	.22	.22	.22	.22	.18
7	.18	.18	.86	.27	.22	.18	.22	.22	.22	.22	.22	.18
8	.18	.18	.24	.27	.20	.18	.22	.22	.22	.22	.22	.18
9	.18	.18	.22	.27	.18	.18	.22	.22	.22	.22	.22	.18
10	.18	.18	.20	.25	.18	.18	.22	.22	.22	.22	.22	.18
11	.18	.18	.18	.22	.18	.18	.22	.22	.22	.22	.22	.18
12	.18	.18	.18	.22	.18	.18	.22	.22	.22	.22	.22	.18
13	.18	.18	.18	.22	.18	.20	.22	.22	.22	.22	.22	.18
14	.18	.18	.18	.22	.57	.22	.22	.22	.22	.22	.22	.18
15	.18	.18	.18	.20	.22	.22	.22	.20	.22	.22	.22	.18
16	.18	.18	.18	.18	.22	.22	.22	.18	.22	.22	.22	.18
17	.18	.18	.21	.18	.22	.22	.22	.18	.22	.22	.22	.18
18	.18	.18	1.03	.18	.18	.22	.22	.18	.22	.22	.22	.18
19	.18	.18	1.03	.18	.18	.22	.22	.18	.22	.22	.22	.18
20	.18	.20	.23	.18	.25	.22	.22	.18	.22	.22	.22	.18
21	.18	.22	.22	.18	.24	.22	.22	.18	.22	.22	.22	.18
22	.18	.22	.22	.20	.52	.22	.22	.22	.22	.22	.22	.18
23	.18	.22	.22	1.19	.22	.22	.22	.27	.22	.22	.22	.18
24	.18	.22	.22	.87	.54	.22	.22	.22	.22	.22	.22	.18
25	.18	.22	.20	2.13	.22	.22	.22	.22	.22	.22	.22	.18
26	.18	.22	.18	.67	.22	.22	.22	.22	.22	.22	.22	.18
27	.18	.22	.18	2.72	.22	.22	.22	.22	.22	.22	.22	.18
28	.18	.22	.18	.72	.22	.22	.22	.22	.22	.22	.22	.18
29	.17	.22	.18	.24	.20	.22	.22	.22	.22	.22	.22	.18
30	.15	1.21	.18	.22	-----	.22	.22	.22	.22	.22	.22	.18
31	.15	-----	.18	.22	-----	.22	-----	.22	-----	.22	.22	-----
Total	5.51	6.68	8.60	31.44	7.21	6.32	6.60	6.61	6.60	6.82	6.82	5.59
Mean	.18	.22	.28	1.01	.25	.20	.22	.21	.22	.22	.22	.19
Max	.18	1.21	1.03	15.2	.57	.22	.22	.27	.22	.22	.22	.22
Min	.15	.15	.18	.18	.18	.18	.22	.18	.22	.22	.22	.18
Acre-Ft	11	13	17	62	14	13	13	13	13	14	14	11
Wtr Year 2008	Total	104.80	Mean	.29	Max	15.2	Min	.15	Inst Max	126	Acre-Ft	208
Cal Year 2007	Total	76.14	Mean	.21	Max	1.21	Min	.15	Inst Max	17.4	Acre-Ft	151

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F118B Pacoima Creek Flume below Pacoima Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	111	0	0	0	0	0	0	0
2	0	0	0	0	110	0	161	0	0	0	0	0
3	0	0	0	0	81.8	0	75.0	0	0	0	0	0
4	0	0	0	2.04	31.6	0	0	0	0	0	0	0
5	0	0	0	1.86	63.2	0	0	0	0	0	0	0
6	0	0	.10	1.88	100	0	0	0	0	0	0	0
7	0	1.18	1.14	.83	62.7	0	0	97.7	0	0	0	0
8	0	0	0	0	0	0	0	68.4	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	.47	0	0	0	82.5	0	0	0	0	0	0	0
14	0	0	0	0	298	0	0	0	0	0	0	0
15	0	0	0	0	144	0	144	0	0	0	0	0
16	0	0	0	0	0	0	68.3	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	2.41	0	0	0	0	0	0	0	0	0
19	0	0	1.55	0	129	0	0	0	0	0	0	0
20	0	0	.24	0	93.0	0	0	0	0	0	0	0
21	0	0	.13	0	32.1	0	0	0	0	0	0	0
22	0	0	0	153	36.3	0	74.1	0	0	0	0	0
23	0	0	0	131	.02	0	44.7	.58	0	0	0	0
24	0	0	0	1.09	.68	0	.08	.27	0	0	0	0
25	0	0	0	1.37	0	0	0	0	0	0	0	0
26	0	0	0	.35	166	0	0	0	0	0	0	0
27	0	0	0	86.7	81.7	0	0	0	0	0	0	0
28	0	0	0	334	0	0	0	0	0	0	0	0
29	0	0	0	161	0	0	0	0	0	0	0	0
30	0	0	.25	110	-----	0	0	0	0	0	0	0
31	0	-----	.45	111	-----	0	-----	0	-----	0	0	-----
Total	0.47	1.18	6.27	1096.12	1623.60	0	567.18	166.95	0	0	0	0
Mean	.015	.039	.20	35.4	56.0	0	18.9	5.39	0	0	0	0
Max	.47	1.18	2.41	334	298	0	161	97.7	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	.93	2.3	12	2170	3220	0	1120	331	0	0	0	0
Wtr Year 2008	Total	3461.77	Mean	9.46	Max	334	Min	0	Inst Max	456	Acre-Ft	6870
Cal Year 2007	Total	12.18	Mean	.033	Max	2.41	Min	0	Inst Max	149	Acre-Ft	24

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F305 Pacoima Diversion at Branford Street
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.99	2.29	2.46	1.67	2.08	2.05	4.53	3.03	2.55	2.96	2.40	.91
2	1.92	2.33	1.72	1.60	2.07	2.05	6.50	2.67	2.77	2.76	2.21	.93
3	1.79	1.94	1.54	1.91	71.9	4.46	3.42	2.63	2.61	2.39	2.33	1.30
4	1.97	2.07	1.69	148	1.91	4.63	4.73	2.65	2.60	2.41	2.25	1.02
5	1.89	2.18	1.80	21.6	1.67	4.72	4.21	2.86	2.48	2.18	2.20	.88
6	1.76	2.26	6.26	28.1	1.75	4.56	4.13	3.05	2.62	2.24	2.22	.90
7	1.65	2.21	22.6	6.74	2.59	4.84	3.71	4.10	2.55	2.47	1.94	1.10
8	1.60	2.19	3.38	2.22	3.07	4.48	3.67	3.47	2.59	2.39	1.82	.92
9	1.72	2.16	1.99	2.19	2.01	4.44	3.52	4.20	2.72	2.62	1.70	.91
10	1.83	2.02	1.66	2.11	2.08	4.55	3.43	3.29	2.70	2.49	1.56	1.01
11	1.90	1.98	1.65	2.02	2.08	4.52	3.10	3.11	2.66	2.83	1.56	.94
12	15.8	1.72	1.62	2.45	2.08	4.53	2.85	3.38	2.47	2.41	1.61	1.02
13	44.6	3.43	1.69	2.00	2.07	4.65	2.75	2.79	2.45	2.26	1.81	1.03
14	2.03	2.77	1.72	2.04	2.07	4.55	3.04	3.37	2.52	2.45	1.78	1.17
15	2.05	2.13	2.08	2.33	2.13	17.7	3.64	2.73	2.34	2.36	1.76	.99
16	1.81	2.30	2.67	2.15	2.05	4.35	2.12	2.37	2.77	2.08	1.43	.95
17	1.90	2.53	2.74	1.67	2.13	4.30	3.40	2.50	2.13	3.92	1.49	1.02
18	1.75	2.26	34.2	1.95	2.05	4.55	2.92	2.21	2.07	2.47	1.41	.99
19	2.03	2.12	7.44	2.19	2.05	4.67	3.00	2.51	2.13	2.42	1.35	.90
20	1.98	2.10	7.50	2.20	71.9	4.56	2.91	2.73	2.23	2.40	1.28	.98
21	1.63	2.07	2.22	3.17	40.4	4.29	2.99	2.50	1.97	2.45	1.43	1.10
22	1.52	1.93	1.53	10.4	176	4.38	4.58	2.96	2.03	2.38	1.30	1.17
23	1.45	2.04	1.81	30.2	3.82	4.33	4.00	8.33	2.37	2.42	1.26	1.08
24	1.93	1.62	1.65	103	174	4.28	3.99	10.1	2.78	2.49	1.03	1.18
25	2.22	1.90	1.50	145	2.05	4.30	2.87	2.84	2.49	2.42	1.10	1.15
26	2.04	2.10	1.59	93.0	2.05	4.39	2.67	2.91	2.40	2.07	1.07	.91
27	2.36	2.08	1.51	153	2.05	4.26	2.54	2.81	2.40	2.31	1.35	.98
28	2.09	1.96	1.57	345	2.05	4.50	2.71	2.66	2.51	2.34	1.53	.90
29	2.09	1.75	2.25	82.9	2.05	4.73	2.72	2.67	2.26	2.33	1.21	.99
30	2.09	33.9	1.96	2.31	-----	4.97	2.80	2.74	2.41	2.47	.98	1.18
31	2.03	-----	1.81	2.07	-----	4.54	-----	2.79	-----	2.46	.93	-----
Total	115.42	96.34	127.81	1207.19	586.21	148.13	103.45	102.96	73.58	76.65	49.30	30.51
Mean	3.72	3.21	4.12	38.9	20.2	4.78	3.45	3.32	2.45	2.47	1.59	1.02
Max	44.6	33.9	34.2	345	176	17.7	6.50	10.1	2.78	3.92	2.40	1.30
Min	1.45	1.62	1.50	1.60	1.67	2.05	2.12	2.21	1.97	2.07	.93	.88
Acre-Ft	229	191	254	2390	1160	294	205	204	146	152	98	61
Wtr Year 2008	Total	2717.55	Mean	7.43	Max	345	Min	.88	Inst Max	2080	Acre-Ft	5390
Cal Year 2007	Total	1349.84	Mean	3.70	Max	120	Min	.93	Inst Max	2190	Acre-Ft	2680

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F122 Pallet Creek at Big Rock Creek Near Valyermo
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	4.42	0	22.1	1.83	2.59	.52	.62	.68	.75	.75
2	0	0	2.59	0	22.6	1.72	1.97	.50	.62	.68	.74	.75
3	0	0	.43	0	24.3	1.73	1.27	.50	.63	.68	.74	.74
4	0	0	0	0	12.9	1.72	1.39	.50	.65	.69	.75	.72
5	0	0	0	0	1.26	1.63	1.46	.50	.65	.69	.75	.71
6	0	0	0	0	1.39	1.56	1.49	.49	.65	.70	.75	.71
7	0	0	0	0	1.46	1.56	1.51	.49	.65	.70	.76	.72
8	0	0	0	0	1.57	1.60	1.54	.49	.65	.70	.75	.75
9	0	0	0	0	1.61	1.50	1.10	.49	.64	.72	.74	.75
10	0	0	0	0	1.66	1.46	.83	.48	.63	.70	.74	.74
11	0	0	0	0	1.68	1.45	.85	.48	.65	.71	.74	.72
12	0	0	0	0	1.71	1.38	.82	.48	.65	.70	.74	.72
13	0	0	0	0	1.73	1.36	.80	.48	.65	.71	.74	.72
14	0	0	0	0	1.66	1.33	.80	.48	.68	.71	.77	.71
15	0	0	0	0	1.59	1.31	.80	.47	.69	.69	.76	.71
16	0	0	0	0	1.62	1.30	.80	.47	.69	.69	.76	.72
17	0	0	0	0	1.67	1.24	.78	.47	.70	.68	.78	.73
18	0	0	0	0	1.69	1.26	.77	.47	.70	.67	.77	.74
19	0	0	0	0	1.69	1.24	.76	.49	.72	.68	.78	.72
20	0	0	0	0	1.72	1.21	.74	.54	.70	.68	.79	.74
21	0	0	0	0	1.68	1.19	.74	.57	.68	.69	.78	.73
22	0	0	0	0	1.69	1.17	.74	.59	.66	.69	.78	.72
23	0	0	0	0	1.65	1.15	.74	.63	.66	.70	.77	.72
24	0	0	0	0	1.70	1.17	.73	.64	.67	.70	.76	2.47
25	0	0	0	0	1.74	1.23	.73	.63	.68	.69	.77	2.68
26	0	0	0	0	1.78	3.42	.72	.62	.69	.69	.75	2.08
27	0	0	0	115	1.82	5.89	.71	.62	.68	.71	.75	1.66
28	0	0	0	75.7	1.83	5.40	.68	.62	.67	.72	.74	1.33
29	0	.37	0	25.0	1.83	5.21	.65	.62	.68	.73	.72	1.06
30	0	2.39	0	22.1	-----	5.09	.61	.62	.67	.73	.85	.85
31	0	-----	0	22.0	-----	3.76	-----	.62	-----	.74	.75	-----
Total	0	2.76	7.44	259.8	123.33	64.07	30.12	16.57	19.96	21.65	23.52	28.87
Mean	0	.092	.24	8.38	4.25	2.07	1.00	.53	.67	.70	.76	.96
Max	0	2.39	4.42	115	24.3	5.89	2.59	.64	.72	.74	.85	2.68
Min	0	0	0	0	1.26	1.15	.61	.47	.62	.67	.72	.71
Acre-Ft	0	5.5	15	515	245	127	60	33	40	43	47	57
Wtr Year 2008	Total	598.09	Mean	1.63	Max	115	Min	0	Inst Max	207	Acre-Ft	1190
Cal Year 2007	Total	264.55	Mean	.72	Max	9.88	Min	0	Inst Max	10.4	Acre-Ft	525

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F45B Rio Hondo Above Steward and Gray Road
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.25	.25	.71	.36	.05	.07	.39	.51	.69	.05	.14	.17
2	.25	.25	.25	.41	.05	.07	.36	.51	.69	.05	.25	.17
3	.25	.25	.28	23.4	.82	.07	.37	.51	.69	.05	.25	.17
4	.25	.25	.43	1630	.05	.08	.51	.51	.40	.05	.25	.17
5	.25	.27	.37	2750	.05	.10	.51	.54	.05	.05	.33	.17
6	.25	.26	.37	6.88	.05	.13	.51	.51	.05	.05	.35	.17
7	.25	.30	4.10	2.48	.05	.16	.51	.51	.05	.05	.25	.17
8	.20	.27	.31	1.10	.05	.20	.56	.51	.05	.05	.25	.17
9	.26	.47	.25	.79	.05	.25	.51	.54	.05	.05	.25	.20
10	.27	.27	.25	.46	.05	.30	.51	.63	.05	.05	.25	.25
11	.26	.25	.25	1.41	.05	.36	.51	.51	.05	.05	.25	.25
12	.29	.19	.25	1.87	.06	.43	.51	.59	.05	.05	.25	.20
13	3.83	.17	.23	1.80	.06	.50	.51	.58	.05	.06	.25	.17
14	.39	.22	.17	1.66	.47	.51	.51	.48	.05	.05	.25	.17
15	.27	.36	.17	1.55	.06	.60	.51	.36	.05	.05	.25	.17
16	.26	.30	.17	1.03	.06	.51	.43	.36	.05	.05	.25	.17
17	.25	.25	.17	.99	.06	.51	.36	.36	.05	.05	.25	.17
18	.25	.25	5.26	1.04	.06	.51	.36	.36	.05	.05	.25	.17
19	.25	.27	5.66	1.12	.06	.51	.36	.36	.05	.05	.25	.17
20	.25	.31	.73	1.20	.47	.51	.36	.36	.06	.05	.25	.17
21	.25	.29	.60	1.42	.15	.51	.36	.36	.05	.05	.25	.17
22	.19	.25	.25	1.74	1.98	.51	.42	1.52	.05	.05	.25	.17
23	.25	.25	.25	7.17	.17	.51	.51	1.25	.05	.05	.25	.17
24	.25	.20	.19	5.99	2.79	.51	.51	.93	.05	.05	.25	.17
25	.25	.17	.17	71.5	.12	.51	.51	.93	.05	.05	.22	.17
26	.25	.22	.17	6.60	.07	.51	.51	.77	.05	.05	.17	.17
27	.25	.29	.17	2230	.07	.51	.55	.69	.05	.05	.17	.17
28	.25	.29	.17	2270	.07	.51	.51	.69	.05	.05	.17	.17
29	.28	.73	.17	.06	.07	.51	.51	.69	.05	.05	.17	.13
30	.28	20.0	.17	.06	-----	.51	.51	.69	.05	.05	.17	.11
31	.25	-----	.25	.05	-----	.51	-----	.69	-----	.03	.17	-----
Total	11.53	28.10	22.94	9024.14	8.17	11.99	14.06	18.81	3.78	1.54	7.31	5.22
Mean	.37	.94	.74	291	.28	.39	.47	.61	.13	.050	.24	.17
Max	3.83	20.0	5.66	2750	2.79	.60	.56	1.52	.69	.06	.35	.25
Min	.19	.17	.17	.05	.05	.07	.36	.36	.05	.03	.14	.11
Acre-Ft	23	56	46	17900	16	24	28	37	7.5	3.1	14	10
Wtr Year 2008	Total	9157.59	Mean	25.0	Max	2750	Min	.03	Inst Max	6780	Acre-Ft	18160
Cal Year 2007	Total	564.27	Mean	1.55	Max	262	Min	.04	Inst Max	1350	Acre-Ft	1120

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F192B Rio Hondo Below Lower Azusa Road
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.15	.07	.29	.07	0	0	.17	.19	.04	.26	0	0
2	.12	.19	.05	.32	0	0	.10	.21	.16	.17	0	0
3	.14	.11	.10	.12	2.36	0	.15	.14	.38	.14	0	.31
4	.08	.29	.05	55.5	.02	0	.13	.09	.65	.55	0	.05
5	.12	.30	.04	27.9	.06	0	.12	.19	.41	.37	0	0
6	.04	.24	.45	44.3	.09	0	.18	.29	.25	.36	0	.11
7	0	.11	5.34	99.4	13.9	0	.09	.39	.17	.45	.15	.11
8	0	0	.15	.33	32.8	0	0	.03	.18	.31	0	.14
9	0	0	0	66.1	31.6	0	.14	0	.20	.51	0	.03
10	0	0	.19	82.4	29.6	0	.07	0	.21	.16	0	.29
11	.09	0	.03	41.7	10.6	0	0	0	.23	.09	0	15.3
12	1.17	0	0	38.7	.19	0	.01	0	.18	.17	0	98.7
13	5.14	0	.18	33.6	.02	0	.11	0	.09	.26	0	153
14	.13	.14	.15	13.9	7.85	0	.32	0	.11	.35	0	160
15	.25	.09	.17	.19	.03	.81	.95	.04	.13	.17	0	165
16	.19	.08	.41	0	0	.14	.26	0	.14	0	0	172
17	.08	.06	.28	0	0	.11	.20	0	.16	0	0	185
18	0	0	12.8	0	.07	.33	.19	0	.18	.01	0	197
19	0	.18	10.1	0	0	.05	.26	0	.20	.06	.07	202
20	0	.12	.98	.07	1.53	.02	.23	0	.21	.10	.06	200
21	0	.17	.25	0	.57	0	.23	0	.23	.15	.08	203
22	0	.03	.03	.95	3.84	0	.25	4.19	.20	.20	.08	176
23	.05	0	0	11.8	.62	0	.29	4.97	.16	.24	.08	131
24	.24	0	.08	9.12	5.55	.03	.27	.49	.25	.29	.08	65.7
25	1.18	0	.08	23.6	.27	.15	.23	.38	.15	.37	.08	33.9
26	1.38	0	.10	3.21	.09	.22	.19	.45	.12	.03	.05	16.0
27	.05	0	.29	191	.10	.24	.23	.52	.25	0	.02	8.00
28	.01	.02	.07	163	.07	.17	.22	.31	.16	0	0	3.67
29	.83	.23	.15	34.0	0	.20	.20	.25	.18	0	0	1.62
30	.11	12.4	.08	1.19	-----	.29	.31	.17	.25	0	0	.25
31	.11	-----	.13	0	-----	.22	-----	.06	-----	0	0	-----
Total	11.66	14.83	33.02	942.47	141.83	2.98	6.10	13.36	6.23	5.77	0.75	2188.18
Mean	.38	.49	1.07	30.4	4.89	.096	.20	.43	.21	.19	.024	72.9
Max	5.14	12.4	12.8	191	32.8	.81	.95	4.97	.65	.55	.15	203
Min	0	0	0	0	0	0	0	0	.04	0	0	0
Acre-Ft	23	29	65	1870	281	5.9	12	26	12	11	1.5	4340
Wtr Year 2008	Total	3367.18	Mean	9.20	Max	203	Min	0	Inst Max	1080	Acre-Ft	6680
Cal Year 2007	Total	693.63	Mean	1.90	Max	215	Min	0	Inst Max	661	Acre-Ft	1380

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F313B Rio Hondo Bypass Channel Above Whittier Narrows
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.7	0	0	.46	0	58.2	0	0	55.3	26.7	84.8	0
2	11.5	0	0	1.82	0	63.8	0	0	50.7	14.3	86.4	0
3	10.5	0	0	4.20	0	23.2	0	0	53.7	8.57	90.3	0
4	10.3	0	0	9.07	47.1	.20	0	0	18.1	10.9	115	13.2
5	13.3	0	13.9	34.8	97.4	0	0	0	.22	11.2	117	22.7
6	19.3	0	33.0	18.3	110	0	0	0	0	10.9	131	28.4
7	17.8	0	0	22.5	115	0	0	0	0	28.1	144	31.5
8	15.3	0	0	25.7	82.4	0	0	0	0	48.5	143	29.0
9	10.2	0	0	42.3	82.6	0	0	0	36.3	56.5	149	26.7
10	3.33	0	0	47.0	83.6	0	0	0	44.7	50.2	146	25.6
11	0	0	0	79.2	96.8	0	0	0	25.0	44.8	149	27.7
12	0	0	0	68.9	117	0	0	0	.04	57.0	144	26.9
13	0	0	0	63.1	106	0	0	0	0	69.5	93.8	29.6
14	0	0	0	64.9	103	0	0	0	0	61.5	29.1	30.6
15	0	0	0	72.3	80.8	0	0	0	0	52.5	27.2	30.4
16	0	0	0	81.2	71.9	0	0	0	0	53.9	40.6	24.8
17	0	0	0	80.5	72.7	0	0	0	3.48	53.2	40.0	24.4
18	0	0	0	71.7	74.0	0	0	0	6.42	53.9	11.1	24.3
19	0	0	.47	57.5	44.8	0	0	0	6.56	53.9	.16	26.1
20	0	0	0	48.5	0	0	0	0	7.12	53.5	0	29.2
21	0	0	0	52.7	0	0	0	0	7.69	54.9	0	29.0
22	0	0	0	20.4	0	0	0	.40	7.62	52.1	0	28.2
23	0	0	0	.62	0	0	0	.07	7.01	48.3	0	24.8
24	0	0	0	.59	.17	0	0	0	6.98	53.9	0	24.6
25	0	0	0	2.48	.01	0	0	0	6.80	56.4	0	21.7
26	0	0	0	.29	72.0	0	0	0	6.71	57.8	0	13.4
27	0	0	0	2.93	92.6	0	0	45.0	7.38	73.4	0	29.2
28	0	0	0	1.42	69.4	0	0	86.5	7.42	76.5	0	28.1
29	0	0	0	0	60.3	0	0	87.0	7.44	70.4	0	28.6
30	0	0	0	0	-----	0	0	84.6	24.9	96.9	0	23.8
31	0	-----	0	0	-----	0	-----	76.3	-----	78.1	0	-----
Total	128.23	0	47.37	975.38	1679.58	145.40	0	379.87	397.59	1538.27	1741.46	702.5
Mean	4.14	0	1.53	31.5	57.9	4.69	0	12.3	13.3	49.6	56.2	23.4
Max	19.3	0	33.0	81.2	117	63.8	0	87.0	55.3	96.9	149	31.5
Min	0	0	0	0	0	0	0	0	0	8.57	0	0
Acre-Ft	254	0	94	1930	3330	288	0	753	789	3050	3450	1390
Wtr Year 2008	Total	7735.65	Mean	21.1	Max	149	Min	0	Inst Max	182	Acre-Ft	15340
Cal Year 2007	Total	12378.60	Mean	33.9	Max	211	Min	0	Inst Max	222	Acre-Ft	24550

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F338 Rubio Diversion Channel Below Gooseberry Canyon Inlet
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.90	.99	1.01	1.23	11.3	.87	.56	.32	.43	.01	.09	.01
2	.99	.81	.90	1.21	9.20	.78	.31	.41	.02	0	0	.02
3	1.00	.99	1.02	1.33	11.1	.75	.20	.20	.01	.10	0	0
4	1.00	.80	1.00	17.4	6.13	1.00	.20	.17	0	0	0	0
5	.91	.87	.97	19.5	1.71	1.02	.19	.51	.03	0	0	.04
6	.87	.99	1.91	16.3	1.50	.95	.65	.43	.02	0	.05	.01
7	.74	.88	5.51	11.6	1.40	.84	.71	.40	.07	0	.06	0
8	.89	1.00	1.03	10.5	1.40	.83	.32	.21	.01	0	.02	0
9	.99	.89	1.39	8.18	1.38	.84	.21	.20	.01	0	0	0
10	.85	1.01	1.02	5.44	1.37	.94	.14	.28	.03	0	.01	.01
11	.98	1.00	1.04	2.47	1.31	1.56	.04	.32	.01	0	0	0
12	.99	1.01	1.01	1.83	1.25	1.13	.09	.60	.01	0	.08	0
13	2.93	1.09	1.03	2.00	1.25	1.02	.50	.45	.03	0	.19	0
14	1.00	1.22	1.01	2.04	1.17	1.01	.77	.30	0	0	.16	0
15	.99	1.04	.99	1.61	.83	1.71	.40	.21	0	.02	.12	0
16	1.00	1.00	1.00	1.76	.63	1.60	.29	.12	.06	.12	.09	0
17	.86	1.01	1.01	1.69	.60	1.88	.09	.14	0	.36	.06	0
18	.99	.99	5.67	1.60	.44	3.34	.01	.09	0	.11	.02	.01
19	.93	1.42	3.70	1.40	.70	3.67	0	.16	.01	0	.01	.03
20	.96	1.74	1.81	1.29	1.77	3.32	0	.20	.02	.01	.01	0
21	.91	1.22	1.16	1.56	.70	1.66	.31	.13	0	0	.03	.08
22	1.00	1.01	1.03	2.00	1.64	1.30	.63	1.33	.02	.06	.09	.71
23	.97	.97	.96	3.95	1.12	1.08	.31	3.72	.23	.04	0	0
24	.81	.83	.83	7.25	2.86	1.54	.20	.38	.23	.27	0	.09
25	.98	.95	.89	13.3	1.27	1.64	.06	0	0	.63	.01	.36
26	.60	1.01	.94	11.4	.71	1.29	.01	.01	.02	.57	.01	.34
27	.98	1.02	1.06	17.5	.59	1.12	0	0	.01	.39	.01	.26
28	.94	1.00	1.03	15.6	.68	1.01	.01	0	0	.39	.01	.05
29	.95	.98	1.20	7.65	.86	1.00	.21	.01	0	.20	.03	.11
30	.99	4.78	1.20	15.6	-----	4.14	.63	.01	.01	.20	0	.75
31	.84	-----	1.24	14.9	-----	1.32	-----	.34	-----	.20	.01	-----
Total	30.74	34.52	45.57	221.09	66.87	46.16	8.05	11.65	1.29	3.68	1.17	2.88
Mean	.99	1.15	1.47	7.13	2.31	1.49	.27	.38	.043	.12	.038	.096
Max	2.93	4.78	5.67	19.5	11.3	4.14	.77	3.72	.43	.63	.19	.75
Min	.60	.80	.83	1.21	.44	.75	0	0	0	0	0	0
Acre-Ft	61	68	90	439	133	92	16	23	2.6	7.3	2.3	5.7
Wtr Year 2008	Total	473.67	Mean	1.29	Max	19.5	Min	0	Inst Max	226	Acre-Ft	940
Cal Year 2007	Total	322.00	Mean	.90	Max	12.1	Min	0	Inst Max	115	Acre-Ft	639

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F82C Rubio Wash at Glendon Way
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.18	.75	2.40	.04	.20	.35	2.50	.50	.53	1.69	1.50	2.25
2	.20	.59	.82	.16	.19	.42	2.50	.50	.50	1.58	1.52	2.19
3	.18	.46	.64	.25	7.45	.29	2.50	.50	.60	3.37	1.62	2.05
4	.16	.25	1.11	407	.30	.41	2.50	.50	.87	6.55	1.70	2.02
5	.19	.35	.98	150	.17	.44	2.60	.50	.83	5.45	1.63	2.07
6	.25	.29	1.00	69.2	.28	.41	2.50	.50	1.13	2.19	1.50	2.14
7	.16	.25	65.6	5.53	.34	.50	2.53	.74	1.01	1.76	1.50	2.21
8	.20	.39	1.38	.39	.16	.44	2.50	.85	1.17	1.68	1.50	2.38
9	.21	.50	.83	.32	.19	.25	2.65	.58	1.34	1.50	1.50	2.64
10	.33	.44	.80	.42	.22	.93	2.50	.50	.97	1.51	1.59	2.59
11	.34	.25	.84	.54	.41	2.75	2.50	.50	1.02	1.64	1.56	2.24
12	.28	.43	.91	.16	.30	3.93	2.15	.50	3.93	1.73	1.50	2.00
13	25.1	.28	.88	.14	.42	4.28	.93	.50	5.02	1.71	1.50	2.00
14	.85	.45	.82	.38	14.9	4.80	2.14	.57	5.77	1.71	1.59	2.00
15	.75	.41	.54	.27	.36	5.58	2.50	.59	4.50	1.69	1.62	2.00
16	.75	.27	.25	.36	.27	4.48	2.50	.59	1.87	1.50	1.71	2.05
17	.54	.25	.37	.16	.35	3.93	2.50	.63	1.55	1.61	1.74	2.38
18	.34	.25	63.3	.33	.60	3.93	2.19	.86	1.56	1.77	1.75	2.34
19	.25	.25	62.4	.15	1.13	3.80	.71	1.06	1.50	1.75	1.88	2.16
20	.25	.25	1.37	.10	3.15	3.50	.50	.82	1.57	1.75	2.04	1.98
21	.25	.36	1.27	.28	1.50	2.94	.50	.56	1.50	1.75	2.13	1.80
22	.25	.30	.37	.92	11.0	3.12	.63	.54	1.84	1.75	2.13	1.63
23	.25	.34	.25	54.5	.89	3.17	.72	6.96	1.79	1.62	2.25	1.45
24	.25	.25	.17	48.9	13.1	3.17	.64	8.50	1.50	1.71	2.27	1.20
25	.32	.25	.25	134	.77	3.37	.63	1.92	1.50	1.77	2.11	.98
26	.50	.25	.25	25.6	.77	3.40	.63	.97	1.52	1.65	2.00	.86
27	.50	.25	.25	172	.95	3.34	.50	1.02	3.51	1.75	2.11	.95
28	.48	.32	.22	20.3	1.11	3.93	.37	.74	2.59	1.60	2.00	.96
29	.42	.59	.25	.29	.47	3.93	.48	.73	1.84	1.50	2.00	.96
30	.50	64.4	.25	.30	-----	4.06	.61	.53	1.87	1.50	2.00	1.18
31	.71	-----	.25	.14	-----	2.62	-----	.57	-----	1.50	2.11	-----
Total	35.94	74.67	211.02	1093.13	61.95	82.47	49.61	35.33	56.70	62.24	55.56	55.66
Mean	1.16	2.49	6.81	35.3	2.14	2.66	1.65	1.14	1.89	2.01	1.79	1.86
Max	25.1	64.4	65.6	407	14.9	5.58	2.65	8.50	5.77	6.55	2.27	2.64
Min	.16	.25	.17	.04	.16	.25	.37	.50	.50	1.50	1.50	.86
Acre-Ft	71	148	419	2170	123	164	98	70	112	123	110	110
Wtr Year 2008	Total	1874.28	Mean	5.12	Max	407	Min	.04	Inst Max	3860	Acre-Ft	3720
Cal Year 2007	Total	770.54	Mean	2.11	Max	65.6	Min	.09	Inst Max	1060	Acre-Ft	1530

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F303 San Dimas Creek Below San Dimas Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.10	9.68	1.65	1.10	54.3	12.5	15.6	7.16	4.44	4.10	4.40	4.44
2	1.10	9.71	1.65	1.10	53.2	12.4	14.6	6.73	4.44	4.10	4.28	4.44
3	1.10	9.65	1.10	8.35	52.4	12.4	14.0	6.16	5.25	4.10	4.33	4.44
4	1.10	9.68	1.10	14.5	51.0	12.4	15.8	6.42	5.75	3.97	4.30	4.42
5	1.10	9.76	1.10	14.9	24.0	9.79	17.2	6.74	5.81	3.97	4.14	4.36
6	1.10	8.09	1.10	45.7	11.6	6.66	32.2	7.16	4.68	4.01	4.10	4.36
7	1.10	1.80	1.10	63.9	11.3	6.66	46.8	7.16	4.44	4.08	4.10	4.36
8	1.10	1.79	1.10	62.0	11.1	6.66	46.8	7.16	4.55	4.10	4.12	4.37
9	1.10	1.79	1.10	60.3	11.1	6.42	25.6	7.16	4.44	4.10	4.10	4.44
10	1.10	1.79	1.10	58.2	11.0	6.31	4.91	7.16	4.44	4.10	4.19	4.44
11	1.10	1.80	1.10	26.1	11.0	6.11	4.75	7.16	4.21	4.10	4.26	4.44
12	1.10	1.79	1.10	9.34	11.0	6.12	4.06	7.37	4.10	4.01	4.27	4.44
13	1.10	1.79	1.10	9.25	11.1	6.11	3.59	7.67	4.10	4.10	4.51	4.44
14	1.10	1.68	1.10	5.97	7.36	6.10	3.31	6.63	4.10	4.21	4.34	4.44
15	1.10	1.66	1.10	2.11	2.11	6.09	3.37	6.06	4.10	4.12	4.26	4.44
16	1.10	1.65	1.10	2.04	2.11	5.90	3.45	5.88	4.10	4.10	4.26	4.44
17	1.10	1.65	1.10	1.80	2.11	5.64	3.15	5.42	4.10	4.10	4.25	4.44
18	1.10	1.63	1.10	1.95	2.35	5.59	3.40	5.40	4.18	4.16	4.27	4.44
19	1.10	1.65	1.10	1.77	12.1	5.59	3.48	5.31	4.27	4.10	4.32	4.47
20	1.10	1.65	1.10	1.66	17.6	9.65	3.65	5.21	4.10	4.10	4.30	4.44
21	1.10	1.71	1.10	1.66	10.1	11.3	3.74	5.55	4.10	4.10	4.35	4.44
22	1.09	1.79	1.10	1.66	1.56	11.0	3.65	6.04	4.10	4.10	4.45	4.44
23	6.76	1.60	1.10	1.71	1.53	11.0	3.47	14.4	3.90	4.10	4.51	4.44
24	9.40	1.51	1.10	1.68	1.52	11.0	3.44	20.1	3.82	4.03	4.41	4.44
25	9.31	1.61	1.10	1.72	1.52	11.0	3.25	8.58	4.08	4.10	4.39	4.44
26	9.27	1.63	1.10	1.53	8.24	20.2	2.98	7.03	4.50	4.03	4.89	4.44
27	9.25	1.63	1.10	27.2	12.5	26.4	3.85	6.11	4.46	4.02	4.76	4.44
28	9.25	1.66	1.10	97.8	12.5	21.8	3.23	5.11	4.33	3.98	4.57	4.44
29	9.28	1.74	1.10	58.0	12.5	20.6	2.29	4.44	4.10	4.10	4.44	4.44
30	9.49	1.91	1.10	36.5	-----	18.3	3.15	4.44	4.10	4.34	4.44	4.71
31	9.62	-----	1.10	40.2	-----	16.8	-----	4.44	-----	4.27	4.44	-----
Total	105.82	97.48	35.20	661.70	431.81	334.50	302.77	217.36	131.09	126.90	134.75	133.17
Mean	3.41	3.25	1.14	21.3	14.9	10.8	10.1	7.01	4.37	4.09	4.35	4.44
Max	9.62	9.76	1.65	97.8	54.3	26.4	46.8	20.1	5.81	4.34	4.89	4.71
Min	1.09	1.51	1.10	1.10	1.52	5.59	2.29	4.44	3.82	3.97	4.10	4.36
Acre-Ft	210	193	70	1310	856	663	601	431	260	252	267	264
Wtr Year 2008	Total	2712.55	Mean	7.41	Max	97.8	Min	1.09	Inst Max	399	Acre-Ft	5380
Cal Year 2007	Total	805.76	Mean	2.21	Max	12.4	Min	.32	Inst Max	399	Acre-Ft	1600

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/31/2009

Summary Report

Site: F218 San Dimas Wash Below Puddingstone Diversion Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	9.78	0	2.83	1.53	.66	0	0
2	0	0	0	0	0	9.82	0	2.69	1.72	.60	0	0
3	0	0	0	0	0	9.76	0	2.43	2.02	.55	0	.02
4	0	0	0	0	0	9.70	0	2.44	2.15	.55	0	.11
5	0	0	0	.09	0	7.93	0	2.50	2.48	.44	0	.11
6	0	0	0	0	0	4.73	0	2.52	2.09	.44	0	.11
7	0	0	0	0	0	4.73	0	2.85	1.79	4.51	0	.11
8	0	0	0	0	0	4.75	0	3.12	1.58	6.40	0	.19
9	0	0	0	0	0	4.82	0	2.79	1.36	4.76	0	.30
10	0	0	0	0	0	4.73	4.91	2.74	1.10	1.57	0	.33
11	0	0	0	0	0	4.71	10.3	2.69	1.10	.45	0	.24
12	0	0	0	0	5.82	4.71	9.84	2.68	1.02	.33	0	.21
13	0	0	0	0	8.17	4.63	9.33	2.81	.99	.33	0	.22
14	0	0	0	0	2.86	4.52	8.73	2.52	.89	.25	0	.22
15	0	0	0	0	.11	4.50	8.20	2.20	.76	.22	0	.22
16	0	0	0	0	.11	4.45	7.83	1.91	.66	.30	0	.22
17	0	0	0	0	.11	4.37	7.38	1.68	.66	.25	0	.22
18	0	0	0	0	.11	4.37	4.55	1.61	.66	.22	0	.22
19	0	0	0	0	8.92	4.37	3.77	1.49	.66	.05	0	.22
20	0	0	0	0	13.4	8.03	3.89	1.08	.66	0	0	.33
21	0	0	0	0	4.05	10.7	3.66	.99	.57	0	0	.33
22	0	0	0	0	0	10.5	3.58	1.06	.44	0	0	.33
23	0	0	0	0	0	10.3	3.45	4.83	.44	0	0	.33
24	0	0	0	0	0	9.95	3.39	7.32	.44	0	0	.33
25	0	0	0	0	6.24	9.93	3.14	7.30	.59	0	0	.33
26	0	0	0	0	14.1	2.73	2.75	5.38	.66	0	0	.33
27	0	0	0	0	11.9	0	2.86	3.33	.66	0	0	.33
28	0	0	0	0	9.63	0	3.19	2.91	.79	0	0	.33
29	0	0	0	0	9.69	0	2.54	2.85	.77	0	0	.33
30	0	0	0	0	-----	0	2.57	2.56	.73	0	0	.33
31	0	-----	0	0	-----	0	-----	2.23	-----	0	0	-----
Total	0	0	0	0.09	95.22	173.52	109.86	88.34	31.97	22.88	0	6.90
Mean	0	0	0	.003	3.28	5.60	3.66	2.85	1.07	.74	0	.23
Max	0	0	0	.09	14.1	10.7	10.3	7.32	2.48	6.40	0	.33
Min	0	0	0	0	0	0	0	.99	.44	0	0	0
Acre-Ft	0	0	0	.18	189	344	218	175	63	45	0	14
Wtr Year 2008	Total	528.78	Mean	1.44	Max	14.1	Min	0	Inst Max	14.1	Acre-Ft	1050
Cal Year 2007	Total	153.71	Mean	.42	Max	7.51	Min	0	Inst Max	7.51	Acre-Ft	305

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F250 San Gabriel River - Azusa Conduit 25 Ft. Weir Below Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	58.9	56.8	44.8	32.4	.90	63.0	.90	61.5
2	0	0	0	0	58.9	56.9	45.7	19.3	.91	62.8	.90	61.7
3	0	0	0	0	58.9	57.0	47.1	.45	.96	62.5	.90	61.6
4	0	0	0	0	58.9	56.9	45.5	.45	1.12	62.4	.90	53.3
5	0	0	0	0	45.9	56.7	42.5	.45	1.08	62.5	.90	60.8
6	0	0	0	0	58.9	56.8	42.5	.45	1.12	62.5	23.4	60.8
7	0	0	0	0	58.9	56.9	42.3	.45	1.12	62.4	45.3	60.5
8	0	0	0	0	58.9	56.9	42.5	.45	1.12	62.4	48.7	60.7
9	0	0	0	0	58.9	57.0	40.8	.45	1.13	62.1	48.5	60.6
10	0	0	0	.57	58.9	35.8	42.3	.45	1.12	61.8	48.4	61.9
11	0	0	0	.01	58.6	.49	42.3	.45	1.12	61.6	48.2	62.4
12	0	0	0	0	58.2	39.4	42.3	.45	1.12	61.6	48.0	61.9
13	0	0	0	0	58.3	55.9	42.4	.45	1.12	61.6	47.9	61.5
14	0	0	0	.01	58.5	56.1	47.0	.45	1.12	61.5	47.8	61.1
15	0	0	0	0	58.7	56.0	49.3	.45	1.12	61.5	47.7	60.8
16	0	0	0	.17	58.7	56.1	26.6	.45	.79	61.3	47.6	60.6
17	0	0	0	.06	58.9	46.3	6.13	.45	.45	57.1	47.3	60.8
18	0	0	0	0	59.0	29.8	.45	.45	.52	12.7	47.3	61.1
19	0	0	0	0	59.1	48.3	.45	.45	42.6	.61	51.7	60.9
20	0	0	0	0	59.3	56.5	.45	.52	51.0	3.60	61.3	60.6
21	0	0	0	0	55.5	56.5	.45	.67	62.6	2.28	61.1	60.4
22	0	0	0	0	58.9	56.6	.45	.76	62.7	2.75	60.9	61.6
23	0	0	0	.01	59.0	56.3	.45	.68	62.6	.75	60.6	61.9
24	0	0	0	.06	59.1	56.3	.45	.66	62.5	.88	60.3	52.0
25	0	0	0	.16	54.6	56.4	.45	.61	54.9	.90	60.0	48.0
26	0	0	0	.25	56.3	56.4	.45	.67	.80	.90	59.8	53.0
27	0	0	0	30.5	56.5	50.4	.45	.64	.65	.90	59.5	53.5
28	0	0	0	60.7	56.6	48.8	.45	.73	.67	.90	59.3	52.8
29	0	0	0	60.2	55.2	48.5	13.1	.90	.68	.90	58.9	73.6
30	0	0	0	59.7	-----	45.3	27.6	.90	42.7	.90	61.0	96.0
31	0	-----	0	59.2	-----	45.0	-----	.90	-----	.90	61.8	-----
Total	0	0	0	271.60	1675.0	1569.09	737.68	67.99	462.34	1080.47	1376.80	1827.9
Mean	0	0	0	8.76	57.8	50.6	24.6	2.19	15.4	34.9	44.4	60.9
Max	0	0	0	60.7	59.3	57.0	49.3	32.4	62.7	63.0	61.8	96.0
Min	0	0	0	0	45.9	.49	.45	.45	.45	.61	.90	48.0
Acre-Ft	0	0	0	539	3320	3110	1460	135	917	2140	2730	3630
Wtr Year 2008	Total	9068.87	Mean	24.8	Max	96.0	Min	0	Inst Max	121	Acre-Ft	17990
Cal Year 2007	Total	3957.88	Mean	10.8	Max	44.6	Min	0	Inst Max	70.7	Acre-Ft	7850

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F220B San Gabriel - Azusa Conduit 10 Ft. Weir Below S.G. Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	.45	46.3	.45	0	.09	0	52.9
2	0	0	0	0	0	.45	47.6	.45	0	49.0	0	52.9
3	0	0	0	0	0	.45	49.1	.45	0	50.7	0	52.9
4	0	0	0	0	0	.45	47.5	.45	0	6.15	0	15.7
5	0	0	0	0	0	.45	44.4	.45	0	0	0	36.4
6	0	0	0	0	0	1.31	44.5	.45	0	0	20.4	52.7
7	0	0	0	0	0	32.6	44.6	.45	0	0	45.1	52.7
8	0	0	0	0	0	51.7	44.6	.45	0	0	50.8	52.7
9	0	0	0	0	0	51.7	42.7	.45	0	0	50.6	52.7
10	0	0	0	0	0	28.1	44.2	.45	0	0	50.5	52.8
11	0	0	0	0	0	.45	44.1	.45	0	0	50.3	52.8
12	0	0	0	0	0	21.8	44.1	.45	0	0	50.2	52.8
13	0	0	0	0	0	31.1	44.1	.45	0	0	50.0	52.8
14	0	0	0	0	0	40.5	49.0	.45	0	0	49.9	52.7
15	0	0	0	0	0	51.5	51.5	.45	0	0	49.7	52.6
16	0	0	0	0	0	51.6	25.9	.45	0	0	49.5	52.6
17	0	0	0	0	0	43.5	5.72	.45	0	0	49.4	52.7
18	0	0	0	0	0	27.4	.54	.45	0	0	49.3	52.7
19	0	0	0	0	0	47.8	.54	.45	0	0	47.2	52.7
20	0	0	0	0	0	57.3	.54	.45	0	0	52.8	52.6
21	0	0	0	0	0	57.3	.54	.45	0	0	52.8	52.6
22	0	0	0	0	0	57.3	.54	.45	0	0	52.8	52.7
23	0	0	0	0	0	57.3	.48	.45	0	0	52.8	52.8
24	0	0	0	0	0	57.3	.45	.45	0	0	52.8	49.2
25	0	0	0	0	0	57.3	.45	.45	0	0	52.8	46.9
26	0	0	0	0	0	57.3	.45	.45	0	0	49.2	51.9
27	0	0	0	0	0	51.7	.45	.45	0	0	52.8	52.2
28	0	0	0	0	0	50.6	.45	.45	0	0	52.8	51.5
29	0	0	0	0	.23	50.3	.48	.45	0	0	52.7	14.5
30	0	0	0	0	-----	46.7	.45	.45	0	0	52.9	0
31	0	-----	0	0	-----	46.4	-----	.23	-----	0	53.0	-----
Total	0	0	0	0	0.23	1130.11	726.28	13.73	0	105.94	1293.1	1425.7
Mean	0	0	0	0	.008	36.5	24.2	.44	0	3.42	41.7	47.5
Max	0	0	0	0	.23	57.3	51.5	.45	0	50.7	53.0	52.9
Min	0	0	0	0	0	.45	.45	.23	0	0	0	0
Acre-Ft	0	0	0	0	.46	2240	1440	27	0	210	2560	2830
Wtr Year 2008	Total	4695.09	Mean	12.8	Max	57.3	Min	0	Inst Max	85.3	Acre-Ft	9310
Cal Year 2007	Total	3375.16	Mean	9.25	Max	39.3	Min	0	Inst Max	41.4	Acre-Ft	6690

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F262C San Gabriel River Above Firestone Ave.
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	23.2	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	21.4	0	0	0	0	0	0	0	0
7	0	0	0	88.7	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	1.50	0	0	0	0	0	0	0	0
24	0	0	0	3.17	0	0	0	0	0	0	0	0
25	0	0	0	220	0	0	0	0	0	0	0	0
26	0	0	0	3.21	0	0	0	0	0	0	0	0
27	0	0	0	116	0	0	0	0	0	0	0	0
28	0	0	0	50.9	0	0	0	0	0	0	0	0
29	0	0	0	.61	0	0	0	0	0	0	0	0
30	0	0	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
Total	0	0	0	505.49	23.2	0	0	0	0	0	0	0
Mean	0	0	0	16.3	.80	0	0	0	0	0	0	0
Max	0	0	0	220	23.2	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	0	0	0	1000	46	0	0	0	0	0	0	0
Wtr Year 2008	Total	528.69	Mean	1.44	Max	220	Min	0	Inst Max	1250	Acre-Ft	1050
Cal Year 2007	Total	1.07	Mean	.003	Max	1.07	Min	0	Inst Max	22.1	Acre-Ft	2.1

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F42B San Gabriel River Above Spring Street
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	185	146	94.4	109	75.1	133	123	102	111	148	102	126
2	206	140	88.4	109	91.5	125	119	106	106	163	110	162
3	204	147	91.0	114	160	129	129	112	109	167	105	157
4	211	144	93.0	169	165	133	125	104	112	160	104	130
5	229	128	85.4	287	97.9	137	137	101	119	159	98.2	139
6	246	127	68.3	185	110	141	140	97.1	115	162	109	154
7	250	133	161	255	129	137	146	99.7	124	161	106	143
8	256	117	81.0	76.5	160	142	129	98.5	119	132	105	132
9	281	118	76.7	80.0	175	125	131	100	111	122	115	130
10	272	119	78.0	81.6	215	126	131	109	111	110	117	133
11	291	110	81.0	84.4	271	129	129	103	100	118	119	121
12	298	111	80.6	93.8	231	134	141	101	101	118	133	127
13	378	101	86.0	84.0	278	132	129	105	131	110	121	133
14	238	101	84.0	90.0	141	126	129	108	152	94.9	151	140
15	246	134	94.0	98.1	151	147	137	104	133	86.3	146	139
16	237	134	90.2	102	80.2	125	129	99.9	177	87.3	126	130
17	215	136	91.1	109	147	130	126	111	146	84.6	116	133
18	187	137	146	112	272	123	127	107	155	85.0	105	138
19	181	131	200	125	127	127	139	114	131	86.7	103	140
20	176	131	93.4	116	151	138	129	123	139	78.4	107	146
21	181	131	79.2	121	97.9	135	123	119	139	77.9	132	142
22	173	129	92.3	128	174	141	122	121	142	77.9	141	137
23	165	108	88.8	296	74.8	138	126	118	130	80.4	124	139
24	118	114	95.3	197	122	119	115	116	144	76.3	122	131
25	102	112	96.4	611	49.9	124	112	107	138	72.9	147	128
26	93.8	109	95.3	78.4	47.5	120	123	116	135	81.4	169	144
27	146	112	95.9	433	51.8	125	110	111	143	81.0	166	155
28	135	109	94.7	187	112	125	106	112	166	80.4	169	158
29	127	111	109	70.7	186	130	110	109	168	81.1	154	140
30	139	279	108	70.1	-----	122	105	105	166	76.1	127	135
31	140	-----	107	71.0	-----	116	-----	116	-----	79.1	134	-----
Total	6306.8	3859	3025.4	4743.6	4016.6	4034	3777	3355.2	3973	3297.7	3883.2	4162
Mean	203	129	97.6	153	143	130	126	108	132	106	125	139
Max	378	279	200	611	278	147	146	123	177	167	169	162
Min	93.8	101	68.3	70.1	47.5	116	105	97.1	100	72.9	98.2	121
Acre-Ft	12510	7650	6000	9410	7970	8000	7490	6650	7880	6540	7700	8260
Wtr Year 2008	Total	48433.5	Mean	133	Max	611	Min	47.5	Inst Max	3160	Acre-Ft	96070
Cal Year 2007	Total	48604.9	Mean	133	Max	520	Min	67.1	Inst Max	4610	Acre-Ft	96410

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F263C San Gabriel River Below San Gabriel River Parkway
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	56.3	160	59.2	176	18.4	79.3	31.1	.01	.23	0	0
2	0	53.2	43.4	69.6	165	18.5	78.0	37.3	0	.21	.79	0
3	0	49.1	34.6	97.7	415	25.3	79.4	28.4	.05	.19	2.03	0
4	0	51.7	32.1	196	275	96.0	70.2	28.9	1.30	.17	2.22	0
5	0	54.6	29.2	413	50.5	85.4	73.9	42.3	15.2	.15	0	0
6	0	53.9	31.7	437	71.9	84.4	74.7	39.5	25.3	1.56	0	0
7	0	44.9	352	402	83.3	86.2	78.0	46.3	20.4	4.06	0	0
8	0	54.6	82.2	204	46.8	83.9	63.9	44.4	25.0	.10	0	0
9	0	56.7	77.1	110	66.2	95.4	52.7	43.0	15.0	.08	0	0
10	0	58.2	74.1	17.6	76.2	90.2	52.0	48.3	.14	.06	0	0
11	0	49.9	87.9	21.4	61.4	81.0	48.5	51.3	0	.04	0	0
12	0	57.5	118	26.7	35.3	84.5	44.7	47.7	16.9	.02	0	0
13	154	57.8	109	29.7	27.4	77.2	47.9	47.8	11.5	0	0	0
14	10.1	53.5	123	36.1	22.4	81.5	50.3	43.9	.80	0	0	0
15	2.89	32.9	117	30.3	22.5	86.8	38.9	35.0	.56	0	0	0
16	1.86	23.8	115	35.7	22.7	94.6	36.9	36.3	2.30	0	0	0
17	1.05	28.5	78.9	53.2	23.1	80.2	33.8	33.4	.61	0	0	0
18	1.10	29.2	132	44.3	22.1	77.3	38.2	34.8	.24	0	0	0
19	.54	50.9	422	21.9	28.4	75.1	37.6	32.4	.24	0	0	0
20	.32	57.1	92.3	18.8	134	75.1	46.1	26.4	.24	0	3.82	0
21	1.96	59.9	145	24.6	116	78.2	45.3	22.1	.24	0	4.51	0
22	.56	46.6	76.9	92.2	354	76.5	37.4	320	2.85	0	.96	0
23	0	32.3	78.5	266	194	70.7	39.4	134	4.13	0	3.75	0
24	19.9	32.3	73.4	510	298	82.4	36.7	62.1	.78	0	8.31	0
25	37.8	35.7	64.2	368	187	76.7	39.4	50.1	1.42	0	4.77	0
26	47.6	35.0	66.1	124	123	76.6	34.0	46.0	3.04	0	0	0
27	29.3	30.1	69.2	237	25.4	71.0	41.0	29.8	1.06	0	0	0
28	36.9	22.5	68.1	151	19.4	76.0	39.7	3.06	1.87	0	0	0
29	67.0	32.2	65.6	106	17.7	75.6	28.8	.77	3.90	0	0	0
30	55.9	288	64.7	153	-----	85.1	33.4	.52	4.26	0	0	0
31	51.7	-----	68.1	187	-----	91.8	-----	.21	-----	0	0	-----
Total	520.48	1588.9	3151.3	4543.0	3159.7	2357.6	1500.1	1447.16	159.34	6.87	31.16	0
Mean	16.8	53.0	102	147	109	76.1	50.0	46.7	5.31	.22	1.01	0
Max	154	288	422	510	415	96.0	79.4	320	25.3	4.06	8.31	0
Min	0	22.5	29.2	17.6	17.7	18.4	28.8	.21	0	0	0	0
Acre-Ft	1030	3150	6250	9010	6270	4680	2980	2870	316	14	62	0
Wtr Year 2008	Total	18465.61	Mean	50.5	Max	510	Min	0	Inst Max	2290	Acre-Ft	36630
Cal Year 2007	Total	19848.37	Mean	54.4	Max	422	Min	0	Inst Max	2290	Acre-Ft	39370

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F190 San Gabriel River at Foothill Boulevard
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	5.20	0	6.13	9.43	0	0	295	0
2	0	0	0	0	1.07	0	5.88	9.19	0	0	294	0
3	0	0	0	0	2.68	0	5.72	8.95	0	0	291	0
4	0	0	0	11.6	4.78	0	5.31	8.82	0	0	289	0
5	0	0	0	157	.03	0	.75	8.67	0	0	294	0
6	0	0	0	44.2	0	0	0	5.73	0	0	307	0
7	0	0	0	21.2	0	0	0	0	0	44.4	316	0
8	0	0	0	6.59	0	0	0	0	0	132	318	0
9	0	0	0	.34	0	0	0	0	0	136	316	103
10	0	0	0	0	0	0	0	0	0	136	313	284
11	0	0	0	0	0	0	0	0	0	129	309	290
12	0	0	0	0	0	0	0	0	0	131	162	291
13	0	0	0	0	0	0	0	0	0	132	.44	291
14	0	0	0	0	0	0	0	0	0	130	0	291
15	0	0	0	0	0	0	0	0	0	129	0	291
16	0	0	0	0	0	0	0	0	0	128	0	289
17	0	0	0	0	0	0	0	0	0	127	0	288
18	0	0	0	0	0	0	0	0	0	125	0	286
19	0	0	0	0	0	0	0	0	0	122	0	284
20	0	0	0	0	0	0	0	0	0	119	0	283
21	0	0	0	0	0	0	0	0	0	76.6	0	121
22	0	0	0	0	0	0	0	0	0	215	0	.01
23	0	0	0	0	0	0	0	0	0	261	0	0
24	0	0	0	0	0	0	0	0	0	252	0	0
25	0	0	0	24.7	0	0	3.74	0	0	249	0	0
26	0	0	0	8.15	0	0	9.16	0	0	247	0	0
27	0	0	0	109	0	96.6	9.17	0	0	246	0	0
28	0	0	0	109	0	550	9.29	0	0	245	0	0
29	0	0	0	18.8	0	250	9.34	0	0	326	0	0
30	0	0	0	9.39	-----	99.9	9.33	0	0	319	0	0
31	0	-----	0	7.30	-----	35.7	-----	0	-----	307	0	-----
Total	0	0	0	527.27	13.76	1032.2	73.82	50.79	0	4464.0	3504.44	3392.01
Mean	0	0	0	17.0	.47	33.3	2.46	1.64	0	144	113	113
Max	0	0	0	157	5.20	550	9.34	9.43	0	326	318	291
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	0	0	0	1050	27	2050	146	101	0	8850	6950	6730
Wtr Year 2008	Total	13058.29	Mean	35.7	Max	550	Min	0	Inst Max	1240	Acre-Ft	25900
Cal Year 2007	Total	0	Mean	0	Max	0	Min	0	Inst Max	0	Acre-Ft	0

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: E281 Santa Fe Dam Outflow
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	1.73	0	.01	0	.07	0	233	0
2	0	0	0	0	1.09	0	.31	0	0	0	226	0
3	0	0	0	0	3.65	0	1.31	0	0	0	220	0
4	0	0	0	1.32	.38	0	.14	0	0	0	212	0
5	0	0	0	22.4	0	0	0	0	0	0	210	0
6	0	0	0	6.89	0	0	0	0	0	0	225	0
7	0	0	5.23	1.29	0	0	0	0	0	.14	236	0
8	0	0	.10	1.30	0	0	0	0	0	5.09	237	0
9	0	0	0	0	0	0	0	0	0	44.4	231	0
10	0	0	0	0	0	0	0	0	0	41.9	226	0
11	0	0	0	0	0	0	0	0	0	51.9	221	0
12	0	0	0	0	0	0	0	0	0	52.3	123	0
13	0	0	0	0	0	0	0	0	0	56.4	1.08	0
14	0	0	0	0	1.57	0	0	0	0	65.8	0	0
15	0	0	0	0	0	0	0	0	0	75.6	0	0
16	0	0	0	0	0	0	0	0	0	110	0	0
17	0	0	0	0	0	0	0	0	0	119	0	0
18	0	0	5.23	0	0	0	0	0	0	113	0	0
19	0	0	4.29	0	0	0	0	0	0	107	0	0
20	0	0	.65	0	0	0	0	0	0	102	0	0
21	0	0	0	0	0	0	0	0	0	40.4	0	0
22	0	0	0	0	0	0	0	2.68	0	214	0	0
23	0	0	0	.18	0	0	0	3.70	0	245	0	0
24	0	0	0	.45	.13	0	0	0	0	226	0	0
25	0	0	0	31.7	0	0	0	.10	0	218	0	0
26	0	0	0	8.67	0	0	0	.42	0	208	0	0
27	0	0	0	53.1	0	0	0	0	0	201	0	0
28	0	0	0	75.4	0	101	0	0	0	196	0	0
29	0	0	0	.92	0	47.8	0	0	0	263	0	0
30	0	0	0	.41	-----	1.97	0	0	0	279	0	0
31	0	-----	0	.35	-----	0	-----	.05	-----	257	0	-----
Total	0	0	15.50	204.38	8.55	150.77	1.77	6.95	0.07	3291.93	2601.08	0
Mean	0	0	.50	6.59	.29	4.86	.059	.22	.002	106	83.9	0
Max	0	0	5.23	75.4	3.65	101	1.31	3.70	.07	279	237	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	0	0	31	405	17	299	3.5	14	.14	6530	5160	0
Wtr Year 2008	Total	6281.00	Mean	17.2	Max	279	Min	0	Inst Max	425	Acre-Ft	12460
Cal Year 2007	Total	15.50	Mean	.042	Max	5.23	Min	0	Inst Max	142	Acre-Ft	31

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F209 San Gabriel River - West Fork Below Cogswell Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.84	.79	1.25	2.24	32.5	28.7	27.6	32.9	29.1	27.1	24.6	21.4
2	.84	.80	1.17	2.58	31.7	28.5	27.6	32.4	29.1	27.1	24.5	20.9
3	.84	.77	1.34	2.54	32.1	28.1	27.5	32.0	28.7	27.1	24.4	20.3
4	.83	.77	1.31	3.53	31.3	28.1	27.1	31.8	28.8	27.1	24.4	20.5
5	.85	.76	1.29	10.6	30.9	28.0	27.1	31.8	28.8	27.1	24.3	20.5
6	.83	.69	1.30	13.6	30.5	27.7	27.1	31.8	28.8	27.1	24.2	20.3
7	.83	.68	1.84	14.0	29.9	27.7	27.1	31.7	28.7	26.7	24.1	20.5
8	.84	.74	1.57	13.5	29.5	27.7	27.1	31.3	28.7	26.5	24.0	20.6
9	.79	.77	1.54	13.0	29.7	27.7	27.0	31.3	28.7	26.5	24.0	20.7
10	.76	.78	1.57	12.7	30.2	27.3	27.0	31.3	28.7	26.5	23.9	20.2
11	.76	.80	1.48	12.0	29.9	27.1	27.1	31.3	28.7	26.4	23.8	19.4
12	.77	.83	1.41	10.7	29.4	27.1	26.6	31.3	28.7	26.3	23.7	19.2
13	.85	.86	1.26	10.5	29.2	27.1	26.5	31.2	28.7	26.2	23.6	19.1
14	.76	.89	1.14	10.1	28.3	27.1	26.5	30.9	28.7	26.1	23.6	19.2
15	.74	.80	1.08	9.53	27.4	26.6	26.5	30.7	28.5	26.0	23.5	18.6
16	.77	.81	1.07	9.41	27.0	26.3	26.5	30.7	28.7	25.9	23.4	18.5
17	.77	.92	1.08	8.93	27.0	26.3	26.5	30.7	28.7	25.9	23.3	18.4
18	.71	.77	1.47	8.89	27.1	26.5	26.4	30.7	28.7	25.8	23.3	18.0
19	.66	.81	1.92	8.71	27.1	26.5	26.2	30.6	28.6	25.7	23.2	17.2
20	.65	.76	1.46	8.57	28.1	26.5	26.4	30.7	28.4	25.6	23.2	17.1
21	.64	.67	1.41	8.45	28.2	26.5	26.3	30.1	28.2	25.5	23.3	16.5
22	.65	.80	1.30	8.70	28.0	27.0	26.1	29.6	28.2	25.4	21.5	15.6
23	.65	.93	1.36	9.55	27.4	27.8	26.0	30.1	28.2	25.4	21.2	14.9
24	.75	1.02	1.47	9.24	27.8	28.0	26.0	29.4	28.2	25.3	21.2	14.6
25	.78	1.15	1.78	9.05	27.9	27.9	26.0	29.4	27.8	25.2	21.4	14.5
26	.65	1.14	1.77	7.97	27.6	27.7	26.0	29.4	27.7	25.1	21.8	14.8
27	.74	1.12	1.84	29.2	28.1	27.7	25.6	29.3	27.7	25.0	21.9	14.9
28	.76	1.09	2.15	28.5	28.2	27.4	25.4	29.2	27.7	24.9	21.5	14.1
29	.76	1.02	2.41	25.6	28.7	27.7	25.4	29.2	27.7	24.9	21.1	13.9
30	.82	1.54	2.44	23.8	-----	27.7	30.6	29.2	27.5	24.8	21.1	13.6
31	.81	-----	2.44	24.5	-----	27.5	-----	29.2	-----	24.7	21.0	-----
Total	23.70	26.28	47.92	370.19	840.7	849.5	800.8	951.2	853.4	804.9	714.0	538.0
Mean	.76	.88	1.55	11.9	29.0	27.4	26.7	30.7	28.4	26.0	23.0	17.9
Max	.85	1.54	2.44	29.2	32.5	28.7	30.6	32.9	29.1	27.1	24.6	21.4
Min	.64	.67	1.07	2.24	27.0	26.3	25.4	29.2	27.5	24.7	21.0	13.6
Acre-Ft	47	52	95	734	1670	1680	1590	1890	1690	1600	1420	1070
Wtr Year 2008	Total	6820.59	Mean	18.6	Max	32.9	Min	.64	Inst Max	104	Acre-Ft	13530
Cal Year 2007	Total	673.51	Mean	1.85	Max	3.87	Min	.64	Inst Max	3.97	Acre-Ft	1340

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: G44B San Gabriel River Above Whittier Narrows Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	39.0	0	0	0	0	0	0	0
4	0	0	0	1410	0	0	0	0	0	0	0	0
5	0	0	0	3040	0	0	0	0	0	0	0	0
6	0	0	0	761	0	0	0	0	0	0	0	0
7	0	0	111	204	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	13.6	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	9.45	0	0	0	0	0	0	0	0	0
19	0	0	396	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	93.8	0	0	473	0	0	0	0
23	0	0	0	420	0	0	0	19.5	0	0	0	0
24	0	0	0	132	80.8	0	0	0	0	0	0	0
25	0	0	0	1130	4.09	0	0	0	0	0	0	0
26	0	0	0	12.4	0	0	0	0	0	0	0	0
27	0	0	0	2490	0	0	0	0	0	0	0	0
28	0	0	0	900	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0
30	0	978	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
Total	13.6	978	516.45	10499.4	217.69	0	0	492.5	0	0	0	0
Mean	.44	32.6	16.7	339	7.51	0	0	15.9	0	0	0	0
Max	13.6	978	396	3040	93.8	0	0	473	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	27	1940	1020	20830	432	0	0	977	0	0	0	0
Wtr Year 2008	Total	12717.64	Mean	34.7	Max	3040	Min	0	Inst Max	16800	Acre-Ft	25230
Cal Year 2007	Total	2743.85	Mean	7.52	Max	978	Min	0	Inst Max	5400	Acre-Ft	5440

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: U8 San Gabriel River Below Morris Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	41.1	58.6	57.5	54.2	83.7	82.3	3.74	92.2	32.4	51.8	607	2.89
2	41.1	58.6	57.1	54.2	83.7	82.3	3.63	92.2	32.4	51.3	604	2.88
3	41.1	58.1	56.7	54.2	84.6	82.3	3.28	92.2	33.0	51.4	598	3.43
4	41.1	57.5	56.6	58.2	83.7	82.5	2.56	92.2	33.2	51.0	594	30.4
5	41.1	57.7	56.4	69.4	83.7	84.8	2.56	92.2	33.6	51.4	591	24.0
6	41.1	57.5	56.2	58.8	83.7	61.0	2.56	60.3	37.4	52.0	586	3.28
7	41.1	57.5	57.3	57.5	83.7	15.4	2.56	46.9	38.4	268	581	3.25
8	41.1	57.6	55.3	56.1	83.7	27.0	2.69	46.9	37.8	372	575	3.25
9	41.1	57.5	55.3	55.3	83.5	27.4	3.64	46.7	37.7	372	570	377
10	41.1	57.5	55.3	55.3	83.3	13.3	2.55	45.9	41.6	372	562	558
11	41.1	57.5	55.3	55.3	83.1	1.84	2.73	45.6	44.0	361	553	554
12	43.7	57.5	55.3	55.3	83.8	1.70	3.07	45.5	45.3	363	227	550
13	46.1	57.5	55.3	55.3	85.3	1.69	3.07	37.6	46.7	366	2.55	544
14	45.9	57.5	55.3	55.3	83.0	1.69	3.07	33.2	46.3	363	2.79	541
15	45.9	57.5	55.3	55.3	82.4	1.72	3.39	33.2	45.9	363	2.90	535
16	45.9	57.5	55.3	54.6	82.4	1.74	36.5	33.2	45.9	363	2.90	529
17	45.9	57.5	55.3	54.2	82.5	1.67	43.9	33.2	47.2	362	2.85	524
18	45.9	57.5	56.0	54.2	82.5	1.66	44.0	33.2	49.1	360	2.81	521
19	45.9	57.5	56.2	54.2	83.1	1.72	44.0	33.2	50.6	357	2.89	518
20	45.9	57.5	55.3	54.2	83.4	1.77	44.0	33.2	51.7	353	2.90	516
21	45.9	57.5	55.3	54.2	82.7	1.82	44.0	33.2	52.0	242	2.90	162
22	46.0	57.5	55.2	54.7	83.3	1.80	44.0	33.6	52.0	472	2.90	3.09
23	46.3	57.5	54.9	54.9	82.4	1.77	44.3	36.2	52.0	533	2.90	2.90
24	45.9	57.4	54.3	55.7	83.6	1.77	74.6	34.0	51.5	529	2.90	2.90
25	45.9	56.7	54.2	57.4	82.3	1.77	90.8	34.0	51.4	526	2.90	2.90
26	45.9	56.7	54.2	55.4	82.3	1.82	90.8	34.0	52.0	524	2.90	2.90
27	45.9	56.5	54.2	61.9	82.3	363	90.8	34.0	52.0	521	2.90	2.90
28	45.9	56.5	54.2	50.1	82.3	669	90.9	34.0	52.0	517	2.90	30.2
29	47.0	56.5	54.2	24.7	82.3	377	92.2	33.4	52.0	651	2.90	47.5
30	61.6	58.0	54.2	61.2	-----	201	92.2	32.4	52.0	615	2.90	47.9
31	59.2	-----	54.2	83.7	-----	71.5	-----	32.4	-----	611	2.90	-----
Total	1398.7	1723.9	1717.4	1735.0	2412.3	2267.75	1012.10	1440.0	1349.1	11044.9	6702.49	6645.57
Mean	45.1	57.5	55.4	56.0	83.2	73.2	33.7	46.5	45.0	356	216	222
Max	61.6	58.6	57.5	83.7	85.3	669	92.2	92.2	52.0	651	607	558
Min	41.1	56.5	54.2	24.7	82.3	1.66	2.55	32.4	32.4	51.0	2.55	2.88
Acre-Ft	2770	3420	3410	3440	4780	4500	2010	2860	2680	21910	13290	13180
Wtr Year 2008	Total	39449.21	Mean	108	Max	669	Min	1.66	Inst Max	2190	Acre-Ft	78250
Cal Year 2007	Total	9957.91	Mean	27.3	Max	61.6	Min	1.30	Inst Max	748	Acre-Ft	19750

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F251 San Gabriel River - West Fork at Toe of COGSWELL Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.32	2.10	1.98	1.99	27.8	21.0	20.8	18.8	18.3	15.6	14.1	12.2
2	1.40	1.56	1.99	1.99	26.6	21.0	20.8	18.8	18.1	15.4	14.1	12.0
3	1.86	1.11	1.99	1.99	27.4	20.8	20.7	18.6	18.0	15.4	14.1	11.9
4	1.88	.75	1.99	1.99	26.3	20.6	20.4	18.6	17.8	15.4	13.9	11.8
5	1.89	.47	1.99	1.99	25.7	20.5	20.4	18.6	17.8	15.4	13.9	11.7
6	1.90	.27	1.99	1.99	25.2	20.4	20.4	18.6	17.5	15.4	13.9	11.6
7	1.91	1.20	1.99	1.99	24.7	20.4	20.2	18.4	17.3	15.2	13.8	11.6
8	1.92	1.94	1.99	1.99	18.7	23.9	20.4	18.4	17.2	15.2	13.7	11.6
9	1.94	1.97	1.99	28.1	23.5	20.3	20.1	18.4	17.1	15.1	13.7	11.5
10	1.99	1.99	1.99	14.5	23.4	20.0	20.0	18.4	17.0	15.0	13.7	11.4
11	2.07	1.99	1.99	10.9	23.4	20.0	20.0	18.4	17.0	15.0	13.6	11.3
12	2.08	1.99	1.99	8.57	23.1	19.7	19.9	18.4	16.8	14.9	13.5	11.0
13	2.09	1.99	1.99	7.35	22.7	19.6	19.6	18.4	16.8	14.8	13.5	10.9
14	2.11	1.99	1.99	6.56	22.2	19.6	19.6	18.4	16.6	14.8	13.3	10.7
15	2.12	1.99	1.99	5.95	21.2	19.6	19.6	18.4	16.6	14.8	13.1	10.5
16	2.17	1.99	1.99	5.68	20.6	19.4	19.4	18.4	16.4	14.6	13.1	10.4
17	2.20	1.99	1.99	5.31	20.4	19.2	19.4	18.2	16.4	14.6	13.1	10.2
18	2.22	1.99	1.99	5.16	20.4	19.2	19.4	18.2	16.4	14.6	12.9	10.1
19	2.23	1.99	1.99	5.10	20.4	19.2	19.3	18.2	16.4	14.5	12.9	10.1
20	2.24	1.99	1.99	5.04	20.7	19.2	19.2	18.2	16.4	14.4	12.7	10.2
21	2.26	1.99	1.99	5.01	20.9	19.2	19.2	18.2	16.4	14.3	12.7	10.0
22	2.27	1.99	1.99	5.05	22.2	19.3	19.2	18.0	16.4	14.3	12.7	9.83
23	2.28	1.99	1.99	5.75	21.4	20.2	19.2	20.3	16.3	14.3	12.7	9.77
24	2.30	1.99	1.99	6.49	22.0	20.6	19.2	21.4	16.0	14.1	12.4	9.55
25	2.31	1.99	1.99	12.5	21.6	20.6	19.2	20.7	16.0	14.1	12.4	9.38
26	2.32	1.99	1.99	10.9	21.2	20.6	19.2	20.1	16.0	14.1	12.4	9.13
27	2.34	1.99	1.99	20.5	20.9	20.8	19.2	19.6	16.0	14.1	12.4	9.02
28	2.35	1.99	1.99	28.9	20.8	20.9	19.0	19.4	15.9	14.0	12.4	8.91
29	2.36	1.99	1.99	31.7	20.8	20.6	18.9	19.0	15.8	13.9	12.3	8.66
30	2.38	1.97	1.99	31.2	-----	20.6	18.8	18.7	15.7	13.9	12.2	8.61
31	2.39	-----	1.99	28.1	-----	20.7	-----	18.5	-----	13.9	12.2	-----
Total	65.10	53.14	61.68	326.95	661.4	624.2	590.5	582.7	502.4	455.1	407.4	315.56
Mean	2.10	1.77	1.99	10.5	22.8	20.1	19.7	18.8	16.7	14.7	13.1	10.5
Max	2.39	2.10	1.99	31.7	27.8	21.0	20.8	21.4	18.3	15.6	14.1	12.2
Min	1.32	.27	1.98	1.99	20.4	19.2	18.8	18.0	15.7	13.9	12.2	8.61
Acre-Ft	129	105	122	648	1310	1240	1170	1160	996	903	808	626
Wtr Year 2008	Total	4646.13	Mean	12.7	Max	31.7	Min	.27	Inst Max	36.8	Acre-Ft	9220
Cal Year 2007	Total	765.94	Mean	2.10	Max	4.12	Min	.27	Inst Max	4.12	Acre-Ft	1520

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F312B San Jose Channel Above Workman Mill Road
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	19.0	25.6	34.7	32.2	48.9	30.1	47.7	14.6	11.5	10.8	16.8	15.8
2	17.7	26.4	22.7	31.4	48.0	32.3	41.3	16.2	12.7	10.9	17.7	17.3
3	19.4	26.9	23.9	34.2	251	29.3	46.2	16.8	11.5	11.0	20.1	14.3
4	17.2	24.2	21.8	837	51.7	30.1	40.3	20.5	11.5	12.5	18.7	12.1
5	18.7	24.0	22.9	921	39.2	25.8	32.2	16.9	11.6	12.9	15.6	10.7
6	19.6	21.6	24.6	577	39.6	29.9	63.1	15.4	12.2	13.7	16.3	15.0
7	18.8	22.0	245	142	41.9	29.2	64.3	16.0	11.2	12.9	16.3	16.5
8	19.1	22.7	28.1	37.6	43.8	28.9	55.8	18.5	11.7	12.0	14.2	15.3
9	16.5	22.4	28.5	34.4	44.8	29.7	48.4	17.2	16.3	11.9	16.3	13.1
10	18.7	23.4	23.1	34.1	43.6	27.9	54.6	21.7	14.1	11.3	19.4	11.7
11	15.1	20.3	46.5	34.3	44.1	26.4	47.0	24.5	11.0	12.8	18.5	11.4
12	16.7	23.8	72.4	34.9	47.2	25.5	48.5	22.2	11.0	19.3	16.4	12.1
13	186	21.7	77.3	34.3	46.3	25.6	40.5	19.8	10.4	26.5	14.9	14.4
14	22.9	19.8	77.1	34.8	58.3	26.4	34.9	17.2	11.5	16.1	14.1	17.6
15	22.0	18.4	78.1	37.7	46.5	38.1	16.3	13.2	11.8	13.7	11.9	15.5
16	20.8	20.0	65.9	40.6	49.0	34.9	22.8	10.6	15.2	14.0	12.9	16.0
17	21.4	21.4	26.0	34.5	51.5	32.9	18.7	9.54	11.9	11.8	13.7	17.0
18	19.6	20.5	155	33.3	53.4	30.6	26.9	14.1	9.55	10.2	12.0	18.5
19	18.0	24.3	282	36.3	53.2	36.3	28.2	11.0	9.76	10.9	12.2	18.3
20	17.6	23.8	55.4	36.5	131	38.4	36.7	8.61	10.6	11.0	11.9	19.4
21	20.6	23.8	44.2	39.5	61.9	43.4	35.0	3.97	11.1	12.0	10.7	21.1
22	19.0	26.5	26.5	72.9	423	45.9	30.8	175	11.8	10.3	12.2	18.7
23	17.6	24.9	27.1	389	89.0	48.2	28.6	44.5	12.7	9.12	14.1	16.6
24	18.9	24.2	29.2	289	333	54.3	28.7	12.2	17.6	11.5	16.5	16.1
25	20.1	27.3	29.2	618	61.2	54.8	25.2	8.17	11.5	12.6	14.2	17.2
26	17.9	25.6	26.8	128	49.2	53.4	25.7	8.19	12.9	12.7	11.7	17.6
27	20.9	20.5	27.5	1120	44.8	56.9	32.2	9.43	12.3	13.9	13.4	16.3
28	23.3	27.0	26.1	444	39.0	59.5	25.8	9.99	14.5	13.9	12.7	22.0
29	29.4	27.7	30.6	54.2	31.4	65.2	22.7	10.4	14.0	10.9	12.7	17.9
30	27.3	576	30.8	48.3	-----	75.2	23.5	12.3	13.6	10.2	14.2	17.2
31	21.5	-----	31.3	52.1	-----	57.9	-----	13.8	-----	9.78	16.3	-----
Total	781.3	1256.7	1740.3	6293.1	2365.5	1223.0	1092.6	632.50	369.01	393.10	458.6	482.7
Mean	25.2	41.9	56.1	203	81.6	39.5	36.4	20.4	12.3	12.7	14.8	16.1
Max	186	576	282	1120	423	75.2	64.3	175	17.6	26.5	20.1	22.0
Min	15.1	18.4	21.8	31.4	31.4	25.5	16.3	3.97	9.55	9.12	10.7	10.7
Acre-Ft	1550	2490	3450	12480	4690	2430	2170	1250	732	780	910	957
Wtr Year 2008	Total	17088.41	Mean	46.7	Max	1120	Min	3.97	Inst Max	5830	Acre-Ft	33890
Cal Year 2007	Total	20922.8	Mean	57.3	Max	576	Min	10.7	Inst Max	3230	Acre-Ft	41500

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F260C Santa Anita Wash Below Foothill Boulevard
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.47	.68	.46	.46	1.29	.59	.46	.46	.46	0	.61	.16
2	.47	.69	.47	.46	1.08	.48	.46	.55	.61	0	.58	.42
3	.46	.68	.46	.46	7.26	.47	.46	.46	.47	0	.55	.39
4	.46	.60	.47	40.8	2.30	.46	.46	.46	.46	0	.52	.31
5	.46	.58	.46	64.4	2.23	.48	.46	.46	.46	0	.49	.23
6	.46	.46	1.30	29.6	3.85	.50	.46	.46	.46	0	.46	.16
7	.46	.46	6.61	51.0	2.91	.47	.46	.50	.46	0	.43	.08
8	.47	.48	.46	1.62	5.43	.46	.46	.46	.46	0	.39	.03
9	.46	.46	.55	1.11	6.16	.47	.46	.46	.46	0	.35	.06
10	.46	.46	.47	.80	6.32	.47	.46	.46	.25	.04	.32	.12
11	.47	.46	.46	.51	4.11	.50	.46	.46	0	.16	.28	.36
12	.51	.46	.46	.47	1.37	.47	.46	.53	0	.34	.25	.47
13	1.95	.46	.46	.48	2.45	.47	.47	.46	0	.51	.21	.53
14	.46	.46	.47	.47	6.09	.47	.46	.46	0	.56	.18	.59
15	.46	.46	.46	.48	4.59	1.93	.52	.46	0	.46	.14	.65
16	.46	.46	.46	3.73	3.71	.46	.46	.46	0	.46	.11	.69
17	.46	.46	.46	5.48	1.16	.46	.46	.48	0	.33	.07	.70
18	.46	.46	4.81	.74	.64	.47	.46	.46	0	0	.04	.70
19	.48	.46	3.43	.78	.52	.56	.46	.46	0	0	.03	.70
20	.46	.46	1.09	.48	2.21	.46	.46	.46	0	0	.10	.70
21	.46	.46	.48	.50	2.12	.46	.47	.46	0	0	.21	.70
22	.46	.46	.61	.65	2.40	.49	.46	4.13	0	0	.31	.70
23	.46	.46	.51	4.22	.62	.46	.46	12.7	0	0	.41	.70
24	.46	.46	.46	3.82	2.11	.46	.46	1.08	0	.03	.51	.70
25	.46	.46	.46	35.1	1.17	.46	.46	.47	0	.13	.62	.70
26	.46	.46	.49	16.2	2.30	.46	.46	.57	0	.28	.64	.70
27	.46	.46	.49	88.1	2.14	.46	.46	.75	0	.42	.55	.70
28	.46	.46	.47	56.7	1.04	.47	.46	.49	0	.57	.43	.70
29	.46	.46	.49	21.8	.57	.46	.47	.78	0	.66	.30	.70
30	.46	4.88	.53	6.19	-----	.98	.46	.62	0	.66	.18	.66
31	.67	-----	.46	1.93	-----	.46	-----	.46	-----	.63	.06	-----
Total	16.07	19.17	29.72	439.54	80.15	16.72	13.89	31.93	4.55	6.24	10.33	15.01
Mean	.52	.64	.96	14.2	2.76	.54	.46	1.03	.15	.20	.33	.50
Max	1.95	4.88	6.61	88.1	7.26	1.93	.52	12.7	.61	.66	.64	.70
Min	.46	.46	.46	.46	.52	.46	.46	.46	0	0	.03	.03
Acre-Ft	32	38	59	872	159	33	28	63	9.0	12	20	30
Wtr Year 2008	Total	683.32	Mean	1.87	Max	88.1	Min	0	Inst Max	553	Acre-Ft	1360
Cal Year 2007	Total	219.29	Mean	.60	Max	6.61	Min	.23	Inst Max	122	Acre-Ft	435

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F193B Santa Anita Wash at Longden Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.10	1.66	.64	.49	10.1	.40	.26	.19	4.53	.26	.19	.21
2	1.00	1.37	.20	.59	12.6	.74	.29	.44	1.97	.28	.06	.19
3	.88	1.49	.24	.73	22.7	.23	.56	.07	1.48	.34	.10	.16
4	.82	1.14	.23	109	16.3	.97	.51	.29	1.57	.43	.10	.23
5	.71	1.06	.26	223	17.5	1.06	.60	.25	1.39	.33	.04	.19
6	.44	.45	4.14	148	22.6	1.15	.62	.31	1.31	.29	.06	.26
7	.62	.47	29.4	230	24.2	1.05	.78	.61	1.26	.26	.06	.27
8	.72	.72	.28	138	31.8	.93	.52	.15	1.52	.43	.33	.28
9	.60	.85	.52	208	37.6	.92	.73	.36	1.32	.44	.29	.42
10	.47	.85	.40	204	41.9	.96	.67	.21	.92	.34	.06	.21
11	.83	.65	.74	204	44.3	1.12	.68	.22	.15	.44	.12	.17
12	1.32	.55	.91	204	42.3	.86	.96	.53	.19	1.08	.11	.31
13	12.3	1.31	.57	139	72.6	.92	.89	.27	.25	1.40	.27	.31
14	.75	.76	.90	43.8	108	.82	.69	.33	.44	.64	.24	.35
15	.79	.64	.65	6.67	106	7.08	1.18	.82	.21	.43	.14	.58
16	.78	.50	.86	2.92	106	.74	.49	.76	.38	.44	.07	.50
17	.64	.72	.88	1.36	77.0	.53	.15	.91	.47	.44	.08	.48
18	.79	.42	27.4	1.25	76.4	.62	.09	.79	.42	.60	.26	.38
19	.99	.56	24.0	2.45	82.1	1.20	.08	.76	.24	.77	.03	.36
20	.82	.57	5.74	25.1	129	.75	.09	.58	.35	.51	.11	.27
21	.81	.42	1.02	92.2	141	.73	.20	.51	.26	.37	.12	.25
22	.59	.34	.85	166	175	1.13	.11	21.6	.29	1.71	.13	.43
23	.67	.31	.98	177	146	.66	.25	54.5	.18	.39	.18	.24
24	1.00	.62	.84	178	205	.83	.27	3.31	.37	.43	.23	.29
25	.90	.27	.43	120	166	.94	.25	1.86	.30	.21	.19	.26
26	.88	.27	.57	37.5	136	.98	.13	1.75	.31	.17	.26	.20
27	.74	.26	.51	220	78.4	.64	.28	1.19	.45	.25	.22	.39
28	.81	.23	.51	149	21.8	.81	.25	.50	.35	.33	.49	.25
29	.73	.33	.63	76.7	2.26	.57	.18	.56	.47	.22	.28	.37
30	.83	27.5	.90	5.98	-----	2.79	.17	.43	.30	.06	.31	.33
31	1.39	-----	.90	1.93	-----	.50	-----	3.23	-----	.05	.13	-----
Total	36.72	47.29	107.10	3116.67	2152.46	33.63	12.93	98.29	23.65	14.34	5.26	9.14
Mean	1.18	1.58	3.45	101	74.2	1.08	.43	3.17	.79	.46	.17	.30
Max	12.3	27.5	29.4	230	205	7.08	1.18	54.5	4.53	1.71	.49	.58
Min	.44	.23	.20	.49	2.26	.23	.08	.07	.15	.05	.03	.16
Acre-Ft	73	94	212	6180	4270	67	26	195	47	28	10	18
Wtr Year 2008	Total	5657.48	Mean	15.5	Max	230	Min	.03	Inst Max	1250	Acre-Ft	11220
Cal Year 2007	Total	459.51	Mean	1.27	Max	31.8	Min	0	Inst Max	289	Acre-Ft	911

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F92C Santa Clara River at Old Road Bridge
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.33	3.94	5.86	6.09	3.69	10.9	9.42	2.94	3.53	3.48	3.09	1.66
2	3.32	4.15	5.45	6.61	4.64	11.3	9.48	2.94	3.53	3.39	3.51	2.20
3	3.35	3.94	5.38	7.96	6.72	12.3	9.01	2.94	3.53	3.35	3.73	2.87
4	3.28	3.94	5.46	42.0	6.61	13.4	8.71	2.94	3.53	3.33	5.15	2.50
5	4.33	4.80	6.22	55.2	7.36	14.4	8.41	2.94	3.53	3.46	3.25	2.54
6	3.68	4.97	8.09	22.9	8.13	13.6	8.12	2.94	3.53	3.37	4.58	2.60
7	3.75	3.14	12.1	20.6	9.44	10.7	7.84	2.94	3.53	3.24	3.66	2.44
8	6.25	3.02	6.43	6.49	10.9	13.2	7.57	2.94	3.53	3.23	3.04	2.27
9	4.84	3.12	4.95	6.64	12.5	18.0	7.18	2.94	3.53	3.37	2.91	2.46
10	5.01	4.90	5.27	6.83	14.3	25.2	6.49	2.94	3.53	3.77	4.64	1.90
11	5.59	3.34	4.69	6.13	16.2	14.1	5.67	2.94	3.54	3.75	3.82	3.36
12	6.12	5.33	4.58	6.19	18.8	8.92	4.93	2.94	3.54	3.57	4.78	3.29
13	6.45	3.20	4.77	6.15	19.6	8.79	4.27	2.94	3.54	3.53	5.78	3.80
14	6.12	3.48	4.70	6.94	19.5	8.90	3.69	2.94	3.54	3.00	7.76	4.32
15	5.72	3.06	4.84	6.24	20.4	8.56	3.37	2.94	3.54	2.16	5.84	4.87
16	5.94	3.13	4.78	6.22	20.2	8.86	3.29	2.94	3.53	5.93	6.43	5.86
17	4.69	3.35	4.78	5.90	20.4	9.21	3.22	2.94	3.54	9.85	4.85	6.19
18	5.34	3.35	9.48	6.07	19.6	9.53	3.14	2.94	3.54	7.98	2.83	6.26
19	6.21	3.48	22.9	6.18	19.5	9.54	3.07	2.94	3.54	5.74	1.31	5.36
20	7.04	4.02	7.87	6.41	21.1	9.43	3.00	2.94	3.54	4.81	1.41	4.90
21	6.92	4.30	6.44	6.80	19.8	8.87	2.93	2.94	3.54	3.60	1.63	3.53
22	6.12	3.70	5.58	7.41	20.3	9.20	2.86	2.94	3.54	2.89	1.88	3.11
23	5.64	4.42	5.65	24.9	20.4	9.27	2.80	2.94	3.54	2.27	2.16	2.73
24	5.22	4.17	6.13	68.8	26.6	8.62	2.73	2.94	3.54	2.36	2.36	3.54
25	4.29	4.29	6.68	132	21.6	9.58	2.67	2.94	3.54	2.41	2.49	3.66
26	5.20	4.50	6.30	14.8	21.1	8.49	2.60	2.94	3.54	2.36	3.00	4.38
27	6.51	4.69	6.42	192	20.7	9.01	2.38	2.94	3.54	2.38	3.41	2.05
28	6.26	4.65	7.52	71.7	20.3	9.28	2.01	2.94	3.78	2.38	4.81	2.55
29	5.39	4.70	6.10	11.3	20.6	9.49	1.69	2.94	4.64	2.40	5.34	3.99
30	3.80	6.53	6.01	10.3	-----	9.25	6.93	2.94	4.05	2.41	4.49	3.41
31	4.07	-----	5.93	9.67	-----	9.55	-----	3.24	-----	6.45	1.58	-----
Total	159.78	121.61	207.36	793.43	470.99	339.45	149.48	91.44	107.94	116.22	115.52	104.60
Mean	5.15	4.05	6.69	25.6	16.2	11.0	4.98	2.95	3.60	3.75	3.73	3.49
Max	7.04	6.53	22.9	192	26.6	25.2	9.48	3.24	4.64	9.85	7.76	6.26
Min	3.28	3.02	4.58	5.90	3.69	8.49	1.69	2.94	3.53	2.16	1.31	1.66
Acre-Ft	317	241	411	1570	934	673	296	181	214	231	229	207
Wtr Year 2008	Total	2777.82	Mean	7.59	Max	192	Min	1.31	Inst Max	560	Acre-Ft	5510
Cal Year 2007	Total	2035.56	Mean	5.58	Max	22.9	Min	1.62	Inst Max	217	Acre-Ft	4040

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F93B Santa Clara River above Lang Railroad Station
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	3.59	3.82	12.4*	1.53*	7.03*	0*	0*	0	0	0*
2	0	0	1.89	3.59	52.4*	1.54*	6.46*	0*	0*	0	0	0*
3	0	0	.80	3.55	52.3*	1.54*	5.93*	0*	0*	0	0	0*
4	0	0	0	3.47	21.5*	1.55*	5.44*	0*	0*	0	0	0*
5	0	0	0	3.55	10.5*	1.55*	4.97*	0*	0*	0	0	0*
6	0	0	0	3.54	4.46*	1.56*	4.51*	0*	0*	0	0	0*
7	0	0	0	3.57	4.16*	1.56*	4.07*	0*	0*	0	0	0*
8	0	0	0	3.64	4.11*	1.57*	3.66*	0*	0*	0	0	0*
9	0	0	0	3.67	3.96*	1.58*	3.26*	0*	0*	0	0	0*
10	0	0	0	3.69	3.87*	1.59*	2.89*	0*	0*	0	0	0*
11	0	0	0	3.80	3.74*	1.61*	2.61*	0*	0*	0*	0	0*
12	.84	0	0	3.92	3.55*	1.64*	2.38*	0*	0*	.89*	0	0*
13	.84	0	0	3.94	3.45*	1.66*	2.18*	0*	0*	0*	0	0*
14	0	0	0	3.96	3.50*	1.69*	2.06*	0*	0*	0*	0	0*
15	0	0	0	3.97	3.41*	1.71*	2.04*	0*	0*	0*	0	0*
16	0	0	0	3.99	3.30*	1.74*	2.02*	0*	0*	0*	0	0*
17	0	0	0	3.94	3.19*	1.77*	2.00*	0*	0*	0*	0	0*
18	0	0	0	3.92	3.09*	1.79*	1.98*	0*	0*	0*	0	0*
19	0	0	0	3.92	2.99*	1.82*	1.96*	0*	0*	0*	0	0*
20	0	0	0	3.95	2.89*	1.84*	1.94*	0*	0*	0*	0	0*
21	0	0	0	3.90	2.79*	1.87*	1.92*	0*	0*	0*	0	0*
22	0	0	0	3.93	2.71*	1.90*	1.90*	0*	0*	0*	0	0*
23	0	0	0	3.96	2.65*	1.93*	1.87*	0*	0*	0*	0	0*
24	0	0	0	3.92	2.58*	12.5*	1.85*	0*	0*	0*	0	0*
25	0	0	0	3.93	2.52*	18.4*	1.83*	0*	0*	0*	0	0*
26	0	0	0	3.91	2.46*	18.5*	1.81*	0*	0*	0*	0	0*
27	0	0	0	2.11*	2.40*	18.5*	1.80*	0*	0	0*	0*	0*
28	0	0	0	1.90*	2.34*	18.6*	1.78*	0*	0	0*	0*	0*
29	0	0	0	1.74*	1.92*	18.6*	1.76*	0*	0	0*	0*	0*
30	0	.26	0	1.54*	-----	18.7*	.87*	0*	0	0	0*	0*
31	0	-----	.01	1.40*	-----	13.0*	-----	0*	-----	0	0*	-----
Total	1.68	0.26	6.29	107.64	225.14	175.34	86.78	0	0	0.89	0	0
Mean	.054	.009	.20	3.47	7.76	5.66	2.89	0	0	.029	0	0
Max	.84	.26	3.59	3.99	52.4	18.7	7.03	0	0	.89	0	0
Min	0	0	0	1.40	1.92	1.53	.87	0	0	0	0	0
Acre-Ft	3.3	.52	12	214	447	348	172	0	0	1.8	0	0
Wtr Year 2008	Total	604.02	Mean	1.65	Max	52.4	Min	0	Inst Max	97.0	Acre-Ft	1200
Cal Year 2007	Total	3402.35	Mean	9.32	Max	134	Min	0	Inst Max	141	Acre-Ft	6750

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F280 Santa Fe Channel Below Santa Fe Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	.01	0	0	0	0	0	0
2	0	0	0	0	0	.01	0	0	0	0	0	0
3	0	0	0	0	0	.01	0	0	0	0	0	0
4	0	0	0	0	0	.01	0	0	0	0	0	0
5	0	0	0	.01	0	.01	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	1.59
9	0	0	0	0	0	0	0	0	0	0	0	.15
10	0	0	0	0	0	0	0	0	0	0	0	179
11	0	0	0	0	0	0	0	0	0	0	0	238
12	0	0	0	0	0	0	0	0	0	0	0	226
13	0	0	0	0	0	0	0	0	0	0	0	230
14	0	0	0	0	0	0	0	0	0	0	0	234
15	0	0	0	0	0	0	0	0	0	0	0	238
16	0	0	0	0	0	0	0	0	0	0	0	241
17	0	0	0	0	0	0	0	0	0	0	0	245
18	0	0	0	0	0	0	0	0	0	0	0	247
19	0	0	0	0	0	0	0	0	0	0	0	248
20	0	0	0	0	0	0	0	0	0	0	0	251
21	0	0	0	0	0	0	0	0	0	0	0	159
22	0	0	0	0	3.01	0	0	0	0	0	0	1.07
23	0	0	0	0	1.13	0	0	0	0	0	0	0
24	0	0	0	0	.09	0	0	0	0	0	0	2.54
25	0	0	0	0	.01	0	0	0	0	0	0	.96
26	0	0	0	0	.01	0	0	0	0	0	0	.01
27	0	0	0	0	.01	0	0	0	0	0	0	0
28	0	0	0	0	.01	0	0	0	0	0	0	0
29	0	0	0	0	.01	0	0	0	0	0	0	0
30	0	0	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
Total	0	0	0	0.01	4.28	0.05	0	0	0	0	0	2742.32
Mean	0	0	0	0	.15	.002	0	0	0	0	0	91.4
Max	0	0	0	.01	3.01	.01	0	0	0	0	0	251
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	0	0	0	.02	8.5	.10	0	0	0	0	0	5440
Wtr Year 2008	Total	2746.66	Mean	7.50	Max	251	Min	0	Inst Max	448	Acre-Ft	5450
Cal Year 2007	Total	0	Mean	0	Max	0	Min	0	Inst Max	0	Acre-Ft	0

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F125 Santiago Canyon Creek Above Littlerock Creek
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	.46	.01	0	.85	.38	0	0	0	0	0
2	0	0	.70	.05	0	.88	.38	0	0	0	0	0
3	0	0	.77	.11	0	2.35	.38	0	0	0	0	0
4	0	0	.65	.17	0	3.94	.40	0	0	0	0	0
5	0	0	.55	.23	0	1.33	.41	0	0	0	0	0
6	0	0	.45	.30	0	.94	.40	0	0	0	0	0
7	0	.01	.37	.38	0	.89	.38	0	0	0	0	0
8	0	.02	.29	.46	0	.84	.38	0	0	0	0	0
9	0	.03	.22	.55	0	.84	.34	0	0	0	0	0
10	0	.04	.16	.65	0	.87	.46	0	0	0	0	0
11	0	.05	.10	.77	0	.91	.43	0	0	0	0	0
12	0	.06	.04	.91	0	.91	.39	0	0	0	0	0
13	0	.07	.01	2.27	28.0	1.80	.37	0	0	0	0	0
14	0	.08	0	5.07	93.5	1.61	.46	0	0	0	0	0
15	0	.09	0		65.9	8.84	.45	0	0	0	0	0
16	0	.10	0	11.1	42.0	6.87	.45	0	0	0	0	0
17	0	.12	0	14.1	33.0	3.32	.45	0	0	0	0	0
18	0	.13	0	17.4	29.3	2.39	.45	0	0	0	0	0
19	0	.14	0	20.7	27.4	1.61	.45	0	0	0	0	0
20	0	.15	0	24.1	26.2	1.36	.44	0	0	0	0	0
21	0	.17	0	27.4	26.5	1.44	.44	0	0	0	0	0
22	0	.18	0	30.7	15.0	1.46	.44	0	0	0	0	0
23	0	.19	0	34.1	0	.96	.44	0	0	0	0	0
24	0	.21	0	37.4	0	.90	.43	0	0	0	0	0
25	0	.22	0	40.8	0	.90	.43	0	0	0	0	0
26	0	.23	0	44.1	0	.83	.43	0	0	0	0	0
27	0	.25	0	46.1	0	.83	.43	0	0	0	0	0
28	0	.27	0	46.9	0	.80	.43	0	0	0	0	0
29	0	.22	0	47.7	.42	.78	.42	0	0	0	0	0
30	0	.27	0	48.4	-----	.76	.21	0	0	0	0	0
31	0	-----	0	24.4	-----	.57	-----	0	-----	0	-----	0
Total	0	3.30	4.77	527.33	387.22	53.58	12.35	0	0	0	0	0
Mean	0	.11	.15	17.6	13.4	1.73	.41	0	0	0	0	0
Max	0	.27	.77	48.4	93.5	8.84	.46	0	0	0	0	0
Min	0	0	0	.01	0	.57	.21	0	0	0	0	0
Acre-Ft	0	6.5	9.5	1050	768	106	24	0	0	0	0	0
Wtr Year 2008	Total	988.55	Mean	2.71	Max	93.5	Min	0	Inst Max	109	Acre-Ft	1960
Cal Year 2007	Total	8.07	Mean	.022	Max	.77	Min	0	Inst Max	.84	Acre-Ft	16

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F278 Sawpit Creek Below Sawpit Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.96	.82	1.00	1.25	3.22	2.31	1.98	1.45	1.56	1.05	.87	.87
2	.91	.86	1.02	1.19	3.13	2.26	1.97	1.41	1.53	1.02	.85	.89
3	.87	.84	1.09	1.19	3.35	2.24	2.02	1.42	1.50	1.01	.89	.86
4	.86	.81	1.04	2.66	3.25	2.22	1.98	1.48	1.54	1.00	.88	.85
5	.87	.81	1.00	21.0	3.32	2.37	2.01	1.59	1.54	.97	.87	.85
6	.87	.81	1.33	5.61	3.31	2.36	2.01	1.63	1.50	.97	.85	.85
7	.88	.81	2.48	5.27	3.21	2.31	1.96	1.72	1.43	.94	.83	.83
8	.89	.82	1.75	4.20	3.11	2.35	1.96	1.70	1.40	.96	.83	.86
9	.86	.90	1.55	3.47	2.99	2.44	1.94	1.69	1.35	1.15	.85	.86
10	.85	.90	1.40	2.92	2.87	2.45	1.84	1.65	1.34	1.05	.85	.87
11	.86	.90	1.39	2.65	2.80	2.38	1.74	1.65	1.34	1.02	.86	.89
12	.87	.90	1.36	2.61	2.69	2.39	1.68	1.78	1.31	.98	.88	.95
13	.98	.88	1.30	2.58	2.66	2.40	1.52	1.72	1.34	1.00	.90	.95
14	.98	.86	1.29	2.49	2.85	2.44	1.42	1.68	1.31	.96	.90	.96
15	1.00	.82	1.25	2.45	2.67	2.45	1.57	1.61	1.27	.94	.87	.92
16	1.01	.81	1.24	2.54	2.66	2.39	1.57	1.53	1.25	.92	.88	.87
17	1.02	.84	1.28	2.51	2.66	2.30	1.51	1.48	1.23	.94	.89	.87
18	1.02	.88	1.55	2.49	2.64	2.25	1.40	1.26	1.18	.96	.88	.86
19	.97	.82	2.22	2.42	2.65	2.19	1.54	1.32	1.16	.96	.90	.86
20	.96	.82	1.88	2.30	2.67	2.15	1.61	1.39	1.15	.97	.87	.87
21	.92	.85	1.59	2.24	2.65	2.04	1.63	1.44	1.13	.95	.89	.87
22	.86	.82	1.49	2.19	2.77	1.98	1.60	1.50	1.11	.93	.88	.89
23	.84	.84	1.42	2.56	2.61	1.91	1.56	2.18	1.09	.93	.88	.91
24	.81	.82	1.39	2.58	2.87	1.90	1.56	1.89	1.06	.94	.90	.89
25	.81	.81	1.39	5.55	2.64	1.95	1.50	1.90	1.07	.91	.87	.85
26	.81	.81	1.37	4.44	2.44	1.95	1.41	1.84	1.07	.88	.86	.85
27	.81	.81	1.31	10.9	2.30	1.96	1.37	1.74	1.12	.87	.87	.85
28	.81	.81	1.30	9.71	2.31	1.96	1.36	1.65	1.13	.72	.87	.84
29	.81	.81	1.29	6.11	2.28	2.01	1.35	1.60	1.09	.73	.89	.85
30	.81	1.00	1.29	4.28	-----	2.20	1.46	1.58	1.06	.79	.87	.82
31	.81	-----	1.29	3.53	-----	2.06	-----	1.57	-----	.81	.87	-----
Total	27.59	25.29	43.55	127.89	81.58	68.57	50.03	50.05	38.16	29.23	27.05	26.21
Mean	.89	.84	1.40	4.13	2.81	2.21	1.67	1.61	1.27	.94	.87	.87
Max	1.02	1.00	2.48	21.0	3.35	2.45	2.02	2.18	1.56	1.15	.90	.96
Min	.81	.81	1.00	1.19	2.28	1.90	1.35	1.26	1.06	.72	.83	.82
Acre-Ft	55	50	86	254	162	136	99	99	76	58	54	52
Wtr Year 2008	Total	595.20	Mean	1.63	Max	21.0	Min	.72	Inst Max	161	Acre-Ft	1180
Cal Year 2007	Total	413.92	Mean	1.13	Max	2.48	Min	.59	Inst Max	8.27	Acre-Ft	821

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F194B Sawpit Wash Below Live Oak Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.09	.32	.45	.11	2.84	.20	.15	.51	.20	.33	.30	.17
2	.09	.30	.40	.08	2.31	.48	.21	.41	.18	.31	.31	.16
3	.10	.30	.27	.15	13.1	.16	.42	.46	.20	.31	.32	.18
4	.07	.31	.14	321	1.70	.14	1.03	.53	.21	.31	.31	.26
5	.08	.29	.13	194	1.16	.71	.68	.55	.17	.31	.30	.27
6	.10	.30	5.75	71.1	.90	.20	.65	.63	.20	.30	.30	.27
7	.09	.31	33.8	9.30	.73	.15	.63	.76	.19	.31	.28	.27
8	.09	.31	.65	1.85	.59	.47	.61	.67	.19	.31	.27	.44
9	.08	.32	.50	1.22	.48	.38	.59	.65	.20	.29	.27	.21
10	.13	.32	.25	1.03	.39	.34	.60	.70	.18	.23	.26	177
11	.17	.32	.11	.98	.36	.25	.51	.63	.16	.24	.29	238
12	.36	.49	.07	1.11	.33	.17	.50	.61	.18	1.13	.31	219
13	14.3	.42	.08	1.00	.24	.35	.47	.23	.29	.44	.31	219
14	.32	.30	.08	1.31	13.2	.66	.45	.22	.18	.32	.29	218
15	.33	.21	.08	.65	.20	6.43	.51	.21	.15	.32	.30	219
16	.33	.13	.07	.37	.17	.79	.52	.22	.19	.33	.29	222
17	.33	.13	.17	.36	.16	.46	.47	.24	.20	.34	.29	224
18	.32	.16	44.4	.31	.16	.33	.49	.23	.16	.36	.27	234
19	.31	.18	34.0	.27	.18	.25	.55	.20	.16	.33	.28	239
20	.32	.13	3.61	.23	1.99	.38	.54	.19	.21	.33	.27	242
21	.30	.19	.53	.20	.67	.30	.55	.23	.19	.34	.28	155
22	.29	.26	.41	.89	7.71	.17	.53	49.3	.18	.33	.29	.57
23	.31	.21	.38	35.3	1.04	.21	.53	60.8	.17	.31	.29	.33
24	.29	.26	.37	42.9	11.1	.26	.54	.37	.16	.33	.29	.41
25	.29	.34	.36	101	.80	.31	.50	.20	.18	.31	.29	.27
26	.30	.16	.38	13.5	.47	.18	.49	.19	.18	.32	.20	.39
27	.31	.15	.36	153	.16	.17	.45	.18	.28	.32	.15	.81
28	.30	.12	.35	31.5	.15	.18	.43	.16	.36	.28	.17	.25
29	.30	.15	.34	4.98	.16	.31	.47	.21	.34	.35	.16	.29
30	.30	42.6	.35	3.11	-----	.89	.54	.19	.34	.29	.15	.35
31	.29	-----	.25	2.77	-----	.34	-----	.20	-----	.31	.15	-----
Total	21.29	49.99	129.09	995.58	63.45	16.62	15.61	120.88	6.18	10.64	8.24	2611.90
Mean	.69	1.67	4.16	32.1	2.19	.54	.52	3.90	.21	.34	.27	87.1
Max	14.3	42.6	44.4	321	13.2	6.43	1.03	60.8	.36	1.13	.32	242
Min	.07	.12	.07	.08	.15	.14	.15	.16	.15	.23	.15	.16
Acre-Ft	42	99	256	1970	126	33	31	240	12	21	16	5180
Wtr Year 2008	Total	4049.47	Mean	11.1	Max	321	Min	.07	Inst Max	3980	Acre-Ft	8030
Cal Year 2007	Total	635.29	Mean	1.74	Max	71.0	Min	.07	Inst Max	900	Acre-Ft	1260

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F32 Thompson Creek Below Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	7.72	0	0	0	0	0	0	0
2	0	0	0	0	4.39	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	.07	0	0	0	0	0	0	0	0
5	0	0	0	.32	0	0	0	0	0	0	0	0
6	0	0	0	.39	0	0	0	0	0	0	0	0
7	0	0	.33	.22	0	0	0	0	0	0	0	0
8	0	0	.13	.13	0	0	0	0	0	0	0	0
9	0	0	.13	.13	0	0	0	0	0	0	0	0
10	0	0	.12	.13	0	0	0	0	0	0	0	0
11	0	0	0	.13	0	0	0	0	0	0	0	0
12	0	0	0	.04	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	5.13	0	0	0	0	0	0	0	0
16	0	0	0	2.45	0	0	0	0	0	0	0	0
17	0	0	0	.52	0	0	0	0	0	0	0	0
18	0	0	0	.52	0	0	0	0	0	0	0	0
19	0	0	.22	.52	0	0	0	0	0	0	0	0
20	0	0	.16	.52	0	0	0	0	0	0	0	0
21	0	0	.15	.52	0	0	0	0	0	0	0	0
22	0	0	.13	.52	0	0	0	0	0	0	0	0
23	0	0	.05	.52	0	0	0	0	0	0	0	0
24	0	0	0	.52	0	0	0	0	0	0	0	0
25	0	0	0	.52	0	0	0	0	0	0	0	0
26	0	0	0	.52	0	0	0	0	0	0	0	0
27	0	0	0	.52	0	0	0	0	0	0	0	0
28	0	0	0	.52	0	0	0	0	0	0	0	0
29	0	0	0	.52	0	0	0	0	0	0	0	0
30	0	0	0	4.54	-----	0	0	0	0	0	0	0
31	0	-----	0	8.16	-----	0	-----	0	-----	0	0	-----
Total	0	0	1.42	28.60	12.11	0	0	0	0	0	0	0
Mean	0	0	.046	.92	.42	0	0	0	0	0	0	0
Max	0	0	.33	8.16	7.72	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Acre-Ft	0	0	2.8	57	24	0	0	0	0	0	0	0
Wtr Year 2008	Total	42.13	Mean	.12	Max	8.16	Min	0	Inst Max	16.3	Acre-Ft	84
Cal Year 2007	Total	1.42	Mean	.004	Max	.33	Min	0	Inst Max	.39	Acre-Ft	2.8

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 07/17/2012

Summary Report

Site: F54C Topanga Creek Above Mouth of Canyon
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.52	.66	.89	.88	8.02	11.6	6.80	3.50	2.27	1.73	1.37	1.34
2	.54	.60	.60	.88	7.84	11.4	6.52	3.49	2.28	1.66	1.41	1.36
3	.55	.54	.57	.89	10.3	10.8	6.45	3.37	2.27	1.69	1.39	1.38
4	.55	.49	.53	229	9.06	10.6	5.98	3.36	2.24	1.60	1.36	1.29
5	.57	.48	.53	939	9.21	8.08	5.79	3.50	2.24	1.57	1.29	1.22
6	.56	.48	.54	244	9.86	10.1	5.49	3.50	2.20	1.44	1.26	1.25
7	.55	.48	1.75	104	10.7	9.84	5.17	3.65	2.14	1.51	1.27	1.30
8	.55	.48	.63	59.0	11.5	9.53	4.83	3.60	2.11	1.53	1.26	1.33
9	.56	.48	.50	48.0	12.3	9.32	4.63	3.50	2.20	1.53	1.26	1.34
10	.57	.48	.48	28.0	13.4	9.07	4.43	3.50	2.17	1.52	1.25	1.36
11	.59	.48	.52	106	15.4	9.02	4.25	3.50	2.14	1.47	1.25	1.38
12	.63	.49	.51	1.82	10.1	8.96	4.20	3.50	2.03	1.40	1.26	1.46
13	1.33	.47	.51	1.67	9.89	8.81	4.08	3.46	2.02	1.39	1.31	1.51
14	.89	.46	.51	1.56	9.67	8.73	3.93	3.12	1.96	1.36	1.30	1.50
15	.81	.45	.54	1.53	9.07	8.73	3.96	3.01	1.93	1.36	1.22	1.43
16	.80	.47	.54	1.45	8.92	8.64	4.02	2.93	1.90	1.36	1.22	1.38
17	.77	.48	.56	1.38	9.07	8.15	3.98	2.71	1.85	1.37	1.24	1.39
18	.74	.51	2.40	1.34	9.06	8.09	3.86	2.51	1.78	1.42	1.26	1.42
19	.72	.50	4.05	1.34	8.75	8.09	3.93	2.48	1.78	1.52	1.27	1.38
20	.71	.50	1.07	1.34	9.31	8.09	4.04	2.44	1.78	1.47	1.32	1.36
21	.69	.49	.77	1.34	8.98	7.89	3.95	2.47	1.73	1.40	1.33	1.38
22	.59	.48	.61	2.56	18.3	7.87	3.92	2.38	1.71	1.37	1.33	1.45
23	.57	.47	.57	9.56	10.7	7.70	3.86	2.52	1.74	1.38	1.32	1.48
24	.77	.45	.57	27.2	50.9	7.48	3.85	2.85	1.83	1.32	1.31	1.48
25	.60	.46	.66	205	22.4	7.47	3.83	2.71	1.89	1.33	1.33	1.42
26	.66	.47	.75	25.7	16.4	7.47	3.67	2.57	1.93	1.32	1.31	1.41
27	.70	.46	.81	400	14.2	7.38	3.54	2.50	1.97	1.29	1.32	1.49
28	.70	.46	.81	86.2	13.1	7.21	3.49	2.45	1.95	1.30	1.34	1.55
29	.69	.46	.81	21.5	12.2	7.19	3.47	2.35	1.91	1.33	1.34	1.49
30	.68	.81	.85	12.7	-----	7.48	3.50	2.32	1.77	1.42	1.33	1.41
31	.68	-----	.86	9.23	-----	6.94	-----	2.28	-----	1.41	1.33	-----
Total	20.84	14.99	26.30	2574.08	368.61	267.73	133.42	92.03	59.72	44.77	40.36	41.94
Mean	.67	.50	.85	83.0	12.7	8.64	4.45	2.97	1.99	1.44	1.30	1.40
Max	1.33	.81	4.05	939	50.9	11.6	6.80	3.65	2.28	1.73	1.41	1.55
Min	.52	.45	.48	.88	7.84	6.94	3.47	2.28	1.71	1.29	1.22	1.22
Acre-Ft	41	30	52	5110	731	531	265	183	118	89	80	83
Wtr Year 2008	Total	3684.79	Mean	10.1	Max	939	Min	.45	Inst Max	3770	Acre-Ft	7310
Cal Year 2007	Total	346.30	Mean	.95	Max	5.40	Min	.44	Inst Max	12.8	Acre-Ft	687

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F252 Verdugo Wash At Estelle Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.41	2.57	2.57	3.90	12.6	7.52	7.08	5.41	5.42	3.90	3.90	4.17
2	5.85	2.57	2.57	3.90	11.6	7.10	6.24	4.78	4.91	3.90	3.90	5.21
3	5.42	2.57	2.57	3.55	21.5	7.10	7.00	4.86	4.65	3.90	3.90	5.65
4	5.42	2.57	2.57	428	16.9	6.53	7.10	5.42	4.65	3.90	3.90	4.50
5	5.42	2.57	2.57	483	11.2	6.24	7.10	5.42	4.65	3.90	4.09	6.03
6	5.42	2.57	2.57	355	9.91	6.24	7.10	5.41	5.38	3.90	3.90	5.57
7	4.88	2.57	7.03	84.4	9.19	6.24	7.10	5.36	6.24	3.90	3.90	4.55
8	4.65	2.57	7.76	11.2	8.93	6.24	7.10	5.31	6.24	3.90	3.90	4.99
9	4.65	2.57	7.10	8.69	8.51	6.24	7.10	5.26	5.43	3.90	3.90	4.68
10	4.65	2.57	6.27	7.99	7.99	6.24	6.77	5.21	5.42	3.90	3.90	3.94
11	4.65	2.57	5.42	7.99	7.99	6.24	6.24	5.15	5.42	3.90	3.90	4.66
12	4.65	2.19	5.06	7.23	7.99	6.24	6.24	5.10	5.42	4.53	3.90	4.97
13	5.33	1.98	4.65	7.10	7.99	6.24	6.24	5.05	5.42	4.65	3.90	3.68
14	5.42	1.98	4.14	7.56	7.86	6.24	6.24	5.00	5.42	4.20	3.99	3.71
15	5.42	1.98	3.90	7.99	7.10	6.24	6.24	5.20	5.42	3.90	4.17	3.79
16	5.42	1.98	3.65	7.16	7.10	6.24	6.24	6.52	5.42	3.90	4.38	3.69
17	5.33	1.98	3.21	7.10	7.10	6.24	5.90	6.46	5.42	3.90	4.83	3.42
18	4.65	1.98	4.02	7.10	7.10	6.24	5.42	6.41	5.42	3.90	4.33	3.44
19	4.65	1.98	12.6	7.10	7.10	6.24	5.42	6.74	5.42	3.90	4.39	3.52
20	4.65	1.98	12.8	7.10	8.35	6.24	5.84	7.16	5.42	3.90	4.31	3.36
21	4.65	1.98	11.6	7.62	8.44	6.24	5.52	6.78	5.42	3.90	4.58	3.43
22	4.65	1.98	8.72	9.10	14.4	6.24	5.42	7.10	5.42	3.90	4.44	3.66
23	4.27	1.98	7.89	159	13.7	6.24	5.42	9.73	5.42	3.90	5.66	3.67
24	3.90	1.55	7.10	225	19.0	6.24	5.42	11.7	5.42	3.90	4.05	3.26
25	3.90	1.46	7.10	460	17.5	6.24	5.42	9.43	5.42	3.90	4.46	3.21
26	3.90	1.31	6.30	66.9	11.9	6.24	5.42	7.29	5.05	3.90	5.44	3.21
27	3.90	1.01	5.05	469	9.76	6.24	5.42	6.38	4.65	3.90	5.06	3.21
28	3.30	1.01	4.65	277	8.21	6.24	5.42	6.10	4.03	3.90	4.86	3.21
29	2.57	.90	4.65	36.5	7.99	6.24	5.42	5.42	3.90	3.90	4.38	3.18
30	2.57	1.76	4.65	20.4	-----	6.93	5.42	5.42	3.90	3.90	4.31	3.21
31	2.57	-----	4.65	15.1	-----	7.10	-----	5.42	-----	3.90	4.22	-----
Total	143.12	61.24	175.39	3208.68	304.91	198.28	184.01	192.00	155.82	122.58	132.75	120.78
Mean	4.62	2.04	5.66	104	10.5	6.40	6.13	6.19	5.19	3.95	4.28	4.03
Max	6.41	2.57	12.8	483	21.5	7.52	7.10	11.7	6.24	4.65	5.66	6.03
Min	2.57	.90	2.57	3.55	7.10	6.24	5.42	4.78	3.90	3.90	3.90	3.18
Acre-Ft	284	121	348	6360	605	393	365	381	309	243	263	240
Wtr Year 2008	Total	4999.56	Mean	13.7	Max	483	Min	.90	Inst Max	5700	Acre-Ft	9920
Cal Year 2007	Total	3103.65	Mean	8.50	Max	139	Min	.90	Inst Max	1000	Acre-Ft	6160

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F304 Walnut Creek at Puente Avenue
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.58	4.23	6.19	.02	9.77	1.15	4.88	.72	3.72	.01	.01	0
2	3.64	4.05	4.23	4.74	18.3	1.09	4.15	.84	2.01	.26	.16	.09
3	3.67	4.41	4.77	23.7	62.7	1.20	2.51	.81	2.16	.14	.78	.01
4	9.94	4.11	4.49	536	13.7	1.22	4.29	1.32	2.17	0	.01	.01
5	11.3	4.43	4.18	506	19.5	1.10	2.07	1.06	2.14	0	.59	.02
6	6.68	6.72	5.65	308	21.5	1.05	1.87	.75	2.00	0	.01	.01
7	3.47	9.30	80.6	147	20.7	1.05	2.16	.79	2.11	.30	.01	.01
8	3.79	4.18	22.9	109	19.8	1.13	1.46	.88	2.25	.45	.01	.01
9	3.77	4.18	7.65	111	15.8	1.20	.86	.80	2.14	0	.01	.01
10	4.33	4.38	5.85	105	1.59	1.12	2.62	.82	1.92	.01	.01	.23
11	4.07	4.44	3.37	105	1.39	1.52	.65	1.03	1.90	.03	.01	.01
12	6.05	4.56	3.60	103	1.33	1.46	2.76	2.93	1.56	.09	.01	.01
13	55.9	4.50	3.53	81.1	1.05	1.23	.67	1.19	.86	2.51	.16	.01
14	4.31	4.44	3.51	9.84	4.89	1.46	.80	1.89	.85	.03	.59	.01
15	4.55	4.54	3.71	9.73	.03	4.74	.86	2.08	.84	.03	.01	.01
16	4.23	7.68	3.56	9.04	.05	.81	.78	1.71	1.00	.03	.01	.01
17	4.31	4.84	4.96	7.95	.06	.70	.72	1.10	1.00	.03	.01	.01
18	4.14	4.46	44.9	7.14	.08	.91	.74	.96	.92	.56	.01	1.34
19	4.01	6.70	144	7.38	.12	.83	.76	1.45	1.75	.06	.01	.90
20	4.18	4.26	14.0	7.76	4.07	.80	.71	1.94	.95	.03	.01	.01
21	3.99	4.24	4.64	7.96	2.12	.81	.73	1.57	1.21	.02	.01	.01
22	4.17	4.12	3.26	19.3	49.9	.88	.73	121	1.06	.01	.44	.01
23	4.53	4.33	3.26	227	4.29	.78	.77	11.1	1.05	.59	0	0
24	7.77	3.96	3.26	216	95.0	.61	3.06	3.28	1.00	0	.01	.01
25	4.23	4.01	3.31	219	6.75	.72	.78	2.00	1.03	0	.01	.01
26	4.23	4.50	3.27	34.3	3.92	.77	.66	2.15	1.09	.01	.01	.01
27	4.62	4.20	3.48	502	1.05	2.55	.77	2.26	.01	0	.01	.01
28	4.61	4.57	3.26	339	1.02	4.78	.82	2.20	.01	0	.01	.01
29	4.56	4.37	3.52	78.8	1.05	4.78	.73	2.28	.01	.07	.01	.02
30	4.69	235	3.40	30.1	-----	4.86	.82	2.22	.01	.19	.69	.02
31	7.52	-----	2.47	8.79	-----	4.92	-----	2.21	-----	.01	.12	-----
Total	204.84	373.71	412.78	3880.65	381.53	52.23	46.19	177.34	40.73	5.47	3.75	2.83
Mean	6.61	12.5	13.3	125	13.2	1.68	1.54	5.72	1.36	.18	.12	.094
Max	55.9	235	144	536	95.0	4.92	4.88	121	3.72	2.51	.78	1.34
Min	3.47	3.96	2.47	.02	.03	.61	.65	.72	.01	0	0	0
Acre-Ft	406	741	819	7700	757	104	92	352	81	11	7.4	5.6
Wtr Year 2008	Total	5582.05	Mean	15.3	Max	536	Min	0	Inst Max	3960	Acre-Ft	11070
Cal Year 2007	Total	5489.65	Mean	15.0	Max	235	Min	2.47	Inst Max	1920	Acre-Ft	10890

RUNOFF - DAILY DISCHARGE

Los Angeles County Dept of Public Works

USDAY V62 Output 03/25/2009

Summary Report

Site: F40 Walnut Creek Below Puddingstone Dam
 USGS #:
 Beginning Date: 10/01/2007
 Ending Date: 09/30/2008

Daily Mean Discharge in Cubic feet/second Water Year Oct 2007 to Sep 2008

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.18	.18	.09	.08	32.1	1.77	1.74	.23	.18	.14	.21	.29
2	.17	.14	.12	22.9	32.2	1.77	.71	.26	.17	.15	.19	.31
3	.14	.14	.12	53.8	31.1	1.88	.10	.28	.14	.13	.19	.35
4	.09	.12	.10	54.3	32.0	1.74	.04	.28	.13	.14	.21	.41
5	.09	.14	.11	55.4	32.9	1.86	0	.30	.15	.15	.23	.45
6	.12	.14	.12	77.6	32.7	1.88	.07	.28	.14	.17	.21	.42
7	.11	.15	.14	76.5	32.6	1.83	.09	.35	.13	.12	.18	.42
8	.09	.17	.08	71.2	32.6	1.58	.09	.26	.16	.12	.19	.45
9	.09	.19	.11	71.0	22.5	1.75	.16	.26	.15	.13	.19	.44
10	.10	.18	.10	70.8	5.50	1.84	.18	.31	.13	.15	.19	.49
11	.10	.19	.11	70.0	5.51	1.76	.14	.53	.15	.20	.19	.50
12	.10	.18	.10	70.1	5.02	1.69	.11	.38	.17	.21	.19	.51
13	.14	.17	.10	44.8	3.10	1.67	.09	.26	.20	.30	.20	.40
14	.09	.18	.11	1.98	1.21	1.69	.11	.23	.20	.28	.20	.43
15	.12	.18	.12	1.66	1.68	1.45	.12	.25	.18	.29	.20	.38
16	.12	.17	.12	1.44	1.75	1.59	.14	.25	.18	.28	.20	.47
17	.13	.14	.11	1.53	1.70	1.84	.17	.24	8.40	.25	.21	.44
18	.16	.15	.14	1.53	1.69	1.86	.12	.20	11.9	.20	.21	.36
19	.12	.15	.23	1.58	1.79	1.81	.13	.20	11.6	.18	.22	.37
20	.12	.16	.10	1.38	1.77	1.85	.15	.21	11.5	.21	.24	.37
21	.15	.19	.12	1.49	2.94	1.84	.15	.19	11.6	.22	.24	.33
22	.15	.14	.12	1.52	3.35	1.77	.23	.16	11.6	.20	.23	.33
23	.16	.13	.12	104	3.36	1.78	.27	.25	3.60	.20	.23	.33
24	.12	.12	.12	99.9	3.47	1.74	.40	.24	.16	.19	.24	.32
25	.11	.10	.14	.95	3.31	1.82	.65	.23	.16	.19	.21	.32
26	.12	.09	.11	.34	3.29	1.93	.25	.22	.13	.22	.21	.32
27	.13	.08	.13	60.0	2.99	1.74	.25	.22	.12	.21	.42	.33
28	.14	.10	.12	158	2.75	1.64	.25	.21	.17	.21	.27	.32
29	.14	.09	.12	70.5	3.24	1.77	.22	.19	.17	.20	.27	.38
30	.16	.19	.12	69.9	-----	1.79	.25	.20	.16	.21	.27	.32
31	.18	-----	.07	53.8	-----	1.76	-----	.20	-----	.19	.31	-----
Total	3.94	4.45	3.62	1369.98	340.12	54.69	7.38	7.87	73.83	6.04	6.95	11.56
Mean	.13	.15	.12	44.2	11.7	1.76	.25	.25	2.46	.19	.22	.39
Max	.18	.19	.23	158	32.9	1.93	1.74	.53	11.9	.30	.42	.51
Min	.09	.08	.07	.08	1.21	1.45	0	.16	.12	.12	.18	.29
Acre-Ft	7.8	8.8	7.2	2720	675	108	15	16	146	12	14	23
Wtr Year 2008	Total	1890.43	Mean	5.17	Max	158	Min	0	Inst Max	235	Acre-Ft	3750
Cal Year 2007	Total	160.19	Mean	.44	Max	1.26	Min	.07	Inst Max	31.7	Acre-Ft	318

APPENDIX D

HYDROLOGIC REPORT 2007 – 2008

RUNOFF – STREAM GAGING STATION PEAK FLOW

RUNOFF – STREAM GAGING STATION PEAK FLOW**ALHAMBRA WASH above Klingerman Street
STATION NO. F81D-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1929-30	N.D.	0.0	N.D.	635.0	Mar 14	1,870
1930-31	226.0	0.0	2.1	1,480	Feb 03	1,530
1931-32	220.0	0.0	2.7	1,940	Jan 31	1,120
1932-33	418.0	0.0	2.3	1,680	Jan 19	1,850
1933-34	1,770.0	0.0	8.0	5,820	Jan 01	4,890
1934-35	219.0	0.0	3.3	2,380	Jan 05	2,280
1935-36	144.0	0.0	2.0	1,420	Feb 12	1,700
1936-37	309.0	0.0	5.4	3,880	Mar 15	2,470
1937-38	997.0	0.0	7.6	5,520	Mar 02	5,010
1938-39	288.0	0.0	4.1	2,990	Jan 05	2,480
1939-40	130.0	0.0	2.4	1,730	Feb 01	1,280
1940-41	219.0	0.0	7.8	5,650	Mar 03	2,080
1941-42	193.0	0.0	2.5	1,810	Dec 10	2,320
1942-43	893.0	0.0	8.4	6,070	Mar 04	4,480
1943-44	454.0	+	5.6	4,100	Feb 22	1,860
1944-45	199.0	0.1	3.1	2,250	Nov 11	2,220
1945-46	342.0	0.1	4.1	3,000	Dec 22	1,600
1946-47	345.0	0.1	5.2	3,800	Nov 13	3,810
1947-48	155.0	0.1	2.8	2,040	Mar 24	2,670
1948-49	95.0	0.2	2.8	2,020	Dec 17	758
1949-50	254.0	0.2	4.3	3,090	Feb 06	1,630
1950-51	106.0	0.2	3.3	2,360	Jan 11	1,620
1951-52	594.0	0.2	12.5	9,040	Jan 16	3,810
1952-53	228.0	0.1	4.5	3,240	Nov 15	3,140
1953-54	369.0	0.2	5.2	3,770	Feb 13	2,410
1954-55	185.0	0.2	4.2	3,020	Jan 18	1,890
1955-56	1,100.0	0.3	7.6	5,520	Jan 26	4,550
1956-57	242.0	0.6	6.1	4,440	Feb 23	3,090
1957-58	544.0	0.3	12.8	9,270	Feb 19	4,830
1958-59	279.0	0.2	4.2	3,020	Jan 06	3,170
1959-60	200.0	0.1	3.8	2,720	Jan 11	1,710
1960-61	153.0	0.3	2.5	1,790	Nov 05	1,480
1961-62	382.0	0.1	9.1	6,270	Feb 12	2,560
1962-63	359.0	0.1	4.0	2,880	Mar 16	2,210
1963-64	196.0	0.2	4.0	2,870	Jan 21	2,210
1964-65	339.0	0.1	6.4	4,610	Apr 09	3,730
1965-66	686.0	0.3	10.7	7,740	Nov 24	3,520
1966-67	662.0	0.4	12.2	8,820	Jan 22	3,550
1967-68	398.0	0.4	6.5	4,740	Mar 08	3,480
1968-69	999.0	0.4	17.0	12,300	Feb 06	3,980
1969-70	486.0	0.3	5.3	1,871	Feb 28	3,430

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW**ALHAMBRA WASH above Klingerman Street
STATION NO. F81D-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	648.0	0.4	7.1	2,601	Nov 29	4,040
1971-72	449.0	0.3	2.5	3,000	Dec 24	2,000
1972-73	555.0	0.3	12.6	9,110	Feb 11	4,450
1973-74	813.0	0.3	7.9	5,720	Jan 07	4,330
1974-75	429.0	0.3	5.6	4,070	Dec 04	6,000
1975-76	274.0	0.3	5.3	3,790	Feb 05	1,820
1976-77	252.0	0.3	6.0	4,340	Oct 22	1,770
1977-78	695.0	0.3	17.0	11,927	Mar 01	5,950
1978-79	836.0	0.3	10.5	7,614	Mar 27	4,484
1979-80	1,240.0	0.3	18.4	13,051	Feb 16	6,660
1980-81	196.0	0.1	5.1	3,720	Mar 19	2,750
1981-82	371.0	0.2	6.0	4,317	Mar 17	2,410
1982-83	1,050.0	0.1	17.8	12,941	Mar 01	7,010
1983-84	235.0	0.4	3.7	2,715	Dec 25	2,480
1984-85	260.0	0.3	4.9	3,543	Dec 19	3,050
1985-86	329.0	0.3	9.2	6,633	Mar 08	4,130
1986-87	177.0	0.6	3.6	2,579	Oct 02	5,670
1987-88	386.0	0.6	7.0	5,048	Dec 04	4,500
1988-89	226.0	0.9	5.2	3,570	Dec 21	1,410
1989-90	530.0	0.9	4.8	3,483	Feb 17	2,010
1990-91	452.0	0.6	7.6	5,437	Mar 01	2,700
1991-92	570.0	0.7	13.8	10,008	Feb 12	6,340
1992-93	796.0	1.0	20.5	14,810	Dec 07	5,880
1993-94	260.0	0.5	7.1	5,157	Mar 24	3,000
1994-95	875.0	0.2	14.3	10,380	Mar 10	8,080
1995-96	462.0	0.4	7.0	5,071	Jan 31	8,110
1996-97	279.0	0.3	8.7	6,260	Jan 15	2,640
1997-98	727.0	0.6	20.2	14,660	Feb 06	7,770
1998-99	142.0	0.3	6.1	4,400	Nov 28	3,500
1999-00	306.0	0.4	8.5	6,170	Feb 21	4,480
2000-01	404.0	0.6	10.2	7,380	Jan 11	3,220
2001-02	325.6	0.8	7.5	5,457.4	Nov 24	6,153
2002-03	881.7	0.5	13.3	9,652.4	Mar 15	5,980
2003-04	784.9	0.3	10.0	7,538.9	Feb 26	6,030
2004-05	982.0	0.0	27.3	19,800.0	Feb 20	7,180
2005-06	469.0	0.7	11.9	8,590.0	Jan 02	6,098
2006-07	194.0	1.6	8.0	5,768.9	Feb 11	2,552
2007-08	596.0	0.05	10.4	7,540	Jan 04	5,556

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**ARCADIA WASH below Grand Ave
STATION NO. F317-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1956-57	108.0	0.1	1.8	1,340	Feb 23	1,184
1957-58	212.0	0.1	4.6	3,330	Feb 01	1,932
1958-59	127.0	0.2	1.9	1,360	Jan 06	1,270
1959-60	101.0	0.3	1.7	1,220	Apr 27	593
1960-61	69.0	+	1.1	831.0	Nov 05	570
1961-62	408.0	0.1	4.7	3,400	Feb 11	1,480
1962-63	153.0	0.2	2.1	1,510	Feb 09	600
1963-64	120.0	0.1	2.2	1,620	Nov 20	1,340
1964-65	153.0	0.1	3.1	2,270	Apr 09	1,460
1965-66	267.0	0.1	4.7	3,430	Dec 29	1,270
1966-67	283.0	0.3	6.3	4,560	Jan 22	1,260
1967-68	M	M	M	M		M
1968-69	M	M	M	M		M
1969-70	M	M	M	M		M
1970-71	M	M	M	M		M
1971-72	M	M	M	M		M
1972-73	M	M	M	M		M
1973-74	279.0	0.3	4.0	2,910	Jan 07	931
1974-75	207.0	0.3	3.2	2,290	Dec 04	2,560
1975-76	167.0	0.3	3.6	2,600	Sep 11	1,400
1976-77	119.0	0.2	2.9	2,121	Oct 23	1,320
1977-78	355.0	0.2	9.4	6,823	Feb 10	4,110
1978-79	128.0	0.2	4.5	3,263	Mar 27	1,290
1979-80	633.0	0.0	9.9	7,025	Jan 29	3,280
1980-81	104.0	0.4	2.8	1,991	Jan 29	1,050
1981-82	208.0	0.4	4.3	3,137	Mar 17	2,470
1982-83	435.0	0.4	10.8	7,824	Mar 01	4,110
1983-84	121.0	0.0	3.2	2,354	Oct 01	1,430
1984-85	137.0	0.1	4.7	3,399	Dec 19	1,420
1985-86	211.0	0.0	8.4	6,116	Mar 08	1,760
1986-87	172.0	0.1	3.5	2,530	Oct 02	2,410
1987-88	284.0	0.1	5.4	3,915	Jan 17	4,360
1988-89	114.0	0.1	3.7	2,521	Dec 21	507
1989-90	728.0	0.1	3.5	2,505	Apr 17	1,330
1990-91	228.0	0.1	5.0	3,598	Feb 28	2,120
1991-92	301.0	0.1	11.1	8,043	Feb 12	3,190
1992-93	586.0	0.3	17.3	12,560	Jan 17	2,720
1993-94	239.0	0.0	6.4	4,661	Mar 19	1,360
1994-95	480.0	0.1	11.1	8,032	Mar 11	2,740
1995-96	405.0	0.4	5.2	3,764	Feb 20	1,560

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**ARCADIA WASH below Grand Ave
STATION NO. F317-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1996-97	206.0	0.5	6.3	4,540	Jan 26	1,430
1997-98	489.0	0.6	13.3	9,640	Feb 06	2,850
1998-99	151.0	0.5	4.2	3,020	Jan 26	1,040
1999-00	162.0	0.1	4.3	3,150	Feb 21	1,750
2000-01	240.0	0.2	6.0	4,320	Jan 11	1,380
2001-02	161.3	0.6	2.6	1,904.0	Nov 24	2,712
2002-03	0.0	0.0	6.5	0.0	Mar 15	2,120
2003-04	319.8	0.5	4.5	3,272.4	Feb 26	2,660
2004-05	558.0	0.3	16.6	12,000.0	Oct 20	3,680
2005-06	230.0	0.1	5.8	4,170.0	Jan 02	3,005
2006-07	116.0	0.0	2.0	1,445.9	Feb 11	950
2007-08	381.0	0.1	7.5	5,449	Jan 04	3,823

M Data missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not computed
 + Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

ARROYO SECO below Devil's Gate Dam STATION NO. F277-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1942-43	3,190.0	0.0	33.4	23,895.5	Jan 23	5,640
1943-44	965.0	0.0	12.4	8,316.1	Feb 20	1,540
1944-45	187.0	0.1	3.7	2,559.5	Mar 15	610
1945-46	272.0	0.0	2.2	1,598.5	Dec 23	445
1946-47	410.0	0.0	5.7	4,147.7	Dec 27	610
1947-48	1.6	0.0	0.1	51.8		2
1948-49	1.3	0.0	0.0	17.7	Jun 13	2
1949-50	21.0	0.0	0.1	70.0	Nov 10	106
1950-51	0.3	0.0	0.0	1.4	Sep 04	26
1951-52	788.0	0.0	15.5	11,462.3	Jan 18	999
1952-53	11.8	0.0	0.1	77.0	Jan 11	25
1953-54	70.0	0.0	0.9	622.4	Jan 25	127
1954-55	1.7	0.0	0.3	195.4	Apr 30	14
1955-56	327.0	0.0	2.0	1,472.9	Jan 27	411
1956-57	5.8	0.0	0.3	234.0	Oct 04	124
1957-58	351.0	0.0	10.9	7,647.9	Feb 04	546
1958-59	129.0	0.0	0.7	482.0	Feb 16	156
1959-60	1.6	0.0	0.4	261.0	Jan 11	7
1960-61	70.0	0.0	0.6	434.6	Nov 25	360
1961-62	544.0	0.0	7.4	5,003.7	Feb 11	891
1962-63	12.0	0.0	0.5	371.6	Jun 21	51
1963-64	41.0	0.0	0.4	307.7	Jun 26	214
1964-65	28.0	0.0	0.4	312.7	Jul 12	128
1965-66	1,683.0	0.0	18.5	13,337.3	Nov 23	2,110
1966-67	858.0	0.0	9.4	6,902.7	Dec 06	1,620
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	48.0	0.0	0.9	688.7	Apr 01	1,225
1975-76	281.0	0.0	1.8	1,289.1	Sep 11	1,040
1976-77	175.0	0.0	2.9	2,093.6	May 09	450
1977-78	1,670.0	0.0	43.9	31,799.4	Mar 04	5,790
1978-79	177.0	0.0	6.5	4,692.3	Feb 21	321
1979-80	3,156.0	0.0	41.1	28,630.2	Feb 17	4,844
1980-81	84.0	0.0	3.1	2,266.3	Mar 24	314
1981-82	934.0	0.0	9.1	6,619.8	Mar 18	1,276

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

ARROYO SECO below Devil's Gate Dam STATION NO. F277-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1982-83	2,700.0	0.1	37.4	27,062.5	Mar 02	3,260
1983-84	100.0	0.0	1.5	1,074.6	Dec 01	526
1984-85	250.0	0.0	2.4	1,754.4	Dec 21	873
1985-86	109.0	0.0	4.0	2,876.8	Mar 15	349
1986-87	N.D.					
1987-88	124.0	0.0	0.0	0.0		
1988-89	52.3	0.0	1.5	1,042.1	Feb 09	52
1989-90	11.8	0.0	72.4	284.8		
1990-91	572.0	0.0	7.0	506.4		
1991-92	3,530.0	0.0	44.6	32,380.2	Feb 11	5,970
1992-93	403M	1.3M	8.8M	3210.05M		M
1993-94	84.4	0.1	2.5	1,842.1	Mar 23	1,330
1994-95	505.0	0.0	33.9	24,565.9	Feb 13	691
1995-96	408.0	0.0	4.7	3,443.1	Feb 21	477
1996-97	77.0	0.0	2.3	1,678.9	Jan 15	362
1997-98	164.0	0.0	14.0	10116.63E		N.D.
1998-99	16E	0.0	0.6	455.25E		N.D.
1999-00	325E	0.0	4.3	3090E		N.D.
2000-01	620E	0.0	16.2	11760E		N.D.
2004-05	8,110.0	0.4	185.0	125,000.0	Jan 09	11,700
2005-06	826.0	2.0	15.4	11,140.0	Feb 28	2,172
2006-07	209.0	0.1	6.6	4,768.1	Feb 27	1,384
2007-08	658.0	0.0	18.4	13,359	Jan 04	6,479

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**AZUSA CONDUIT (sandbox 10ft weir)
STATION NO. F220B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1932-33	92.4	0.0	27.5	17,043.0		
1933-34	86.0	0.0	27.3	19,770.0		
1934-35	94.0	6.2	64.3	46,570.0		
1935-36	86.0	9.1	40.7	29,500.0		
1936-37	93.0	+	29.0	21,030.0		
1937-38	94.0	+	16.4	11,910.0		
1938-39	0.0	0.0	0.0	0.0		
1939-40	90.0	+	32.7	23,760.0		
1940-41	89.0	+	23.2	16,820.0		
1941-42	91.0	+	53.0	38,360.0		
1942-43	94.0	0.1	36.6	26,510.0		
1943-44	94.0	+	56.9	41,310.0		
1944-45	96.0	+	59.2	42,910.0		
1945-46	92.0	+	55.0	39,820.0		
1946-47	92.0	0.1	64.7	46,900.0		
1947-48	60.0	+	34.4	24,960.0		
1948-49	70.0	0.1	24.0	17,380.0		
1949-50	82.0	19.0	37.5	27,140.0		
1950-51	70.0	0.0	11.5	8,310.0		
1951-52	91.0	0.0	65.2	47,300.0		
1952-53	89.0	+	43.7	31,680.0		
1953-54	89.0	+	38.8	28,090.0		
1954-55	85.0	30.0	50.6	36,600.0		
1955-56	86.0	14.8	49.0	35,580.0		
1956-57	86.0	0.0	36.8	26,670.0		
1957-58	87.0	0.0	27.8	20,140.0		
1958-59	89.0	12.4	49.4	35,730.0		
1959-60	50.0	5.3	24.6	17,850.0		
1960-61	45.0	0.0	12.2	8,820.0		
1961-62	86.0	0.0	57.4	41,570.0		
1962-63	83.0	0.0	33.0	23,930.0		
1963-64	48.0	8.0	31.0	22,490.0		
1964-65D	81.0	0.1	35.8	25,900.0		
1965-66D	83.0	0.0	35.7	25,840.0		
1966-67B	84.0	0.0	41.8	30,250.0		
1967-68	82.0	+	50.3	36,480.0		
1968-69	54.0	0.0	1.1	777.0		
1969-70	61.0	0.0	5.4	3,920.0		
1970-71	75.0	0.0	42.4	30,710.0		
1971-72	70.0	0.0	25.6	18,590.0		

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**AZUSA CONDUIT (sandbox 10ft weir)
STATION NO. F220B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1972-73	76.0	0.0	19.0	13,656.4		
1973-74	82.0	0.0	62.2	44,943.1		
1974-75	78.0	0.0	54.4	39,380.8		
1975-76	76.9	0.9	46.1	33,590.5		
1976-77	70.7	1.1	40.7	29,491.0		
1977-78	N.D.					
1978-79	N.D.					
1979-80	N.D.					
1980-81	N.D.					
1981-82	N.D.					
1982-83*	*	*	*	*		
1983-84	N.D.					
1984-85	N.D.					
1985-86	N.D.					
1986-87	N.D.					
1987-88	N.D.					
1988-89	845.0	0.0	47.0	34,048.7	Dec 06	86
1989-90	N.D.					
1990-91	N.D.					
1991-92	N.D.					
1992-93*	84*	12.9*	63.1*	14650*		
1993-94	N.D.					
1994-95	N.D.					
1995-96	N.D.					
1996-97	N.D.					
1997-98	79.0	0.0	46.8	33,850.0	Jul 26	91
1998-99	74.0	0.0	64.2	46,450.0	Nov 27	85
1999-00	72.0	0.0	38.0	27,600.0	Jul 03	77
2000-01	73.0	0.0	44.5	32,200.0	Jul 14	76
2001-02	53.7	0.1	18.1	13,131.4	Nov 19	55
2002-03	17.5	0.0	0.4	320.6	Apr 08	29
2003-04	43.6	0.0	15.0	10,545.1	Nov 25	65
2004-05	57.0	0.0	11.4	8,250.0	Apr 28	85
2005-06	60.0	0.0	13.3	9,560.0	Apr 18	80
2006-07	41.9	0.1	25.6	12,075.7	Nov 06	42
2007-08	57.3	0.0	12.8	9,312	Jul 03	85

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**AZUSA CONDUIT (sandbox 20ft weir)
STATION NO. F250-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1934-35	116.0*	26.1*	81.0	36,610*		
1935-36	109.0	0.0	42.1	30,540		
1936-37	94.0	0.0	27.3	19,740		
1937-38	104.0	0.0	15.4	11,160		
1938-39	103.0	0.0	5.9	4,280		
1939-40	94.0	0.0	47.4	34,440		
1940-41	110.0	0.0	23.8	17,220		
1941-42	92.0	0.0	23.8	39,940		
1942-43	106.0	0.0	44.6	32,250		
1943-44	97.0	0.0	59.3	43,050		
1944-45	142.0	0.0	81.5	59,050		
1945-46	139.0	0.0	66.3	47,930		
1946-47	138.0	0.0	73.2	52,990		
1947-48	60.0	0.0	36.9	26,830		
1948-49	70.0	0.0	25.0	18,120		
1949-50	82.0	20.0	37.4	27,060		
1950-51	70.0	0.0	11.9	8,610		
1951-52	96.0	0.0	65.3	47,400		
1952-53	89.0	0.0	43.7	31,660		
1953-54	90.0	0.0	38.8	28,070		
1954-55	84.0	30.0	50.6	36,610		
1955-56	86.0	14.7	49.0	35,580		
1956-57	86.0	0.0	36.7	26,670		
1957-58	103.0	0.0	29.7	21,500		
1958-59	90.0	12.3	49.2	35,620		
1959-60	50.0	5.1	24.6	17,840		
1960-61	45.0	0.0	12.2	8,830		
1961-62	86.0	0.0	57.1	41,330		
1962-63	82.0	0.1	33.9	24,550		
1963-64	48.0	8.0	31.0	22,490		
1964-65	81.0	0.1	35.8	25,900		
1965-66	83.0	0.0	35.7	25,840		
1966-67	100.0	0.0	52.7	38,130		
1967-68	82.0	15.0	60.4	43,810		
1968-69	32.0	0.0	8.8	6,380		
1969-70	M	M	M	M		
1970-71	M	M	M	M		
1971-72	M	M	M	M		
1972-73	M	M	M	M		
1973-74	M	M	M	M		

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**AZUSA CONDUIT (sandbox 20ft weir)
STATION NO. F250-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1974-75	78.0	0.0	54.4	39,389	Oct 01	78
1975-76	76.9	0.9	45.9	33,347	Sep 30	145
1976-77	M	M	M	M		
1977-78	78.2	0.0	1.5	33,240		85
1978-79	105.0	49.1	72.2	52,249	Jul 02	106
1979-80	101.0	1.5	39.8	28,882	Jul 29	105
1980-81	99.3	0.0	53.7	38,894	Mar 16	105
1981-82	80.7	24.3	55.7	40,319		82
1982-83	84.6	34.1	2.3	50,283	Mar 04	98
1983-84	79.4	0.0	1.5	33,803	Feb 06	86
1984-85	*	*	*	*		N.D.
1985-86	80.7	0.0	56.0	40,696		
1986-87	44.9	0.0	29.2	21,124	Jan 08	47
1987-88	79.4	0.2	35.5	25,806	Sep 29	52
1988-89	85.2	0.0	46.6	33,739		
1989-90	34.8	0.0	21.9	15,863	Jul 16	35
1990-91	79.4	3.0	28.4	20,280	Sep 28	79
1991-92	82.6	0.0	52.0	37,764	Apr 29	101
1992-93	84.0	0.0	49.7	36,010	Feb 12	97
1993-94	82.2	0.0	58.5	42,340	Oct 25	89
1994-95	83.9	0.0	59.9	43,350	Feb 19	86
1995-96	76.6	0.0	55.4	40,190	Nov 06	90
1996-97	82.0	0.0	59.2	42,880	Jan 26	84
1997-98	83.0	0.0	51.3	37,140	Jul 04	109
1998-99	139.0	0.0	69.4	50,240	Nov 20	142
1999-00	73.0	0.0	38.0	27,610	Oct 01	76
2000-01	87.0	0.0	46.5	33,640	Jul 06	90
2001-02	54.6	0.1	18.1	13,134.4	Nov 24	59
2002-03	85.9	0.0	17.6	19,987.7	Mar 27	94
2003-04	0.0	0.0	26.0	0.0	May 12	110
2004-05	83.0	0.0	30.7	22,200.0	Apr 28	130
2005-06	124.0	0.0	32.8	23,710.0	Apr 17	127
2006-07	44.6	0.2	24.4	13,160.2	Feb 17	71
2007-08	96.0	0.0	24.8	17,986	Sep 29	121

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BALLONA CREEK above Sawtelle Blvd STATION NO. F38C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	N.D.	0.0	N.D.	3,930	May 08	1,100
1928-29	1,150.0	0.0	20.6	14,900	Mar 10	4,990
1929-30	1,130.0	0.0	18.6	13,480	Jan 11	4,460
1930-31	1,500.0	0.0	25.6	18,520	Apr 26	6,280
1931-32	1,780.0	0.0	30.0	21,790	Dec 28	6,130
1932-33	1,660.0	0.0	21.8	15,810	Jan 19	7,000
1933-34	4,310.0	0.0	28.5	20,630	Jan 01	11,300
1934-35	2,190.0	0.0	34.4	24,870	Apr 08	11,200
1935-36	929.0	0.0	19.3	13,500	Feb 12	8,070
1936-37	2,160.0	0.0	56.2	40,680	Dec 30	8,940
1937-38	7,330.0	3.6	72.5	52,500	Mar 02	19,000
1938-39	3,080.0	1.8	39.4	28,490	Dec 17	9,900
1939-40	1,270.0	1.3	29.1	21,110	Feb 03	9,730
1940-41	2,680.0	3.1	93.0	67,360	Dec 23	17,300
1941-42	990.0	2.8	23.8	17,250	Dec 10	7,500
1942-43	4,840.0	2.6	47.3	34,240	Jan 22	13,200
1943-44	3,010.0	3.4	45.4	33,000	Feb 22	8,800
1944-45	1,200.0	3.0	33.8	24,450	Nov 11	9,380
1945-46	1,830.0	3.8	25.4	18,380	Dec 22	7,750
1946-47	1,960.0	2.8	36.3	26,300	Dec 25	9,630
1947-48	1,000.0	3.5	18.8	13,630	Mar 24	12,700
1948-49	668.0	2.8	22.2	16,090	Feb 07	5,740
1949-50	1,620.0	1.4	32.1	23,250	Feb 06	7,670
1950-51	756.0	0.7	26.1	18,860	Jan 10	5,460
1951-52	2,520.0	3.5	73.5	53,350	Jan 16	12,800
1952-53	1,140.0	4.8	27.5	19,910	Nov 15	11,500
1953-54	3,570.0	5.4	39.3	28,480	Feb 13	18,900
1954-55	1,210.0	5.4	29.8	21,600	Jan 18	9,370
1955-56	6,510.0	5.2	44.7	34,590	Jan 26	18,700
1956-57	1,790.0	6.3	30.7	22,240	Feb 23	13,900
1957-58	3,000.0	6.3	59.4	43,040	Feb 19	15,200
1958-59	1,210.0	4.2	19.0	13,730	Jan 06	8,170
1959-60	1,290.0	2.2	23.7	17,190	Jan 11	12,500
1960-61	945.0	4.2	17.3	12,560	Nov 05	7,700
1961-62	3,490.0	3.2	69.2	50,090	Feb 19	12,900
1962-63	1,940.0	3.2	29.6	21,450	Mar 16	12,100
1963-64	789.0	3.9	24.8	18,000	Jan 22	6,420
1964-65	1,590.0	3.9	38.0	27,540	Apr 09	17,600
1965-66	3,620.0	5.3	61.5	44,540	Nov 22	18,000
1966-67	3,020.0	6.7	62.1	45,300	Nov 07	13,900

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BALLONA CREEK above Sawtelle Blvd STATION NO. F38C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	6,350.0	8.2	55.9	40,570	Nov 21	32,500
1968-69	4,840.0	8.2	101.0	73,060	Jan 25	17,000
1969-70	1,380.0	7.6	30.7	22,230	Feb 28	1,380
1970-71	3,170.0	8.8	50.8	35,620	Nov 29	14,600
1971-72	1,900.0	7.6	31.3	22,700	Dec 24	11,100
1972-73	2,590.0	8.8	65.9	47,730	Jan 16	17,600
1973-74	3,510.0	8.8	56.8	41,060	Jan 07	11,000
1974-75	2,490.0	6.2	47.8	34,590	Dec 04	20,560
1975-76	1,390.0	6.2	30.6	22,230	Sep 10	12,940
1976-77	1,760.0	4.6	38.6	27,930	Oct 23	10,173
1977-78	4,441.0	4.2	112.8	81,659	Feb 10	28,088
1978-79	2,220.0	6.6	60.3	43,680	Mar 27	9,710
1979-80	4,630.0	6.2	99.2	70,454	Feb 15	27,000
1980-81	1,090.0	6.6	27.8	20,111	Mar 02	7,300
1981-82	1,380.0	5.8	41.3	29,922	Apr 01	8,110
1982-83	5,690.0	8.2	119.0	86,347	Mar 01	23,100
1983-84	1,440.0	10.0	36.7	26,672		N.D.
1984-85	1,810.0	8.2	38.3	27,714	Feb 09	9,670
1985-86	2,750.0	8.8	67.7	49,043	Feb 14	17,200
1986-87	752.0	7.6	19.4	13,986		N.D.
1987-88	2,920.0	5.0	57.5	41,772	Dec 04	13,400
1988-89	941.0	7.6	1.3	27,763	Dec 17	3,580
1989-90	3,140.0	7.6	32.3	23,364	Feb 17	8,090
1990-91	2,150.0	3.0	37.5	27,133	Mar 19	10,800
1991-92	2,490.0	7.0	62.3	45,191	Feb 12	17,200
1992-93	*	*	*	*		*
1993-94	1,450.0	9.7	38.9	28,150	Feb 07	14,400
1994-95	4,680.0	9.4	103.0	74,450	Mar 10	24,000
1995-96	2,930.0	12.0	53.4	38,740	Jan 31	8,230
1996-97	1,830.0	9.7	54.8	39,670	Dec 09	9,890
1997-98	3,040.0	8.3	111.0	80,630	Feb 06	22,900
1998-99	1,260.0	10.0	41.7	30,160	Jan 31	6,150
1999-00	1,690.0	7.8	61.2	44,450	Feb 21	12,500
2000-01	2,540.0	7.9	86.4	62,520	Jan 11	19,400
2001-02	1,128.1	9.8	36.9	26,697.9	Nov 24	12,167
2002-03	4,057.6	7.6	76.1	55,088.2	Mar 15	17,100
2003-04	2,041.8	8.2	49.0	35,410.7	Feb 25	15,000
2004-05	5,230.0	16.0	182.0	132,000.0	Dec 29	16,500
2005-06	2,300.0	22.0	89.8	65,010.0	Jan 02	11,250
2006-07	919.0	18.7	47.5	34,376.8	Sep 22	7,053

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BALLONA CREEK above Sawtelle Blvd
STATION NO. F38C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2007-08	2,570.0	4.3	110.2	80,006	Jan 25	11,898

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BIG DALTON CREEK below Big Dalton Dam STATION NO. F120B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1939-40	1.3	0.0	0.3	206.5		
1940-41	66.0	0.0	4.0	2,888.7	Mar 05	67
1941-42	2.8	0.0	0.3	234.9		
1942-43	103.0	0.0	4.4	3,181.5	Mar 04	111
1943-44	35.0	0.0	1.7	1,159.5	Feb 23	56
1944-45	13.2	0.0	1.2	840.4	Mar 15	34
1945-46	5.0	0.0	0.8	549.1	Dec 23	34
1946-47	11.0	0.0	0.8	545.9	Oct 03	30
1947-48	2.6	0.0	0.0	15.3	Feb 05	20
1948-49	7.4	0.0	0.1	99.8	Dec 18	25
1949-50	8.7	0.0	0.2	122.0	Jan 21	11
1950-51	1.9	0.0	0.0	14.5	Jan 11	10
1951-52	33.0	0.0	2.2	1,607.4	Jan 19	34
1952-53	7.0	0.0	0.1	106.9	Jan 15	38
1953-54	8.6	0.0	0.5	363.0	Feb 15	9
1954-55	3.5	0.0	0.0	7.3	Oct 01	7
1955-56	25.0	0.0	0.3	222.1	Aug 08	37
1956-57	11.5	0.0	0.0	22.8	Nov 09	18
1957-58	28.0	0.0	3.0	2,144.7	Apr 05	37
1958-59	15.0	0.0	0.2	138.8	Apr 13	31
1959-60	1.7	0.0	0.0	10.1	Jul 21	5
1960-61	14.3	0.0	0.2	166.2	Nov 14	37
1961-62	25.0	0.0	1.4	1,001.7	Feb 17	25
1962-63	18.3	0.0	0.2	162.2	Oct 08	35
1963-64	18.0	0.0	0.4	295.9	Jan 22	2
1964-65	19.5	0.0	0.3	220.4	Apr 26	20
1965-66	32.0	0.0	2.8	1,996.6	Nov 22	52
1966-67	216.0	0.0	6.7	4,839.9	Dec 06	615
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	11.1	0.0	0.4	295.5	May 06	125
1975-76	12.5	0.0	0.7	487.7	Jun 08	19
1976-77	0.8	0.0	0.0	21.4	Apr 12	2
1977-78	226.0	0.0	0.3	6,185.5	Mar 05	263
1978-79	16.5	0.0	0.1	1,735.3	Apr 12	1,735

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BIG DALTON CREEK below Big Dalton Dam STATION NO. F120B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1979-80	564.0	0.1	0.3	7,435.8	Feb 17	1,170
1980-81	4.8	0.0	0.5	361.2	Jan 29	22
1981-82	21.7	0.0	1.2	903.1	Mar 25	22
1982-83	268.0	0.1	7.6	5,466.2	Mar 01	457
1983-84	6.7	0.0	0.0	705.3	Dec 25	8
1984-85	7.9	0.0	0.8	585.1	Dec 19	11
1985-86	16.1	0.0	1.2	855.1	Mar 19	18
1986-87	5.1	0.0	0.2	214.2	Jan 27	7
1987-88	7.7	0.0	0.6	444.3	Sep 12	9
1988-89	10.3	0.0	0.5	363.6	Feb 15	17
1989-90	4.7	0.0	0.1	68.6	Jan 26	5
1990-91	10.9	0.0	0.6	454.8	Mar 28	11
1991-92	19.9	0.0	1.6	1,161.0	Feb 19	22
1992-93	311.0	0.0	9.9	7,136.0	Jan 16	415
1993-94	10.1	0.0	0.4	296.0	Apr 06	13
1994-95	99.1	0.0	5.7	3,814.0	Feb 23	146
1995-96	28.0	0.0	1.7	1,251.0	Feb 22	71
1996-97	18.0	0.0	1.5	1,100.0	Jan 27	19
1997-98	183.0	0.0	6.5	4,700.0	Feb 23	539
1998-99	459.0	0.0	2.7	1,970.0	Oct 14	1,300
1999-00	10.0	0.0	0.3	241.0	Mar 27	11
2000-01	10.0	0.0	0.4	320.0	Sep 27	20
2001-02	0.6	0.0	0.0	26.6	Dec 14	2
2002-03	15.2	0.0	0.8	565.3	May 03	79
2003-04	16.3	0.0	0.9	625.7	Mar 02	25
2004-05	467.0	0.1	10.2	7,350.0		
2005-06	13.0	0.1	1.9	1,380.0	Dec 07	146
2006-07	13.1	1.1	0.1	823.0	Oct 19	314
2007-08	20.6	0.0	0.7	495	Jun 11	127

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BIG ROCK CREEK upstream from Pallett Creek STATION NO. F394-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1986-87	39.2	0.1	4.2	3,064.9	Mar 06	45
1987-88	82.7	0.0	8.8	6,422.3		
1988-89	12.6	2.0	4.7	3,547.0		
1989-90	3.5	0.3	2.0	1,323.0		
1990-91	26.6	0.0	4.1	4,003.0		
1991-92	94.7	1.2	24.6	17,879.8	Feb 11	93
1992-93*	151.0	8.5	55.9	28,728.8		
1993-94*	27.7	3.3	10.3	6,828.3		
1994-95*	4,500.0	2.6	57.3	36,513.1		
1995-96	1,510.0	2.1	15.6	11,296.9	Feb 21	6,020
1996-97*	204.0	0.7	7.2	5,186.5	Dec 09	2,750
1997-98	2,900.0	0.5	48.6	35,210.4	Feb 23	13,900
1998-99	18.0	1.0	4.4	3,189.6	Nov 28	57
1999-00*	330.0	0.5	3.9	2,853.9	Feb 20	3,450
2000-01	36.0	0.9	9.0	6,540.0	Jan 11	68
2001-02	0.5	0.1	0.3		Sep 04	1
2002-03	0.0	0.0	8.3	0.0	Feb 12	1,230
2003-04	105.0	104.0	4.9	3,580.0	Feb 26	410
2004-05	1,600.0	2.0	93.7	67,670.0	Jan 09	2,800
2005-06	195.0	5.8	21.9	10,950.0	Feb 28	549
2006-07	11.4	0.7	5.2	3,729.7	Oct 18	17
2007-08	386.0	0.5	9.3	6,761	Jan 27	742

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BIG TUJUNGA CREEK below Big Tujunga Dam STATION NO. F168-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1932-33	14.9	0.5	6.2	4,491.7	Jan 19	58
1933-34	15.4	0.2	5.9	4,295.0	Jan 01	44
1934-35	339.0	0.6	14.9	10,766.1	Apr 28	547
1935-36	44.0	0.2	7.5	5,469.0	Nov 18	101
1936-37	385.4	0.1	36.4	25,852.8	Feb 16	385
1937-38	107.0	0.0	13.1	9,605.0	Mar 02	33,000
1938-39	263.0	0.7	12.5	9,095.0	Dec 23	424
1939-40	285.0	0.2	10.0	7,202.4	Jan 08	747
1940-41	1,080.0	0.2	82.8	59,098.9	Feb 21	1,590
1941-42	47.0	0.0	10.6	7,722.0	Dec 31	47
1942-43	6,640.0	0.2	72.9	52,911.9	Jan 23	17,700
1943-44	2,300.0	0.3	57.9	41,721.7	Feb 22	3,310
1944-45	221.0	0.8	17.2	12,231.5	Nov 13	300
1945-46	491.0	0.0	17.0	12,404.0	Mar 30	983
1946-47	460.0	0.7	17.7	12,827.5		
1947-48	28.0	0.4	4.9	3,579.0	Jul 15	54
1948-49	4.5	0.1	2.3	1,648.5	Aug 31	5
1949-50	5.4	0.2	2.6	1,909.5	Jul 02	5
1950-51	12.0	0.2	1.7	1,236.7	Aug 22	15
1951-52	1,040.0	0.5	35.9	26,232.0	Jan 18	1,860
1952-53	51.0	0.1	6.5	4,725.8	Sep 22	86
1953-54	128.0	0.2	7.4	5,341.3	Mar 01	158
1954-55	15.5	0.1	3.2	2,287.3	Oct 03	18
1955-56	135.0	0.1	4.6	3,403.6	Jan 26	148
1956-57	8.6	0.0	2.3	1,650.0	May 22	43
1957-58	1,120.0	0.0	38.6	27,543.3	Apr 04	1,320
1958-59	116.0	0.2	4.5	3,184.9	Feb 16	124
1959-60	6.5	0.0	2.2	1,612.6	Jun 02	7
1960-61	4.6	0.0	1.0	697.2	Nov 08	11
1961-62	1,680.0	0.0	24.7	16,857.1	Feb 11	3,700
1962-63	7.5	0.0	1.8	1,301.8	Feb 09	13
1963-64	12.5	0.0	2.6	1,914.4	Aug 26	51
1964-65	7.8	0.0	2.1	1,495.3	May 10	12
1965-66	2,110.0	0.0	41.2	29,824.9	Nov 22	2,910
1966-67	699.0	9.2	41.8	30,358.0	Dec 06	1,550
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BIG TUJUNGA CREEK below Big Tujunga Dam STATION NO. F168-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1972-73	N.D.					
1973-74	N.D.					
1974-75	N.D.					
1975-76	69.0	0.0	5.3	3,861.2	Sep 11	155
1976-77	184.0	0.0	4.4	3,547.6	May 10	184
1977-78	3,700.0	0.3	125.1	90,579.4	Feb 10	18,300
1978-79	526.0	0.0	41.4	29,978.2	Mar 28	564
1979-80	2,093.0	0.2	95.6	69,176.7	Feb 16	5,840
1980-81	335.0	0.0	16.7	12,069.2	May 04	500
1981-82	393.0	0.0	22.9	16,555.8	Mar 18	470
1982-83	7,171.0	0.0	136.0	98,612.6	Mar 01	9,900
1983-84	179.0	0.1	15.6	11,314.3	Dec 25	360
1984-85	145.0	0.2	9.6	6,952.3	Dec 19	253
1985-86	351.0	0.3	16.3	11,685.8	Jan 30	475
1986-87	16.4	0.1	3.9	2,779.8		
1987-88	175.0	0.1	8.7	6,284.0		
1988-89	115.0	0.0	6.1	4,079.8		
1989-90	60.2	0.0	2.0	1,380.1		
1990-91	603.0	0.0	16.7	12,160.1	Mar 01	603
1991-92	1,280.0	0.0	43.8	31,790.0	Feb 12	1,780
1992-93	2,040.0	0.0	122.0	88,460.0	Feb 19	3,620
1993-94	113.0	0.0	15.7	9,415.0	Feb 08	159
1994-95	475.0	0.2	47.7	34,530.0	Jan 10	475
1995-96	251.0	0.0	12.0	8,107.0	Feb 21	455
1996-97	168.0	0.0	11.1	8,030.0	Jan 27	188
1997-98	1,590.0	0.0	66.0	46,970.0		
1998-99	71.0	0.0	7.7	5,580.0	Jun 04	131
1999-00	123.0	0.0	7.4	5,390.0	Feb 21	171
2000-01	175.0	0.0	9.7	7,020.0		N.D.
2001-02	29.9	0.0	1.3	934.8	Oct 23	240
2002-03	340.8	0.0	9.8	7,072.1	Mar 05	1,290
2003-04	92.2	0.0	2.9	2,117.2	Mar 03	157
2004-05	3,720.0	0.1	182.0	132,000.0	Jan 09	7,540
2005-06	312.0	0.0	19.1	13,820.0	Feb 28	589
2006-07	63.5	0.0	3.9	2,796.0	Jan 30	1,006
2007-08	343.0	0.0	18.2	13,217	Jan 27	672

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BOUQUET CREEK above Bouquet Canyon Road
STATION NO. F377B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2003-04	44.0	0.0	0.5	356.0	Feb 25	329
2004-05	1,050.0	0.0	12.1	8,760.0	Jan 10	3,330
2005-06	95.0	0.0	1.3	846.0	Jan 02	800
2006-07	8.7	0.0	3.1	68.3	Sep 22	141
2007-08	168.0	0.0	1.6	1,125	Feb 10	753

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRADBURY CHANNEL below Central Avenue STATION NO. F329-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1957-58	7.3	0.0	0.2	170.0	Feb 19	65
1958-59	29.0	0.0	0.3	182.0	Jan 06	1,250
1959-60	5.2	0.0	0.1	59.0	Dec 24	40
1960-61	4.5	0.0	0.0	30.0	Nov 03	60
1961-62	50.0	0.0	0.7	518.0	Jan 20	316
1962-63	9.4	0.0	0.2	120.0	Feb 09	24
1963-64	5.6	0.0	0.2	114.0	Jan 22	168
1964-65	11.0	0.0	0.2	157.0	Apr 09	248
1965-66	46.0	0.0	0.6	448.0	Dec 29	552
1966-67	52.0	0.0	0.7	547.0	Jan 24	280
1967-68	30.0	0.0	0.4	319.0	Mar 08	370
1968-69	131.0	0.0	2.6	938.0	Feb 06	472
1969-70	47.0	0.0	0.6	408.0	Mar 01	267
1970-71	20.0	0.0	0.4	261.0	Dec 21	130
1971-72	24.0	0.0	0.2	172.0	Dec 24	145
1972-73	61.0	0.0	1.2	438.0	Feb 27	424
1973-74	39.0	0.0	0.8	609.0	Jan 07	111
1974-75	28.0	0.0	0.4	268.0	Dec 04	325
1975-76	14.0	+	0.4	326.0	Sep 11	210
1976-77	26.4	+	0.5	374.0	Oct 23	166
1977-78	75.6	+	2.7	1,670	Feb 10	357
1978-79	49.0	0.0	1.6	1,160	Jan 15	297
1979-80	155.0	0.0	8.3	5,984	Jan 28	574
1980-81	29.7	0.0	1.1	781.0	Jan 29	477
1981-82	41.2	0.0	1.2	870.0	Mar 17	305
1982-83	111.0	0.0	2.4	1,716	Sep 29	422
1983-84	21.7	0.0	0.7	549.0	Oct 01	230
1984-85	24.4	0.0	0.9	672.0		N.D.
1985-86	34.8	0.0	0.8	581.0	Jan 31	267
1986-87	5.7	0.0	0.5	361.0	Jan 04	174
1987-88	166.0	0.0	2.8	2,019	Dec 04	286
1988-89	25.3	0.0	1.1	758.0	Feb 04	119
1989-90	19.6	0.1	1.2	877.0	May 28	20
1990-91	44.6	0.0	1.8	1,267	Feb 27	391
1991-92	50.9	0.0	1.2	877.0	Feb 12	334
1992-93	83.6	0.0	3.2	2,310	Jan 14	534
1993-94	14.6	0.0	0.6	470.0	Mar 24	193
1994-95	82.7	0.0	2.3	1,652	Feb 14	170
1995-96	97.6	0.0	1.8	1,283	Feb 20	320
1996-97	28.0	+	1.0	708.0	Nov 21	168

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRADBURY CHANNEL below Central Avenue STATION NO. F329-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1997-98	71.0	+	1.5	1,110	Feb 07	400
1998-99	16.0	+	0.5	351.0	Jan 26	170
1999-00	25.0	+	1.1	826.0	Feb 20	297
2000-01	36.0	+	1.4	1,000	Jan 11	195
2001-02	18.4	0.0	0.3	221.4	Nov 24	325
2002-03	41.4	0.0	0.8	546.4	Feb 13	249
2003-04	1.8	0.0	0.4	8.7	Feb 26	241
2004-05	135.0	0.0	4.2	3,050.0	Feb 21	470
2005-06	25.0	0.0	1.8	1,320.0	Apr 14	320
2006-07	10.9	0.0	0.5	354.3	Sep 22	177
2007-08	43.4	0.0	0.8	593	Jan 04	376

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRANFORD STREET CHANNEL below Sharp Avenue STATION NO. F342-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1961-62	118.0	0.0	1.0*	743*	Feb 19	206
1962-63	46.0	0.0	0.6	415.0	Apr 26	284
1963-64	32.0	0.0	0.5	375.0	Mar 22	275
1964-65	56.0	0.0	0.8	571.0	Apr 09	261
1965-66	110.0	0.0	1.4	982.0	Dec 29	587
1966-67	79.0	0.0	1.2	870.0	Nov 07	445
1967-68	120.0	0.0	1.0	693.0	Nov 21	576
1968-69	160.0	0.0	3.0	2,190	Feb 25	738
1969-70	65.0	0.0	1.0	724.0	Feb 09	462
1970-71	175.0*	0.0	1.6*	1,162*	Nov 29	990*
1971-72	50.0	0.0	0.5	360.0	Dec 24	233
1972-73	50.0	0.0	2.1	1,530	Feb 11	771
1973-74	90.0	0.0	1.0	710.0	Jan 07	412
1974-75	75.0	+	0.9	668.0	Mar 06	882
1975-76	61.0	0.0	0.8	550.0	Sep 10	742
1976-77	66.9	0.0	0.9	633.0	May 09	490
1977-78	126.0	0.0	3.0	2,153	Feb 10	1,160
1978-79	80.0	0.0	1.5	1,052	Mar 27	823
1979-80	158.0	0.0	1.9	1,380	Feb 19	1,530
1980-81	45.6	0.0	0.6	471.0	Jan 29	683
1981-82	67.8	0.0	1.2	685.0	Mar 17	688
1982-83	230.0	0.0	2.9	2,134	Mar 01	1,520
1983-84	34.2	0.0	0.4	326.0	Dec 25	190
1984-85	53.3	0.0	0.6	423.0	Dec 18	800
1985-86	43.1	0.0	1.1	760.0	Jan 31	728
1986-87	20.7	0.0	0.2	144.0	Nov 17	386
1987-88	123.0	0.0	1.5	1,058	Oct 22	1,830
1988-89	30.2	0.0	0.7	478.0	Dec 20	242
1989-90	46.9	0.0	0.5	372.0	Jan 13	383
1990-91	64.6	0.0	1.0	726.0		N.D.
1991-92	238.0	0.0	2.8	2,001	Feb 10	1,450
1992-93	*	*	*	*		*
1993-94	35.3*	0.0*	0.7*	464*		N.D.
1994-95	175.0*	0.0*	3.0*	2,076*	Mar 10	1,770
1995-96	68.4	0.0	0.9	652.0	Feb 21	574
1996-97	56.0	0.1	1.3	917.0	Dec 22	578
1997-98	124.0	0.1	3.4	2,470	Feb 07	1,240
1998-99	19.0	0.1	1.0	717.0	Oct 29	679
1999-00	63.0	0.1	1.6	1,130	Apr 18	670
2000-01	95.0	0.2	2.0	1,470	Jan 11	1,080

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRANFORD STREET CHANNEL below Sharp Avenue STATION NO. F342-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2001-02	38.6	0.2	0.7	520.2		
2002-03	196.8	0.2	2.3	1,668.2	Mar 15	1,270
2003-04	61.7	0.1	0.9	634.9	Feb 26	586
2004-05	161.0	0.1	4.6	3,300.0	Jan 09	1,550
2005-06	56.0	0.1	1.4	1,040.0	Apr 04	398
2006-07	25.5	0.0	0.8	564.7	Dec 09	462
2007-08	64.9	0.3	1.5	1,095	Jan 27	486

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BURBANK WESTERN STORM DRAIN at Riverside Dr. STATION NO. E285-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1950-51	50.0	1.2	4.0	2,870	Jan 11	920
1951-52	310.0	1.2	8.9	6,490	Jan 16	1,400
1952-53	89.0	0.0	4.7	3,400	Dec 20	1,380
1953-54	144.0	2.1	5.7	4,140	Mar 16	1,070
1954-55	123.0	1.2	5.6	4,020	Jan 18	849
1955-56	400.0	2.0	5.6	4,070	Jan 26	N.D.
1956-57	192.0	1.6	4.9	3,530	Feb 23	1,770
1957-58	232.0	1.9	8.2	5,950	Feb 19	1,270
1958-59	222.0	1.6	4.9	3,540	Feb 11	1,650
1959-60	112.0	1.7	4.5	3,280	Jan 10	854
1960-61	170.0	1.7	4.9	3,570	Nov 05	1,400
1961-62	583.0	1.7	10.2	7,380	Feb 12	2,310
1962-63	444.0	0.6	6.4	4,640	Feb 09	1,800
1963-64	141.0	1.7	5.4	3,940	Mar 22	1,220
1964-65	220.0	1.7	6.9	5,010	Apr 01	2,570
1965-66	897.0	1.1	11.4	8,290	Dec 29	2,980
1966-67	730.0	3.4	15.4	11,170	Nov 07	3,500
1967-68	499.0	4.5	12.7	9,250	Mar 08	2,640
1968-69	982.0	5.0	24.4	17,640	Jan 25	2,830
1969-70	198.0	3.4	9.8	7,080	Mar 04	1,500
1970-71	771.0	2.2	12.7	9,200	Nov 29	4,600
1971-72	291.0	3.9	10.3	7,490	Oct 24	1,650
1972-73	478.0	4.5	16.1	11,670	Jan 18	3,130
1973-74	800.0	4.5	14.8	10,740	Jan 07	1,860
1974-75	318.0	5.0	12.6	9,120	Dec 04	2,370
1975-76	221.0	4.5	13.0	9,410	Sep 05	3,030
1976-77	369.0	7.9	16.8	12,164	Oct 23	2,880
1977-78	1,260.0	3.9	47.9	34,682	Feb 10	12,300
1978-79	338.0	3.9	17.1	12,387	Mar 17	2,620
1979-80	1,490.0	5.0	31.5	22,500	Feb 16	7,560
1980-81	257.0	4.5	16.5	11,965	Jan 29	4,340
1981-82	425.0	2.2	17.3	12,518	Jan 19	3,010
1982-83	1,710.0	4.5	36.6	26,506	Mar 01	6,320
1983-84	231.0	2.8	9.8	7,083	Nov 01	2,190
1984-85	363.0	1.1	9.6	6,981	Dec 19	2,640
1985-86	372.0	2.8	14.0	10,104	Jan 31	3,070
1986-87	145.0	1.7	8.3	5,843	Nov 18	1,150
1987-88	363.0	7.9	19.4	14,058	Oct 22	6,620
1988-89	194.0	4.4	12.5	9,071	Dec 16	1,410
1989-90	253.0	4.1	10.0	7,258	Feb 04	1,410

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BURBANK WESTERN STORM DRAIN at Riverside Dr. STATION NO. E285-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1990-91	376.0	1.2	10.7	8,085		N.D.
1991-92	778.0	3.0	35.6	25,812	Feb 10	7,220
1992-93	564.0	6.0	33.9	24,570	Feb 07	8,080
1993-94	355.0	5.7	16.8	12,160	Nov 30	5,600
1994-95	743.0	2.4	39.6	28,687	Mar 10	6,880
1995-96	1,330.0	5.3	22.0	15,950	Feb 21	5,270
1996-97	293.0	6.5	14.2	10,310	Jan 20	2,400
1997-98	844.0	8.4	29.9	21,670	Nov 26	N.D.
1998-99	175.0	7.3	15.1	10,920	Nov 28	2,940
1999-00	279.0	6.2	16.3	11,840	Nov 23	3,920
2000-01	417.0	6.6	20.9	15,120	Jan 11	4,620
2001-02	175.1	4.6	12.8	9,255.1	Nov 24	3,771
2002-03	845.5	6.9	18.5	13,388.1	Mar 15	4,470
2003-04	396.0	1.6	1.3	9,337.5	Feb 26	2,640
2004-05	765.0	7.6	45.3	32,800.0	Feb 20	5,390
2005-06	478.0	7.2	21.9	15,830.0	Jan 02	3,381
2006-07	174.0	8.9	18.9	13,669.1	Sep 22	2,241
2007-08	516.0	5.6	25.9	18,770	Jan 04	3,264

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**COMPTON CREEK near Greenleaf Drive.
STATION NO. F37B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	*	0.0	*	1230*	Mar 05	240*
1928-29	197.0	0.0	3.1	2,270	Mar 10	924
1929-30	144.0	0.0	3.5	2,520	Mar 14	580
1930-31	137.0	+	3.3	2,400	Apr 26	678
1931-32	248.0	0.0	4.4	3,220	Jan 31	757
1932-33	166.0	0.0	2.4	1,780	Jan 19	740
1933-34	372.0	0.0	3.5	2,560	Jan 01	960
1934-35	301.0	0.0	5.7	4,170	Apr 08	850
1935-36	143.0	0.0	4.0	2,920	Feb 12	824
1936-37	559.0	0.0	*	*	Feb 06	1,220
1937-38	986.0E	*	*	*	Mar 02	N.D.
1938-39	837.0	0.0	7.1	5,150	Sep 25	2,150
1939-40	256.0	10.0	7.4	5,340	Feb 03	1,630
1940-41	544.0	1.0	22.7	16,400	Dec 23	2,660
1941-42	236.0	3.0	10.1	7,280	Dec 10	1,730
1942-43	752.0	0.8	11.8	8,560	Jan 22	2,050
1943-44	739.0	2.3	15.6	11,290	Feb 20	2,370
1944-45	363.0	4.4	12.7	9,210	Nov 11	3,010
1945-46	362.0	2.6	11.0	7,960	Dec 23	2,010
1946-47	474.0	4.1	13.9	10,080	Nov 12	2,930
1947-48	170.0	0.6	7.9	5,740	Mar 24	1,410
1948-49	282.0	0.1	5.1	3,660	Dec 17	2,710
1949-50	433.0	+	6.6	4,820	Feb 06	2,830
1950-51	209.0	+	4.9	3,550	Jan 10	1,790
1951-52	661.0	0.1	14.7	10,650	Jan 18	3,220E
1952-53	220.0	0.1	5.6	4,020	Nov 15	2,380
1953-54	797.0	0.1	7.5	5,410	Feb 13	3,600
1954-55	374.0	0.1	8.4	6,080	Jan 18	2,710
1955-56	2,090.0	0.2	12.7	9,240	Jan 26	4,910
1956-57	286.0	+	5.6	4,070	May 11	1,780
1957-58	1,100.0	+	16.0	11,610	Feb 19	4,640
1958-59	449.0	0.0	4.6	3,330	Jan 06	4,320
1959-60	463.0	0.0	6.3	4,590	Jan 11	3,220
1960-61	204.0	+	2.7	1,960	Nov 05	1,640
1961-62	1,060.0	0.1	14.5	10,520	Feb 19	4,550
1962-63	576.0	+	8.8	6,400	Feb 10	3,310
1963-64	212.0	+	4.7	3,440	Nov 06	2,430
1964-65	424.0	0.0	7.4	5,390	Apr 09	2,630
1965-66	809.0	+	10.8	7,800	Dec 29	3,250
1966-67	765.0	+	11.8	8,560	Nov 07	4,650

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**COMPTON CREEK near Greenleaf Drive.
STATION NO. F37B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	1,120.0	+	9.4	6,850	Mar 07	3,690
1968-69	1,040.0	0.0	16.6	12,010	Jan 20	5,890
1969-70	275.0	0.2	4.4	3,150	Jan 16	1,960
1970-71	609.0	0.4	11.7	8,500	Nov 29	2,930
1971-72	622.0	0.4	6.8	4,940	Dec 27	6,000
1972-73	473.0	0.2	12.2	8,830	Nov 14	4,300
1973-74	810.0	0.3	10.0	7,210	Jan 04	3,140
1974-75	677.0	0.2	9.1	6,550	Dec 04	8,690
1975-76	285.0	0.1	4.6	3,270	Feb 09	2,470
1976-77	542.0	0.0	7.2	5,220	Aug 17	1,970
1977-78	688.0	0.0	20.0	14,471	Mar 01	3,620
1978-79	559.0	+	12.3	8,888	Mar 27	2,410
1979-80	*	*	*	*	Feb 16	4,780
1980-81	440.0	0.1	6.4	4,658	Mar 01	2,970
1981-82	237.0	0.3	6.3E	4,647E	Jan 01	2,720
1982-83	1,010.0	0.4	21.9	16,720	Jan 28	6,020
1983-84	277.0	0.3	5.4	3,893	Nov 24	2,380
1984-85	458.0	0.1	7.4	5,354	Dec 19	4,110
1985-86	*	*	*	*		*
1986-87	187.0	0.4	4.0	2,935	Nov 17	1,670
1987-88	443.0	0.3	8.0	5,826	Dec 04	2,980
1988-89	258.0	0.6	5.9	4,254	Dec 21	1,990
1989-90	755.0	0.2	5.4	3,887	Feb 17	2,500
1990-91	527.0	0.5	9.1	6,586	Mar 19	3,940
1991-92	510.0	0.1	15.5	11,228	Mar 20	4,640
1992-93	717.0	0.1	21.8	15,760	Jan 06	5,240
1993-94	290.0	0.2	6.0	4,315	Nov 30	2,680
1994-95	1,120.0	0.0	15.8	11,440	Jan 04	7,660
1995-96	627.0	0.5	8.0	5,792	Jan 31	3,410
1996-97	402.0	0.7	10.1	7,300	Dec 09	2,510
1997-98	826.0	0.7	26.9	19,500	Feb 06	7,040
1998-99	384.0	0.2	9.0	6,540	Nov 08	2,420
1999-00	611.0	0.0	7.6	5,480	Mar 05	6,150
2000-01	525.0	0.0	10.6	7,710	Jan 11	3,250
2001-02	402.8	0.0	7.1	15,512.2	Nov 24	2,519
2002-03	997.2	0.0	12.3	8,881	Mar 15	4,750
2003-04	875.8	0.0	9.4	6,795.9	Nov 12	8,030
2004-05	1,320.0	0.0	26.1	18,900.0	Dec 28	5,530
2005-06	344.0	0.3	7.4	5,380.0	Jan 02	3,407
2006-07	79.8	0.0	1.5	1,117.8	Apr 20	857

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**COMPTON CREEK near Greenleaf Drive.
STATION NO. F37B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2007-08	272.0	0.0	6.7	4,843	Jan 23	1,888

M Data missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not computed
 + Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**COYOTE CREEK below Spring Street.
STATION NO. F354-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1963-64	1,190.0	+	10.9	7,950	Nov 15	N.D.
1964-65	800.0	0.3	16.9	12,220	Apr 09	3,350
1965-66	1,830.0	1.2	32.5	23,500	Dec 29	5,020
1966-67	1,840.0	1.4	37.9	27,450	Jan 22	6,880
1967-68	2,350.0	1.6	26.8	19,570	Mar 08	6,970
1968-69	4,420.0	3.1	88.8	64,290	Jan 20	11,300
1969-70	1,000.0	2.5	23.0	16,680	Feb 10	4,600
1970-71	2,320.0	1.4	32.9	23,820	Dec 19	6,200
1971-72	1,770.0	*	*	*	Dec 27	6,620
1972-73	2,350.0	3.3	60.4	43,720	Nov 14	7,810
1973-74	2,410.0	2.3	38.3	27,700	Jan 07	8,670
1974-75	3,130.0	2.3	36.9	26,700	Dec 04	14,400
1975-76	1,500.0	2.3	24.5	17,540	Feb 06	5,430
1976-77	4,250.0	1.7	37.5	27,000	May 08	13,400
1977-78	4,400.0	1.5	128.4	92,940	Mar 01	13,700
1978-79	*	*	*	*		*
1979-80	4,380.0	4.0	128.4	91,800	Feb 14	19,400
1980-81	2,030.0	4.9	33.7	24,395	Mar 01	7,980
1981-82	4,020.0	4.6	56.2	40,818	Nov 28	12,200
1982-83	5,100.0	3.4	123.0	89,013	Mar 01	19,700
1983-84	2,670.0	5.2	1.5	32,043	Oct 01	9,620
1984-85	*	*	*	*		*
1985-86	*	*	*	*	Feb 14	*
1986-87	2,980.0	4.9	34.1	24,670	Jan 04	11,100
1987-88	2,940.0	3.1	46.8	33,943	Dec 04	7,630
1988-89	1,360.0	3.0	45.0	32,582		N.D.
1989-90	648.0	2.3	18.5	13,410	Jan 16	2,980
1990-91	2,250.0	3.4	49.7	35,630	Mar 01	6,250
1991-92	3,120.0	0.0	61.3	44,518	Feb 12	21,000
1992-93	5,030.0	3.8	147.0	106,400	Dec 07	13,600
1993-94	M	M	M	M		M
1994-95	*	*	*	*	Mar 11	11,500
1995-96	2,990.0	2.8	41.9	30,380	Feb 20	15,500
1996-97	2,120.0	3.5	72.0	52,160	Dec 09	10,100
1997-98	3,370.0	1.5	135.0	97,460	Feb 07	13,800
1998-99	748.0	3.0	35.7	25,830	Nov 08	4,570
1999-00	1,180.0	3.9	33.7	24,430	Feb 23	5,100
2000-01	3,030.0E	3.6E	71.2E	51,510E	Jan 11	15,300
2001-02	920.9	2.0	33.0	17,758.0	Dec 21	2,371
2002-03	3,906.5	2.9	116.0	84,196.7	Dec 16	16,200

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**COYOTE CREEK below Spring Street.
STATION NO. F354-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2003-04	3,337.1	6.3	70.0	50,590.0	Feb 26	11,600
2004-05	8,730.0	8.7	415.0	30,000.0	Jan 09	20,800
2005-06	2,240.0	0.0	90.3	65,350.0	Mar 28	9,862
2006-07	1,040.0	1.2	27.4	19,802.0	Sep 22	3,707
2007-08	1,560.0	1.9	66.2	48,031	Jan 05	6,642

M Data missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not computed
 + Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

DALTON WASH at Merced Avenue STATION NO. F274B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1940-41	206.0	0.0	5.3	3,844	Mar 13	674
1941-42	42.0	0.0	1.0	727.0	Dec 10	230
1942-43	336.0	0.0	4.8	3,500	Jan 22	1,230
1943-44	1,620.0	0.0	2.2	1,620	Feb 22	2,650
1944-45	144.0	0.0	1.2	894.0	Nov 11	1,740
1945-46	229.0	0.0	2.2	1,610	Dec 23	1,450
1946-47	52.0	0.0	1.4	984.0	Nov 23	328
1947-48	20.0	0.0	0.1	96.0	Dec 05	149
1948-49	19.0	0.0	0.1	97.0	Dec 17	181
1949-50	38.0	0.0	0.4	306.0	Dec 18	232
1950-51	11.0	0.0	0.1	64.0	Jan 11	175
1951-52	270.0	0.0	2.9	2,090	Jan 16	1,070
1952-53	39.0	0.0	0.4	287.0	Nov 15	549
1953-54	217.0	0.0	1.5	1,060	Feb 13	1,290
1954-55	88.0	0.0	1.0	706.0	Jan 18	668
1955-56	860.0	0.0	3.1	2,260	Jan 26	2,350
1956-57	165.0	0.0	1.4	980.0	Mar 01	1,990
1957-58	303.0	0.0	6.5	4,690	Mar 16	1,310
1958-59	208.0	0.0	3.0	2,130	Jan 06	2,700
1959-60	2,260.0	0.1	3.1	2,260	Jan 10	1,000
1960-61	150.0	0.2	3.1	2,220	Jan 26	1,468
1961-62	511.0	0.1	9.9	7,200	Nov 20	4,270
1962-63	403.0	0.2	5.7	4,110	Mar 16	2,020
1963-64	169.0	0.1	3.8	2,750	Jan 21	1,530
1964-65	290.0	0.1	4.4	3,170	Apr 09	2,800
1965-66	571.0	0.2	8.8	6,310	Nov 22	1,320
1966-67	693.0	0.3	14.0	10,140	Sep 01	3,970
1967-68	414.0	0.3	5.9	4,310	Mar 08	3,254
1968-69	3,120.0	0.3	47.0	34,300	Jan 25	6,550
1969-70	447.0	1.2	68.0	49,270	Feb 01	4,775
1970-71	404.0	0.8	88.0	63,700	Dec 21	2,320
1971-72	599.0	0.8	54.0	39,430	Dec 24	3,570
1972-73	629.0	0.8	121.0	87,820	Feb 02	4,240
1973-74	839.0	0.8	112.0	81,260	Jan 04	2,140
1974-75	550.0	0.8	66.8	48,320	Dec 04	5,060
1975-76	282.0	0.8	74.1	53,640	Sep 10	2,190
1976-77	210.0	1.0	14.2	10,280	Jan 03	3,240
1977-78	*	*	*	*	Mar 05	*
1978-79	582.0	0.1	101.6	73,533	Mar 27	5,610
1979-80	2,790.0	+	83.4	59,890	Feb 16	10,000

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**DALTON WASH at Merced Avenue
STATION NO. F274B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1980-81	379.0	1.0	21.9	15,861	Mar 01	1,830
1981-82	568.0	0.6	53.4	38,651	Mar 14	3,750
1982-83	1,690.0	0.0	52.2	37,757	Feb 27	6,130
1983-84	347.0	0.0	40.2	28,405	Dec 25	3,360
1984-85	322.0	0.1	57.6	41,683	Nov 08	3,500
1985-86	496.0	0.1	39.1	28,298	Mar 08	5,550
1986-87	347.0	0.0	65.7	46,865	Oct 02	2,980
1987-88	421.0	0.1	47.9	34,807	Dec 04	4,984
1988-89	286.0	1.3	60.0	43,310	Dec 21	3,408
1989-90	151.0	8.0	56.0	39,890	Apr 17	5,390
1990-91	593.0	0.0	18.1	13,700	Mar 01	3,288
1991-92	529.0	0.1	10.0	7,252	Feb 12	5,270
1992-93	790.0	0.0	37.8	27,370	Jan 14	6,120
1993-94	169.0	0.1	6.2	4,470	Apr 26	3,390
1994-95	1,070.0	0.1	19.6	14,160	Jan 10	4,790
1995-96	925.0	0.2	13.7	9,920	Feb 18	6,760
1996-97	370.0	0.1	30.2	21,890	Dec 09	3,130
1997-98	1,070.0	0.1	22.4	16,220	Feb 07	6,630
1998-99	127.0	0.1	7.2	5,240	Nov 28	2,820
1999-00	291.0	0.1	28.3	20,520	Feb 12	3,040
2000-01	408.0	0.1	22.1	16,030	Jan 11	2,280
2001-02	281.7	0.0	29.6	21,371.1	Dec 20	2,556
2002-03	941.3	0.2	33.7	24,369.9	Dec 16	4,040
2003-04	551.9	0.1	29.0	21,158.4	Apr 01	3,410
2004-05	3,430.0	0.1	76.9	55,700.0	Oct 20	10,700
2005-06	402.0	0.1	17.2	12,460.0	Jan 02	5,535
2006-07	248.0	0.0	21.6	15,660.3	Feb 11	2,524
2007-08	683.0	0.1	9.8	7,124	Jan 05	7,406

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

EATON WASH below Eaton Wash Dam STATION NO. F271-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1940-41	211.0	0.0	9.4	6,090.6	Feb 20	256
1941-42	N.D.					
1942-43	663.0	0.0	11.2	6,398.9	Jan 23	1,080
1943-44	161.0	0.0	5.5	1,967.0	Mar 14	268
1944-45	17.1	0.0	0.1	100.8	Feb 02	26
1945-46	43.0	0.0	0.4	265.2	Dec 22	121
1946-47	63.0	0.0	0.7	507.4	Dec 26	86
1947-48	1.7	0.0	0.0	5.6	Dec 04	9
1948-49	0.3	0.0	0.0	1.2	Dec 17	0
1949-50	13.8	0.0	0.1	70.4		
1950-51	2.3	0.0	0.0	7.5		
1951-52	166.0	0.0	2.5	1,827.2		
1952-53	N.D.					
1953-54	40.0	0.0	0.3	199.1		
1954-55	N.D.					
1955-56	41.0	0.0	0.2	149.6		
1956-57	2.1	0.0	0.0	12.7		
1957-58	136.0	0.0	2.9	2,035.4	Feb 04	146
1958-59	29.0	0.0	0.2	158.3	Feb 16	164
1959-60	N.D.					
1960-61	N.D.					
1961-62	204.0	0.0	1.9	1,299.4		
1962-63	8.6	0.0	0.0	17.1		
1963-64	8.2	0.0	0.0	35.7		
1964-65	35.0	0.0	0.5	328.8		
1965-66	173.0	0.0	5.1	3,650.8		
1966-67	169.0	0.0	2.6	1,907.7		
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	27.0	0.0	0.6	405.4	Mar 15	28
1975-76	27.1	0.0	0.6	424.9	Mar 16	80
1976-77	21.8	0.0	0.4	315.4		22
1977-78	206.0	0.0	5.3	3,456.2	Mar 04	867
1978-79	33.9	0.0	3.4	2,446.0	Nov 21	226
1979-80M	N.D.					

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

EATON WASH below Eaton Wash Dam STATION NO. F271-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1980-81	13.0	0.0	0.9	671.0		
1981-82	29.1	0.0	2.1	1,523.7	Apr 05	112
1982-83	804.0	0.0	26.1	18,918.1	Mar 02	1,210
1983-84	44.8	0.0	2.7	1,927.3	Oct 20	43
1984-85	26.6	0.0	1.0	698.2	Jan 05	18
1985-86	42.0	0.0	2.6	1,932.9		
1986-87	NO RECORD					
1987-88	20.9	0.0	0.9	650.6	Apr 25	29
1988-89	26.8	0.0	0.3	344.7		
1989-90	10.0	0.0	1.3	85.3		
1990-91	60.1	0.0	2.1	1,567.9	Mar 22	57
1991-92	274.0	0.0	8.4	6,131.9	Feb 11	642
1992-93	441.0	0.0	20.0	14,503.1	Jan 07	822
1993-94*	15.7	0.0	1.1	691.6		N.D.
1994-95	176.0	0.0	10.3	7,469.2	Jan 10	429
1995-96*	201.0	0.0	2.9	2,094.6	Feb 21	298
1996-97	30.0	0.0	1.7	1,262.9	Jan 27	83
1997-98	252.0	0.0	8.8	6,363.7		N.D.
1998-99	8.8	0.0	0.2	142.1	Jun 02	43
1999-00*	67.0	0.0	1.0	710.8	Feb 24	180
2000-01	32.0	0.0	1.1	795.0	Apr 16	206
2001-02	7.8	0.0	0.2	116.6	Dec 12	32
2002-03	16.9	0.0	0.7	518.0	Mar 03	97
2003-04	17.3	0.0	0.4	300.1	Aug 02	38
2004-05	156.0	0.0	15.4	11,200.0	Oct 21	310
2005-06	30.0	0.0	2.0	1,480.0	Oct 17	153
2006-07	4.9	0.1	1.3	15.5	Mar 15	45
2007-08	61.0	0.0	2.7	1,936	Dec 04	657

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**EATON WASH at Loftus Drive.
STATION NO. F318-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1956-57	201.0	0.0	0.0	2,400	Feb 23	1,760
1957-58	368.0	0.1	0.1	7,460	Feb 19	2,700
1958-59	245.0	0.1	0.1	2,850	Jan 06	3,480
1959-60	186.0	+	+	2,420	Jan 12	1,090
1960-61	123.0	0.1	0.1	1,590	Nov 26	1,200
1961-62	598.0	0.1	0.1	6,880	Feb 11	1,950
1962-63	311.0	0.3	0.3	2,980	Feb 09	1,230
1963-64	227.0	0.1	0.1	3,050	Nov 20	2,360
1964-65	254.0	0.2	0.2	3,760	Apr 09	2,150
1965-66	605.0	0.3	0.3	8,990	Dec 29	2,290
1966-67	548.0	0.3	0.3	8,670	Jan 24	2,100
1967-68	318.0	0.3	0.3	4,040	Mar 08	2,390
1968-69	1,860.0	0.3	0.3	M		M
1969-70	M	M	M	M		M
1970-71	M	M	M	M		M
1971-72	M	M	M	M		M
1972-73	M	M	M	M		M
1973-74	592.0	0.3	0.3	4,870	Jan 07	1,530
1974-75	480.0	0.5	0.5	4,870	Dec 04	3,000
1975-76	275.0	0.4	0.4	3,980	Sep 11	2,660
1976-77	206.0	0.4	0.4	3,650	Oct 23	1,820
1977-78	914.0	0.4	0.4	21,425	Feb 10	5,810
1978-79	335.0	0.3	0.3	7,156	Feb 21	2,630
1979-80	1,460.0	0.1	0.1	27,991	Feb 16	5,240
1980-81	203.0	0.3	0.3	3,937	Mar 19	1,630
1981-82	377.0	0.4	0.4	5,453	Mar 17	3,060
1982-83	1,570.0	0.5	0.5	28,952		N.D.
1983-84	191.0	0.4	0.4	3,307	Dec 25	1,930
1984-85	199.0	0.4	0.4	4,258	Dec 19	2,460
1985-86	313.0	0.4	0.4	4,827	Jan 31	1,730
1986-87	178.0	0.1	0.1	1,782	Oct 02	1,400
1987-88	317.0	0.0	0.0	3,048	Jan 17	4,950
1988-89	172.0	0.1	0.1	2,134	Dec 15	1,150
1989-90	383.0	0.1	0.1	2,289	Apr 17	1,310
1990-91	331.0	0.0	0.0	3,948	Feb 28	1,850
1991-92	757.0	0.0	0.0	10,304	Feb 12	3,900
1992-93	664.0	0.0	0.0	21,580	Dec 07	5,090
1993-94	159.0	0.0	0.0	2,122	Mar 24	2,580
1994-95	954.0	0.0	0.0	14,500	Mar 11	5,330
1995-96	551.0	0.1	0.1	5,734	Jan 31	5,090

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**EATON WASH at Loftus Drive.
STATION NO. F318-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1996-97	236.0	0.1	0.1	4,630	Jan 12	1,010
1997-98	1,070.0	0.1	0.1	14,050	Feb 23	4,650
1998-99	136.0	0.2	0.2	1,990	Nov 28	1,430
1999-00	247.0	0.1	0.1	3,720	Feb 21	2,490
2000-01	352.0	0.2	0.2	4,680	Jan 11	1,760
2001-02	236.4	0.2	2.3	1,685.1	Nov 24	4,059
2002-03	557.8	0.1	7.4	5,352.6	Mar 15	3,030
2003-04	411.0	0.4	4.9	3,579.5	Feb 26	3,840
2004-05	1,420.0	0.0	38.2	27,600.0	Jan 10	5,450
2005-06	258.0	0.1	6.4	4,600.0	Jan 02	2,977
2006-07	96.0	0.2	1.7	1,247.8	Feb 11	1,023
2007-08	373.0	0.1	6.9	5,009	Jan 04	2,977

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**FISH CREEK above mouth of canyon.
STATION NO. U7-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1917-18	193.0	0.1	4.1	2,960	Mar 10	330
1918-19	10.0	0.0	0.9	648.0	Feb 11	21
1919-20	83.0	+	3.0	2,160	Mar 02	255
1920-21	120.0	0.0	2.3	1,670	Mar 13	286
1921-22	290.0	0.1	12.4	8,980	Feb 09	505
1922-23	64.0	0.1	2.1	1,510	Dec 12	186
1923-24	14.0	0.0	0.5	344.0	Mar 26	58
1924-25	132.0	0.0	1.7	1,230	Apr 04	N.D.
1925-26	410.0	0.1	7.2	5,170	Apr 07	N.D.
1926-27	482.0	0.4	7.0	5,070	Feb 16	945
1927-28	30.0	N.D.	1.2	860.0	Feb 04	97
1928-29	41.0	0.0	1.4	1,040	Mar 10	71
1929-30	42.0	0.0	1.5	1,070	Jan 15	72
1930-31	26.0	N.D.	1.2	888.0	Apr 26	70
1931-32	213.0	N.D.	4.9	3,560	Dec 28	415
1932-33	167.0	N.D.	1.8	1,340	Jan 19	299
1933-34	360.0	N.D.	3.4	2,440	Jan 01	640
1934-35	150.0	N.D.	4.2	3,080	Apr 08	420
1935-36	80.0	0.3	4.5	3,280	Feb 02	676
1936-37	142.0	0.4	9.3	6,770	Dec 30	252
1937-38	752.0	1.0	13.2	9,520	Mar 02	2,100
1938-39	50.0	0.2	2.4	1,750	Dec 19	172
1939-40	43.0	0.1	2.2	1,570	Jan 08	225
1940-41	255.0	0.1	12.9	9,340	Mar 04	443
1941-42	23.0	0.1	1.4	1,030	Dec 10	44
1942-43	874.0	0.1	14.8	10,720	Jan 23	2,100
1943-44	325.0	0.5	5.8	4,200	Feb 22	680
1944-45	106.0	0.2	3.6	2,580	Nov 11	400
1945-46	156.0	0.1	3.2	2,310	Dec 23	540
1946-47	140.0	0.1	4.0	2,910	Dec 26	400
1947-48	8.8	N.D.	0.7	536.0	Apr 28	28
1948-49	18.0	N.D.	0.8	610.0	Jan 20	35
1949-50	37.0	0.0	1.2	888.0	Dec 18	157
1950-51	5.6	0.0	0.3	237.0	Apr 28	16
1951-52	348.0	0.0	8.3	6,060	Jan 16	1,360
1952-53	18.0	0.0	1.1	813.0	Dec 01	252
1953-54	110.0	0.0	2.1	1,510	Jan 25	376
1954-55	15.0	0.0	0.8	567.0	Jan 18	39
1955-56	155.0	0.0	1.5	1,100	Jan 26	544
1956-57	33.0	0.0	0.9	674.0	Jan 13	108

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**FISH CREEK above mouth of canyon.
STATION NO. U7-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1957-58	212.0	0.0	7.8	5,680	Apr 03	608
1958-59	200.0	0.1	2.2	1,590	Dec 06	2,000E
1959-60	16.0	0.0	1.1	794.0	Apr 27	84
1960-61	23.0	0.0	0.6	443.0	Nov 12	230
1961-62	472.0	0.0	6.2	4,480	Feb 11	770
1962-63	71.0	0.0	1.3	922.0	Feb 09	346
1963-64	48.0	0.0	0.9	1,107	Jan 21	178
1964-65	48.0	0.0	1.3	930.0	Apr 09	163
1965-66	523.0	0.0	8.6	6,200	Dec 29	1,670
1966-67	688.0	0.6	13.5	9,740	Dec 06	2,250
1967-68	44.0	0.4	2.3	1,640	Nov 19	282
1968-69	5,540.0	0.7	55.2	39,980	Jan 25	13,000
1969-70	99.0	0.8	4.2	3,010	Feb 28	898
1970-71	93.0	0.6	3.3	2,400	Nov 29	259
1971-72	23.0	0.1	1.0	742.0	Dec 24	62
1972-73	480.0	0.2	7.4	5,390	Feb 11	1,600
1973-74	234.0	0.4	4.4	3,210	Jan 07	376
1974-75	30.0	0.2	2.5	1,803	Dec 04	56
1975-76	41.0	0.1	1.5	1,050	Mar 01	143
1976-77	45.0	0.0	1.0	760.0		N.D.
1977-78	386.0	0.1	15.5	11,242	Feb 10	1,340
1978-79	35.1	0.2	4.4	3,164	Dec 05	78
1979-80	448.0	0.4	0.5	10,806	Feb 16	1,590
1980-81	43.5	0.2	1.7	1,264	Jan 29	190
1981-82	12.6	0.1	2.0	1,424	Jan 20	26
1982-83	575.0	0.4	18.7	13,552	Mar 01	1,230
1983-84	35.1	0.0	2.0	1,487	Dec 25	108
1984-85	29.4	0.1	17.6	1,100		N.D.
1985-86	*	*	*	*		*
1986-87	14.2	0.0	1.6	1,156		N.D.
1987-88	48.9	0.0	1.5	1,082	Jan 17	115
1988-89	80.7	0.0	21.1	1,219	Feb 04	226
1989-90	35.4	0.0	0.6	466.0	Feb 16	176
1990-91	87.4	0.0	2.5	1,837	Mar 01	429
1991-92	318.0	0.0	10.3	7,481	Feb 12	1,030
1992-93	422.0	0.3	20.2	14,640	Feb 19	2,370
1993-94	13.3	0.0	1.2	843.0	Feb 20	31
1994-95	248.0	0.2	10.5	7,620	Mar 05	768
1995-96	295.0	0.1	5.2	3,797	Feb 21	540
1996-97	125.0	0.2	4.9	3,520	Dec 22	339

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**FISH CREEK above mouth of canyon.
STATION NO. U7-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1997-98	500.0	0.1	10.9	7,860	Mar 03	35
1998-99	1.9	0.2	1.3	935.0	Mar 30	2
1999-00	17.0	0.6	1.7	1,220E		N.D.
2000-01	25.0	0.0	1.2	881.0	Apr 16	98
2001-02	13.0	0.0	0.6	418.7	Jan 27	43
2002-03	102.3	0.0	1.8	1,319.3	Mar 16	291
2003-04	92.1	0.0	1.5	1,034.4	Feb 26	548
2004-05	1,240.0	0.0	26.5	19,200.0	Jan 09	1,750
2005-06	55.0	1.5	4.5	3,230.0	Jan 02	336
2006-07	9.6	0.1	1.7	1,248.9	Feb 27	23
2007-08	121.0	0.1	4.8	3,477	Jan 05	548

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LEAKAGE at toe of Cogswell Dam.
STATION NO. F251-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1934-35	20.0	0.0	4.0	2,890.3	May 01	20
1935-36	41.0	0.1	9.3	6,728.3	Feb 17	41
1936-37	N.D.					
1937-38	N.D.					
1938-39	N.D.					
1939-40	N.D.					
1940-41	N.D.					
1941-42	N.D.					
1942-43	N.D.					
1943-44	N.D.					
1944-45	N.D.					
1945-46	N.D.					
1946-47	N.D.					
1947-48	N.D.					
1948-49	N.D.					
1949-50	N.D.					
1950-51	N.D.					
1951-52	N.D.					
1952-53	N.D.					
1953-54	N.D.					
1954-55	N.D.					
1955-56	N.D.					
1956-57	N.D.					
1957-58	N.D.					
1958-59	N.D.					
1959-60	N.D.					
1960-61	N.D.					
1961-62	N.D.					
1962-63	N.D.					
1963-64	N.D.					
1964-65	N.D.					
1965-66	N.D.					
1966-67	N.D.					
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					

M Data missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not computed
 + Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LEAKAGE at toe of Cogswell Dam.
STATION NO. F251-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1974-75	5.3	1.8	3.6	2,614.0		5
1975-76	3.9	1.8	3.2	2,326.4	Feb 09	4
1976-77	4.5	1.8	3.1	2,228.2		
1977-78	16.8	2.2	0.2	4,130.8	Feb 10	57
1978-79	6.8	2.5	0.1	2,800.7	Mar 27	7
1979-80	N.D.					
1980-81	5.6	0.0	1.9	1,363.8	Oct 01	6
1981-82	10.4	0.0	5.1	3,682.7		10
1982-83	13.9	4.2	0.3	5,635.0	Mar 02	14
1983-84	8.1	1.5	0.2	3,383.0	Oct 01	8
1984-85	5.2	1.0	3.4	2,432.7	Dec 28	5
1985-86	5.4	2.9	4.0	2,877.2	Feb 15	6
1986-87	3.8	2.2	31.8	1,927.3	Oct 01	4
1987-88	4.4	1.8	35.5	2,142.0	May 23	4
1988-89	2.7	1.7	2.0	1,449.1	Oct 01	3
1989-90	2.8	1.0	1.9	1,344.2	May 19	3
1990-91	4.7	0.0	0.7	510.1	Mar 01	5
1991-92	5.0	0.0	0.8	569.7	Apr 08	5
1992-93	22.1	0.2	11.0	7,996.2	Jan 18	23
1993-94	11.3	0.2	3.1	2,243.3	Oct 01	11
1994-95	4.0	0.0	0.7	502.2	Aug 15	11
1995-96	2.2	0.0	0.1	66.1	Feb 21	6
1996-97	13.0	0.0	5.5	4,006.4	Apr 21	13
1997-98	31.0	2.4	16.1	11,654.7	Feb 23	39
1998-99	22.0	1.3	9.5	6,897.1	Oct 01	22
1999-00	12.0	0.0	4.3	3,102.2	Apr 18	12
2000-01	14.0	1.8	7.6	5,520.0	Apr 07	14
2001-02	8.4	0.0	2.9	2,070.0	Nov 25	8
2002-03	13.6	0.3	5.8	4,189.5	Mar 24	14
2003-04	6.2	0.5	3.1	2,262.3	Mar 02	10
2004-05	34.0	1.0	18.6	13,500.0	Jan 10	35
2005-06	29.0	7.5	17.7	12,850.0	May 01	29
2006-07	9.7	0.0	3.0	2,154.4	Oct 01	10
2007-08	121.0	0.1	4.8	3,477	Jan 08	37

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LITTLE ROCK CREEK above Little Rock Dam. STATION NO. L1-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	195.0	0.0	5.0	3,610	Apr 26	430
1931-32	830.0	0.0	*	16,730*	Feb 08	2,200
1932-33	56.0	0.0	5.8	4,180	Mar 09	66
1933-34	455.0	0.0	5.2	3,770		N.D.
1934-35	716.0	0.0	24.4	17,640	Feb 05	925
1935-36	127.0	0.0	4.6	3,320	Feb 23	261
1936-37	679.0	0.0	30.3	21,950	Feb 06	1,550
1937-38	N.D.	0.0	N.D.	N.D.	Mar 02	17,000
1938-39	NO RECORDS					
1939-40	183.0	0.0	9.6	7,000	Jan 08	555
1940-41	1,730.0	0.0	71.3	51,620	Feb 20	2,240
1941-42	55.0	+	7.1	5,140	Apr 14	92
1942-43	2,730.0E	0.0	49.5	35,870	Jan 23	5,700
1943-44	736.0	0.8	49.6	35,940	Feb 22	902
1944-45	323.0	0.1	12.8	9,250	Nov 11	1,080
1945-46	604.0	0.0	16.7	12,150	Dec 21	1,100
1946-47	1,740.0	0.0	21.9	15,840	Dec 26	3,180
1947-48	62.0	0.0	3.4	2,450	Apr 29	122
1948-49	33.0	0.0	4.4	3,170	Apr 14	37
1949-50	114.0	0.0	3.4	2,470	Feb 06	212
1950-51	4.7	0.0	0.6	432.0	May 04	5
1951-52	311.0	0.0	31.6	22,890	Dec 30	502
1952-53	33.0	0.0	4.2	3,020	Jan 09	36
1953-54	328.0	0.0	11.6	8,430	Jan 25	655
1954-55	116.0	+	10.1	7,310	Nov 11	236
1955-56	424.0	0.0	7.5	5,470	Jan 26	1,050
1956-57	399.0	0.0	6.3	4,560	Jan 13	1,040
1957-58	521.0	0.0	40.7	29,500	Dec 15	1,070
1958-59	163.0	0.0	5.7	4,150	Feb 16	598
1959-60	15.0	0.0	2.4	1,750	Jan 26	17
1960-61	25.0	0.0	1.8	1,290	Nov 06	37
1961-62	2,060.0	0.0	25.8	18,640	Feb 11	3,180
1962-63	112.0	0.0	3.0	2,200	Feb 10	314
1963-64	38.0	0.0	3.8	2,800	Apr 01	49
1964-65	115.0	0.0	7.1	5,150	Apr 19	155
1965-66	1,700.0	0.0	33.9	24,500	Dec 29	5,240
1966-67	1,330.0	0.0	29.2	21,230	Dec 06	1,970
1967-68	264.0	+	11.6	8,390	Nov 21	444
1968-69	1,810.0	+	57.2	41,430	Jan 25	5,900
1969-70	175.0	0.0	9.5	6,850	Feb 10	287

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LITTLE ROCK CREEK above Little Rock Dam. STATION NO. L1-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	453.0	0.0	10.6	7,700	Nov 29	1,490
1971-72	382.0	0.0	6.0	4,320	Dec 24	801
1972-73	556.0	0.0	16.1	11,680	Feb 11	1,880
1973-74	70.0	0.0	10.4	7,540	Mar 02	87
1974-75	124.0	0.0	7.8	5,640	Mar 08	230
1975-76	270.0	0.0	7.6	5,530	Feb 08	643
1976-77	74.0	0.0	7.3	5,296	May 08	181
1977-78	*	*	*	*	Feb 10	*
1978-79	249.0	0.5	25.6	18,562	Mar 27	367
1979-80	1,705.0	0.0	45.8	32,580	Feb 19	3,998
1980-81	43.8	0.0	5.9	4,726	Mar 20	59
1981-82	575.0	0.0	18.3	13,243	Apr 11	1,132
1982-83	2,413.0	0.0	66.5	48,136	Mar 01	3,482
1983-84	244.0	0.0	7.1	5,124	Dec 25	539
1984-85	36.2	0.0	8.0	5,764	Dec 27	45
1985-86	515.0	0.0	17.3	12,510	Jan 30	1,162
1986-87	64.1	0.0	2.5	1,818	Mar 06	87
1987-88	205.0	0.0	25.1	18,286		N.D.
1988-89	47.0	0.0	6.3	4,701	Feb 09	61
1989-90	*	*	*	*	Jan 23	41
1990-91	369.0	0.0	8.6	8,094	Mar 01	839
1991-92	*	*	*	*		*
1992-93	*	*	*	*		*
1993-94	46.9	0.0	N.D.	*		N.D.
1994-95	795.0	0.0	44.9	32,480	Jan 10	2,000
1995-96	638.0	0.0	8.9	6,474	Feb 21	1,100
1996-97	207.0	0.0	7.3	5,260	Jan 26	264
1997-98	1,610.0	0.0	52.3	37,890	Feb 23	3,470
1998-99	23.0	0.0	3.8	2,720	Feb 10	27
1999-00	168.0	0.0	6.9	5,000	Feb 23	519
2000-01	154.0	0.0	14.9	10,760	Mar 06	219
2001-02	3.2	0.0	0.6	305.0	Jan 29	4
2002-03	0.0	0.0	13.1	0.0	Feb 12	3,720
2003-04	173.0	0.0	4.7	3,370.0	Feb 26	473
2004-05	2,440.0	0.0	85.1	61,480.0	Jan 09	5,040
2005-06	330.0	0.0	17.0	8,620.0	Feb 28	786
2006-07	8.2	0.0	3.2	1,603.8	Feb 01	9
2007-08	578.0	0.0	14.8	10,709	Jan 27	1,427

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LIVE OAK CREEK below Live Oak Dam.
STATION NO. F356-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1963-64	N.D.					
1964-65	2.8	0.0	0.0	13.9	Jun 24	78
1965-66	6.1	0.0	0.3	209.4	Mar 01	6
1966-67	44.0	0.0	0.9	670.6	Dec 06	194
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	5.1	0.0	0.1	77.8	Apr 08	5
1975-76	4.8	0.0	0.0	27.0	Apr 26	6
1976-77	2.3	0.0	0.0	30.9	Aug 17	4
1977-78	73.0	0.0	2.1	1,517.2	Mar 04	120
1978-79	4.4	0.0	0.9	655.5	Mar 30	5
1979-80	84.2	0.0	2.6	1,907.3	Feb 17	105
1980-81	2.8	0.0	0.3	218.6	Mar 03	4
1981-82	20.3	0.0	0.6	416.5	Mar 18	21
1982-83	45.0	0.0	0.0	1,779.6		
1983-84	2.3	0.0	0.6	449.7	Dec 05	3
1984-85	3.6	0.0	0.2	162.8		
1985-86	1.9	0.0	0.3	195.6	Mar 25	2
1986-87	1.0	0.0	0.0	37.5		
1987-88	6.4	0.0	0.0	69.2		
1988-89	5.3	0.0	0.1	93.6	Feb 14	8
1989-90	2.0	0.0	0.1	41.7	May 28	3
1990-91	4.3	0.0	0.3	200.3	Mar 04	5
1991-92	17.7	0.0	0.4	272.9	Feb 13	36
1992-93	48.2	0.0	2.4	1,705.8	Feb 22	80
1993-94	5.7	0.0	0.3	199.5	May 10	6
1994-95	29.8	0.0	1.5	1,058.4	Mar 06	103
1995-96	23.8	0.0	0.5	393.1	Feb 21	82
1996-97	6.6	0.0	0.5	349.1	Dec 17	25
1997-98	51*	0*	1.07*	773.87*	Feb 24	65
1998-99	9.0	0.0	0.1	104.1	Dec 08	30
1999-00	1.1*	0*	0.11*	77.85*	Jun 20	25
2000-01	20.0	0.0	0.2	120.0	Jul 10	61
2001-02	0.4	0.0	0.0	2.2	May 21	15
2002-03	5.1	0.0	0.7	48.9	Nov 19	19

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LIVE OAK CREEK below Live Oak Dam.
STATION NO. F356-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2003-04	14.4	0.0	0.3	230.2	Mar 01	16
2004-05	156.0	0.0	4.0	2,920.0	Jan 09	210
2005-06	15.0	0.1	1.1	812.0	Oct 15	36
2006-07	3.9	0.1	1.7	993.5	May 01	34
2007-08	4.2	0.0	0.9	632	Oct 23	35

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER above Arroyo Seco STATION NO. F57C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	927.0	0.0	5.5	3,950	Feb 04	4,540
1931-32	2,520.0	0.0	21.0	15,240	Feb 08	3,020
1932-33	2,330.0	0.0	14.7	10,640	Jan 19	5,780
1933-34	5,990.0	0.0	41.2	29,810	Jan 01	22,000
1934-35	568.0	0.1	17.3	12,550	Apr 08	2,400E
1935-36	322.0	0.4	7.9	5,770	Mar 30	2,540
1936-37	1,670.0	0.4	33.8	24,470	Feb 06	2,410E
1937-38	27,900.0	0.6	183.0	132,600	Mar 02	68,000E
1938-39	1,950.0	3.8	58.5	42,360	Jan 05	3,710
1939-40	2,070.0	6.0	54.5	39,590	Jan 08	8,900
1940-41	6,700.0	4.2	228.0	165,000	Feb 20	11,900
1941-42	1,170.0	22.0	75.7	54,800	Dec 10	5,260
1942-43	7,120.0	15.0	172.0	124,400	Jan 23	23,900
1943-44	8,020.0	25.0	151.0	109,800	Feb 22	14,600
1944-45	1,160.0	6.5	51.1	36,990	Feb 02	4,900
1945-46	1,880.0	3.4	49.6	35,880	Dec 22	5,240
1946-47	896.0	1.6	43.3	31,330	Dec 25	5,320
1947-48	498.0	3.6	20.5	14,890	Mar 24	4,900
1948-49	451.0	4.2	24.3	17,600	Dec 17	1,530
1949-50	804.0	0.3	14.9	10,760	Feb 06	2,840
1950-51	487.0	0.5	10.8	7,840	Jan 11	3,600
1951-52	8,130.0	0.5	149.0	108,000	Jan 16	25,300
1952-53	1,370.0	0.6	25.5	18,480	Dec 20	7,270
1953-54	2,570.0	0.2	29.0	21,000	Feb 13	9,580
1954-55	1,510.0	0.2	25.2	18,270	Jan 18	6,850
1955-56	7,290.0	0.6	49.4	35,890	Jan 26	15,300
1956-57	2,390.0	0.2	34.4	24,890	Feb 23	22,200
1957-58	4,650.0	0.4	126.0	91,020	Feb 19	19,700
1958-59	3,790.0	0.2	27.6	20,230	Jan 06	17,200
1959-60	1,420.0	+	23.3	16,910	Jan 12	8,960
1960-61	1,690.0	+	16.6	12,000	Nov 05	7,890
1961-62	8,510.0	+	120.0	86,910	Feb 12	32,500
1962-63	3,750.0	+	32.4	23,440	Feb 09	18,100
1963-64	1,950.0	+	27.9	20,320	Jan 22	12,200
1964-65	2,880.0	+	49.1	35,580	Apr 09	12,500
1965-66	12,600.0	0.1	149.0	107,500	Dec 29	32,000
1966-67	7,720.0	0.4	115.0	82,210	Nov 07	32,100
1967-68	4,780.0	3.4	82.2	59,710	Mar 08	30,900
1968-69	23,400.0	4.0	425.0	307,400	Jan 25	41,800
1969-70	2,760.0	6.9	65.6	47,520	Mar 04	17,000

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER above Arroyo Seco STATION NO. F57C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	12,900.0	7.4	129.0	93,310	Nov 29	41,500
1971-72	4,830.0	5.4	64.3	46,690	Dec 27	15,900
1972-73	9,190.0	6.7	157.0	114,000	Jan 18	28,230
1973-74	12,480.0	5.8	123.0	88,900	Jan 07	24,540
1974-75	5,750.0	4.2	88.6	64,120	Dec 04	27,570
1975-76	3,230.0	2.7	54.7	39,720	Feb 09	13,900
1976-77	4,710.0	1.6	91.2	66,020	Jan 03	23,300
1977-78	22,700.0	5.4	506.5	366,663	Feb 10	52,700
1978-79	6,240.0	18.8	192.0	139,101	Mar 27	25,800
1979-80	16,800.0	11.0	428.6	303,340	Feb 16	52,200
1980-81	3,340.0	14.9	104.9	75,932	Jan 29	28,200
1981-82	5,870.0	11.0	137.4	99,441	Mar 14	22,800
1982-83	25,100.0	22.2	560.4	405,695	Jan 27	44,500
1983-84	4,030.0	23.0	96.2	69,861	Dec 25	17,000
1984-85	3,380.0	30.0	98.3	71,160	Dec 19	9,270
1985-86	5,110.0	59.0	214.2	155,103	Jan 31	25,400
1986-87	2,090.0	70.2	101.5	73,480	Nov 17	13,000
1987-88	No Record					
1988-89	No Record					
1989-90	No Record					
1990-91	No Record					
1991-92	20,200.0	3.7	463.0	320,800	Feb 12	45,700
1992-93	*	*	*	*		*
1993-94	*	*	*	*		*
1994-95	19,900.0	114.0	*	*	Mar 10	44,900
1995-96	*	*	*	*		*
1996-97	3,760.0	86.0	213.0	154,100	Dec 09	17,900
1997-98	13,900.0	88.0	479.0	346,700	Feb 23	37,800
1998-99	1,520.0	85.0	159.0	113,900	Jan 31	11,600
1999-00	4,370.0	82.0	196.0	142,200	Feb 23	25,200
2000-01	8,010.0	102.0	261.0	188,900	Jan 11	37,500
2001-02	2,542.6	65.1	166.7	120,658.6	Nov 24	20,272
2002-03	13,050.1	87.3	257.0	185,887.3	Feb 12	32,900
2003-04	6,564.3	90.2	187.0	135,870.6	Feb 26	28,100
2004-05	17,500.0	73.0	691.0	500,000.0	Feb 20	35,800
2005-06	5,820.0	66.0	217.0	156,800.0	Jan 02	25,329
2006-07	2,500.0	82.0	131.9	95,501.4	Sep 22	7,956
2007-08	6,830.0	57.3	243.4	176,715	Jan 04	27,092

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LOS ANGELES RIVER below Wardlow River Road.
STATION NO. F319-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1928-29	N.D.	N.D.	N.D.	9,340E	Mar 10	2,870E
1929-30	1,270.0	0.9	17.0	12,310	Mar 15	1,670
1930-31	1,390.0	0.0	19.9	14,400	Feb 03	3,700
1931-32	7,130.0	0.8	70.2	50,960	Feb 09	8,380
1932-33	3,310.0	0.3	31.6	22,890	Jan 19	8,710
1933-34	19,900.0	0.0	93.7	67,860	Jan 01	37,500
1934-35	2,930.0	1.6	55.9	40,470	Apr 08	11,000
1935-36	1,630.0	2.3	28.3	20,470	Feb 12	10,400
1936-37	6,800.0	3.3	126.0	91,110	Feb 14	20,500
1937-38	50,000.0	1.0	564.0	408,000	Mar 02	99,000E
1938-39	6,220.0	3.5	114.0	82,750	Sep 25	17,300
1939-40	2,830.0E	15.0	90.8	65,930	Feb 02	8,440
1940-41	11,120.0	18.0	510.0	369,500	Mar 04	18,170
1941-42	3,180.0	31.0	129.0	93,390	Dec 10	10,800
1942-43	18,100.0	28.0	366.0	264,900	Jan 23	37,900
1943-44	17,190.0	38.0	299.0	217,400	Feb 22	34,000
1944-45	3,020.0	33.0	138.0	100,200	Nov 12	11,600
1945-46	6,440.0	30.0	127.0	91,790	Dec 22	12,800
1946-47	5,750.0	18.0	146.0	106,000	Dec 26	18,810
1947-48	1,540.0	19.0	72.8	52,820	Mar 24	9,310
1948-49	1,790.0	13.0	61.3	44,350	Dec 17	5,520
1949-50	2,360.0	6.3	58.3	42,180	Feb 06	9,090
1950-51	1,610.0	5.6	50.6	36,600	Jan 29	9,040
1951-52	16,310.0	3.8	292.0	212,200	Jan 16	47,800
1952-53	2,932.0	1.9	61.4	44,490	Nov 15	21,100
1953-54	8,120.0	2.5	97.8	70,790	Feb 13	34,760
1954-55	4,180.0	2.2	83.0	60,120	Jan 18	17,750
1955-56	12,700.0	7.0	133.0	96,810	Jan 26	40,500
1956-57	4,550.0	5.5	67.3	48,710	Feb 23	23,000
1957-58	10,400.0	6.4	264.0	191,200	Feb 19	43,800
1958-59	6,340.0	7.2	68.2	49,390	Jan 06	31,000
1959-60	3,420.0	3.7	67.6	49,100	Jan 12	21,700
1960-61	2,860.0	1.3	44.2	32,000	Jan 26	9,450
1961-62	14,800.0	0.6	245.0	177,400	Feb 12	42,200
1962-63	5,480.0	1.2	75.6	54,700	Feb 09	31,400
1963-64	4,150.0	5.3	64.8	47,020	Jan 22	16,000
1964-65	5,150.0	4.1	106.0	76,680	Apr 09	30,100
1965-66	22,500.0	3.0	342.0	247,900	Dec 29	61,500
1966-67	12,400.0	9.9	237.0	171,900	Nov 07	43,700
1967-68	13,600.0	18.0	173.0	125,800	Mar 08	48,900

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER below Wardlow River Road. STATION NO. F319-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1968-69	55,000.0	16.0	1,150.0	832,000	Jan 25	102,000
1969-70	5,300.0	22.0	128.0	92,070	Feb 28	5,300
1970-71	20,600.0	20.0	201*	145,300*	Nov 29	65,100
1971-72	8,550.0	17.0	106.0	77,560	Dec 24	28,700
1972-73	16,170.0	20.0	253.0	183,300	Feb 11	50,800
1973-74	17,200.0	17.0	190.0	137,800	Jan 07	42,800
1974-75	11,200.0	13.0	159.0	115,000	Dec 04	64,470
1975-76	4,660.0	11.5	102.0	72,670	Feb 09	16,020
1976-77	7,130.0	5.3	140.4	101,700	Jan 03	29,528
1977-78	42,323.0	11.0	923.0	668,337	Feb 10	94,800
1978-79	13,000.0	33.0	379.2	274,500	Mar 27	50,900
1979-80	33,437.0	39.0	887.9	544,632	Feb 16	128,700
1980-81	6,550.0	27.0	173.2	125,893	Jan 29	33,800
1981-82	11,400.0	32.0	246.2	178,227	Apr 01	26,800
1982-83	52,000.0	38.0	1,047.0	758,465	Mar 01	81,800
1983-84	6,530.0	41.0	166.8	120,740	Dec 25	22,300
1984-85	6,370.0	34.0	1,970.0	118,440	Dec 19	23,500
1985-86	13,600.0	51.4	338.0	244,741	Feb 15	54,400
1986-87	4,050.0	92.6	164.0	118,510	Nov 18	15,500
1987-88	8,230.0	85.0	242.8	176,277	Dec 04	48,900
1988-89	3,740.0	101.0	195.0	141,249	Dec 16	16,900
1989-90	12,100.0	115.0	196.0	141,594	Feb 17	25,600
1990-91	10,700.0	108.0	310.0	224,410	Feb 28	42,400
1991-92	23,800.0	110.0	668.0	484,849	Feb 12	66,400
1992-93	35,000.0	123.0	1,549.0	1,122,000	Feb 08	86,000
1993-94	4,090.0	113.0	259.0	187,400	Mar 24	19,700
1994-95	43,900.0	92.5	1,022.0	740,000	Mar 11	113,000
1995-96	15,100.0	96.8	261.0	189,200	Feb 21	35,400
1996-97	7,390.0	91.0	299.0	216,300	Dec 09	28,600
1997-98	*	*	*	*		*
1998-99	M	*	*			M
1999-00	477.0*	164.0*	203.0*	24,560*		N.D.
2000-01	12,700.0	116.0	405.0	293,500	Jan 11	54,400
2001-02	3,837.8	105.1	185.8	131,061.3	Nov 24	28,837
2002-03	19,959.3	68.4	317.0	229,040.9	Feb 12	58,000
2003-04	15,433.0	86.2	196.0	142,368.5	Feb 26	61,300
2004-05	44,900.0	76.0	1,274.0	922,000.0	Jan 09	71,500
2005-06	7,860.0	110.0	276.0	199,500.0	Jan 02	39,328
2006-07	3,460.0	105.0	151.2	109,493.2	Sep 22	11,301
2007-08	11,000.0	112.0	284.7	206,678	Jan 05	57,783

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LOS ANGELES RIVER below Firestone Blvd.
STATION NO. F34D-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	*	0.0	*	6990*	Feb 04	1120*
1928-29	775.0	0.0	13.6	9,830	Nov 14	2,010
1929-30	813.0	0.0	13.4	9,730	Mar 15	2,210
1930-31	1,560.0	1.4	18.6	13,450	Feb 04	4,360
1931-32	2,650.0	0.4	35.3	25,620	Feb 08	4,780
1932-33	2,900.0	0.0	23.5	17,020	Jan 19	7,070
1933-34	8,550.0	0.0	52.9	38,330	Jan 01	29,400
1934-35	1,430.0	0.0	40.3	29,170	Jan 05	10,400
1935-36	1,040.0	0.0	20.5	14,920	Feb 12	5,730
1936-37	3,460.0	0.0	67.2	48,630	Dec 30	10,000E
1937-38	40,000.0	0.0	278.0	201,300	Mar 02	79,000
1938-39	5,090.0E	0.0	108.0	78,440	Sep 25	10,800
1939-40	2,410.0	14.0E	80.5	58,420	Jan 08	7,610
1940-41	7,580.0	10.0	345.0	249,500	Feb 20	14,800
1941-42	2,030.0	27.0	97.8	70,820	Dec 10	8,210
1942-43	10,700.0	18.0	268.0	193,700	Jan 23	27,500
1943-44	13,000.0	38.0	249.0	180,900	Feb 22	24,800
1944-45	1,980.0	16.0	91.0	65,900	Feb 02	6,970
1945-46	4,000.0	8.4	95.8	69,310	Dec 22	12,500
1946-47	2,760.0	14.0	99.7	72,180	Dec 25	14,900
1947-48	1,280.0	10.0	52.8	38,350	Mar 24	8,980
1948-49	1,130.0	11.0	49.1	35,550	Dec 17	5,300
1949-50	1,770.0	8.5	43.9	31,760	Feb 06	8,480
1950-51	898.0	7.5	35.3	25,560	Jan 11	5,840
1951-52	12,000.0	1.8	249.0	180,500	Jan 16	32,900
1952-53	2,000.0	1.4	57.1	41,380	Nov 15	14,100
1953-54	4,190.0	1.2	70.9	51,330	Feb 13	19,500
1954-55	2,470.0	6.2	54.3	39,340	Jan 18	13,700
1955-56	12,000.0	8.2	91.5	66,440	Jan 26	28,900
1956-57	3,960.0	3.8	53.2	38,500	Feb 23	24,600
1957-58	6,290.0	4.3	191.0	138,400	Feb 19	34,100
1958-59	4,660.0	5.9	51.4	37,210	Jan 06	24,200
1959-60	2,090.0	4.0	43.6	31,610	Jan 12	10,700
1960-61	2,230.0	4.5	32.6	23,600	Nov 05	7,810
1961-62	9,630.0	3.8	170.0	123,300	Feb 12	28,400
1962-63	4,080.0	4.3	56.2	40,690	Feb 09	19,300
1963-64	2,810.0	2.6	49.6	36,030	Jan 21	11,400
1964-65	3,380.0	4.3	66.5	48,110	Apr 09	18,700
1965-66	15,700.0	4.3	209.0	151,200	Dec 29	37,000
1966-67	10,000.0	6.0	159.0	114,800	Nov 07	37,100

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LOS ANGELES RIVER below Firestone Blvd.
STATION NO. F34D-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	9,410.0	13.0	116.0	84,240	Mar 08	37,400
1968-69	31,800.0	12.0	541.0	391,800	Jan 25	58,000
1969-70	4,250.0	13.0	90.4	65,440	Feb 28	20,900
1970-71	16,700.0	11.0	162.0	117,300	Nov 29	49,800
1971-72	6,980.0	14.0	86.6	62,890	Dec 24	27,400
1972-73	14,470.0	13.0	221.0	160,300	Jan 18	49,020
1973-74	15,690.0	10.6	157.0	113,600	Jan 07	32,300
1974-75	8,480.0	9.0	119.0	86,470	Dec 04	53,950
1975-76	3,390.0	6.0	68.0	48,400	Sep 10	8,160E
1976-77	5,550.0	5.4	115.0	83,300	Jan 03	30,900
1977-78	73,000.0	7.8	740.2	536,000	Feb 10	73,400
1978-79	*	*	*	*	Mar 27	*
1979-80	21,500.0	30.2	522.1	369,810	Feb 16	74,400
1980-81	3,870.0	26.6	128.4	93,065	Jan 29	33,600
1981-82	5,730.0	24.6	178.0	128,979	Mar 14	29,400
1982-83	32,400.0	33.7	729.0	527,837	Mar 01	58,400
1983-84	5,650.0	22.8	131.0	94,770	Dec 05	22,400
1984-85	4,560.0	33.7	127.6E	46,523		N.D.
1985-86	*	*	*	*		*
1986-87	*	*	*	*		*
1987-88	NO RECORD					
1988-89	*	*	*	*		*
1989-90	6,060.0	100.0	150.0	108,676	Feb 17	14,700
1990-91	7,850.0	99.0	243.0	178,822	Feb 27	37,300
1991-92	16,500.0	101.0	431.0	313,100	Feb 12	49,800
1992-93	17,000.0	111.0	740.0	536,100	Dec 07	60,400
1993-94	3,870.0	92.6	192.0	138,800	Feb 20	21,100
1994-95	24,200.0	96.5	487.0	352,800	Mar 11	74,300
1995-96	9,110.0	87.2	189.0	137,200	Feb 21	37,900
1996-97	6,170.0	98.0	232.0	168,000	Dec 09	29,900
1997-98	23,600.0	96.0	732.0	530,100	Feb 03	60,100
1998-99	4,100.0	88.0	241.0	174,200	Jan 31	20,500
1999-00	7,260.0	88.0	273.0	198,300	Feb 23	43,100
2000-01	10,100.0	88.0	345.0	250,100	Jan 11	49,600
2001-02	Unreliable	data			Nov 24	890
2002-03	15,712.7	104.8	259.0	187,881.1		N.D.
2003-04	3,302.7	124.4	153.0	107,052.9		N.D.
2004-05	3,080.0	124.0		158,000.0		
2005-06	4,920.0	130.0	219.0	158,800.0	Feb 27	13,394
2006-07	406.0	124.0	134.4	97,294.6	Sep 22	1,089

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LOS ANGELES RIVER below Firestone Blvd.
STATION NO. F34D-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2007-08	1,050.0	124.0	146.9	106,660	Jan 04	5,459

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER at Tujunga Avenue. STATION NO. F300-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1950-51	181.0	2.6	12.3	8,910	Jan 29	598
1951-52	5,360.0	3.1	101.0	73,040	Jan 15	13,200
1952-53	851.0	6.5	27.1	19,610	Dec 01	2,900
1953-54	1,360.0	4.6	27.2	19,690	Feb 13	5,190
1954-55	842.0	5.7	30.4	22,000	Jan 10	4,560
1955-56	3,890.0	5.7	35.1	25,490	Jan 16	6,800
1956-57	1,300.0	4.5	27.2	19,700	Jan 13	6,060
1957-58	3,530.0	3.8	100.0	72,710	Apr 03	10,800
1958-59	2,080.0	4.8	29.2	21,180	Jan 06	12,800
1959-60	1,040.0	4.0	28.0	20,650	Jan 12	6,900
1960-61	1,010.0	3.2	18.3	13,260	Nov 05	6,600
1961-62	6,170.0	2.6	97.7	70,690	Feb 12	21,000
1962-63	2,200.0	4.0	34.1	24,690	Feb 09	8,700
1963-64	1,440.0	3.6	35.4	25,730	Jan 22	7,910
1964-65	2,020.0	5.0	50.4	36,490	Apr 09	7,840
1965-66	8,990.0	8.2	126.0	91,340	Dec 29	20,500
1966-67	5,860.0	5.2	83.3	60,320	Nov 07	21,000
1967-68	5,720.0	5.5	66.8	48,500	Mar 08	18,300
1968-69	19,100.0	4.8	355.0	256,800	Jan 25	30,800
1969-70	2,450.0	6.4	55.4	40,080	Mar 04	11,600
1970-71	9,170.0	7.0	95.4	69,090	Nov 29	25,900
1971-72	2,800.0	7.8	38.0	27,520	Dec 27	11,000
1972-73	6,470.0	5.5	101.0	73,100	Jan 18	17,900
1973-74	7,650.0	5.0	73.0	52,830	Jan 07	16,100
1974-75	3,570.0	5.0	57.1	41,310	Dec 04	16,740
1975-76	2,440.0	3.7	35.5	25,200	Feb 09	9,680
1976-77	2,920.0	1.5	50.9	36,850	Jan 03	15,300
1977-78	19,200.0	0.8	454.6	329,106	Feb 10	30,100
1978-79	5,210.0	5.5	136.0	98,301	Mar 27	22,500
1979-80	9,440.0	8.4	284.9	202,020	Feb 16	27,625
1980-81	2,600.0	10.0	77.7	56,220	Jan 29	17,940
1981-82	3,610.0	5.0	72.7	52,648	Mar 17	17,800
1982-83	19,580.0	5.7	416.8	301,711	Mar 01	27,625
1983-84	NO RECORD					
1984-85	1,820.0	8.1	47.4	34,312	Dec 18	6,740
1985-86	3,060.0	20.0	126.0	91,248	Jan 31	16,700
1986-87	*	*	*	*		*
1987-88	3,850.0	31.7	164.4	118,911	Oct 22	24,300
1988-89	1,460.0	59.8	103.4	74,960	Dec 24	5,140
1989-90	2,910.0	55.6	93.5	67,699	Feb 17	7,296

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LOS ANGELES RIVER at Tujunga Avenue.
STATION NO. F300-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1990-91	3,130.0	14.4	113.7	82,553	Feb 27	13,500
1991-92	10,800.0	33.7	239.0	173,398	Feb 11	22,300
1992-93	10,600.0	51.9	416.0	301,300	Feb 07	25,700
1993-94	2,390.0	54.7	133.0	96,020		N.D.
1994-95	10,800.0	53.7	252.0	167,800	Mar 10	35,000
1995-96	3,110.0	51.0	117.0	84,630	Feb 21	13,000
1996-97	2,590.0	53.0	156.0	112,700	Dec 09	12,300
1997-98	11,900.0	63.0	420.0	304,200	Feb 23	30,500
1998-99	1,200.0	35.0	85.1	61,630	Jan 31	9,320
1999-00	1,200.0	35.0	85.1	61,630	Feb 23	9,320
2000-01	2,790.0	47.0	134.0	97,450	Jan 11	17,200
2001-02	1,489.4	26.6	90.5	65,515.0	Nov 24	12,815
2002-03	10,976.2	43.3	187.0	135,474.1	Feb 12	25,000
2003-04	3,711.5	42.1	110.0	80,739.7	Feb 26	16,400
2004-05	15,800.0	35.0	582.0	421,000.0	Jan 09	25,300
2005-06	3,540.0	45.0	157.0	113,700.0	Jan 02	15,647
2006-07	3,720.0	48.4	93.3	67,538.0	Sep 22	21,748
2007-08	1,050.0	124.0	146.9	106,660	Jan 04	14,945

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**MALIBU CREEK below Cold Creek.
STATION NO. F130-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	*	*	*	1,920*	Feb 04	723
1931-32	1,770.0	+	20.2	14,670	Feb 09	3,100
1932-33	1,100.0	0.1	12.7	9,190	Jan 19	4,460
1933-34	3,160.0	0.1	17.1	12,370	Jan 01	9,650
1934-35	511.0	+	8.6	6,220		N.D.
1935-36	92.0	0.0	3.2	2,310	Feb 23	147
1936-37	1,680.0	0.0	33.1	23,940	Feb 14	2,760
1937-38	5,090.0E	0.2	47.1	34,100	Mar 02	10,000E
1938-39	139.0	0.0	6.4	4,630	Dec 20	331
1939-40	335.0	+	8.4	6,100	Feb 02	690
1940-41	2,200.0	0.1	101.0	73,220	Feb 20	3,620
1941-42	32.0	0.1	2.5	1,820	Dec 28	140
1942-43	5,370.0	0.1	65.8	47,600	Jan 22	12,200
1943-44	3,400.0	0.7	41.6	30,170	Feb 22	7,700
1944-45	210.0	0.2	5.8	4,240	Feb 02	516
1945-46	267.0	0.1	5.2	3,800	Mar 30	506
1946-47	142.0	0.1	5.3	3,820	Nov 13	980
1947-48	15.0	+	0.2	177.0	Mar 24	113
1948-49	0.6	+	0.1	90.0	May 18	1
1949-50	64.0	0.0	0.7	477.0	Feb 06	674
1950-51	0.3	0.0	0.1	56.0	Jan 11	3
1951-52	6,720.0	0.0	80.2	58,200	Mar 15	13,600
1952-53	81.0	+	4.0	2,940	Nov 15	322
1953-54	655.0	0.1	6.9	4,990	Feb 13	2,250
1954-55	16.0	0.1	1.0	758.0	Jan 18	45
1955-56	1,260.0	0.1	6.5	4,680	Jan 26	3,600
1956-57	12.0	+	0.6	444.0	Feb 23	46
1957-58	1,630.0	+	43.7	31,660	Apr 03	4,260
1958-59	114.0	0.1	2.1	1,510	Jan 06	3,180
1959-60	17.0	+	0.7	504.0	Apr 27	84
1960-61	2.0	+	0.1	99.0	Jan 26	8
1961-62	3,920.0	+	36.3	26,150	Feb 10	7,060
1962-63	24.0	+	1.0	701.0	Mar 16	104
1963-64	17.0	+	0.5	384.0	Jan 22	65
1964-65	148.0	+	2.2	1,560	Apr 09	521
1965-66	7,060.0	0.2	51.8	37,520	Dec 29	20,600
1966-67	2,710.0	0.9	35.5	25,700	Jan 24	10,200
1967-68	1,350.0	1.0	18.5	13,430	Mar 08	3,830
1968-69	24,200.0	1.4	166.0	119,900	Jan 25	33,800
1969-70	368.0	0.5	9.9	7,200	Mar 04	1,150

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**MALIBU CREEK below Cold Creek.
STATION NO. F130-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	1,480.0	1.2	23.7	17,300	Dec 19	7,390
1971-72	582.0	0.9	6.0	4,340	Dec 27	2,120
1972-73	3,340.0	0.8	35.1	25,400	Feb 11	7,480
1973-74	2,240.0	2.7	22.0	15,910	Jan 07	5,100
1974-75	519.0	2.3	15.2	11,020	Dec 04	2,670
1975-76	163.0	1.1	5.4	3,910	Feb 09	339
1976-77	315.0	1.1	6.9	4,980	Jan 07	597
1977-78	7,620.0	1.7	112.4	80,990	Mar 04	19,400
1978-79	1,220.0	2.3	46.4	33,408	Mar 27	4,420
1979-80	*	*	*	*	Feb 16	*
1980-81	357.0	1.7	13.5	9,832	Mar 05	910
1981-82	400.0	2.2	13.9	10,031	Mar 17	676
1982-83	7,720.0	2.7	121.8	88,148	Mar 01	24,200
1983-84	758.0	2.5	24.1	17,411	Dec 25	1,840
1984-85	588.0	0.9	16.6	12,002	Dec 19	880
1985-86	1,480.0	1.4	39.3	27,881	Feb 15	5,880
1986-87	216.0	0.5	8.6	6,236	Nov 18	653
1987-88	559.0	0.6	24.0	17,337	Feb 28	1,680
1988-89	257.0	1.6	12.3	8,876	Feb 09	441
1989-90	*	*	*	*		*
1990-91	982.0	0.8	20.5	14,872	Mar 19	3,150
1991-92	5,850.0	2.0	92.7	67,330	Feb 10	23,300
1992-93	*	*	*	*		*
1993-94	880.0	0.9	16.7	11,090	Feb 20	2,450
1994-95	4,530.0	3.1	97.8	68,700	Mar 11	15,700
1995-96	637.0	1.5	12.9	9,395	Feb 21	1,220
1996-97	807.0	3.2	43.1	31,180	Dec 09	1,800
1997-98	4,020.0	2.4	113.0	81,700	Feb 07	19,100
1998-99	134.0	2.8	10.3	7,430	Apr 11	761
1999-00	701.0	1.4	22.6	16,440	Feb 23	2,380
2000-01	3,950.0	0.6	53.8	38,920	Mar 06	10,900
2001-02	93.3	0.9	10.6	7,670.1	Nov 24	413
2002-03	1,978.6	1.9	25.9	18,761.4	Feb 12	5,410
2003-04	1,470.2	1.2	13.0	9,441.6	Feb 26	5,130
2004-05	7,330.0	1.3		103,000.0	Jan 09	12,700
2005-06	845.0	3.1	31.9	23,120.0	Jan 02	2,586
2006-07	80.1	0.7	10.1	7,308.8	Feb 22	189
2007-08	1,940.0	0.9	32.4	23,510	Jan 27	3,851

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**MESCAL CREEK at mouth of canyon.
STATION NO. F395-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1982-83*	72.0	0.0	5.2	3,795.0	Mar 01	120
1983-84	17.3	0.0	2.6	1,905.1	Dec 25	35
1984-85	1.6	0.0	0.2	139.6	Dec 27	8
1985-86	40.9	0.0	1.1	794.2	Feb 15	115
1986-87	1.7	0.0	0.1	39.1	Mar 07	8
1987-88	5.4	0.0	0.4	324.7		
1988-89	3.7	0.0	0.2	121.2	Mar 04	16
1989-90*	3.5	0.0	0.1	26.8		
1990-91	20.8	0.0	8.4	511.7		
1991-92*	59.7	0.0	2.1	1,235.0		
1992-93*	153.0	0.0	11.4	4,538.0		
1993-94	NO RECORD					
1994-95	69.3	0.0	3.0	2,184.0	Mar 05	132
1995-96*	13.6	0.0	0.5	369.0	Apr 08	127
1996-97	17.0	0.0	0.4	264.0	Jan 26	40
1997-98	71.0	0.0	4.2	3,050.0	Feb 23	174
1998-99	1.0	0.0	0.1	104.0	Jul 14	3
1999-00*	2.0	0.0	0.2	124.0	Feb 21	4
2000-01	14.0	0.0	1.3	952.0	May 21	15
2001-02	0.5	0.0	0.0	1.0	Nov 24	8
2002-03	0.0	0.0	0.2	0.0	Sep 03	247
2003-04	3.8	0.0	0.1	75.0	Dec 25	23
2004-05	209.0	0.0	8.3	5,980.0	Jan 09	370
2005-06	11.0	0.1	1.7	1,130.0	Dec 31	121
2006-07	0.2	0.0	0.1	9.5	Oct 01	0
2007-08	138.0	0.0	8.9	6,430	Apr 03	139

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**MINT CANYON CREEK at Sierra Highway.
STATION NO. F328B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2003-04	8.9	0.0	0.0	51.3	Feb 26	20
2004-05	229.0	0.0	2.7	1,930.0	Jan 09	550
2005-06	13.0	0.0	0.2	97.0	Jan 02	155
2006-07	0.2	0.0	0.1	1.0	Feb 19	10
2007-08	31.2	0.0	0.2	131	Feb 17	150

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MONTEBELLO STORM DRAIN above Rio Hondo. STATION NO. F181-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	*	0.0	*	1,120*	Jan 31	531
1932-33	125.0	0.0	0.8	529.0	Jan 19	713
1933-34	391.0	0.0	2.6	1,910	Jan 01	1,360
1934-35	114.0	0.0	2.3	1,650	Jan 05	1,140
1935-36	55.0	0.0	1.2	889.0	Feb 14	374
1936-37	NO RECORD					
1937-38	N.D.	N.D.	N.D.	N.D.	Mar 02	1,400E
1938-39	147.0	0.0	1.4	981.0	Sep 25	688
1939-40	77.0	0.1	1.2	885.0	Feb 01	729
1940-41	204.0	0.1	5.6	4,090	Mar 03	936
1941-42	102.0	0.1	1.3	962.0	Dec 10	521
1942-43	300.0E	0.1	3.6	2,580		N.D.
1943-44	323.0E	0.1	3.3	2,390	Feb 22	1,040
1944-45	64.0	0.1E	0.8	768.0	Nov 11	506
1945-46	92.0	0.0	1.2	865.0	Dec 22	384
1946-47	144.0	0.1	1.9	1,350	Nov 13	1,240
1947-48	86.0	0.1	1.3	913.0	Dec 05	1,220
1948-49	41.0	0.1	1.2	861.0	Dec 17	347
1949-50	95.0	0.1	1.7	1,240	Jan 08	790
1950-51	50.0	0.1	1.2	888.0	Jan 10	333
1951-52	302.0	0.1	4.6	3,330	Mar 07	1,010
1952-53	97.0	0.1	2.0	1,430	Nov 15	770
1953-54	232.0	0.1	3.0	2,190	Feb 13	1,010
1954-55	*	*	*	1,210*	Jan 18	759
1955-56	463.0	+	2.9	2,110	Jan 26	856
1956-57	65.0	+	1.6	1,120	Feb 28	570
1957-58	199.0	+	4.5	3,250	Feb 19	865
1958-59	109.0	0.1	1.7	1,230	Jan 06	869
1959-60	96.0	0.1	2.1	1,530	Jan 12	784
1960-61	65.0	0.1	1.2	884.0	Nov 26	478
1961-62	225.0	0.1	4.6	3,370	Feb 12	783
1962-63	129.0	0.3	2.1	1,530	Mar 16	851
1963-64	77.0	0.2	1.8	1,280	Nov 19	553
1964-65	124.0	+	2.7	1,970	Apr 09	844
1965-66	281.0	0.1	4.4	3,200	Dec 29	904
1966-67	288.0	0.2	4.9	3,560	Jan 24	1,060
1967-68	198.0	0.2	2.9	2,130	Mar 08	923
1968-69	424.0	0.2	8.5	6,165	Jan 25	1,600E
1969-70	135.0	+	2.4	1,740	Feb 10	792
1970-71	169.0	+	2.8	2,000	Nov 29	833

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MONTEBELLO STORM DRAIN above Rio Hondo. STATION NO. F181-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1971-72	142.0	0.2	1.6	1,160	Dec 24	637
1972-73	140.0	0.1	3.8	2,740	Feb 27	811
1973-74	128.0	+	1.4	988.0	Jan 07	546
1974-75	61.0	+	1.0	748.0	Dec 04	608
1975-76	39.0	+	0.8	603.0	Sep 11	240
1976-77	36.1	0.0	0.7	490.0	May 08	226
1977-78	318.0	0.0	4.2	3,050	Jan 16	991
1978-79	107.0	0.0	1.7	1,239	Mar 27	619
1979-80	809.0	0.0	9.6	6,759		N.D.
1980-81	52.8	0.0	0.7	515.0	Mar 02	293
1981-82	62.2	0.0	1.0	728.0	Nov 28	341
1982-83	630.0	0.0	6.0	4,319	Mar 01	1,620
1983-84	31.7	0.0	6.0	455.0	Oct 01	506
1984-85	43.5	0.0	0.9	644.0	Dec 19	469
1985-86	77.6	0.0	1.4	1,327	Feb 14	676
1986-87	38.6	0.0	0.5	391.0	Oct 02	520
1987-88	81.2	0.0	1.1	775.0	Jan 17	493
1988-89	30.3	0.1	1.0	726.0	Dec 21	255
1989-90	110.0	0.1	1.1	767.0	Feb 17	500
1990-91	74.8	0.0	1.3	907.0	Feb 27	486
1991-92	183.0	0.1	2.2	1,565	Feb 12	1,020
1992-93	204.0	0.0	4.6	3,364	Dec 07	1,040
1993-94	47.7	0.0	0.7	536.0	Mar 19	542
1994-95	131.0	0.0	4.0	2,896	Jan 10	1,340
1995-96	134.0	0.0	1.1	792.0	Feb 20	899
1996-97	35.0	0.0	1.0	745.0	Jan 15	290
1997-98	60.0	+	1.7	1,230	Feb 06	658
1998-99	26.0	0.0	0.5	358.0	Nov 28	214
1999-00	124.0	0.1	1.8	1,270	Feb 23	254
2000-01	66.0	+	1.5	1,060	Jan 12	641
2001-02	29.8	0.0	0.4	297.9	Nov 24	472
2002-03	128.8	0.0	1.4	1,037.4	Feb 12	644
2003-04	64.8	0.0	0.9	643.3	Feb 25	663
2004-05	82.0	0.1	1.0	720.0	Jan 09	190
2005-06	43.0	0.2	0.6	423.0	Feb 07	56
2006-07	1.1	0.2	0.2	146.3	Apr 20	17
2007-08	15.2	0.2	0.3	208	Jan 05	126

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

PACOIMA CREEK FLUME below Pacoima Dam. STATION NO. F118B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	75.0	0.0	11.7	8,408.8	Feb 16	75
1932-33	27.8	0.0	2.5	1,790.8	Apr 13	81
1933-34	39.7	0.1	3.9	2,543.5	Jan 26	54
1934-35	56.0	0.0	9.0	3,961.6	Aug 21	174
1935-36	57.0	0.0	4.2	3,021.2	May 13	153
1936-37	216.0	0.0	20.7	14,559.0	Mar 02	233
1937-38	339.0	0.0	33.1	22,739.1	Mar 02	685
1938-39	49.0	0.1	4.9	3,079.2	Jan 20	51
1939-40	123.0	0.1	4.5	3,177.9	Feb 04	169
1940-41	431.0	0.0	41.0	26,430.0	Mar 05	460
1941-42	25.0	0.0	3.5	1,986.6	Jul 15	97
1942-43	576.0	0.0	31.3	20,401.8	Jan 23	598
1943-44	305.0	0.0	21.0	15,136.5	Mar 02	326
1944-45	174.0	0.0	7.6	4,909.3	Feb 02	397
1945-46	137.0	0.0	8.3	2,904.0	Feb 05	241
1946-47	230.0	0.0	8.2	6,026.4	Jan 07	237
1947-48	6.4	0.0	0.4	322.5	Jun 22	10
1948-49	7.9	0.0	1.4	739.8	Jun 24	10
1949-50	98.0	0.0	1.4	1,020.7	Apr 11	314
1950-51	5.3	0.0	0.1	66.0	Jun 12	17
1951-52	416.0	0.0	19.6	14,350.4	Jan 18	634
1952-53	157.0	0.0	4.9	3,502.0	Nov 17	163
1953-54	229.0	0.0	4.1	2,941.9	Apr 05	292
1954-55	14.7	0.0	1.0	737.1	Apr 21	42
1955-56	5.2	0.0	1.7	1,251.8	Nov 23	66
1956-57	28.0	0.0	1.1	774.5	May 07	47
1957-58	N.D.					
1958-59	N.D.					
1959-60	3.7	0.0	0.4	268.8	Aug 02	4
1960-61	0.1	0.0	0.0	6.2		0
1961-62	160.0	0.0	9.2	6,340.4	Apr 07	511
1962-63	20.0	0.0	0.3	193.2	Sep 25	23
1963-64	19.3	0.0	0.9	666.8	Jun 15	117
1964-65	5.1	0.0	1.4	996.5	May 07	5
1965-66	480.0	0.0	20.9	15,184.1	Nov 23	664
1966-67	193.0	0.0	32.5	23,601.5	Jul 06	197
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

PACOIMA CREEK FLUME below Pacoima Dam. STATION NO. F118B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	66.0	0.1	3.5	2,527.5	Dec 12	211
1975-76	63.8	0.1	2.2	1,613.6	Jun 15	66
1976-77	25.9	0.0	0.7	507.8	Apr 04	460
1977-78	1,029.0	0.0	54.7	39,723.8	Mar 04	39,724
1978-79	134.4	0.0	16.6	12,016.9		
1979-80	980.0	0.0	35.8	26,180.6	Feb 16	977
1980-81	124.0	0.0	4.7	3,438.5	Feb 05	134
1981-82	131.0	0.2	6.7	4,868.4	Mar 26	135
1982-83	2,044.0	0.2	61.4	44,490.0	Mar 01	3,941
1983-84	101.0	0.0	1.9	1,386.2	Jan 25	252
1984-85	170.0	0.0	4.8	3,466.9		
1985-86	110.0	0.0	9.8	7,083.0	May 27	245
1986-87	33.6	0.0	0.0	0.0		
1987-88	58.9	0.0	4.7	3,366.1		
1988-89	36.0	0.0	2.6	1,924.8	Dec 21	309
1989-90	93.5	0.0	0.7	675.0	Oct 11	308
1990-91	355.0	0.0	40.5	26,401.4		
1991-92	704.0	0.0	28.7	20,798.0	Feb 12	917
1992-93	688.0	0.0	69.8	50,500.0	Jan 13	745
1993-94*	71.3	0.0	4.2	774.0		
1994-95	N.D.					
1995-96	N.D.					
1996-97	174.0	0.6	7.5	5,430.0		
1997-98	1,020.0	0.0	43.8	31,700.0		
1998-99	38.0	0.0	2.9	2,100.0	Nov 19	196
1999-00	30.0	0.0	2.5	1,830.0	Jun 22	224
2000-01	54.0	0.0	3.7	2,710.0	Jun 05	188
2001-02	62.9	0.0	0.6	407.7	Oct 23	114
2002-03	78.0	0.0	3.7	2,646.8	May 22	365
2003-04	133.1	0.0	1.4	1,524.9	Oct 21	400
2004-05	856.0	0.0	45.2	32,700.0	Jan 09	987
2005-06	212.0	0.0	11.6	8,240.0	Jan 11	397
2006-07	33.6	0.0	2.0	138.1	Apr 17	149
2007-08	334.0	0.0	9.5	6,866	Feb 14	456

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

PACOIMA DIVERSION at Branford Street. STATION NO. F305-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1953-54	116.0	0.0	1.4	975.9	Feb 13	508
1954-55	53.0	0.0	1.2	872.1	May 07	450
1955-56	194.0	0.0	1.6	1,122.8	Jan 26	622
1956-57	57.0	0.0	1.2	841.6	Jan 13	580
1957-58	326.0	0.0	8.9	6,390.1	Feb 04	1,380
1958-59	163.0	0.0	1.0	691.4	Jan 06	2,800
1959-60	46.0	0.0	1.0	689.7	Jan 11	666
1960-61	86.0	0.0	1.3	910.0	Nov 05	988
1961-62	104.0	0.0	1.4	988.2	Feb 11	2,960
1962-63	78.0	0.0	1.2	883.2	Apr 25	988
1963-64	150.0	0.0	1.5	1,116.1	Jan 22	2,550
1964-65	62.0	0.0	1.7	1,206.0	Apr 09	946
1965-66	614.0	0.0	8.6	6,144.2	Nov 17	4,800
1966-67	312.0	0.0	6.3	4,562.1	Jan 22	3,140
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	136.0	0.6	4.1	2,959.7	Mar 06	1,590
1975-76	107.0	0.7	2.8	2,039.2	Sep 05	2,580
1976-77	135.0	0.5	2.7	1,978.1	Jan 03	2,860
1977-78	3,200.0	0.6	704.1	42,305.5	Mar 04	3,730
1978-79	214.0	0.7	6.4	4,628.6	Mar 28	4,090
1979-80	1,180.0	0.6	8.3	17,147.5		
1980-81	162.0	0.0	3.0	2,145.5	Jan 29	3,790
1981-82	250.0	0.2	3.7	2,709.2	Mar 17	4,660
1982-83	4,280.0	0.0	60.8	44,045.2	Mar 01	10,900
1983-84	68.5	0.0	2.6	1,921.2	Oct 04	896
1984-85	65.0	0.1	1.5	1,103.6	Dec 18	1,270
1985-86	134.0	0.0	3.2	2,280.0	Jan 31	2,230
1986-87	141.0	0.0	2.9	2,118.9	Nov 17	2,260
1987-88	388.0	0.2	4.9	3,592.5	Oct 22	7,470
1988-89	772.0	0.7	3.6	2,639.4	Nov 14	740
1989-90	77.5	0.8	2.8	2,050.5	Feb 04	1,050
1990-91	M	M	M	M		M
1991-92	1,130.0	0.7	16.8	12,188.2	Feb 04	9,700
1992-93	1,420.0	0.5	55.3	40,071.1	Dec 07	6,470

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

PACOIMA DIVERSION at Branford Street. STATION NO. F305-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1993-94	154.0	0.7	4.9	3,531.0	Dec 11	3,190
1994-95	1,250.0	0.0	18.8	13,621.3	Mar 10	7,250
1995-96	364.0	0.4	5.5	4,020.9	Feb 21	3,700
1996-97	225.0	1.3	7.0	5,052.3	Dec 22	4,700
1997-98	1,460.0	1.0	34.5	25,006.8	Feb 07	13,600
1998-99	108.0	1.8	6.4	4,622.3	Oct 29	3,350
1999-00*	169.0	2.3	6.1	4,390.0	Feb 20	3,740
2000-01	305.0	1.3	7.0	5,030.0	Jan 11	6,130
2001-02	167.0	0.9	3.2	2,316.2	Nov 24	5,895
2002-03	703.8	0.7	7.9	5,706.2	Dec 16	6,060
2004-05	3,440.0	0.1	57.1	41,400.0	Jan 09	10,100
2005-06	100.0	0.9	4.2	3,020.0	Apr 01	1,560
2006-07	120.0	0.9	3.4	2,462.3	Sep 22	2,186
2007-08	345.0	0.9	7.4	5,390	Jan 04	2,082

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

PALLETT CREEK at Valyermo Highway. STATION NO. F122-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1961-62	92.0	0.0	0.4	311.0	Feb 11	259
1962-63	0.7	0.0	0.3	190.0	Feb 09	3
1963-64	0.0	0.0	0.0	0.0		0
1964-65	0.3	0.0	+	1.0	Aug 12	16
1965-66	53.0	0.0	1.5	1,110	Dec 29	176
1966-67	3.8	0.3	0.8	618.0	Dec 06	7
1967-68	5.0	0.3	0.8	615.0	Nov 21	10
1968-69	770.0	0.3	7.8	5,640	Feb 25	1,480
1969-70	37.0	0.6	1.2	846.0	Feb 28	161
1970-71	183.0	0.1	1.0	744.0	Nov 29	839
1971-72	56.0	0.1	0.6	452.0	Dec 25	282
1972-73	6.5	+	0.2	156.0	Feb 11	24
1973-74	0.6	0.1	0.3	213.0	Dec 11	1
1974-75	1.6	0.0	0.2	140.0	Dec 04	10
1975-76	2.5	0.0	0.1	87.0	Sep 24	51
1976-77	2.5	0.0	0.1	39.0	May 08	10
1977-78	1,220	0.0	33.4	24,170	Feb 10	1,630
1978-79	156.0	0.6	5.9	4,312	Mar 29	191
1979-80	210.0	0.0	7.6	5,487	Feb 16	1,470
1980-81	15.8	0.0	1.7	1,193	Mar 01	60
1981-82	12.8	0.0	0.6	423.0	Apr 11	49
1982-83	454.0	0.0	11.9	8,626	Mar 01	831
1983-84	15.0	0.2	1.8	1,282	Jul 30	147
1984-85	11.6	0.0	0.4	292.0	Dec 27	14
1985-86	37.3	0.0	0.9	622.0	Jan 30	124
1986-87	1.5	0.0	0.4	264.0	Feb 25	3
1987-88	21.9	0.0	0.3	245.0		N.D.
1988-89	0.5	0.0	0.1	105.0	Dec 16	1
1989-90	0.0	0.0	0.0	0.0		0
1990-91	0.0	0.0	0.0	0.0		0
1991-92	240.0	0.0	4.9	3,570	Feb 12	670
1992-93	498.0	0.4	15.2	10,980	Feb 24	621
1993-94	2.0	0.2	1.0	645.0		N.D.
1994-95	133.0	0.0	6.8	4,934	Mar 11	579
1995-96	1.6	0.0	0.7	534.0	Jul 24	14
1996-97	0.4	0.0	0.1	90.0	Feb 08	0
1997-98	47.0	0.0	5.1	3,680	Feb 23	231
1998-99	2.6	0.1	0.9	655.0	Nov 28	6
1999-00	8.9	0.0	0.2	115.0	Feb 20	76
2000-01	3.8	0.0	0.7	513.0	Jan 02	45

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**PALLETT CREEK at Valyermo Highway.
STATION NO. F122-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2001-02	0.7	0.0	0.3	223.0	Nov 12	1
2002-03	0.0	0.0	0.2	0.0	Feb 12	65
2003-04	3.4	0.0	0.2	126.0	Feb 26	15
2004-05	300.0	0.0	12.7	9,160.0	Jan 09	1,330
2005-06	20.0	1.4	2.5	1,700.0	Feb 28	50
2006-07	2.2	0.1	1.3	682.2	Oct 05	2
2007-08	115.0	0.0	1.6	1,186	Jan 27	207

M Data missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not computed
 + Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO below Lower Azusa Avenue.
STATION NO. F192B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	*	*	*	12,710*		N.D.
1932-33	937.0	0.0	5.2	3,800	Jan 20	5,160
1933-34	2,700.0	0.0	11.2	8,110	Jan 01	5,860
1934-35	324.0	0.0	11.3	8,160	Apr 08	604
1935-36	114.0	0.0	4.7	3,400	Feb 11	391
1936-37	904.0	0.0	38.6	27,960	Feb 20	1,030
1937-38	10,500.0	0.0	241.0	174,300	Mar 02	31,000
1938-39	191.0	0.0	2.2	1,570	Jan 05	680
1939-40	224.0	0.0	5.0	3,640	Jan 07	288
1940-41	2,220.0	0.0	113.0	81,450	Mar 04	4,000
1941-42	214.0	0.1	2.7	1,980	Dec 10	254
1942-43	1,300.0	0.0	14.7	10,680	Jan 23	3,500
1943-44	502.0	0.3	15.9	11,600	Feb 22	1,080
1944-45	112.0	0.1	1.9	1,380	Nov 11	1,060
1945-46	267.0	0.0	18.0	13,030	Dec 23	483
1946-47	279.0	0.0	11.8	8,560	Nov 27	283
1947-48	570.0	0.0	7.2	5,250	Jun 07	584
1948-49	4.9	0.0	0.1	71.0	Feb 27	50
1949-50	24.0	0.0	0.3	203.0	Dec 18	124
1950-51	24.0	0.0	0.3	234.0	Jan 11	636
1951-52	753.0	0.0	8.7	6,340	Jan 16	2,180
1952-53	785.0	0.0	9.0	6,550	Nov 15	944
1953-54	654.0	0.0	14.9	10,800	Feb 13	1,740
1954-55	184.0	0.0	2.0	1,460	Jan 18	2,340
1955-56	1,020.0	0.0	4.0	2,940	Jan 26	3,030
1956-57	390.0	0.0	5.9	4,280	Feb 23	2,270
1957-58	735.0	0.0	32.6	23,610*	Feb 19	1,530
1958-59	218.0	0.0	1.8	1,290*	Jan 06	1,530
1959-60	30.0	0.0	0.4	303.0	Jan 12	185
1960-61	16.0	0.0	0.2	131.0	Nov 05	132
1961-62	630.0	0.0	13.1	9,460	Feb 12	856
1962-63	28.0	0.0	0.3	221.0	Mar 16	182
1963-64	22.0	0.0	0.3	187.0	Jan 21	296
1964-65	32.0	0.0	0.5	340.0	Apr 09	397
1965-66	261.0	0.0	7.7	5,570	Nov 24	1,440
1966-67	175.0	0.0	14.7	10,620	Jan 22	438
1967-68	61.0	0.0	0.8	576.0	Mar 08	714
1968-69	4,380.0	0.0	100.0	72,550	Jan 25	10,600
1969-70	251.0	0.0	5.0	3,580	Mar 04	1,160
1970-71	95.0	0.0	4.2	3,060	Nov 29	446

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO below Lower Azusa Avenue.
STATION NO. F192B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1971-72	5.0	0.0	0.3	210.0	Dec 24	266
1972-73	270.0	0.0	14.5	10,520	Feb 27	2,390
1973-74	144.0	0.0	5.1	3,720	Jan 07	196
1974-75	54.0	+	0.7	538.0	Dec 04	643
1975-76	34.0	0.0	0.5	345.0	Sep 11	635
1976-77	22.5	0.0	0.5	393.0	May 09	230
1977-78	1,910.0	0.0	84.7	61,288	Mar 01	3,210
1978-79	163.0	0.0	19.7	14,291	Feb 21	311
1979-80	1,490.0	0.0	77.5	55,368	Feb 16	3,050
1980-81	237.0	0.0	17.8	13,060	Dec 16	3,070
1981-82	196.0	0.0	11.5	8,293	Sep 23	342
1982-83	350.0	0.0	66.3	48,030	Apr 18	350
1983-84	251.0	0.0	15.5	11,194	Nov 01	303
1984-85	12.5	0.0	0.2	175.0	Nov 08	216
1985-86	318.0	0.0	36.7	26,570	Feb 15	357
1986-87	24.7	0.0	0.2	171.0	Jan 04	296
1987-88	223.0	0.0	5.9	4,290	Dec 04	350
1988-89	12.7	0.0	2.8	173.0	Dec 15	109
1989-90	46.2	0.0	0.4	259.0	Feb 17	236
1990-91	388.0	0.0	11.3	7,831	Aug 01	356
1991-92	809.0	0.0	25.4	18,429	Feb 13	3,860
1992-93	1,010.0	0.0	65.6	47,470	Feb 19	3,190
1993-94	47.0	0.0	2.4	1,748	Dec 14	272
1994-95	803.0	0.0	33.8	24,500	Mar 11	3,210
1995-96	665.0	0.0	29.1	21,100	Feb 21	1,400
1996-97	250.0	0.0	15.8	11,400	Jan 26	634
1997-98	1,270.0	0.0	35.4	25,610	Feb 07	3,670
1998-99	125.0	0.0	3.2	2,290	Nov 08	348
1999-00	33.0	0.0	0.6	455.0	Apr 17	348
2000-01	37.0	0.0	0.5	391.0	Jan 11	318
2001-02	103.6	0.0	2.6	1,794.4	Nov 24	1,035
2002-03	81.1	0.0	1.4	980.5	Dec 16	565
2003-04	61.7	0.0	1.5	1,120.8	Feb 26	437
2004-05	1,310.0	0.0	88.0	63,700.0	Feb 19	4,350
2005-06	212.0	0.0	9.2	6,660.0	Oct 17	538
2006-07	215.0	0.0	4.1	1,869.0	Feb 11	661
2007-08	203.0	0.0	9.2	6,678	Jan 27	1,076

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO above Stuart and Gray Road.
STATION NO. F45B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	*	0.0	*	269*	Mar 06	4*
1928-29	248.0	0.0	3.4	2,460	Apr 04	912
1929-30	285.0	0.0	2.8	2,000	Mar 15	743
1930-31	335.0	0.0	2.6	1,900	Feb 04	841
1931-32	3,440.0	0.0	27.4	19,920	Feb 09	4,610
1932-33	971.0	0.0	6.2	4,450	Jan 19	2,730
1933-34	5,810.0	0.0	23.5	17,030	Jan 01	16,000
1934-35	667.0	0.0	8.3	6,000	Apr 08	3,450
1935-36	472.0	0.0	5.8	4,220	Feb 12	3,160
1936-37	1,460.0	0.0	37.1	26,870	Feb 14	4,800
1937-38	12,700.0	0.0	238.0	172,100	Mar 03	24,400E
1938-39	910.0	0.0	13.2	9,540	Dec 18	5,260
1939-40	442.0	0.0	6.7	4,850	Jan 08	1,930
1940-41	3,690.0	0.0	129.0	93,260	Mar 04	6,420
1941-42	564.0	0.0	9.3	6,730	Dec 10	4,240
1942-43	4,660.0	0.0	57.9	41,910	Jan 23	11,800
1943-44	2,570.0E	0.0	36.9	26,820	Feb 22	6,670
1944-45	492.0	0.0	11.7	8,460	Nov 11	4,500
1945-46	1,130.0	0.0	15.6	11,280	Dec 22	4,270
1946-47	923.0	0.0	22.1	16,030	Nov 13	5,950
1947-48	425.0	0.0	4.8	3,510	Mar 24	2,880
1948-49	268.0	0.0	2.1	1,490	Jan 20	713
1949-50	402.0	0.0	3.9	2,840	Jan 08	1,790
1950-51	135.0	0.0	1.1	781.0	Jan 29	1,080
1951-52	2,430.0	0.0	35.9	26,040	Jan 16	9,040
1952-53	571.0	0.0	4.8	3,450	Nov 15	4,600
1953-54	1,780.0	0.0	14.9	10,760	Feb 13	8,860
1954-55	753.0	0.0	11.1	8,000	Jan 18	4,160
1955-56	4,910.0	0.0	20.0	14,540	Jan 26	11,600
1956-57	967.0	0.0	6.4	4,640	Feb 23	6,560
1957-58	2,230.0	0.0	41.8	30,260	Feb 19	10,800
1958-59	915.0	0.0	5.4	3,900	Jan 06	11,000
1959-60	219.0	0.0	3.3	2,370	Jan 12	3,030
1960-61	115.0	0.0	1.2	831.0	Nov 26	2,090
1961-62	2,080.0	0.0	31.4	22,780	Feb 19	7,100
1962-63	620.0	0.0	4.5	3,280	Feb 09	4,240
1963-64	190.0	0.0	2.4	1,730	Jan 22	2,060
1964-65	1,130.0	0.0	7.3	5,310	Apr 09	8,780
1965-66	4,810.0	+	95.8	69,390	Dec 29	19,000
1966-67	5,210.0	+	26.6	21,530	Jan 24	20,100

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO above Stuart and Gray Road.
STATION NO. F45B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	4,300.0	+	25.3	18,360	Mar 08	17,900
1968-69	23,100.0	+	424.0	307,100	Jan 25	46,900
1969-70	964.0	+	10.0	7,220	Feb 28	7,540
1970-71	2,430.0	+	13.1	9,520	Nov 29	9,350
1971-72	2,420.0	+	6.0	4,409	Dec 24	11,400
1972-73	2,550.0	+	21.9	15,860	Feb 11	15,180
1973-74	3,360.0	+	15.4	11,180	Jan 07	11,710
1974-75	303.0	+	9.5	6,910	Dec 04	13,250
1975-76	920.0	+	9.4	6,660	Sep 11	9,820
1976-77	619.0	0.0	6.9	5,020	Oct 23	2,890
1977-78	13,800.0	+	270.0	195,463	Mar 01	32,000
1978-79	4,600.0	0.5	46.5	33,662	Mar 27	25,600
1979-80	16,000.0	0.5	313.4	221,877	Feb 16	48,100
1980-81	2,050.0	0.0	13.2	9,539	Mar 01	13,500
1981-82	4,410.0	0.0	28.7	20,768	Nov 28	17,100
1982-83	20,600.0	0.0	236.5	172,592	Mar 01	38,400
1983-84	2,600.0	0.0	17.2	12,502	Oct 01	9,480
1984-85	1,400.0	0.0	14.1	10,216	Feb 09	7,130
1985-86	4,500.0	0.0	*	*	Feb 15	19,400
1986-87	1,730.0	0.1	8.6	6,256	Jan 04	10,000
1987-88	2,660.0	0.0	16.7	12,111	Jan 17	11,300
1988-89	1,280.0	0.1	12.4	8,967	Dec 21	6,050
1989-90	5,030.0	0.1	16.9	12,222	Feb 17	17,500
1990-91	3,880.0	0.0	34.1	24,720	Feb 27	19,600
1991-92	6,930.0	0.1	56.7	41,160	Feb 12	32,000
1992-93	11,200.0	0.0	386.0	279,400	Feb 18	32,800
1993-94	260.0	0.0	10.0	7,222	Mar 19	4,240
1994-95	10,500.0	0.1	164.0	119,100	Jan 10	37,400
1995-96	6,320.0	0.0	40.3	29,240	Feb 20	20,200
1996-97	3,420.0	0.1	30.7	22,230	Jan 25	13,300
1997-98	9,700.0	0.0	178.0	129,200	Feb 08	34,700
1998-99	417.0	0.0	3.9	2,850	Nov 08	2,360
1999-00	2,960.0	+	*	*	Feb 23	14,600
2000-01	Under	Construct	since	May 2000.		
2001-02	*	*	*	*	Mar 17	421
2002-03	4,490.1	0.0	49.9	36,130.1	Sep 29	52
2003-04	4,756.1	0.0	20.0	14,409.5	Feb 26	25,100
2004-05	22,400.0	0.0	424.0	307,000.0	Jan 09	41,600
2005-06	2,140.0	0.0	9.7	7,010.0	Jan 02	4,280
2006-07	262.0	0.0	1.5	1,066.1	Sep 22	1,348

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO above Stuart and Gray Road.
STATION NO. F45B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2007-08	2,750.0	0.0	25.0	18,162	Jan 05	6,780

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

RIO HONDO BYPASS – Zone One Ditch STATION NO. F313B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1953-54	138.0	0.0	12.0	7,232.5		
1954-55	169.0	0.0	19.6	9,750.0		
1955-56	172.0	0.0	23.5	14,983.5		
1956-57	168.0	0.0	27.5	19,964.8		
1957-58	175.0	0.0	18.4	13,371.4		
1958-59	N.D.					
1959-60	N.D.					
1960-61	N.D.					
1961-62	153.0	0.0	44.3	31,825.0		
1962-63	137.0	0.0	12.5	9,121.4		
1963-64	N.D.					
1964-65	N.D.					
1965-66	N.D.					
1966-67	N.D.					
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	145.0	0.0	46.8	33,879.9		
1975-76	169.0	0.0	27.1	19,669.7		
1976-77	138.0	0.0	7.8	5,640.8	Jan 05	182
1977-78	165.0	0.0	33.5	24,287.8	Sep 05	188
1978-79	184.0	0.0	63.6	46,015.3	Aug 04	187
1979-80	165.0	0.0	24.1	17,523.8	Oct 20	188
1980-81	134.0	0.0	67.9	49,193.1	Jan 11	185
1981-82	127.0	0.0	31.4	22,760.1	Oct 01	161
1982-83	91.6	0.0	7.9	5,750.1	Jan 16	93
1983-84	84.9	0.0	14.4	4,341.2	Dec 16	110
1984-85	150.0	0.0	52.5	38,014.2	Mar 27	185
1985-86	183.0	0.0	16.5	11,946.2	Jan 25	190
1986-87	177.0	0.0	67.3	48,538.7	Mar 18	233
1987-88	178.0	0.0	40.3	29,307.8	May 24	184
1988-89	192.0	0.0	80.4	58,223.0	Jan 19	201
1989-90	193.0	0.0	78.4	56,728.9	Jan 25	271
1990-91	174.0	0.0	27.8	20,195.3	Oct 01	189
1991-92	116.0	0.0	24.3	17,613.2	Feb 12	360
1992-93	165.0	0.0	29.3	21,194.8	Feb 18	355

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

RIO HONDO BYPASS – Zone One Ditch STATION NO. F313B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1993-94	155.0	1.3	48.6	35,157.8	Jan 25	203
1994-95	136.0	0.0	15.5	11,241.5	Jan 10	359
1995-96	111.0	0.0	30.6	22,231.9	Feb 20	318
1996-97*	184.0	0.0	34.6	25,060.8	Jun 13	200
1997-98	200.0	0.0	31.6	22,864.6	May 05	214
1998-99	122.0	0.0	35.7	25,854.0	Jan 27	216
1999-00*	182.0	0.0	51.8	37,608.9	May 11	192
2000-01	159.0	0.0	23.7	17,130.0	Apr 07	178
2001-02	174.3	0.0	68.0	49,258.9	Dec 19	198
2002-03	226.5	0.0	70.2	50,861.9	Dec 16	288
2003-04	192.4	0.0	36.0	27,686.0	Feb 04	251
2004-05	192.0	0.0	26.1	18,900.0	Nov 21	240
2005-06	198.0	0.0	51.4	37,210.0	Mar 17	257
2006-07	221.0	0.0	107.7	44,840.2	Dec 02	233
2007-08	149.0	0.0	21.1	15,342	Jul 30	182

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

RUBIO DIVERSION CHANNEL below Gooseberry Inlet. STATION NO. F338-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1959-60	0.8	0.0	0.0	9.0	Jan 11	9
1960-61	0.8	0.0	0.0	6.0	Jan 26	5
1961-62	7.9	0.0	0.1	62.0	Feb 11	22
1962-63	2.6	0.0	0.0	20.0	Feb 10	32
1963-64	0.8	0.0	0.0	14.0	Jan 21	8
1964-65	1.0	0.0	0.0	30.0	Nov 09	21
1965-66	18.3	0.0	0.3	206.0	Dec 29	63
1966-67	12.5	0.0	0.2	127.0	Jan 22	43
1967-68	18.2	0.0	0.2	112.0	Nov 19	267
1968-69	254.0	0.0	4.2	3,050	Jan 25	880
1969-70	11.7	0.0	0.4	272.0	Feb 28	146
1970-71	36.0	0.0	0.6	413.0	Nov 29	266
1971-72	M	M	M	M		M
1972-73	58.0	+	1.5	1,098	Jan 18	114
1973-74	22.6	+	2.8	1,994	Nov 18	76
1974-75	11.0	+	0.9	627.0	Mar 06	85
1975-76	13.0	0.0	0.6	431.0	Feb 09	88
1976-77	4.8	0.0	0.5	384.0	May 09	47
1977-78	76.3	0.0	3.0	2,141	Mar 04	276
1978-79	5.0	0.0	0.7	494.0	Mar 28	71
1979-80	108.0	0.2	8.9	6,438	Feb 19	1,400
1980-81	13.3	0.4	3.6	2,598	May 02	115
1981-82	20.7	0.0	2.1	1,519	Apr 01	106
1982-83	150.0	0.2	3.1	2,391		296
1983-84	16.5	0.0	1.0	740.0	Oct 04	184
1984-85	9.8	0.0	0.5	332.0	Jan 18	31
1985-86	8.2	0.0	7.8	463.0		N.D.
1986-87	NO RECORD					
1987-88	9.0	0.0	0.7	526.0		N.D.
1988-89	6.0	0.0	0.9	631.0	Mar 25	6
1989-90	5.2	0.0	0.3	232.0		N.D.
1990-91	16.3	0.0	0.3	249.0	Mar 01	16
1991-92	45.4	0.0	2.2	1,592	Feb 10	191
1992-93	*	*	*	*		*
1993-94	*	*	*	*		*
1994-95	71.6	0.0	2.8	2,056	Feb 14	170
1995-96	41.2	0.0	1.6	1,139	Feb 20	131
1996-97	5.8	0.0	0.8	601.0	Sep 25	31
1997-98	9.8	0.0	1.5	1,050	Mar 02	106
1998-99	27.0	0.0	1.4	1,030	Mar 15	179

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RUBIO DIVERSION CHANNEL below Gooseberry Inlet.
STATION NO. F338-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1999-00	6.0	0.2	0.5	360.0	Feb 16	94
2000-01	37.0	0.0	1.1	822.0	Jan 11	179
2001-02	3.2	0.0	0.4	202.6	Dec 20	89
2002-03	4.3	0.0	0.1	93.3	Mar 15	49
2003-04	5.9	0.0	0.1	80.0	Feb 26	55
2004-05	68.0	0.0	1.5	1,100.0	Jan 09	270
2005-06	34.0	0.2	2.4	1,730.0	Apr 14	194
2006-07	12.1	0.0	0.8	537.0	Apr 20	115
2007-08	19.5	0.0	1.3	939	Jan 04	226

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RUBIO WASH at Glendon Way.
STATION NO. F82C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	107.0	0.0	1.5	1,110	Feb 03	1,690
1931-32	124.0	0.0	2.1	1,490	Nov 27	798
1932-33	234.0	0.0	1.5	1,110	Jan 16	1,510
1933-34	684.0	0.0	3.6	2,580	Dec 31	2,070
1934-35	134.0	0.0	2.4	1,770	Oct 17	1,680
1935-36	81.0	0.0	1.8	1,280	Feb 22	1,370
1936-37	186.0	0.0	3.9	2,800	Dec 27	1,180
1937-38	802.0	0.0	5.8	4,180	Mar 02	2,400E
1938-39	250.0	0.0	3.3	2,370	Jan 05	1,720
1939-40	122.0	0.0	2.4	1,270	Jan 07	1,000
1940-41	200.0	0.0	8.1	5,890	Mar 03	1,940
1941-42	130.0	0.0	2.1	1,530	Dec 10	1,200
1942-43	697.0	0.0	6.2	4,520	Mar 04	2,780
1943-44	393.0	0.0	4.4	3,190	Feb 22	1,930
1944-45	152.0	0.0	2.1	1,540	Nov 11	1,780
1945-46	244.0	0.0	2.5	1,840	Dec 22	1,630
1946-47	233.0	0.0	3.2	2,300	Nov 13	2,650
1947-48	91.0	0.0	1.5	1,080	Mar 24	2,090
1948-49	59.0	0.0	1.5	1,080	Oct 30	530
1949-50	161.0	0.0	2.3	1,690	Feb 06	1,060
1950-51	80.0	0.0	1.4	1,010	Jan 11	2,290
1951-52	335.0	0.0	7.3	5,300	Jan 16	3,020
1952-53	133.0	0.0	2.0	1,460	Nov 15	2,200
1953-54	288.0	+	3.4	2,490	Jan 19	2,310
1954-55	126.0	+	2.6	1,870	Jan 18	1,290
1955-56	639.0	0.0	4.0	2,880	Jan 26	1,970
1956-57	199.0	+	3.2	2,290	Feb 23	2,980
1957-58	286.0	0.1	7.7	5,610	Feb 19	2,740
1958-59	218.0	0.2	2.8	2,030	Jan 06	2,780
1959-60	135.0	0.2	2.5	1,820	Jan 11	985
1960-61	117.0	0.2	1.8	1,270	Nov 06	902
1961-62	281.0	0.1	5.7	4,120	Jan 20	1,200
1962-63	246.0	0.1	2.4	1,760	Feb 09	1,180
1963-64	136.0	0.2	2.6	1,870	Jan 21	1,570
1964-65	164.0	0.1	2.8	2,030	Apr 09	2,040
1965-66	466.0	0.1	6.4	4,650	Nov 24	2,300
1966-67	344.0	0.2	7.2	5,220	Dec 03	2,040
1967-68	343.0	0.2	4.0	2,930	Mar 08	2,460
1968-69	712.0	0.2	11.4	8,220	Jan 25	2,890
1969-70	**	**	**	**	Feb 28	2,540

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RUBIO WASH at Glendon Way.
STATION NO. F82C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	**	**	**	**	Nov 29	3,700
1971-72	**	**	**	**	Dec 24	1,240
1972-73	410.0	0.0	7.0*	5,041*	Feb 11	3,166
1973-74	460.0	0.2	5.5	3,950	Jan 07	1,985
1974-75	328.0	0.3	4.5	3,240	Dec 04	3,180
1975-76	373.0	0.2	4.1	2,920	Sep 10	2,070
1976-77	180.0	0.1	4.4	3,187	Oct 23	2,610
1977-78	531.0	0.0	12.9	9,340	Feb 10	*
1978-79	176.0	0.0	8.4	6,056	Feb 21	2,680
1979-80	781.0	0.0	11.8	8,372	Jan 29	4,594
1980-81	205.0	0.0	4.3	3,108	Mar 01	1,754
1981-82	186.0	0.0	4.0	2,890	Mar 17	1,650
1982-83	620.0	0.1	12.6	9,079	Mar 02	4,560
1983-84	165.0	0.1	2.8	1,976	Dec 25	1,680
1984-85	154.0	0.1	3.5	2,543	Dec 19	1,610
1985-86	212.0	0.1	6.1	4,445	Mar 08	2,090
1986-87	153.0	0.2	3.6	2,580	Oct 02	2,790
1987-88	246.0	0.0	4.3	3,113	Dec 04	3,620
1988-89	123.0	0.1	2.9	2,122	Dec 15	783
1989-90	341.0	0.3	4.5	3,249	Jan 16	1,560
1990-91	355.0	0.0	4.9	3,513	Mar 01	1,840
1991-92	287.0	0.0	5.7	4,115	Feb 12	2,540
1992-93	323.0	0.0	7.9	5,726	Jan 14	3,660
1993-94	105.0	0.0	2.3	1,640	Mar 24	1,970
1994-95	707.0	0.0	9.4	6,777	Mar 11	4,610
1995-96	656.0	0.0	7.5	5,464	Jan 31	5,010
1996-97	156.0	0.0	3.9	2,790	Jan 15	1,180
1997-98	438.0	0.0	9.1	6,590	Feb 06	4,030
1998-99	79.0	0.0	2.2	1,560	Nov 28	2,430
1999-00	218.0	0.1	5.6	4,030	Feb 21	2,710
2000-01	249.0	0.6	5.7	4,120	Jan 11	1,670
2001-02	186.3	0.4	3.0	2,187.3	Nov 24	3,553
2002-03	0.0	0.0	7.1	0.0	Mar 16	2,550
2003-04	335.6	0.0	3.9	2,810.8	Feb 26	2,970
2004-05	466.0	0.1	11.3	8,170.0	Oct 20	3,470
2005-06	270.0	0.1	4.7	3,430.0	Jan 02	2,663
2006-07	64.9	0.1	1.5	1,099.9	Feb 11	1,057
2007-08	407.0	0.0	5.1	3,717	Jan 04	3,859

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN DIMAS CREEK below San Dimas Dam.
STATION NO. F303-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1951-52	171.0	0.0	6.4	4,661.2	Mar 16	292
1952-53	6.1	0.1	1.5	1,115.5	Jul 06	7
1953-54	61.0	0.0	2.1	1,539.0	Jan 25	161
1954-55	6.1	0.0	0.8	563.3	Nov 16	175
1955-56	40.0	0.0	1.1	816.1	Jan 26	54
1956-57	5.0	0.0	0.6	435.2		5
1957-58	220.0	0.0	9.1	6,525.2	Apr 03	270
1958-59	19.0	0.0	1.8	1,260.9	Feb 18	20
1959-60	5.9	0.0	0.7	483.5	Aug 25	6
1960-61	17.1	0.0	0.4	292.3	Aug 01	20
1961-62	136.0	0.0	3.9	2,728.0	Dec 03	215
1962-63	83.0	0.0	1.5	1,104.3	Feb 09	404
1963-64	24.0	0.0	1.0	752.3		
1964-65	49.0	0.1	1.7	1,195.6	Apr 09	133
1965-66	242.0	0.1	8.8	6,332.0	Nov 23	500
1966-67	516.0	0.0	15.9	11,533.9	Dec 06	1,190
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	18.0	0.2	2.2	1,565.2	May 13	36
1975-76	9.3	0.1	1.3	926.3	Mar 22	14
1976-77	26.0	0.0	1.6	1,135.1	Apr 06	58
1977-78	703.0	0.0	0.8	18,359.4	Mar 04	938
1978-79	227.0	0.2	0.3	7,354.5	Mar 28	102
1979-80	894.0	0.1	0.0	0.0		
1980-81	26.1	0.3	4.4	3,216.6	Dec 01	27
1981-82	100.0	0.1	5.1	3,700.6	Mar 17	201
1982-83	5,840.0	0.4	24.0	17,376.2	Mar 01	883
1983-84	37.0	0.2	6.0	4,322.4	Feb 28	53
1984-85	48.2	0.4	3.5	2,561.1	Jun 04	51
1985-86	56.3	0.0	3.3	2,415.3		
1986-87	9.3	0.0	0.9	616.1	Jan 04	23
1987-88	31.0	0.4	1.7	1,253.2		
1988-89	98.7	0.1	2.0	1,400.9	May 10	248
1989-90	50.2	0.0	0.5	365.0	Jun 08	198
1990-91	20.1	0.1	3.2	2,352.0	Oct 23	229

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN DIMAS CREEK below San Dimas Dam.
STATION NO. F303-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1991-92	136.0	0.0	5.3	3,830.5	Mar 24	150
1992-93	587.0	0.3	33.7	24,415.1	Jan 18	651
1993-94	22.2	0.3	3.3	2,389.3	Oct 27	130
1994-95	177.0	0.4	14.0	10,127.2	Mar 06	248
1995-96	73.1	0.5	5.7	4,111.1	Feb 22	78
1996-97	100.0	0.2	4.1	2,976.6	Apr 01	107
1997-98	271.0	0.4	16.3	11,836.8	Feb 24	452
1998-99	64.0	0.0	5.1	3,723.6	May 20	104
1999-00*	7.4	0.0	0.6	457.4	Jun 26	36
2000-01	41.0	0.0	2.2	1,570.0	May 15	293
2001-02	22.7	0.0	0.6	464.9	May 15	242
2002-03	151.6	0.1	3.3	2,371.4	Mar 16	771
2003-04	40.4	0.2	2.2	1,610.1	Dec 25	169
2004-05	1,110.0	0.0	32.9	23,700.0	Jan 11	1,410
2005-06	116.0	0.3	7.3	5,270.0	May 11	378
2006-07	12.4	0.3	2.2	1,557.6	Apr 19	183
2007-08	97.8	1.1	7.4	5,380	Nov 06	399

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN DIMAS WASH below Puddingstone Diversion.
STATION NO. F218-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1945-46	22.0	0.0	0.3	246.7	Apr 04	42
1946-47	9.8	0.0	0.7	483.6	Dec 27	10
1947-48	N.D.					
1948-49	N.D.					
1949-50	N.D.					
1950-51	N.D.					
1951-52	23.0	0.0	1.1	781.1	Mar 17	23
1952-53	N.D.					
1953-54	12.2	0.0	0.3	244.0	Feb 14	12
1954-55	N.D.					
1955-56	8.4	0.0	0.1	92.6	Jan 27	16
1956-57	N.D.					
1957-58	12.0	0.0	1.6	1,112.5	Mar 28	19
1958-59	5.4	0.0	0.1	48.8	Feb 12	7
1959-60	N.D.					
1960-61	14.4	0.0	0.1	72.4	Jul 21	15
1961-62	3.4	0.0	0.1	50.8	Apr 06	43
1962-63	9.7	0.0	0.4	286.0	Oct 25	16
1963-64	16.9	0.0	0.1	67.2	Apr 10	46
1964-65	18.5	0.0	0.5	334.0	May 11	35
1965-66	34.0	0.0	4.6	3,329.7	Jan 04	35
1966-67	11.8	0.0	2.9	2,097.7	Feb 13	44
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	18.5	0.0	1.1	785.9	Feb 18	30
1975-76	10.2	0.0	0.5	332.8	Mar 01	11
1976-77	16.8	0.0	0.0	0.0		
1977-78	31.6	0.0	9.1	6,621.4	Apr 28	40
1978-79	18.0	0.0	0.2	4,827.2	Dec 19	22
1979-80	26.5	0.0	6.9	4,966.2	Mar 29	28
1980-81	20.3	0.0	2.6	1,879.3	Feb 04	25
1981-82	27.0	0.0	3.4	2,445.6	Dec 09	40
1982-83	35.4	0.0	0.4	8,301.6	May 12	37
1983-84	22.3	0.0	0.1	2,884.2		
1984-85	21.0	0.0	1.8	1,281.9	Dec 27	22

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN DIMAS WASH below Puddingstone Diversion.
STATION NO. F218-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1985-86	42.7	0.0	1.4	994.7	Mar 17	43
1986-87	6.9	0.0	0.5	702.5	Jan 05	16
1987-88	11.9	0.0	1.0	774.3	Jul 05	16
1988-89	13.8	0.0	1.0	691.2	Feb 04	16
1989-90	14.1	0.0	0.2	126.5	Jun 11	20
1990-91	19.1	0.0	2.8	2,012.0	Mar 06	21
1991-92	14.6	0.0	3.3	2,375.0	Apr 20	18
1992-93	19.1	0.0	4.5	3,225.0	Jan 11	27
1993-94	14.7	0.0	2.1	1,497.0	Feb 22	15
1994-95	21.1	0.0	7.7	5,554.0	Mar 30	23
1995-96	33.7	0.0	3.5	2,573.0	Feb 21	40
1996-97	35.0	0.0	2.7	1,980.0	Jan 28	36
1997-98	33.0	0.0	5.5	3,960.0	Feb 08	37
1998-99	25.0	0.0	1.8	1,290.0	Apr 22	30
1999-00	35.0	0.0	0.8	553.0	Jun 14	39
2000-01	27.0	0.0	1.1	819.0	Jun 03	29
2001-02	7.8	0.0	0.1	67.2	Jun 11	17
2002-03	19.2	0.0	0.8	553.9	Mar 16	38
2003-04	23.1	0.0	1.6	1,144.6	Dec 25	28
2004-05	29.0	0.0	6.7	4,830.0	Nov 02	35
2005-06	36.0	0.0	4.5	3,240.0	Apr 11	39
2006-07	7.5	0.0	3.5	377.8	Apr 10	11
2007-08	14.1	0.0	1.4	1,049	Feb 19	16

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below Santa Fe Dam. STATION NO. E281-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1942-43	6,700.0	0.0	242.0	175,100.0	Jan 23	8,000
1943-44	2,550.0	0.0	133.0	96,890.0	Feb 22	3,480
1944-45	783.0	0.0	14.0	10,140.0	Feb 02	960
1945-46	1,140.0	0.0	45.0	32,560.0	Dec 23	1,600
1946-47	2,550.0	0.0	53.3	38,600.0	Dec 31	2,580
1947-48	809.0	0.0	11.2	8,120.0	Jun 04	822
1948-49	0.0	0.0	0.0	0.0		
1949-50	0.0	0.0	0.0	0.0		
1950-51	0.0	0.0	0.0	0.0		
1951-52	838.0	0.0	45.2	32,800.0	Jan 17	861
1952-53	488.0	0.0	23.5	16,990.0	Oct 30	598
1953-54	0.0	0.0	0.0	0.0		
1954-55	0.0	0.0	0.0	0.0		
1955-56	0.0	0.0	0.0	0.0		
1956-57	0.0	0.0	0.0	0.0		
1957-58	944.0	0.0	126.0	91,530.0	Apr 05	1,210
1958-59	342.0	0.0	12.4	9,000.0	Feb 24	606
1959-60	3.3	0.0	0.2	15.0	Feb 02	7
1960-61	0.0	0.0	0.0	0.0		
1961-62	437.0	0.0	46.2	33,450.0	Feb 13	728
1962-63	0.0	0.0	0.0	0.0		
1963-64	24.0	0.1	1.0	754.0		
1964-65	0.0	0.0	0.0	0.0		
1965-66	6,000.0	0.0	133.0	96,200.0	Nov 23	11,000
1966-67	597.0	0.0	62.1	44,930.0	Mar 23	614
1967-68	2.8	0.0	+	5.5	Nov 29	30
1968-69	26,000.0	0.0	540.0	391,200.0	Jan 26	30,900
1969-70	263.0	0.0	13.3	9,600.0	Mar 04	458
1970-71	116.0	0.0	6.5	4,721.5	Dec 17	116
1971-72	12.0	0.0	0.2	182.0	Dec 12	25
1972-73	310.0	0.0	32.6	23,330.8	Mar 22	340
1973-74	85.0	0.0	1.4	1,007.4	Apr 15	146
1974-75	No Data	from 1975	to 1998			
1998-99	251.0	0.0	7.2	5,240.0		N.D.
1999-00	61.0	0.0	7.4	5,380.0	May 12	129
2000-01	129.0	0.0	0.8	611.0	Feb 12	306
2001-02	394.0	0.0	3.8	2,791.0	Nov 24	903
2002-03	72.7	0.0	2.0	1,452.6	Aug 25	185
2003-04	93.2	0.0	1.2	896.4	Dec 25	284
2004-05	14,700.0	0.0	441.0	320,000.0	Jan 09	26,100

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER below Santa Fe Dam.
STATION NO. E281-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2005-06	409.0	0.0	11.0	7,930.0	Nov 09	475
2006-07	0.00	0.00	0.00	0.00		
2007-08	279.0	0.0	17.2	12,457	Jul 22	425

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below Cogswell Dam. STATION NO. F209-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1933-34	1,758.4	0.0	12.5	9,140.1	Jan 01	4,401
1934-35	594.0	0.1	27.5	19,700.6	Dec 13	1,260
1935-36	43.0	0.2	9.8	7,088.5	Feb 17	45
1936-37	577.0	0.1	46.9	33,585.1	Feb 14	752
1937-38	6,620.0	0.7	80.2	58,918.4	Mar 02	25,000
1938-39	683.0	0.4	15.7	11,358.9	Sep 25	1,190
1939-40	141.0	0.6	13.0	9,373.6	Jan 15	1,240
1940-41	1,130.0	0.5	83.7	59,817.1	Feb 22	1,160
1941-42	76.0	1.0	9.3	7,294.0	Nov 01	90
1942-43	4,775.0	0.6	75.8	54,926.9	Feb 23	7,300
1943-44	805.0	2.2	52.2	37,701.6	Dec 28	1,210
1944-45	144.0	0.8	14.6	10,411.2	Nov 20	157
1945-46	602.0	0.8	22.7	16,477.5	Mar 30	814
1946-47	1,110.0	0.1	27.9	20,245.4	Jan 06	1,240
1947-48	28.0	0.1	4.8	3,045.2	May 17	79
1948-49	12.3	0.1	4.5	2,775.3	Jul 21	67
1949-50	12.7	0.1	4.9	3,551.8	Mar 02	84
1950-51	10.6	0.2	0.8	576.0	Oct 24	52
1951-52	1,240.0	0.1	35.4	25,874.4	Jan 18	2,000
1952-53	289.0	0.1	17.0	12,479.1	Jan 09	328
1953-54	144.0	0.1	10.5	7,551.7	Jan 26	146
1954-55	36.0	0.1	4.4	3,193.4	Oct 04	149
1955-56	15.6	0.1	5.0	3,626.0		
1956-57	139.0	0.1	5.3	3,789.0	Nov 09	260
1957-58	1,170.0	0.1	48.3	34,530.8	Apr 04	1,430
1958-59	120.0	0.2	8.8	6,244.7	Feb 16	124
1959-60	13.0	0.1	2.8	2,018.1	Jan 29	260
1960-61	5.6	0.1	0.8	579.2	Jan 11	336
1961-62	1,810.0	0.1	34.5	23,810.6	Feb 11	2,370
1962-63	N.D.					
1963-64	30.0	0.1	3.7	2,661.4	Jun 24	788
1964-65	47.0	0.1	5.8	4,170.0	Apr 09	53
1965-66	1,120.0	0.3	56.9	41,365.3	Nov 22	2,570
1966-67	1,040.0	0.3	45.1	32,757.2	Dec 06	2,460
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below Cogswell Dam. STATION NO. F209-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1973-74	N.D.					
1974-75	34.0	2.0	11.5	8,299.4	Oct 24	34
1975-76	32.7	2.0	6.9	4,998.9	Sep 15	33
1976-77	29.4	1.4	6.9	5,021.0	Oct 02	29
1977-78	3,550.0	1.9	3.9	86,060.2	Mar 04	8,780
1978-79	495.0	2.3	33.3	24,094.0	Mar 27	510
1979-80	1,920.0	2.5	81.5	33,672.8	Feb 19	2,760
1980-81	235.0	0.4	10.6	7,704.0	Apr 13	1,330
1981-82	1,110.0	0.4	12.5	9,059.1	Mar 23	3,910
1982-83	3,470.0	5.3	3.5	78,268.4	Mar 02	4,680
1983-84	115.0	4.4	0.6	12,496.7	Dec 28	190
1984-85	93.9	1.3	8.8	6,352.3	Jan 09	102
1985-86	535.0	4.6	21.2	15,314.4	Mar 19	1,140
1986-87	62.3	2.8	91.3	2,806.6	Nov 12	619
1987-88	202.0	2.3	19.7	11,249.1	Jan 27	756
1988-89	39.4	2.1	7.5	4,680.6	Feb 24	62
1989-90	7.2	1.4	2.4	1,717.7		
1990-91	390.0	1.0	15.3	10,933.5	Apr 03	417
1991-92	1,770.0	0.1	47.5	34,449.0	Feb 12	M
1992-93	1,360.0	1.0	109.0	79,250.8	Jan 14	1,550
1993-94	84.9	1.0	14.3	10,319.0	Dec 02	86
1994-95	951.0	0.5	56.7	41,044.0	Jan 10	1,740
1995-96	466.0	0.1	14.6	10,600.1	Feb 21	938
1996-97	335.0	0.1	11.2	8,084.8	Jan 22	651
1997-98	1,760.0	4.7	57.2	41,406.4	Feb 24	2,590
1998-99	184.0	2.5	17.2	12,430.8	Dec 01	935
1999-00	14.0	0.5	7.4	5,400.0	Feb 20	47
2000-01	22.0	7.6	14.4	10,410.0	Feb 13	37
2001-02	14.3	0.8	5.4	3,930.8	Nov 13	26
2002-03	24.7	0.3	11.5	8,284.5	May 28	232
2003-04	33.5	0.8	9.3	6,783.4	Oct 29	330
2004-05	3,220.0	1.6	134.0	96,800.0	Jan 11	5,370
2005-06	69.0	12.0	22.4	15,130.0	May 09	69
2006-07	13.2	0.8	3.7	2,657.2	Oct 17	17
2007-08	32.9	0.6	18.6	13,527	Aug 21	104

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER at Foothill Blvd. STATION NO. F190-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	N.D.	0.0	N.D.	76,220*		N.D.
1932-33	2,530.0	0.0	15.7	11,400	Jan 19	10,000
1933-34	3,150.0	0.0	20.3	14,690	Jan 01	5,550
1934-35	448.0	0.0	81.7	59,220	Apr 08	1,080
1935-36	169.0	0.0	21.1	15,300	Feb 02	572
1936-37	1,610.0	0.0	162.0	117,400	Feb 19	2,050
1937-38	22,200.0	0.0	387.2	280,300*	Mar 02	62,000E
1938-39	220.0	0.0	15.0	10,850	Jan 05	267
1939-40	388.0	0.0	13.7	9,980	Jun 25	400
1940-41	4,090.0	0.0	304.0	220,100	Mar 04	5,280
1941-42	312.0	0.0	5.5	3,990	Apr 20	345
1942-43	10,400.0E	0.0	318.0	230,200	Feb 23	11,400
1943-44	2,750.0	0.0	163.0	118,300	Feb 22	4,840
1944-45	844.0	0.0	22.9	16,620	Feb 02	1,080
1945-46	1,190.0	0.0	58.1	42,060	Dec 23	1,670
1946-47	3,000.0	0.0	65.6	47,520	Dec 28	3,200
1947-48	1,010.0	0.0	14.3	10,370	Jun 02	1,120
1948-49	0.0	0.0	0.0	0.0		0
1949-50	20.0	0.0	0.1	67.0	Dec 18	192
1950-51	0.0	0.0	0.0	0.0		0
1951-52	3,860.0	0.0	98.1	71,210	Jan 18	4,670
1952-53	1,030.0	0.0	56.9	41,180	Oct 28	1,080
1953-54	848.0	0.0	30.3	21,920	Apr 16	2,160
1954-55	3.8	0.0	+	38.0	Jan 18	12
1955-56	215.0	0.0	2.0	1,430	Jan 26	800
1956-57	573.0	0.0	7.4	5,320	Apr 17	585
1957-58	2,270.0	0.0	229.0	165,600	Apr 05	2,520
1958-59	380.0	0.0	18.8	13,590	Jan 06	3,390
1959-60	13.0	0.0	0.7	499.0	Apr 27	90
1960-61	26.0	0.0	0.2	147.0	Jan 26	48
1961-62	1,750.0	0.0	103.0	74,270	Feb 12	2,260
1962-63	47.0	0.0	0.3	237.0	Feb 09	301
1963-64	13.0	0.0	0.1	66.0	Jan 22	56
1964-65	293.0	0.0	11.0	7,940	Sep 06	881
1965-66	8,680.0	0.0	240.0	173,700	Nov 23	9,420
1966-67	2,080.0	0.0	249.0	180,000	Dec 06	9,830
1967-68	232.0	0.0	33.0	23,940	Nov 25	326
1968-69	22,700.0	0.0	794.0	575,300	Jan 26	N.D.
1969-70	378.0	0.0	32.9	23,810	Dec 21	411
1970-71	1,300.0	0.0	44.0	31,850	Mar 01	1,400

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER at Foothill Blvd. STATION NO. F190-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1971-72	254.0	0.0	13.3	9,660	Dec 08	254
1972-73	803.0	0.0	129.0	93,260	Feb 11	1,010
1973-74	374.0	0.0	56.2	40,640	Jan 07	670
1974-75	256.0	0.0	37.3	27,040		256
1975-76	179.0	0.0	27.3	19,833	Mar 01	10,002
1976-77	226.0	0.0	24.6	17,770	Oct 14	248
1977-78	*	*	664.2	480,390	Mar 04	24,300
1978-79	525.0	0.0	153.0	110,800	Mar 27	720
1979-80	8,751.0	0.0	440.0	313,199		N.D.
1980-81	362.0	0.0	23.8	17,247	Jan 29	477
1981-82	573.0	0.1	79.8	57,237	Mar 14	720
1982-83	12,810.0	0.0	16.1	356,249	Mar 02	12,810
1983-84	432.0	1.8	50.9	36,846		N.D.
1984-85	396.0	0.0	16.7	12,084		N.D.
1985-86	805.0	0.0	117.0	84,632	Mar 03	805
1986-87	112.0	0.0	31.2	22,594	Mar 06	130
1987-88	544.0	0.0	62.3	444,868	Jun 08	805
1988-89	464.0	0.0	49.6	35,849	Feb 04	1,130
1989-90	145.0	0.0	26.7	19,337	Apr 17	155
1990-91	567.0	0.0	74.1	52,908	Jul 27	578
1991-92	1,580.0	0.0	200.0	144,865	Feb 15	4,000
1992-93	8,600.0	0.0	598.0	432,600	Feb 16	11,300
1993-94	393.0	0.0	53.4	38,660	Feb 17	1,750
1994-95	2,180.0	0.0	278.0	201,100	Mar 06	5,020
1995-96	531.0	0.0	91.7	66,560	Oct 06	1,130
1996-97	563.0	0.0	62.3	45,100	Dec 22	522
1997-98	7,660.0	0.0	319.0	230,900	Feb 24	11,900
1998-99	216.0	0.0	28.2	20,420	Jul 15	326
1999-00	272.0	0.0	40.9	29,690		N.D.
2000-01	377.0	0.0	45.9	33,220	Dec 13	730
2001-02	350.3	0.0	22.0	15,915.7	Oct 31	460
2002-03	543.4	0.0	51.3	37,111.2	Mar 16	669
2003-04	0.0	0.0	56.0	0.0	Feb 26	806
2004-05	15,300.0	0.0	674.0	488,000.0	Jan 11	18,800
2005-06	613.0	0.0	148.0	107,000.0	May 11	662
2006-07	71.2	0.2	25.8	2,963.3	Nov 15	142
2007-08	550.0	0.0	35.7	25,899	July 29	1,242

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER above Florence Avenue. STATION NO. F262C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1934-35	718.0	0.0	6.5	4,700	Oct 17	5,850
1935-36	414.0	0.0	2.4	1,750	Feb 12	3,400
1936-37	NO RECORD					
1937-38	NO RECORD					
1938-39	325.0	0.0		2,540*	Sep 25	1,380
1939-40	271.0	0.0	2.6	1,900	Jan 08	1,150
1940-41	2,390.0	0.0	105.0	75,780	Mar 04	5,630
1941-42	117.0	0.0	18.7	13,570	Dec 10	413
1942-43	9,190.0	0.0	257.0	186,400	Jan 23	14,000
1943-44	4,860.0	0.0	110.0	79,930	Feb 22	16,000
1944-45	806.0	0.0	36.1	26,110	Nov 12	4,020
1945-46	1,500.0	0.0	22.8	16,480	Dec 23	4,370
1946-47	2,880.0	0.0	38.2	27,650	Dec 31	3,640
1947-48	0.0	0.0	0.0	0.0		0
1948-49	0.0	0.0	0.0	0.0		0
1949-50	0.0	0.0	0.0	0.0		0
1950-51	0.0	0.0	0.0	0.0		0
1951-52	3,070.0	0.0	33.4	24,250	Jan 16	8,040
1952-53	181.0	0.0	1.4	983.0	Dec 02	1,270
1953-54	688.0	0.0	5.2	3,790	Feb 13	4,060
1954-55	317.0	0.0	1.4	1,000	Jan 18	1,850
1955-56	4,580.0	0.0	14.3	10,360	Jan 26	12,800E
1956-57	490.0	0.0	1.9	1,390	Jan 13	2,040
1957-58	1,720.0	0.0	31.9	23,960	Apr 07	6,300
1958-59	826.0	0.0	4.3	3,130	Jan 06	4,060
1959-60	377.0	0.0	2.7	1,990	Jan 12	2,210
1960-61	316.0	0.0	0.9	678.0	Jan 26	2,940
1961-62	2,170.0	0.0	23.7	17,340	Feb 11	6,470
1962-63	1,190.0	0.0	7.1	5,160	Mar 16	4,270
1963-64	707.0	0.0	4.8	3,460	Nov 20	4,330
1964-65	1,210.0	0.0	12.4	9,010	Apr 09	4,900
1965-66	697.0	0.0	7.8	5,620	Jan 30	2,080
1966-67	1,900.0	0.0	32.2	23,300	Jan 23	4,320
1967-68	NO RECORD					
1968-69	8,430.0	0.0	273.0	197,600	Jan 25	10,900
1969-70	1,650.0	0.0	16.5	11,950	Mar 04	4,510
1970-71	2,160.0	0.0	15.5	11,220	Nov 29	4,410
1971-72	1,450.0	0.0	10.2	7,400	Dec 24	7,510
1972-73	2,540.0	0.0	28.6	20,700	Feb 11	5,680
1973-74	3,650.0	0.0	26.8	19,420	Jan 07	5,870

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER above Florence Avenue. STATION NO. F262C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1974-75	1,390.0	0.0	8.4	6,110	Dec 04	6,010
1975-76	690.0	0.0	5.9	4,160	Sep 10	2,800
1976-77	486.0	0.0	4.4	3,171	Jan 03	3,320
1977-78	5,440.0	0.0	224.0	162,158	Feb 12	8,220
1978-79	*	*	*	*		*
1979-80	9,290.0	0.0	222.3	156,500	Feb 17	10,900
1980-81	219.0	0.0	1.1	773.0	Mar 02	414
1981-82	186.0	0.0	1.0	723.0	Mar 17	755
1982-83	4,920.0	0.0	95.2	68,938	Mar 01	10,400
1983-84	131.0	0.0	1.8	1,341	Nov 25	179
1984-85	215.0	0.0	2.4	1,771	Dec 19	283
1985-86	528.0	0.0	6.4	4,597	Sep 25	4,510
1986-87	585.0	0.0	2.7	1,936	Jan 04	3,350
1987-88	75.9	0.0	0.6	466.0	Apr 21	327
1988-89	148.0	0.0	1.1	825.0	Dec 25	1,174
1989-90	32.0	0.0	0.1	65.0	Feb 17	353
1990-91	169.0	0.0	1.0	694.0	Mar 27	605
1991-92	673.0	0.0	5.3	3,840	Feb 12	2,340
1992-93	6,990.0	0.0	276.0	199,500	Jan 18	7,600
1993-94	0.0	0.0	0.0	0.0		-
1994-95	1,520.0	0.0	35.6	25,760	Jan 10	5,120
1995-96	871.0	0.0	3.8	2,727	Feb 21	2,360
1996-97	291.0	0.0	5.1	3,710	Dec 11	1,240
1997-98	5,750.0	0.0	168.0	121,400	Mar 26	8,070
1998-99	19.0	0.0	0.2	116.0	Nov 08	78
1999-00	159.0	0.0	1.1	788.0	Mar 08	3,130
2000-01	708.0	0.0	4.8	3,480	Jan 11	2,180
2001-02	242.8	0.0	1.0	555.0	Nov 24	1,756
2002-03	311.5	0.0	1.6	1,143	Feb 12	1,430
2003-04	0.0	0.0	0.5	0.0	Feb 26	856
2004-05	5,940.0	0.0	199.0	144,000.0	Feb 21	7,930
2005-06	969.0	0.0	7.2	5,180.0	Apr 05	2,819
2006-07	101.0	0.5	34.2	203.4	Dec 10	488
2007-08	220.0	0.0	1.4	1,049	Jan 27	1,251

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below San Gabriel River Pkwy. STATION NO. F263C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1928-29	93.0	0.0	3.9	2,850	Mar 10	397
1929-30	152.0	0.0	4.8	3,490	Jan 11	726
1930-31	106.0	0.0	3.4	2,490	Feb 04	404
1931-32	1,620.0	0.0	18.0	13,060	Feb 09	3,830
1932-33	286.0	0.0	4.2	3,040	Jan 29	1,450
1933-34	5,580.0	0.0	23.4	16,950	Jan 01	22,000
1934-35	746.0	0.0	16.8	12,190	Oct 17	5,400
1935-36	355.0	0.0	6.3	4,590	Feb 12	3,400
1936-37	2,440.0	0.0	47.3	34,240*	Feb 14	6,970
1937-38	11,400.0	0.0	131.0	94,810	Mar 02	22,700E
1938-39	672.0	0.0	34.1	24,620	Sep 25	2,110
1939-40	544.0	0.0	27.8	20,180	Feb 01	2,110
1940-41	2,700.0	0.0	139.0	100,900	Mar 04	5,830
1941-42	149.0	0.0	39.5	28,630	Dec 10	412
1942-43	10,500.0	0.0	289.0	209,600	Jan 23	14,810
1943-44	5,350.0	0.0	144.0	104,200	Feb 22	14,100
1944-45	744.0	0.0	58.7	42,520	Nov 12	4,210
1945-46	1,660.0	0.0	47.5	34,370	Dec 23	4,660
1946-47	2,810.0	0.0	62.7	45,420	Dec 30	3,240
1947-48	48.0	0.0	11.8	8,590	Feb 06	84
1948-49	77.0	0.0	8.9	6,470	Jan 20	144
1949-50	272.0	0.0	5.7	4,130	Feb 06	845
1950-51	16.0	0.0	0.8	558.0	Jan 30	27
1951-52	2,860.0	0.0	70.2	50,900	Jan 16	14,000
1952-53	327.0	0.0	19.2	13,880	Dec 02	1,450
1953-54	901.0	0.0	15.2	10,990	Feb 13	5,450
1954-55	323.0	0.0	12.8	9,250	Jan 18	1,590
1955-56	4,030.0	0.0	33.1	24,050	Jan 26	12,400
1956-57	558.0	0.0	24.9	18,000	Mar 01	3,600
1957-58	2,210.0	0.0	114.0	82,190	Apr 07	6,890
1958-59	777.0	0.0	16.9	33,960	Jan 06	3,870
1959-60	449.0	0.0	49.7	36,100	Jan 12	2,390
1960-61	421.0	0.0	65.9	47,700	Jan 26	1,330
1961-62	2,840.0	0.0	142.0	103,100	Feb 11	8,810
1962-63	1,080.0	0.0	58.6	42,430	Mar 17	4,320
1963-64	881.0	0.0	63.0	45,700	Jan 22	3,380
1964-65	1,410.0	0.0	107.0	77,270	Apr 09	5,590
1965-66	916.0	0.0	76.4	55,320	Feb 06	2,670
1966-67	2,270.0	0.3	86.7	62,800	Jan 23	5,680
1967-68	222.0	3.2	36.2	26,240	Nov 19	330

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER below San Gabriel River Pkwy.
STATION NO. F263C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1968-69	10,210.0	15.0	379.0	274,300	Jan 26	11,740
1969-70	1,880.0	13.0	109.0	79,110	Mar 04	5,530
1970-71	2,170.0	2.6	75.4	54,590	Dec 21	4,610
1971-72	1,900.0	0.0	45.1	32,740	Dec 24	6,970
1972-73	2,540.0	0.0	92.6	67,020	Feb 11	5,620
1973-74	3,640.0	4.0	83.6	60,500	Jan 04	6,170
1974-75	2,050.0	1.0	52.7	38,190	Dec 04	7,520
1975-76	1,500.0	0.0	44.4	32,000		N.D.
1976-77	739.0	0.0	23.0	16,670	Jan 03	4,080
1977-78	6,630.0	0.0	353.4	256,222	Mar 01	7,650
1978-79	338.0	2.3	51.0	36,943	Jan 15	2,052
1979-80	9,140.0	6.0	283.9	201,315	Feb 19	10,600
1980-81	336.0	3.8	33.0	23,902	Mar 01	577
1981-82	290.0	0.0	32.0	23,162	Mar 14	523
1982-83	4,740.0	7.7	163.1	118,084	Mar 01	8,650
1983-84	152.0	3.8	30.6	22,254	Oct 01	414
1984-85	387.0	3.1	31.1	22,522	Dec 18	750
1985-86	598.0	0.5	59.4	31,244	Sep 25	3,340
1986-87	1,060.0	0.0	30.3	21,994	Jan 04	5,140
1987-88	559.0	0.0	32.7	23,684	Apr 20	1,270
1988-89	570.0	0.0	28.9	20,899	Dec 24	3,020
1989-90	612.0	0.0	39.6	28,677	Feb 17	947
1990-91	787.0	0.0	34.7	24,904	Feb 28	1,140
1991-92	1,320.0	0.0	42.0	30,460	Feb 12	3,390
1992-93	6,460.0	0.0	377.0	273,200	Jan 18	7,430
1993-94	387.0	0.2	35.9	26,000	Jan 25	1,520
1994-95	2,470.0	0.0	146.0	105,900	Mar 11	5,070
1995-96	794.0	1.6	47.8	34,720	Jan 31	1,620
1996-97	1,210.0	0.7	73.9	53,530	Dec 09	2,040
1997-98	5,450.0	2.4	233.0	168,600	Feb 23	7,060
1998-99	350.0	0.0	35.5	25,720	Feb 05	621
1999-00	607.0	0.1	58.6	42,560	Jun 06	2,550
2000-01	1,240.0	0.0	68.3	49,420	Feb 25	4,620
2001-02	766.1	0.0	47.3	34,260.2	Nov 24	4,017
2002-03	1,576.2	0.0	45.2	32,730.5	Feb 12	5,360
2003-04	1,259.1	0.0	34.0	24,869.2	Feb 26	4,080
2004-05	5,800.0	0.0	306.0	222,000.0	Feb 21	7,090
2005-06	1,280.0	3.7	71.7	51,940.0	Jan 02	5,868
2006-07	374.0	0.0	57.7	39,684.7	Feb 21	980
2007-08	510.0	0.0	50.5	36,623	Dec 07	2,288

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below Morris Dam. STATION NO. U8-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1895-96	134.0	0.0	N.D.	N.D.		
1896-97	1,760.0	0.0	95.6	69,200		N.D.
1897-98	1,600.0	0.0	9.6	6,920		N.D.
1898-99	16.0	0.0	0.1	74.0		N.D.
1899-00	49.0	0.0	0.4	272.0		N.D.
1900-01	5,170.0	0.0	94.1	68,100	Feb 05	N.D.
1901-02	318.0	0.0	4.3	3,100		6,250
1902-03	2,940.0	0.0	104.0	74,900		N.D.
1903-04	1,070.0	0.0	9.3	6,720		N.D.
1904-05	2,940.0	0.0	172.0	124,000		N.D.
1905-06	7,950.0	0.0	262.0	190,000		N.D.
1906-07	6,730.0	0.0	406.0	293,000		N.D.
1907-08	1,160.0	0.0	46.4	33,700		N.D.
1908-09	7,030.0	0.0	197.0	143,000		N.D.
1909-10	12,400.0	0.0	137.0	99,100	Jan 01	13,900
1910-11	9,100.0	0.0	321.0	231,000	Mar 10	13,500
1911-12	2,950.0	0.0	55.5	40,300		N.D.
1912-13	1,880.0	0.0	25.6	18,600		N.D.
1913-14	11,800.0	0.0	359.0	260,000	Feb 20	18,100
1914-15	1,110.0	0.0	108.0	77,900	Jan 29	2,770
1915-16	22,300.0	0.0	315.0	228,000	Jan 18	40,000
1916-17	3,900.0	0.0	49.3	35,700		N.D.
1917-18	4,940.0	0.0	123.0	88,600	Mar 17	8,680
1918-19	76.0	0.0	3.2	2,290	Feb 11	230
1919-20	2,400.0	0.0	94.6	68,700	Mar 02	5,000
1920-21	2,050.0	0.0	40.1	29,000	Mar 14	4,000
1921-22	16,000.0	0.0	505.0	365,000	Dec 19	22,300
1922-23	2,250.0	0.0	44.0	31,800	Dec 13	3,670
1923-24	253.0	0.0	3.5	2,540	Mar 26	510
1924-25	588.0	0.0	4.2	3,030	Mar 04	3,000
1925-26	5,530.0	0.0	113.0	81,700	Apr 07	14,900
1926-27	11,400.0	0.0	123.0	88,900	Feb 16	18,200
1927-28	672.0	0.0	4.1	2,940	Feb 04	1,810
1928-29	411.0	0.0	10.0	7,210	Mar 10	895
1929-30	396.0	0.0	21.5	15,600	Mar 15	586
1930-31	601.0	0.0	9.5	6,900	Apr 26	1,450
1931-32	5,830.0	0.0	120.0	87,200	Feb 09	7,500
1932-33	1,630.0	0.0	21.9	15,900	Jan 19	5,820
1933-34	2,380.0	0.0	30.4	22,080	Jan 01	6,120
1934-35	460.0	0.0	102.0	74,080	Feb 09	507

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below Morris Dam. STATION NO. U8-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1935-36	224.0	0.0	31.6	22,980	Apr 10	455
1936-37	1,770.0	0.0	195.0	141,100	Feb 20	1,950
1937-38	21,660.0	0.1	415.0	300,200	Mar 02	65,700
1938-39	316.0	6.5	53.5	38,680		N.D.
1939-40	506.0	0.0	50.5	36,640	Jun 24	506
1940-41	3,870.0	0.0	317.0	229,300	Mar 04	4,460
1941-42	370.0	2.5	13.1	9,480	Apr 20	422
1942-43	10,370.0	2.0	334.0	242,000	Jan 23	12,100
1943-44	2,710.0	3.6	184.0	133,700	Feb 22	5,170
1944-45	980.0	6.1	62.8	45,490	Feb 06	988
1945-46	937.0	0.3	75.9	54,930	Dec 23	980
1946-47	2,930.0	0.0	74.9	54,220	Dec 31	2,980
1947-48	1,170.0	0.0	18.1	13,170	Jun 02	1,320
1948-49	61.0	0.0	5.7	4,140	Oct 27	79
1949-50	7.9	0.0	0.7	51.0	Jul 31	8
1950-51	47.0	0.0	8.6	6,220	Apr 27	168
1951-52	3,530.0	0.0	91.1	66,120		N.D.
1952-53	1,190.0	0.0	69.4	50,240		N.D.
1953-54	960.0	0.0	34.6	25,030	Apr 16	9,420
1954-55	9.9	0.0	0.1	86.0	Sep 26	10
1955-56	43.0	0.0	0.2	176.0	Sep 30	45
1956-57	650.0	0.0	12.4	9,010	Apr 14	656
1957-58	2,470.0	0.0	241.0	174,100	Apr 05	2,780
1958-59	348.0	0.0	11.3	8,200	Feb 24	364
1959-60	0.0	0.0	0.0	0.0		0
1960-61	7.5	0.0	1.7	1,250	May 06	9
1961-62	1,520.0	0.0	102.0	73,590	Feb 12	1,650
1962-63	27.0	0.0	1.0	712.0	Sep 04	45
1963-64	22.0	0.0	0.2	160.0	Aug 26	50
1964-65	276.0	0.0	10.7	981.0	Jun 12	291
1965-66	7,260.0	0.0	225.0	162,900	Nov 23	8,640
1966-67	3,750.0	0.0	232.0	167,900	Dec 06	5,680
1967-68	236.0	0.0	31.7	23,030	Nov 25	326
1968-69	19,300.0	0.0	750.0	543,000	Feb 25	29,850
1969-70	1,060.0	0.0	52.4	37,970	Feb 28	1,102
1970-71	434.0	0.0	31.4	22,760	Jan 04	439
1971-72	299.0	0.0	15.3	11,090	Dec 08	299
1972-73	849.0	0.0	131.0	94,790	Mar 19	918
1973-74	310.0	0.0	60.8	44,010	Nov 07	364
1974-75	248.0	0.0	29.7	21,500		248

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER below Morris Dam. STATION NO. U8-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1975-76	191.0	0.0	28.8	20,870	Mar 25	178
1976-77	267.0	0.0	21.8	15,760	Oct 13	273
1977-78	10,800.0	0.0	630.1	456,170	Mar 04	14,100
1978-79	504.0	0.0	149.2	108,000	Apr 22	519
1979-80	8,310.0	0.0	473.3	337,410	Feb 19	8,720
1980-81	415.0	0.0	37.8	27,335	Dec 11	514
1981-82	586.0	0.0	90.2	65,284	Mar 24	5,490
1982-83	11,600.0	0.0	15.9	352,733	Mar 02	11,900
1983-84	485.0	0.0	2.2	48,419	Oct 13	552
1984-85	464.0	0.0	48.5	35,100	Jan 01	469
1985-86	831.0	0.0	131.0	94,778	Feb 25	856
1986-87	186.0	0.0	60.8	43,995	Feb 23	212
1987-88	253.0	0.0	94.1	67,673	Jun 08	793
1988-89	434.0	0.4	68.0	49,058	Jan 05	434
1989-90	166.0	0.1	64.0	46,101	Apr 28	162
1990-91	785.0	0.0	113.0	80,999	Jul 28	793
1991-92	1,740.0	0.8	206.0	149,508	Feb 15	3,460
1992-93	9,500.0	0.0	655.0	474,300	Jan 14	9,500
1993-94	480.0	0.0	57.8	41,860	Aug 02	1,490
1994-95	*	*	*	*		*
1995-96	552.0	0.4	124.0	89,820	Sep 25	1,220
1996-97	696.0	0.3	90.3	65,340	Feb 02	1,620
1997-98	7,200.0	0.0	365.0	264,000	Feb 24	10,300
1998-99	250.0	0.0	33.1	23,970	Mar 01	3,140
1999-00	316.0	1.2	59.1	42,940	May 01	834
2000-01	490.0	2.0	65.3	47,240	May 09	1,240
2001-02	242.1	2.3	65.5	47,415.9	Oct 31	1,183
2002-03	746.8	1.9	118.0	85,273.4	Nov 14	1,070
2003-04	676.8	1.1	89.0	64,272.9	Oct 06	683
2004-05	15,900.0	21.0	748.0	541,000.0	Jan 11	20,700
2005-06	791.0	1.7	215.0	155,600.0	May 11	868
2006-07	176.0	1.3	28.1	20,345.8	Nov 16	176
2007-08	669.0	1.7	107.8	78,240	Jul 29	2,190

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER above Whittier Narrow Dam.
STATION NO. G44B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1991-92*	1,080.0	0.0	18.7	13,303.3		
1992-93	8,940.0	0.0	331.0	239,550.9		
1993-94	1,030.0	0.0	19.2	13,928.9	Mar 24	8,650
1994-95	6,130.0	0.0	112.0	80,833.8	Jan 10	29,600
1995-96	5,280.0	0.0	33.9	24,639.1	Feb 20	19,700
1996-97	2,300.0	0.0	31.7	22,917.2	Dec 09	7,130
1997-98	7,200.0	0.0	107.0	77,631.5	Feb 07	28,900
1998-99	355.0	0.0	4.3	3,135.7	Nov 08	3,700
1999-00*	1,510.0	0.0	23.2	16,815.7	Feb 23	11,700
2000-01	2,360.0	0.0	28.3	20,490.0	Jan 11	9,210
2001-02	1,063.1	0.0	3.5	2,562.9	Nov 24	21,429
2002-03	3,906.9	0.0	48.8	35,377.6	Dec 16	22,100
2003-04	3,474.5	0.0	28.0	20,670.1	Feb 26	15,600
2004-05	18,200.0	0.0	374.0	271,000.0	Jan 09	26,900
2005-06	1,470.0	0.0	17.2	12,480.0	Mar 28	10,027
2006-07	592.0	13.4	309.0	2,451.2	Apr 20	4,837
2007-08	3,040.0	0.0	34.7	25,223	Jan 05	16,795

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER above Spring Street.
STATION NO. F42B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	0.0	0.0	0.0	0.0		0
1928-29	0.0	0.0	0.0	0.0		0
1929-30	0.0	0.0	0.0	0.0		0
1930-31	0.0	0.0	0.0	0.0		0
1931-32	1,270.0	0.0	9.0	6,560	Feb 09	4,490
1932-33	170.0	0.0	1.1	809.0	Jan 20	2,250
1933-34	4,860.0	0.0	17.1	12,370	Jan 01	15,000
1934-35	463.0	0.0	3.3	2,380	Oct 17	3,390
1935-36	220.0	0.0	1.6	1,190	Feb 12	1,910
1936-37	1,850.0	0.0	18.7	13,510	Feb 14	4,560
1937-38	14,500.0	0.0	122.0	88,020	Mar 02	27,000E
1938-39	265.0	0.0	1.5	1,080	Dec 19	956
1939-40	192.0E	0.0	2.0	1,460	Feb 03	1,400
1940-41	1,710.0	0.0	91.0	65,890	Mar 13	4,830
1941-42	148.0	0.0	15.0	10,830	Dec 11	277
1942-43	9,570.0	0.0	280.0	175,100	Jan 23	14,600
1943-44	5,570.0	0.0	99.4	72,200	Feb 22	15,000
1944-45	742.0	0.0	30.8	22,280	Feb 02	1,910
1945-46	1,460.0	0.0	17.4	12,590	Dec 23	3,300
1946-47	2,520.0	0.0	33.3	24,100	Jan 01	2,740
1947-48	0.0	0.0	0.0	0.0		0
1948-49	0.0	0.0	0.0	0.0		0
1949-50	0.0	0.0	0.0	0.0		0
1950-51	0.0	0.0	0.0	0.0		0
1951-52	STATION	OUT		21,100E		0
1952-53	101.0	0.0	0.3	220.0	Dec 02	301
1953-54	445.0	0.0	2.9	2,060	Feb 13	3,520
1954-55	240.0	0.0	1.1	820.0	Jan 18	1,640
1955-56	4,300.0	0.0	12.9	9,390	Jan 26	12,500
1956-57	393.0	0.0	1.2	896.0	Jan 13	1,760
1957-58	1,510.0	0.0	31.6	22,890	Apr 07	5,220
1958-59	615.0	0.0	3.2	2,340	Jan 06	2,940
1959-60	355.0	0.0	2.6	1,860	Jan 12	2,180
1960-61	204.0	0.0	0.6	448.0	Jan 26	1,780
1961-62	2,940.0	0.0	32.0	23,070	Feb 11	7,350
1962-63	1,530.0	0.0	7.3	5,290	Mar 17	4,120
1963-64	751.0	0.0	4.4	3,160	Jan 22	2,570
1964-65	1,070.0	0.0	12.1	8,770	Apr 09	4,540
1965-66	630.0	0.0	10.2	7,400	Feb 06	1,950
1966-67	1,190.0	0.0	37.1	26,850	Jan 23	4,760

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER above Spring Street.
STATION NO. F42B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	847.0	+	9.2	6,720	Nov 21	3,280
1968-69	9,350.0	+	286.0	207,300	Jan 25	11,700
1969-70	1,760.0	+	24.2	17,520	Mar 05	5,550
1970-71	2,700.0	+	27.1	19,610	Dec 19	5,550
1971-72	1,980.0	0.1	82.2	39,900	Dec 24	8,580
1972-73	2,710.0	10.6	70.6	51,100	Jan 16	5,680
1973-74	3,730.0	10.6	63.9	46,220	Jan 04	6,090
1974-75	2,190.0	6.1	48.1	34,850	Dec 04	7,190
1975-76	660.0	12.6	50.5	36,640	Sep 10	3,890
1976-77	816.0	20.0	54.7	39,600	Jan 03	4,460
1977-78	*	*	*	*		*
1978-79	*	*	*	*	Jan 31	*
1979-80	8,310.0	19.3	252.7	179,251	Feb 14	11,000
1980-81	*	*	*	*		*
1981-82	433.0	31.4	74.5	53,942	Mar 14	1,260
1982-83	5,900.0	43.4	221.0	159,961	Mar 01	13,400
1983-84	483.0	32.9	109.0	78,947	Nov 01	4,470
1984-85	488.0	44.2	3.8	84,238	Feb 09	1,480
1985-86	*	*	*	*	Feb 15	3,930
1986-87	1,110.0	32.9	113.3	82,029	Jan 04	4,990
1987-88	727.0	26.0	108.4	78,667	Dec 04	2,220
1988-89	406.0	33.3	91.0	65,899	Dec 25	2,080
1989-90	880.0	4.3	81.0	58,661	Feb 17	1,610
1990-91	813.0	25.7	78.2	56,581	Mar 01	1,610
1991-92	2,000.0	28.4	107.0	77,647	Feb 12	6,330
1992-93	6,480.0	19.8	389.0	269,000	Feb 19	10,100
1993-94	*	*	*	*		*
1994-95	3,230.0	33.3	173.0	125,400	Mar 11	10,200
1995-96	1,120.0	25.8	112.0	81,050	Feb 20	4,330
1996-97	738.0	51.0	143.0	97,910	Dec 11	2,410
1997-98	5,550.0	57.0	276.0	199,900	Feb 07	12,500
1998-99	290.0	52.0	136.0	98,720	Apr 11	1,120
1999-00	414.0	59.0	126.0	91,220	Mar 08	2,240
2000-01	2,010.0	27.0	159.0	115,200	Jan 11	8,480
2001-02	845.6	1.6	112.0	80,817.7	Nov 24	4,065
2002-03	1,625.5	33.4	96.1	132,237.7	Feb 12	5,190
2003-04	1,595.3	44.6	157.0	114,093.6	Feb 26	5,780
2004-05	6,230.0	21.0	323.0	234,000.0	Feb 20	10,100
2005-06	1,170.0	61.0	132.0	95,700.0	Sep 11	10,772
2006-07	520.0	66.7	121.0	87,617.2	Feb 13	4,611

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER above Spring Street.
STATION NO. F42B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2007-08	611.0	0.0	132.3	96,058	Sep 10	3,156

M Data missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not computed
 + Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN JOSE CHANNEL above Workman Mill Road.
STATION NO. F312B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1955-56	1,830.0	0.0	5.6	4,070	Jan 26	5,180
1956-57	190.0	0.0	1.1	795.0	Mar 01	1,410
1957-58	1,210.0	0.0	19.4	14,060	Apr 07	3,990
1958-59	487.0	0.0	4.4	3,210	Jan 06	2,720
1959-60	253.0	0.0	4.7	3,430	Apr 27	1,380
1960-61	103.0	0.0	0.6	403.0	Jan 26	429
1961-62	1,220.0	0.0	13.2	9,540	Feb 11	3,800
1962-63	581.0	0.0	7.6	5,530	Mar 16	1,940
1963-64	483.0	+	6.8	4,900	Jan 22	1,250
1964-65	1,080.0	0.0	14.0	10,110	Apr 09	4,540
1965-66	1,640.0	+	21.1	15,290	Dec 29	5,220
1966-67	2,290.0	2.8	36.3	26,260	Jan 24	10,200
1967-68	2,180.0	6.4	24.6	17,870	Mar 08	10,100
1968-69	4,370.0	9.3	73.2	52,980	Feb 25	9,710
1969-70	898.0	8.0	28.7	20,490	Mar 04	3,930
1970-71	1,180.0	5.0	22.4	16,190	Dec 21	4,400
1971-72	988.0	3.9	17.4	12,650	Dec 24	3,720
1972-73	1,820.0	7.0	38.4	27,830	Feb 13	6,440
1973-74	1,970.0	8.0	33.3	24,060	Jan 04	4,900
1974-75	1,260.0	5.2	64.4	46,650	Dec 04	9,620
1975-76	1,200.0	5.0	25.6	18,310	Sep 10	5,000
1976-77	816.0	3.0	23.2	16,820	Aug 17	3,580
1977-78	2,740.0	5.0	74.0	53,613	Mar 04	11,100
1978-79	2,420.0	5.6	43.9	31,812	Jan 31	7,330
1979-80	3,150.0	6.3	81.4	57,830	Feb 18	13,000
1980-81	1,240.0	12.6	96.2	69,674	Mar 01	4,810
1981-82	1,140.0	8.6	34.1	24,673	Mar 14	5,790
1982-83	2,720.0	11.8	65.8	47,646	Feb 27	19,200
1983-84	1,050.0	8.6	28.3	20,538	Oct 01	5,060
1984-85	927.0	8.6	38.6	27,929	Dec 18	5,330
1985-86	1,850.0	10.2	51.8	37,499	Feb 15	7,250
1986-87	1,900.0	7.8	38.4	27,787	Jan 04	6,980
1987-88	1,700.0	6.3	35.3	25,633	Jan 17	7,850
1988-89	1,100.0	7.4	59.2	42,258	Dec 21	4,800
1989-90	3,060.0	7.8	80.6	58,322	Feb 17	7,700
1990-91	1,960.0	7.1	68.0	48,938	Mar 01	7,270
1991-92	2,370.0	7.3	83.0	60,221	Feb 11	16,800
1992-93	4,370.0*	7.0*	*	*	Jan 07	20,200
1993-94	*	*	*	*		*
1994-95	2,480.0	22.7	105.0	75,660	Jan 10	11,400

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN JOSE CHANNEL above Workman Mill Road.
STATION NO. F312B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1995-96	1,630.0	0.0	44.4	32,260	Feb 20	10,100
1996-97	868.0	1.8	40.4	29,240	Jan 25	4,440
1997-98	1,760.0	11.0	70.7	51,170	Feb 07	14,500
1998-99	314.0	3.4	26.1	18,980	Nov 28	2,150
1999-00	1,220.0	6.9	81.1	58,900	Apr 18	6,480
2000-01	3,320.0E	6.9*	83.5E	60,440E		N.D.
2001-02	1,025.1	8.9	74.3	53,896.8	Nov 24	11,784
2002-03	1,983.2	8.0	61.7	44,691.3	Dec 16	9,720
2003-04	1,842.5	1.9	53.0	38,387.9	Feb 26	7,980
2004-05	2,390.0	9.2	114.0	82,700.0	Feb 19	10,500
2005-06	1,480.0	12.0	104.0	75,240.0	Jan 02	9,293
2006-07	565.0	9.4	71.3	51,637.7	Apr 20	3,230
2007-08	1,120.0	4.0	46.7	33,891	Jan 05	5,833

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTA ANITA WASH below Foothill Blvd.
STATION NO. F260C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1935-36	0.0	0.0	0.0			
1936-37	140.0	0.0	10.0	6,448.3	Feb 15	174
1937-38	468.0	0.0	3.4	2,330.0		
1938-39	46.0	0.0	2.0	1,471.3	Jan 05	128
1939-40	58.0	0.0	1.6	1,062.3	Jan 08	248
1940-41	262.0	0.0	18.1	12,930.8	Mar 04	482
1941-42	26.0	0.0	1.0	692.6	Dec 29	65
1942-43	2,130.0	0.0	30.0	21,674.2	Jan 23	3,800
1943-44	395.0	0.0	8.7	6,139.4	Feb 22	747
1944-45	92.0	0.0	2.3	1,540.0	Jun 25	225
1945-46	182.0	0.0	2.0	1,479.5	Dec 23	350
1946-47	144.0	0.0	3.4	2,488.7	Dec 29	289
1947-48	N.D.					
1948-49	N.D.					
1949-50	N.D.					
1950-51	N.D.					
1951-52	N.D.					
1952-53	N.D.					
1953-54	N.D.					
1954-55	N.D.					
1955-56	N.D.					
1956-57	N.D.					
1957-58	254.0	0.0	8.9	6,316.6		
1958-59	66.0	0.0	0.7	474.8	Jan 06	1,000
1959-60	10.2	0.0	0.2	161.3	Jan 11	194
1960-61	9.5	0.0	0.1	96.2	Nov 05	257
1961-62	584.0	0.0	7.3	4,982.9	Feb 11	1,440
1962-63	43.0	0.0	0.6	408.2	Feb 09	257
1963-64	32.0	0.0	0.6	423.3	Jan 22	335
1964-65	27.0	0.0	0.6	446.5	Apr 16	267
1965-66	481.0	0.0	10.5	7,589.0	Dec 29	1,260
1966-67	489.0	0.0	14.8	10,772.2	Dec 06	914
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	43.0	0.0	0.5	378.8	Dec 04	477

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTA ANITA WASH below Foothill Blvd.
STATION NO. F260C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1975-76	53.5	0.0	0.8	583.5	Feb 09	209
1976-77	35.9	0.0	0.6	414.7	Oct 23	437
1977-78	937.0	0.0	41.6	30,147.0	Feb 10	2,030
1978-79	29.3	0.0	2.3	1,685.8	Feb 21	335
1979-80	N.D.					
1980-81	39.5	0.0	0.9	652.0	Mar 19	411
1981-82	100.0	0.0	2.8	2,019.2	Mar 17	346
1982-83	773.0	0.0	30.2	21,839.8	Mar 02	1,340
1983-84	61.5	0.0	5.7	4,150.8	Nov 01	398
1984-85	110.0	0.0	4.5	3,282.6	Dec 19	378
1985-86	913.0	0.0	0.0	0.0		
1986-87	64.3	0.0	2.0	1,415.2	Jan 04	424
1987-88	40.8	0.0	1.3	938.8	Jan 17	975
1988-89	22.4	0.0	1.0	673.8	Dec 16	91
1989-90	28.0	0.0	0.7	537.1	Feb 17	189
1990-91	52.7	0.0	0.8	570.0	Feb 28	323
1991-92	593.0	0.0	27.7	20,116.0	Feb 12	1,110
1992-93	572.0	0.0	33.8	24,439.1	Jan 18	905
1993-94	59.2	0.0	5.8	4,192.3	Feb 17	175
1994-95	215.0	0.0	15.7	11,368.9	Mar 10	517
1995-96	236.0	0.0	9.4	5,846.3		
1996-97	86.0	0.0	4.8	3,454.6	Jan 26	252
1997-98	429.0	0.0	11.6	8,366.7		N.D.
1998-99	3.0	0.0	0.1	49.4	Jan 26	76
1999-00	63.0	0.0	1.7	1,257.5	Feb 21	479
2000-01	89.0	0.0	1.3	930.0	Jun 28	264
2001-02	2.2	0.0	0.6	426.3	Nov 24	22
2002-03	3.5	0.0	0.1	9.7	Mar 15	195
2003-04	64.2	0.0	0.8	565.9	Feb 26	331
2004-05	1,210.0	0.0	23.6	17,100.0	Jan 10	1,740
2005-06	30.0	0.0	1.3	971.0	Jan 02	422
2006-07	5.2	0.2	0.5	393.6	Feb 27	122
2007-08	88.1	0.0	1.9	1,355	Jan 04	553

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTA ANITA WASH at Longden Avenue.
STATION NO. F193B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1959-60	55.0	+	0.6	465.0	Apr 27	534
1960-61	33.0	0.0	0.3	216.0	Nov 12	314
1961-62	693.0	0.0	8.2	5,910	Feb 11	1,780
1962-63	101.0	0.0	1.0	709.0	Feb 09	621
1963-64	47.0	0.0	0.9	650.0	Nov 20	581
1964-65	63.0	0.0	1.4	985.0	Apr 09	518
1965-66	541.0	+	12.0	8,730	Dec 29	1,380
1966-67	613.0	+	16.0	11,570	Dec 06	1,180
1967-68	111.0	+	1.7	1,230	Nov 19	816
1968-69	2,760.0	+	46.9	33,930	Jan 25	6,850
1969-70	150.0	+	3.2	2,300	Mar 02	1,290
1970-71	350.0	+	3.4	2,440	Dec 21	590
1971-72	71.0	0.0	0.4	320.0	Dec 24	324
1972-73	595.0	0.0	5.9	4,270	Feb 27	1,630
1973-74	158.0	+	2.9	2,090	Jan 07	518
1974-75	95.0	0.0	1.2	875.0	Dec 04	943
1975-76	82.0	0.0	1.5	1,060	Sep 11	766
1976-77	46.0	0.0	1.0	752.0	Oct 23	694
1977-78	877.0	0.0	35.5	25,720	Feb 10	2,350
1978-79	1,160.0	0.1	12.4	8,978	Feb 21	1,730
1979-80	1,690.0	0.1	72.1	51,148	Jan 29	2,090
1980-81	121.0	0.0	1.3	963.0	Jan 29	1,100
1981-82	176.0	0.0	3.4	2,485	Mar 17	1,060
1982-83	958.0	0.0	79.5	57,533	Mar 02	2,240
1983-84	143.0	0.1	8.9	6,453	Nov 01	656
1984-85	92.7	0.0	3.0	2,142	Dec 19	517
1985-86	104.0	0.2	6.9	4,987	Feb 14	379
1986-87	27.3	0.0	0.6	454.0	Oct 02	858
1987-88	82.0	0.0	1.6	1,156	Jan 17	858
1988-89	42.2	0.0	1.0	717.0	Dec 16	180
1989-90	76.6	0.0	0.8	617.0	Jan 13	463
1990-91	104.0	0.0	2.2	1,602	Mar 01	490
1991-92	498.0	0.0	19.2	13,964	Feb 12	1,320
1992-93	552.0	0.0	35.7	25,860	Jan 18	1,370
1993-94	354.0	0.0	2.2	1,623	Apr 27	404
1994-95	375.0	0.0	19.2	13,920	Jan 10	1,070
1995-96	299.0	0.0	4.5	3,257	Jan 31	1,550
1996-97	89.0	+	5.7	4,110	Jan 26	443
1997-98	910.0	+	22.1	16,010	Feb 06	883
1998-99	34.0	0.0	1.0	717.0	Jan 26	230

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTA ANITA WASH at Longden Avenue.
STATION NO. F193B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1999-00	71.0	+	2.1	1,510	Feb 21	581
2000-01	86.0	+	2.9	2,110	Jan 11	430
2001-02	43.5	0.0	1.1	813.1	Nov 24	611
2002-03	113.5	0.0	2.7	1,922.2	Feb 13	741
2003-04	137.9	0.0	1.7	1,260.2	Feb 26	664
2004-05	1,650.0	0.0	42.8	31,000.0	Jan 10	2,610
2005-06	242.0	0.0	4.2	3,040.0	Jan 02	840
2006-07	31.8	0.0	0.9	645.4	Feb 11	289
2007-08	230.0	0.0	15.5	11,220	Jan 04	1,250

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA CLARA RIVER at Old Road Bridge. STATION NO. F92C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	291.0	0.1	2.6	1,890	Feb 07	2,310
1931-32	739.0	0.1	5.9	4,280	Feb 09	2,090
1932-33	90.0	0.0	0.7	488.0	Jan 19	618
1933-34	448.0	+	2.2	1,600	Jan 01	3,870
1934-35	82.0	+	1.5	1,090	Jan 05	608
1935-36	113.0	0.0	2.2	1,590	Feb 23	833
1936-37	471.0	0.0	6.7	4,850	Dec 27	3,410
1937-38	6,370.0	+	37.2	26,900	Mar 02	24,000E
1938-39	435.0E	+	14.4	10,410	Dec 15	4,620
1939-40	79.0	0.3	2.2	1,570	Feb 01	676
1940-41	3,450.0	0.3	57.1	41,320	Mar 04	5,050
1941-42	167.0	0.6	32.3	23,400	Dec 28	443
1942-43	5,420.0	1.4	65.2	47,170	Jan 23	15,000
1943-44	9,360.0	2.0	68.6	49,770	Feb 22	22,200
1944-45	110.0	2.2	15.3	11,050	Feb 02	317
1945-46	194.0	0.4	8.9	6,440	Mar 30	500
1946-47	371.0	1.0	15.4	11,150	Dec 26	1,620
1947-48	33.0E	0.8	3.1	2,270	Mar 24	350E
1948-49	4.9	0.4	1.8	1,300	Mar 11	10
1949-50	5.2	0.1	1.2	888.0	Feb 06	9
1950-51	2.0	+	0.3	217.0	Jan 29	6
1951-52	1,620.0	+	23.1	16,760	Jan 16	7,600
1952-53	43.0	0.1	0.8	592.0	Dec 01	N.D.
1953-54	104.0	+	1.6	1,160	Jan 19	626
1954-55	96.0	+	0.8	612.0	Jan 18	746
1955-56	184.0	+	1.4	1,000	Jan 26	344
1956-57	195.0	0.0	1.4	1,020	Feb 28	1,920
1957-58	1,440.0	0.0	14.7	10,620	Apr 03	3,850
1958-59	215.0	0.0	1.3	940.0	Jan 06	1,410
1959-60	12.0	0.0	0.4	288.0	Apr 27	151
1960-61	58.0	0.0	0.7	533.0	Nov 05	830
1961-62	1,690.0	0.0	14.5	10,470	Feb 12	4,250
1962-63	105.0	0.0	1.3	965.0	Mar 16	1,470
1963-64	85.0	0.0	1.1	780.0	Jan 22	860
1964-65	240.0	0.0	2.1	1,550	Apr 08	1,260
1965-66	3,200.0	0.0	22.0	15,990	Dec 29	11,600
1966-67	820.0	+	9.8	7,100	Jan 24	3,000
1967-68	475.0	0.0	4.2	3,070	Jan 24	2,810
1968-69	N.D.	0.2	**	30,170E	Feb 25	31,800E
1969-70	164.0	1.0	13.3	9,610	Mar 01	900

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA CLARA RIVER at Old Road Bridge. STATION NO. F92C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	1,830.0	0.5	15.1	10,930	Nov 29	8,150
1971-72	442.0	0.5	9.2	6,640	Dec 27	2,200
1972-73	1,470.0	0.4	13.0	9,450	Feb 11	4,760
1973-74	984.0	1.0	9.1	6,600	Jan 07	2,440
1974-75	187.0	0.9	5.4	3,910	Dec 04	1,120
1975-76	138.0	+	3.7	2,710	Sep 10	999
1976-77	273.0	+	3.8	2,750	May 08	2,510
1977-78	*	*	*	*	Feb 10	*
1978-79	605.0	1.0	16.0	11,617	Mar 28	3,370
1979-80	*	*	*	*		*
1980-81	NO RECORD					
1981-82	NO RECORD					
1982-83	5,214.0	0.8	113.8	83,154	Mar 01	14,925
1983-84	*	*	*	*		*
1984-85	295.0	1.0	18.8	13,558	Dec 19	1,820
1985-86	492.0	7.5	24.7	17,896	Feb 14	1,050
1986-87	71.3	5.2	14.3	10,197	Nov 18	444
1987-88	485.0	0.0	16.5	11,981	Dec 04	1,450
1988-89	145.0	3.7	11.9	8,535	Dec 16	876
1989-90	18.0	4.9	12.2	8,864	Feb 17	523
1990-91	604.0	2.4	13.9	10,058	Mar 01	2,750
1991-92	*	*	*	*		*
1992-93	*	*	*	*		*
1993-94	*	*	*	*		*
1994-95	*	*	*	*		*
1995-96	*	*	*	*		*
1996-97	181.0	1.9	8.6	6,190	Dec 22	2,000
1997-98	7,080.0	1.3	89.2	53,800	Feb 23	19,000
1998-99	136.0	4.3	15.7	11,330	Jan 31	1,610
1999-00	1,300.0	3.0	18.7	13,600	Feb 23	8,770
2000-01	27.0	2.6	7.8	5,620	Jan 24	30
2001-02	17.0	2.2	5.2	2,350.0	Feb 17	38
2002-03	0.0	0.0	13.1	0.0	Feb 12	7,290
2003-04	990.0	0.4	6.8	4,940.0	Feb 26	5,900
2004-05	7,580.0	0.7	125.0	90,270.0	Jan 09	20,900
2005-06	117.0	1.4	7.0	4,420.0	Jan 02	707
2006-07	15.6	1.6	4.8	3,488.8	Mar 21	217
2007-08	192.0	1.3	7.6	5,526	Jan 27	560

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA CLARA RIVER Above Lang Railroad Station. STATION NO. F93B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1949 50	5.2	0.8	1.5	1110	Feb 50	6
1950 51	1.7	0.6	1.1	774	Apr 51	2
1951 52	1280	0.5	29.3	21230	Jan 52	4200
1952 53	9	1.2	3.1	2250	Nov 52	39
1953 54	18	1	2.8	2000	Jan 54	29
1954 55	4.8	1	1.8	1270	Jan 55	5.8
1955 56	4	1	1.5	1100	Apr 56	5
1956 57	1.6	0.9	1.3	906	Jan 57	1.7
1957 58	509	1	14.5	7340	Apr 58	1260
1958 59	21	1.1	2.5	1780	Jan 59	40
1959 60	1.3	0.9	1.1	807		1.3
1960 61	46	0.3	1.4	980	Nov 60	500E
1961 62	308	0.2	5.8	4190	Feb 62	500
1962 63	4.6	1.1	1.6	1160	Feb 63	60
1963 64	1.2	0.6	1	697	Jan 64	70
1964 65	5.9	0.3	0.6	432	Apr 65	35
1965 66	942	0.4	12.7	9240	Dec 65	4040
1966 67	90	0.8	11.4	8270	Jan 67	265
1967 68	38	0.3	2.8	2000	Nov 67	200
1968 69	N.D.				Feb 69	5900E
1969 70	60	0.1	5.3	3860	Mar 70	200E
1970 71	195		6.2	4510	Nov 70	620
1971 72	33	0	2.2	1600	Dec 71	79
1972 73	458	0	5.1	3670	Feb 73	953
1973 74	70	0	2.3	1670	Jan 74	264
1974 75	13	0	1.1	813	Dec 74	59
1975 76	10	0	0.4	259	Feb 76	24
1976 77	9.1	0	0.2	147	May 77	38
1977 03	NO DATA	FROM 1977		TO 2003		
2003 04	15	0	0	30	Feb 04	87
2004 05	1620	0	52.4	37840	Jan 05	2510
2005 06	77	0	4.66	2960	Feb 06	120
2006 07	1.64	0.15	0	107	Aug 07	141
2007 08	52.4	0	1.64	1,200	Feb 08	97

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTA FE DIVERSION CHANNEL below Santa Fe Dam.
STATION NO. F280-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1943-44	253.0	0.0	20.9	15,180	May 18	253
1944-45	0.0	0.0	0.0	0.0		0
1945-46	479.0	0.0	31.2	22,610	Sep 13	484
1946-47	446.0	0.0	16.8	12,200	Nov 27	484
1947-48	786.0	0.0	10.9	7,880	Jun 04	800
1948-49	0.0	0.0	0.0	0.0		0
1949-50	0.0	0.0	0.0	0.0		0
1950-51	0.0	0.0	0.0	0.0		0
1951-52	381.0	0.0	3.2	2,280	Mar 16	732
1952-53	819.0	0.0	10.7	7,720	Nov 03	839
1953-54	750.0	0.0	11.5	8,350	May 07	752
1954-55	0.0	0.0	0.0	0.0		0
1955-56	0.0	0.0	0.0	0.0		0
1956-57	452.0	0.0	4.7	3,400	Apr 16	455
1957-58	621.0	0.0	27.0	19,530	Apr 04	635
1958-59	0.0	0.0	0.0	0.0		0
1959-60	0.0	0.0	0.0	0.0		0
1960-61	0.0	0.0	0.0	0.0		0
1961-62	547.0	0.0	12.7	9,190	Feb 12	819
1962-63	0.0	0.0	0.0	0.0		0
1963-64	0.0	0.0	0.0	0.0		0
1964-65	+	0.0	+	+	Sep 08	1
1965-66	348.0	0.0	10.4	7,540	Jan 07	425
1966-67	227.0	0.0	21.3	15,470	Dec 18	236
1967-68	0.8	0.0	+	33.0	Nov 20	1
1968-69	268.0	0.0	33.6	24,340	Apr 15	290
1969-70	55.0	0.0	1.9	1,360	Mar 03	202
1970-71	90.0	0.0	3.4	2,430	Dec 24	92
1971-72	95.0	0.0	1.0	697.0	Jan 19	116
1972-73	222.0	0.0	13.0	9,410	Feb 21	280
1973-74	233.0	0.0	6.4	4,650	Apr 16	241
1974-75	24.0	0.0	0.6	466.0	Apr 22	27
1975-76	0.0	0.0	0.0	0.0		0
1976-77	23.5	0.0	2.0	1,439	Aug 17	52
1977-78	*	*	56.2	40,699	Apr 21	432
1978-79	148.0	0.0	16.7	12,113	May 01	195
1979-80	388.0	0.0	48.3	34,730	Mar 02	440
1980-81	370.0	0.0	19.8	14,360	Nov 20	384
1981-82	268.0	0.0	18.0	13,050	Jun 17	284
1982-83	365.0	0.0	49.9	36,043	Jul 13	400

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTA FE DIVERSION CHANNEL below Santa Fe Dam.
STATION NO. F280-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1983-84	382.0	0.0	23.1	16,768	Oct 14	453
1984-85	31.7	0.0	0.4	278.0	Dec 19	57
1985-86	378.0	0.0	40.2	29,110	Feb 27	391
1986-87	4.7	0.0	1.9	115.0	Nov 18	7
1987-88	424.0	0.0	11.5	8,362	Jun 09	429
1988-89	7.0	0.0	0.4	302.0	May 11	11
1989-90	0.0	0.0	0.0	0.0		0
1990-91	547.0	0.0	23.5	16,782	Jul 31	566
1991-92	428.0	0.0	50.2	36,405	Feb 04	450
1992-93	193.0	0.0	42.0	30,370	Aug 09	215
1993-94	72.0	0.0	2.1	1,511	Jul 29	129
1994-95	410.0	0.0	23.5	17,050	Dec 04	414
1995-96	385.0	0.0	35.8	25,988	Oct 05	397
1996-97	393.0	0.0	19.6	14,220	Jul 22	407
1997-98	452.0	0.0	23.5	17,010	May 19	467
1998-99	113.0	0.0	2.2	1,570	Feb 10	225
1999-00	0.0	0.0	0.0	0.0		0
2000-01	16.0	0.0	0.7	470.0	Jan 08	179
2001-02	16.8	0.0	0.3	217.3	Jan 16	22
2002-03	208.1	0.0	2.2	1,562.4	Aug 12	326
2003-04	51.9	0.0	0.8	605.0	Oct 09	56
2004-05	520.0	0.0	46.0	33,300.0	Mar 09	540
2005-06	258.0	0.0	9.5	6,860.0	Apr 27	280
2006-07						
2007-08	251.0	0.0	7.5	5,447	Sep 11	448

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTIAGO CANYON CREEK above Little Rock Creek. STATION NO. F125-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1953-54	24.0	0.0	0.9	631.0	Jan 25	44
1954-55	13.0	0.0	0.8	602.0	Feb 17	16
1955-56	41.0	0.0	0.6	406.0	Jan 26	87
1956-57	6.8	0.0	0.3	199.0	Jan 13	15
1957-58	58.0	0.0	3.2	2,280	Apr 03	107
1958-59	10.0	0.0	0.5	386.0	Feb 16	21
1959-60	1.3	0.0	0.1	75.0	Feb 02	2
1960-61	+	0.0	+	+	Aug 05	1
1961-62	118.0	0.0	1.3	945.0	Feb 11	199
1962-63	0.9	0.0	+	19.0	Apr 21	1
1963-64	0.4	0.0	+	10.0	Apr 02	1
1964-65	3.5	0.0	0.1	87.0	Apr 20	4
1965-66	78.0	0.0	1.3	926.0	Dec 29	269
1966-67	38.0	0.0	1.4	982.0	Dec 06	66
1967-68	9.5	0.0	0.5	380.0	Nov 21	17
1968-69	345.0	0.0	5.8	4,170	Jan 25	1,140
1969-70	14.0	0.0	0.6	455.0	Mar 01	21
1970-71	7.2	0.0	0.4	290.0	Nov 29	22
1971-72	3.2	0.0	0.1	75.0	Dec 24	5
1972-73	72.0	0.0	0.9	640.0	Feb 11	175
1973-74	4.3	0.0	0.2	144.0	Jan 17	6
1974-75	3.8	0.0	0.2	121.0	Mar 06	6
1975-76	14.0	0.0	0.1	55.0	Sep 24	1,060
1976-77	5.5	0.0	0.1	83.0	May 09	9
1977-78	*	*	*	*	Feb 09	*
1978-79	23.0	0.0	1.4	986.0	Mar 28	303
1979-80	67.0	0.0	3.1	2,227	Feb 16	193
1980-81	2.8	0.0	0.2	158.0		N.D.
1981-82	30.0	0.0	0.8	602.0		N.D.
1982-83	152.0	0.0	5.6	4,022	Mar 01	280
1983-84	11.2	0.0	1.0	711.0	Dec 25	26
1984-85	40.3	0.0	0.5	347.0	Dec 19	103
1985-86	13.7	0.0	0.5	337.0	Jan 30	24
1986-87	0.7	0.0	+	11.0	Mar 07	1
1987-88	17.0	0.0	3.3	204.0		N.D.
1988-89	10.9	0.0	2.9	165.0	Feb 09	86
1989-90	0.0	0.0	0.0	0.0		0
1990-91	19.7	0.0	0.2	109.0		N.D.
1991-92	50.8	0.0	0.9	627.0	Feb 12	97
1992-93	177.0	0.0	5.9	4,266	Feb 19	235

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SANTIAGO CANYON CREEK above Little Rock Creek.
STATION NO. F125-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1993-94	1.5	0.0	0.3	248.0	Feb 14	2
1994-95	76.5	0.0	1.9	1,379	Mar 11	90
1995-96	55.6	0.0	0.5	335.0	Mar 05	75
1996-97	12.0	0.0	0.2	120.0	Jan 26	19
1997-98	121.0	0.0	4.2	3,050	Feb 23	317
1998-99	2.8	0.0	0.3	246.0	Jul 13	5
1999-00	6.1	0.0	0.1	98.0	Apr 18	7
2000-01	23.0	0.0	0.6	454.0	Mar 06	37
2001-02	N.D.					
2002-03	0.0	0.0	0.3	0.0	Feb 12	52
2003-04	5.6	0.0	0.1	32.0	Feb 26	21
2004-05	236.0	0.0	6.2	4,440.0	Feb 21	470
2005-06	64.0	0.0	2.1	1,420.0	Feb 28	95
2006-07						
2007-08	93.5	0.0	2.7	1,961	Feb 14	109

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAWPIT CREEK below Sawpit Dam.
STATION NO. F278-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1941-42	1.3	0.0	0.1	30.3	Mar 13	3
1942-43	186.0	0.0	4.0	2,859.6	Jan 23	284
1943-44	50.0	0.0	1.0	667.4	Feb 22	67
1944-45	N.D.					
1945-46	21.0	0.0	0.2	169.2	Dec 23	36
1946-47	18.0	0.0	0.5	328.9	Dec 26	26
1947-48	N.D.					
1948-49	N.D.					
1949-50	N.D.					
1950-51	N.D.					
1951-52	N.D.					
1952-53	N.D.					
1953-54	N.D.					
1954-55	N.D.					
1955-56	N.D.					
1956-57	N.D.					
1957-58	N.D.					
1958-59	N.D.					
1959-60	N.D.					
1960-61	N.D.					
1961-62	N.D.					
1962-63	N.D.					
1963-64	N.D.					
1964-65	N.D.					
1965-66	N.D.					
1966-67	N.D.					
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	5.7	0.5	1.3	921.3	Oct 04	9
1975-76	6.1	0.2	0.9	646.0	Sep 11	20
1976-77	5.9	0.2	0.8	603.2	Oct 22	36
1977-78	87.9	0.2	6.5	4,716.9	Mar 04	132
1978-79	9.9	0.0	2.8	1,984.9	Oct 02	55
1979-80	110.0	0.0	4.8	3,485.2	Feb 06	216
1980-81	4.9	0.0	1.4	1,045.7	Mar 19	9

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAWPIT CREEK below Sawpit Dam.
STATION NO. F278-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1981-82	38.6	0.4	1.8	1,307.1	Apr 26	72
1982-83	88.5	0.0	6.2	4,486.2	Mar 01	269
1983-84	15.2	0.0	1.8	1,268.8	May 07	63
1984-85	6.6	0.5	1.3	936.0	Dec 19	14
1985-86	10.1	0.0	1.7	1,204.0	Mar 08	13
1986-87	N.D.					
1987-88	4.2	0.4	1.7	1,192.7		
1988-89	9.5	0.2	1.0	740.4		
1989-90	5.5	0.0	0.8	544.9		
1990-91	34.3	0.0	1.5	1,089.1		
1991-92	43.9	0.4	2.6	1,909.7	Feb 11	59
1992-93	76.6	1.1	8.8	6,392.7	Feb 08	93
1993-94	4.1	1.4	2.1	1,555.2	Jun 22	30
1994-95	79.7	1.5	4.9	3,551.6	Mar 05	85
1995-96	32.0	0.1	3.1	2,247.3	Feb 22	35
1996-97	11.0	1.5	2.7	1,952.1	Jan 26	14
1997-98	89.0	1.7	4.2	3,039.1	Feb 24	143
1998-99	3.2	0.7	2.2	1,579.8	Jun 02	50
1999-00*	4.3	0.7	1.7	1,261.9	May 03	6
2000-01	8.1E	0.45E	1.47E	1060E	Feb 13	15
2001-02	1.8	0.1	1.0	694.6	Jan 27	8
2002-03	10.1	0.3	1.4	982.7	Feb 12	28
2003-04	13.0	0.3	1.0	359.8	Feb 26	45
2004-05	184.0	0.1	5.6	4,030.0	Jan 09	260
2005-06	8.7	1.2	2.1	1,510.0	Jan 02	22
2006-07	2.1	0.6	1.2	881.2	Feb 27	3
2007-08	21.0	0.7	1.6	1,180	Jan 05	161

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAWPIT WASH below Live Oak Avenue.
STATION NO. F194B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1960-61	50.0	+	*	263*	Jan 26	420
1961-62	573.0	+	16.6	11,980	Feb 11	1,300
1962-63	137.0	+	1.6	1,180	Feb 09	690
1963-64	83.0	+	1.6	1,190	Jan 22	682
1964-65	95.0	+	2.1	1,500	Apr 09	1,290
1965-66	243.0	+	7.3	9,240	Dec 29	1,470
1966-67	298.0	+	22.0	16,020	Dec 03	1,120
1967-68	130.0	+	2.1	1,520	Nov 19	1,870
1968-69	1,270.0	+	53.7	38,870	Jan 25	3,960
1969-70	773.0	0.0	6.7	4,830	Feb 28	2,800
1970-71	196.0	+	5.8	4,190	Nov 29	1,350
1971-72	142.0	0.1	2.0	1,450	Dec 24	519
1972-73	381.0	0.0	16.8	12,130	Feb 27	2,860
1973-74	265.0	0.1	9.0	6,490	Jan 07	652
1974-75	180.0	+	2.8	2,010	Dec 04	2,140
1975-76	101.0	0.1	1.8	1,310	Sep 11	1,790
1976-77	118.0	0.1	3.8	2,732	Oct 23	1,090
1977-78	*	*	*	*	Feb 10	*
1978-79	160.0	0.2	20.3	14,687	Feb 21	1,280
1979-80	886.0	0.2	50.2	35,952	Feb 16	3,940
1980-81	376.0	0.0	23.1	16,742	Jan 29	900
1981-82	257.0	0.1	18.1	13,029	Mar 17	1,560
1982-83	530.0	0.1	56.4	40,867	Mar 01	2,890
1983-84	294.0	0.0	20.4	14,767	Oct 01	1,210
1984-85	122.0	0.0	2.6	1,873	Dec 19	801
1985-86	*	*	*	*		*
1986-87	99.2	0.1	1.2	857.0	Oct 02	1,070
1987-88	385.0	0.0	12.9	9,344	Dec 04	1,630
1988-89	75.8	0.0	1.6	1,167	Dec 16	555
1989-90	147.0	0.0	1.3	909.0	Jan 13	707
1990-91	331.0	0.0	17.3	12,646	Aug 08	375
1991-92	325.0	0.0	36.8	26,730	Feb 11	1,710
1992-93	352.0	0.0	42.4	30,690	Jan 14	4,160
1993-94	72.2	0.0	3.7	2,671	Mar 19	1,160
1994-95	495.0	0.1	29.2	21,160	Jan 10	1,940
1995-96	530.0	0.2	44.1	32,020	Jan 31	3,580
1996-97	393.0	0.1	22.6	16,350	Jan 26	1,130
1997-98	452.0	0.2	32.6	23,570	Feb 06	2,960
1998-99	142.0	0.2	3.5	2,500	Jan 26	543
1999-00	127.0	0.1	4.1	2,960	Apr 17	1,110

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAWPIT WASH below Live Oak Avenue.
STATION NO. F194B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
2000-01	187.0	0.1	3.4	2,440	Jan 02	2,200
2001-02	121.5	0.0	1.0	709.5	Nov 24	2,087
2002-03	292.6	0.0	6.1	4,381.8	Mar 15	1,730
2003-04	235.8	0.0	2.9	2,118.4	Feb 26	1,810
2004-05	478.0	0.0	44.3	32,000.0	Feb 19	3,930
2005-06	221.0	0.0	12.5	9,040.0	Apr 14	2,507
2006-07	71.0	0.1	1.4	1,014.3	Feb 11	900
2007-08	321.0	0.1	11.1	8,031	Jan 04	3,980

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

THOMPSON CREEK below Thompson Creek Dam. STATION NO. F32-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1945-46	N.D.					
1946-47	N.D.					
1947-48	N.D.					
1948-49	N.D.					
1949-50	N.D.					
1950-51	N.D.					
1951-52	4.6	0.0	0.0	32.5	Mar 17	5
1952-53	N.D.					
1953-54	N.D.					
1954-55	N.D.					
1955-56	N.D.					
1956-57	N.D.					
1957-58	7.3	0.0	0.3	219.2	Apr 05	9
1958-59	N.D.					
1959-60	N.D.					
1960-61	N.D.					
1961-62	N.D.					
1962-63	N.D.					
1963-64	N.D.					
1964-65	N.D.					
1965-66	N.D.					
1966-67	23.0	0.0	0.4	305.1	Dec 06	130
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					
1972-73	N.D.					
1973-74	N.D.					
1974-75	N.D.					
1975-76	N.D.					
1976-77	N.D.					
1977-78	136.0	0.0	1.4	1,038.0	Mar 02	170
1978-79	3.6	0.0	0.1	46.4	May 04	8
1979-80	219.0	0.0	2.2	1,592.3	Feb 17	333
1980-81	N.D.					
1981-82	4.1	0.0	0.0	17.9	Feb 18	8
1982-83	76.5	0.0	0.8	581.4	Mar 02	83
1983-84	3.3	0.0	0.0	11.3	Dec 28	12
1984-85	N.D.					

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**THOMPSON CREEK below Thompson Creek Dam.
STATION NO. F32-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1985-86	9.6	0.0	0.1	58.5	Mar 16	17
1986-87	N.D.					
1987-88	0.6	0.0	0.0	2.0	Jan 17	1
1988-89	0.3	0.0	0.0	2.4	Feb 04	1
1989-90	37.4	0.0	0.0	0.0	Apr 04	57
1990-91	2.2	0.0	0.0	33.7	Mar 02	3
1991-92	2.2	0.0	0.1	67.2	Feb 10	6
1992-93	54.7	0.0	1.9	1,323.0	Feb 08	113
1993-94	3.7	0.0	0.0	8.0	Nov 01	7
1994-95	25.8	0.0	0.4	299.0	Mar 06	63
1995-96	32.8	0.0	0.6	456.0	Feb 21	35
1996-97	11.0	0.0	0.1	50.0	Jan 29	55
1997-98	74.0	0.0	0.7	522.0	Feb 23	158
1998-99	0.1	0.0	0.0	14.0	Jul 14	0
1999-00	0.4	0.0	0.0	19.0	Apr 18	1
2000-01	1.1	0.0	0.0	4.3	Jan 16	10
2001-02	1.2	0.0	0.0	24.4	Nov 20	1
2002-03	14.0	0.0	1.0	71.3	Mar 16	18
2003-04	38.0	0.0	0.1	268.1	Mar 16	13
2004-05	84.0	0.0	2.3	1,640.0	Feb 21	140
2005-06	0.1	0.0	0.0	0.3	Feb 28	0
2006-07	N.D.					
2007-08	8.2	0.0	0.1	84	Jan 30	16

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**TOPANGA CREEK above mouth of canyon.
STATION NO. F54C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	186.0	+	1.0	705.0	Feb 14	386
1931-32	409.0	+	4.9	3,590	Feb 08	1,250
1932-33	542.0	+	3.1	2,240	Jan 19	1,430
1933-34	1,590.0	0.0	8.9	6,420	Dec 31	4,510
1934-35	130.0	+	1.9	1,360	Jan 05	1,200
1935-36	77.0	+	2.0	1,490	Feb 22	528
1936-37	413.0	+	9.1	6,620	Mar 15	1,130
1937-38	3,270.0	+	21.2	15,310	Mar 02	9,300E
1938-39	NO RECORD					
1939-40	183.0	+	2.9	2,080	Feb 01	1,280
1940-41	1,100.0E	+	26.2	18,940	Feb 20	8,700E
1941-42	47.0	+	0.8	540.0	Dec 28	385
1942-43	1,100.0E	+	12.0	8,720	Jan 22	2,200
1943-44	1,100.0E	0.1	9.6	6,970	Feb 22	5,070
1944-45	176.0	0.1	1.5	1,090	Feb 02	964
1945-46	182.0	+	1.9	1,390	Dec 23	905
1946-47	86.0	+	1.4	994.0	Nov 20	567
1947-48	23.0	0.0	0.2	168.0	Mar 24	276
1948-49	5.0	+	0.1	99.0	Dec 26	63
1949-50	35.0	+	0.5	379.0	Dec 18	275
1950-51	2.4	+	0.1	74.0	Jan 11	21
1951-52	1,990.0	0.0	23.3	16,900	Jan 15	6,050
1952-53	52.0	+	1.0	725.0	Dec 01	702
1953-54	396.0	0.0	2.5	1,820	Feb 13	2,090
1954-55	33.0	+	0.5	354.0	Jan 18	151
1955-56	337.0	+	1.4	1,030	Jan 26	1,540
1956-57	69.0	+	0.5	374.0	Feb 23	655
1957-58	599.0	+	10.4	7,460	Apr 03	3,950
1958-59	141.0	+	1.1	785.0	Jan 06	1,510
1959-60	76.0	+	0.6	422.0	Apr 27	539
1960-61	8.1	+	0.1	58.0	Jan 26	28
1961-62	1,150.0	+	10.7	7,720	Feb 10	2,790
1962-63	66.0	+	0.6	454.0	Feb 09	569
1963-64	17.0	+	0.2	178.0	Jan 21	196
1964-65	148.0	+	1.2	886.0	Apr 09	716
1965-66	1,120.0	+	10.0	7,270	Dec 29	3,500
1966-67	569.0	0.1	7.0	5,070	Jan 24	2,280
1967-68	186.0	0.1	2.2	1,570	Mar 08	567
1968-69	4,920.0	0.1	40.6	29,400	Jan 25	12,200
1969-70	84.0	0.0	1.2	902.0	Mar 04	844

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**TOPANGA CREEK above mouth of canyon.
STATION NO. F54C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1970-71	720.0	+	6.3	4,560	Jan 29	3,020
1971-72	110.0	0.2	1.1	809.0	Dec 27	588
1972-73	1,140.0	0.1	8.6	6,250	Feb 11	3,840
1973-74	1,060.0	0.1	5.7	4,110	Jan 07	2,060
1974-75	286.0	0.1	3.0	2,200	Mar 06	1,670
1975-76	24.0	+	0.3	214.0	Feb 09	72
1976-77	30.0	+	0.6	405.0	Jan 03	219
1977-78	2,676.0	0.1	32.4	23,480	Mar 04	10,127
1978-79	425.0	0.2	7.2*	5,180	Mar 27	2,490
1979-80	3,919.0	0.2	33.2	23,236	Feb 16	20,200
1980-81	89.7	0.1	1.8	1,279	Mar 02	219
1981-82	143.8	0.2	1.5	1,066	Mar 17	650
1982-83	2,274.0	0.2	277.0	19,241	Jan 27	10,200
1983-84	203.0	0.2	2.2	1,445	Dec 25	2,612
1984-85	26.3	0.2	1.3	943.0	Dec 26	56
1985-86	823.0	0.2	10.0	7,211	Feb 14	5,135
1986-87	*	*	*	*		*
1987-88	*	*	*	*		*
1988-89	9.7	0.1	0.4	283.0	Dec 21	32
1989-90	*	*	*	*		*
1990-91	Discont	2/90	Restored	10/97.		
1996-97	80.0	0.5	3.0	2,140	Dec 09	229
1997-98	494.0	0.7	24.4	17,640	Feb 23	2,470
1998-99	19.0	0.5	1.2	839.0	Apr 11	93
1999-00	133.0	0.3	2.8	2,030	Feb 23	1,050
2000-01	257.0	0.5	7.6	5,520	Jan 11	2,820
2001-02	35.2	0.0	1.4	1,048.5	Nov 24	195
2002-03	551.7	0.2	5.4	3,918	Feb 12	1,660
2003-04	648.8	0.2	4.4	3,183.5	Feb 26	3,780
2004-05	2,000.0	1.0	54.9	39,700.0	Dec 28	3,980
2005-06	86.0	1.3	4.1	2,990.0	Jan 02	481
2006-07	5.4	0.4	1.3	937.2	Jan 28	8
2007-08	8,810.0	0.0	149.4	108,444	Jan 05	8,813

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**VERDUGO WASH at Estelle Avenue.
STATION NO. F252-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1928-29	15.0	0.0	*	140*	Apr 04	56*
1929-30	14.0	0.0	0.4	274.0	May 03	80
1930-31	8.4	+	0.2	145.0	Apr 26	46
1931-32	39.0	0.1	1.0	713.0	Feb 09	145
1932-33	42.0	0.1	0.4	295.0	Jan 19	391
1933-34	NO RECORD					
1934-35	85.0*	0.0	*	620.0	Jan 05	1,020*
1935-36	33.0	0.0	0.6	463.0	Mar 30	1,100*
1936-37	*	0.0	*	1,560	Dec 27	768
1937-38	1,500.0	0.0	7.5	5,450	Mar 02	4,400E
1938-39	78.0	0.0	2.0	1,420	Jan 05	520
1939-40	60.0	+	2.0	1,430	Jan 08	533
1940-41	357.0	+	10.2	7,370	Feb 19	1,120
1941-42	81.0	0.8	3.0	2,160	Dec 10	440
1942-43	1,020.0	0.3	12.0	8,690	Jan 23	3,570
1943-44	998.0	0.2	7.0	5,040	Feb 22	3,160
1944-45	181.0	0.6	2.8	2,010	Feb 02	1,520
1945-46	135.0	0.3	2.7	1,930	Dec 22	816
1946-47	234.0	0.0	2.7	1,940	Dec 25	1,860
1947-48	41.0	0.0	0.5	382.0	Mar 24	573
1948-49	35.0	0.0	0.6	433.0	Dec 16	202
1949-50	69.0	0.0	0.9	638.0	Feb 06	467
1950-51	41.0	0.0	0.5	383.0	Jan 11	960
1951-52	422.0	0.0	7.8	5,630	Jan 16	2,920
1952-53	100.0	0.0	1.3	968.0	Nov 15	1,520
1953-54	227.0	0.0	2.7	1,920	Feb 13	1,300
1954-55	134.0	0.0	2.0	1,480	Jan 18	784
1955-56	550.0	0.0	2.5	1,840	Jan 26	1,940
1956-57	184.0	0.0	1.9	1,400	Feb 23	2,960
1957-58	236.0	0.0	5.2	3,770	Feb 19	1,700
1958-59	232.0	0.0	2.0	1,440	Feb 16	2,080
1959-60	56.0	0.0	1.2	862.0	Jan 11	533
1960-61	98.0	+	0.9	667.0	Nov 05	676
1961-62	592.0	0.0	6.8	4,830	Feb 12	1,880
1962-63	370.0	+	2.0	1,460	Feb 09	2,180
1963-64	192.0	0.0	2.1	1,510	Jan 21	1,640
1964-65	249.0	+	3.8	2,780	Apr 08	1,480
1965-66	1,030.0	0.1	12.2	8,830	Dec 29	3,480
1966-67	422.0	0.5	10.4	7,530	Jan 22	3,230
1967-68	606.0	0.2	9.3	6,730	Mar 08	3,460

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**VERDUGO WASH at Estelle Avenue.
STATION NO. F252-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1968-69	1,850.0	1.8	36.1	26,120	Jan 25	5,050
1969-70	261.0	2.0	8.4	6,090	Feb 28	2,500
1970-71	931.0	1.8	10.6	7,690	Nov 29	5,330
1971-72	476.0	1.2	14.8	4,570	Dec 24	1,960
1972-73	897.0	1.0	12.8	9,280	Jan 18	4,010
1973-74	671.0	1.8	10.2	7,380	Jan 07	2,390
1974-75	373.0	0.7	7.7	5,590	Dec 04	3,390
1975-76	180.0	0.5	6.4	4,560	Mar 01	1,190
1976-77	210.0	0.3	6.0	4,318	Jan 03	2,100
1977-78	1,700.0	+	34.2	24,739	Feb 10	9,820
1978-79	*	*	*	*	Mar 27	*
1979-80	440.0	1.2	18.1	13,000	Feb 16	6,420
1980-81	266.0	1.5	12.0	8,706	Jan 29	2,870
1981-82	333.0	1.0	12.5	9,083	Apr 01	1,960
1982-83	1,260.0	2.0	37.0	26,750	Mar 01	6,714
1983-84	NO RECORD					
1984-85	279.0	1.0	9.2	6,686	Dec 19	2,430
1985-86	437.0	1.2	12.1	8,737	Mar 08	1,620
1986-87	158.0	1.5	5.0	3,635		N.D.
1987-88	688.0	2.3	19.3	14,042	Feb 01	4,150
1988-89	301.0	0.3	9.1	6,262	Dec 16	1,700
1989-90	474.0	+	5.7	4,120	Feb 17	1,820
1990-91	544.0	0.2	11.1	8,017		N.D.
1991-92	636.0	0.0	20.1	14,621	Feb 10	4,110
1992-93	733.0	1.7	32.5	23,520	Jun 05	4,320
1993-94	265.0	0.0	10.4	7,543	Nov 30	2,220
1994-95	1,710.0	1.0	46.5	33,700	Jan 10	4,460
1995-96	1,260.0	0.8	18.6	13,520	Feb 21	3,460
1996-97	1,140.0	1.9	23.3	16,860	Dec 22	3,010
1997-98	966.0	3.9	22.3	16,150	Feb 07	5,550
1998-99	117.0	3.6	10.0	7,250	Nov 28	1,390
1999-00	289.0	2.9	11.7	8,470	Feb 16	2,700
2000-01	258.0	3.1	10.9	7,870	Jan 10	1,040
2001-02	264.6	0.3	10.5	7,544.5	Nov 24	4,328
2002-03	524.3	0.1	11.5	8,340.7	Mar 15	2,960
2003-04	0.0	0.0	7.4	0.0	Feb 26	2,840
2004-05	1,350.0	5.4	51.2	37,100.0	Feb 21	4,940
2005-06	547.0	8.1	19.5	14,120.0	Jan 02	3,902
2006-07	139.0	5.4	11.0	7,942.8	Feb 27	1,001
2007-08	483.0	0.9	13.7	9,916	Jan 04	5,700

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**WALNUT CREEK above Puente Avenue.
STATION NO. F304-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1952-53	47.0	0.0	0.4	292.0	Dec 01	713
1953-54	297.0	0.0	34.9	25,290	Feb 13	1,500
1954-55	337.0	0.0	29.9	21,640	Jan 18	732
1955-56	1,120.0	0.0	68.5	49,730	Jan 26	3,450
1956-57	361.0	0.0	71.2	51,530	Feb 28	2,200
1957-58	494.0	0.0	11.7	8,490	Apr 07	2,510
1958-59	279.0	0.0	2.2	1,610	Jan 06	2,480
1959-60	163.0	0.0	1.8	1,300	Jan 12	1,160
1960-61	272.0	0.0	12.4	9,010	Jan 26	411
1961-62	431.0	*	*	4,800	Feb 11	2,090
1962-63	267.0	+	4.6	3,360	Mar 16	1,410
1963-64	232.0	+	3.9	2,860	Jan 22	1,280
1964-65	435.0	0.2	16.1	11,640	Apr 09	3,250
1965-66	646.0	0.2	11.0	7,920	Dec 29	2,060
1966-67	685.0	0.1	20.8	15,060	Jan 24	3,360
1967-68	647.0	+	23.3	16,880	Mar 08	3,390
1968-69	1,830.0	+	68.4	49,490	Feb 25	4,960
1969-70	278.0	+	4.5	3,250	Mar 01	2,210
1970-71	384.0	0.0	9.4	6,810	Dec 21	1,630
1971-72	546.0	0.0	4.1	3,070	Dec 24	2,650
1972-73	591.0	0.0	9.5	6,920	Jan 16	2,730
1973-74	749.0	0.1	9.2	6,670	Jan 07	2,020
1974-75	551.0	+	7.1	5,170	Dec 04	4,200
1975-76	255.0	+	3.9	2,800	Sep 10	1,200
1976-77	295.0	0.0	5.4	3,939	May 09	1,920
1977-78	1,970.0	0.0	65.0	47,085	Mar 04	7,820
1978-79	714.0	0.0	17.4	12,619	Mar 27	3,020
1979-80	2,490.0	0.0	54.5	38,432	Feb 16	6,280
1980-81	468.0	0.0	4.7	3,406	Mar 01	1,840
1981-82	724.0	0.0	11.1	8,030	Mar 14	2,800
1982-83	1,570.0	0.0	45.2	32,750	Feb 27	5,850
1983-84	424.0	0.0	5.7	4,138	Oct 01	2,340
1984-85	276.0	0.0	8.2	5,917	Nov 13	2,230
1985-86	532.0	0.0	13.2	9,537	Mar 08	3,580
1986-87	693.0	0.0	5.4	3,976	Oct 02	2,653
1987-88	454.0	0.0	7.3	5,355	Oct 22	3,288
1988-89	157.0	0.0	2.3	1,626	Mar 25	869
1989-90	43.7	0.0	2.9	2,066	May 28	2,006
1990-91	724.0	+	11.1	7,924	Mar 26	3,386
1991-92	1,090.0	0.0	28.1	20,383	Feb 12	6,400

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**WALNUT CREEK above Puente Avenue.
STATION NO. F304-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1992-93	1,470.0	0.0	68.9	49,850	Jan 07	5,700
1993-94	249.0	0.0	6.6	4,807	Apr 26	2,690
1994-95	900.0	0.0	24.8	17,970	Jan 10	5,040
1995-96	1,200.0	0.0	17.0	12,338	Jan 31	5,400
1996-97	453.0	+	12.9	9,360	Jan 26	2,810
1997-98	1,310.0	+	39.0	28,250	Feb 07	5,670
1998-99	159.0	0.0	6.3	4,590	Nov 28	1,400
1999-00	381.0	0.0	11.0	8,010	Feb 23	3,130
2000-01	620.0	0.0	12.1	8,760	Jan 11	2,430
2001-02	320.4	0.0	2.8	2,001.4	Nov 24	5,196
2002-03	810.3	0.1	15.0	10,840.6	Mar 15	3,990
2003-04	568.3	0.2	8.3	6,006.7	Feb 25	2,350
2004-05	1,370.0	0.2	58.9	42,600.0	Oct 20	4,720
2005-06	391.0	1.1	19.4	14,070.0	Jan 02	2,867
2006-07	198.0	0.0	13.7	9,923.8	Apr 20	1,921
2007-08	536.0	0.0	15.3	11,071	Jan 05	3,964

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

WALNUT CREEK below Puddingstone Dam. STATION NO. F40-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1932-33	1.3	0.0	0.1	16.7	Jan 29	33
1933-34	3.2	0.0	0.3	40.0	Sep 17	+
1934-35	1.2	0.0	0.1	44.1	Oct 17	4
1935-36	0.5	0.0	0.1	35.6	Feb 12	13
1936-37	6.1	0.0	0.4	197.4	Feb 06	18
1937-38	99.0	0.1	6.6	4,820.4	Mar 07	104
1938-39	23.0	0.1	1.8	1,337.1	Oct 30	25
1939-40	1.0	0.1	0.2	144.6	Jan 07	7
1940-41	15.7	0.1	2.5	1,790.1	Feb 19	25
1941-42	44.0	0.1	2.3	1,640.5	Dec 03	91
1942-43	141.0	0.1	4.2	3,062.5	Mar 04	287
1943-44	51.0	0.1	1.5	1,120.1	Mar 02	51
1944-45	6.2	0.1	0.6	392.9	Feb 02	10
1945-46	30.0	0.1	3.9	2,833.7	Aug 31	37
1946-47	3.6	0.1	0.2	128.5	Nov 12	6
1947-48	0.7	0.0	0.1	32.1	Jul 13	7
1948-49	0.9	0.0	0.1	21.0	Jul 22	3
1949-50	1.5	0.0	0.0	28.4	Dec 18	4
1950-51	0.2	0.0	0.0	11.3	Dec 14	3
1951-52	2.9	0.0	0.1	108.1	Jan 16	12
1952-53	3.3	0.0	0.2	135.6	Apr 20	4
1953-54	362.0	0.0	42.2	30,644.6	Sep 23	392
1954-55	366.0	0.0	32.4	23,298.9	Dec 12	404
1955-56	396.0	0.1	70.1	50,797.5	Sep 30	389
1956-57	381.0	0.1	74.2	53,783.0	Apr 26	414
1957-58	5.4	0.0	0.4	314.4	Apr 07	16
1958-59	2.7	0.0	0.1	59.6	Jan 06	11
1959-60	0.5	0.0	0.1	41.5	Jan 12	3
1960-61	291.0	0.0	13.0	9,455.8	Nov 16	294
1961-62	1.5	0.0	0.1	48.9		
1962-63	21.0	0.0	0.7	481.9	Nov 28	21
1963-64	0.2	0.0	0.0	20.1	Feb 19	8
1964-65	309.3	0.0	10.4	7,431.4	Mar 20	310
1965-66	110.0	0.0	4.2	3,119.8	Dec 13	112
1966-67	157.0	0.0	13.9	10,035.8	May 05	159
1967-68	N.D.					
1968-69	N.D.					
1969-70	N.D.					
1970-71	N.D.					
1971-72	N.D.					

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

WALNUT CREEK below Puddingstone Dam. STATION NO. F40-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Flow	
	Maximum	Minimum	Mean		Date	CFS
1972-73	N.D.					
1973-74	N.D.					
1974-75	94.0	0.0	0.0	0.0	Apr 11	450
1975-76	2.0	0.0	0.0	64.9	May 24	20
1976-77	15.2	0.0	0.3	214.2	May 18	31
1977-78	1,080.0	0.0	34.4	24,888.4	Mar 06	1,115
1978-79	37.8	0.2	5.7	4,121.3	Mar 09	80
1979-80	1,070.0	0.2	28.1	20,376.2	Feb 18	1,070
1980-81	31.7	0.1	0.7	515.1	Mar 01	34
1981-82	474.0	0.1	3.6	2,591.2	Mar 18	573
1982-83	550.0	0.1	21.0	15,239.2	Mar 01	622
1983-84	64.0	0.1	2.8	2,049.1	Feb 04	255
1984-85	205.0	0.1	1.2	873.7	Jan 13	216
1985-86	219.0	0.1	4.4	3,150.5	Mar 16	298
1986-87	151.0	0.0	2.6	1,112.9	Jan 14	159
1987-88	107.0	0.1	2.8	2,049.3		107
1988-89	44.0	0.1	2.5	1,842.0	Feb 10	48
1989-90	83.8	0.1	1.3	890.8	Feb 21	161
1990-91	361.0	0.1	3.8	2,774.5	Mar 27	700
1991-92	492.0	0.1	5.3	3,829.3	Feb 12	580
1992-93	608.0	0.1	39.0	28,252.2	Feb 19	863
1993-94	41.9	0.1	1.6	1,136.5	Dec 16	43
1994-95	779.0	0.1	13.7	9,925.9	Mar 06	834
1995-96	290.0	0.2	4.5	3,255.1	Feb 20	652
1996-97	105.0	0.3	5.5	3,957.1	Dec 30	114
1997-98	312.0	0.3	18.9	13,657.4	May 28	818
1998-99	36.0	0.2	1.3	963.9	Oct 01	126
1999-00	131.0	0.3	2.5	1,808.5	Feb 22	230
2000-01	202.0	0.2	4.0	2,930.0	Mar 03	569
2001-02	20.1	0.4	0.9	645.5	Jan 04	22
2002-03	275.2	0.3	4.9	3,562.8	Mar 16	292
2003-04	56.9	0.6	2.1	1,549.5	Dec 01	83
2004-05	792.0	0.0	24.8	17,900.0	Jan 11	1,010
2005-06	109.0	0.4	3.8	2,780.0	Apr 06	112
2006-07	1.3	0.0	0.6	367.2	Apr 25	32
2007-08	158.0	0.0	5.2	3,749	Jan 28	235

M Data missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not computed

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

APPENDIX E

HYDROLOGIC REPORT 2007 – 2008

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Big Dalton Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1929-30	52	3	0	52		N.D.
1930-31	41	2	0	41	Apr 26	3
1931-32	690	54	0	688	Feb 09	86
1932-33	79	5	0	81	Jan 20	12
1933-34	448	93	0	448	Jan 01	227
1934-35	593	21	0	575	Apr 08	49
1935-36	360	12	0	370	Feb 11	72
1936-37	1,879	51	0	1,868	Feb 06	98
1937-38	3,271	415	0	3,192	Mar 02	1,320
1938-39	280	4	0	288	Jan 05	26
1939-40	232	4	0	236	Jan 08	29
1940-41	2,767	56	+	2,748	Mar 04	88
1941-42	209	2	0	233	Mar 14	6
1942-43	3,143	160	0	3,110	Jan 23	595
1943-44	1,087	109	+	1,085	Feb 22	226
1944-45	734	19	0	729	Nov 11	47
1945-46	525	40	0	509	Dec 23	148
1946-47	492	16	0	512	Nov 20	56
1947-48	58	1	0	8	Apr 28	10
1948-49	94	1	0	113	Dec 17	3
1949-50	142	2	0	130	Feb 06	4
1950-51	27	2	+	14	Jan 11	5
1951-52	1,626	73	0	1,577	Jan 16	154
1952-53	120	1	+	68	Dec 01	5
1953-54	346	13	0	359	Jan 25	53
1954-55	87	1	+	5	Jan 18	2
1955-56	190	14	+	213	Jan 26	56
1956-57	76	1	+	27	Jan 13	2
1957-58	2,104	97	0	2,052	Apr 03	169
1958-59	160	6	+	133	Feb 16	26
1959-60	54	1	+	11	Apr 27	5
1960-61	187	18	0	1,510	Nov 05	462
1961-62	1,222	63	0	933	Dec 02	1,130
1962-63	248	20	0	159	Feb 09	92
1963-64	165	3	0	300	Mar 22	30
1964-65	380	18	0	15	Apr 09	73
1965-66	2,210	113	0	2,013	Nov 22	489
1966-67	4,787	292	0	4,790	Dec 06	685
1967-68	771	15	0	681	Nov 19	56
1968-69	13,251	1,210	0	12,995	Jan 25	1,540
1969-70	728	15	0	610	Feb 28	91
1970-71	856	22	0	1,100	Dec 21	38
1971-72	217	10	+		Dec 27	11
1972-73	1,386	100	+	1,046	Feb 11	163
1973-74	860	43	0	1,030	Jan 07	68

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Big Dalton Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1974-75	379	4	0	211	Mar 06	8
1975-76	237	6	0	467	Mar 01	17
1976-77	171	3	0	20	Jan 03	14
1977-78	6,182	232	0	6,234	Mar 04	500
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	349	5	0	364	Jan 29	29
1981-82	1,018	50	0	923	Mar 17	53
1982-83	5,562	240	0	5,532	Mar 01	350
1983-84	703	8	0	704	Dec 25	16
1984-85	611	10	0	585	Dec 19	16
1985-86	886	20	0	865	Mar 16	26
1986-87	203	N.D.	0	196	Jan 04	N.D.
1987-88	342	7	0	324	Jan 17	17
1988-89	382	13	0	340	Feb 04	31
1989-90	112	3	0	90	Feb 17	8
1990-91	470	26	0	453	Mar 27	62
1991-92	1,259	37	0	1,243	Feb 12	121
1992-93	7,102	322	0	7,146	Jan 18	385
1993-94	369	3	0	300	Feb 07	4
1994-95	3,839	73	0	3,820	Jan 10	127
1995-96	1,247	54	0	1,215	Feb 20	96
1996-97	1,127	8	0	1,108		N.D.
1997-98	4,703	213	0	4,642	Feb 23	344
1998-99						N.D.
1999-00	718	8	0	241	Feb 23	72
2000-01	354	6	0	321	Feb 13	8
2001-02	9	1	0	27	Nov 24	3
2002-03	1,780	52	0	566	Apr 14	168
2003-04	502	25	0	626	Feb 26	110
2004-05	8,060	494	0	7,350	Jan 09	935
2005-06	1,670	60	0	1,380	Apr 05	92
2006-07	648	9	0	823	Mar 23	13
2007-08	744	40	0	496	Jan 28	79

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Big Tujunga Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1932-33	4342	218	0	4518		N.D.
1933-34	4441	994	0	4234	Jan 01	2430
1934-35	11992	380	0	10698	Apr 08	718
1935-36	3875	130	0	5508	Feb 12	312
1936-37	26969	803	0.6	25729	Feb 06	1740
1937-38	64855	12030	1	65022	Mar 02	32940
1938-39	9905	327	1.2	9106	Dec 19	666
1939-40	7058	337	0.4	7197	Jan 08	2300
1940-41	59402	1200	0.9	59086	Mar 04	1570
1941-42	7120	70	0.8	7724	Dec 10	134
1942-43	52877	5700	1.1	52919	Jan 23	17850
1943-44	42270	2780	5	41722	Feb 22	4770
1944-45	13206	475	1.2	12231	Nov 11	1850
1945-46	11543	1150	0.8	12383	Mar 30	2310
1946-47	12987	674	0.9	12827	Nov 13	1690
1947-48	2679	44	0.7	3579	Apr 29	85
1948-49	2129	16	0.1	1645	Mar 11	18
1949-50	2029	32	0.2	1905	Feb 06	43
1950-51	841	7.7	0.1	1235	Apr 29	17
1951-52	27288	896	0.3	26125	Jan 18	2030
1952-53	3496	35	0.1	4873	Nov 15	108
1953-54	5389	212	0.1	5290	Jan 25	500
1954-55	2623	30	0.2	2282	Jan 18	52
1955-56	3026	233	0.4	3433	Jan 26	582
1956-57	1967	107	0.1	1660	Jan 13	283
1957-58	27558	1220	0.1	27563	Apr 03	2860
1958-59	3405	172	0.1	3152	Jan 06	213
1959-60	1183	12	0.3	1653	Jan 12	24
1960-61	838	14	0.4	718	Nov 06	35
1961-62	16711	2540	0.4	16776	Feb 11	5050
1962-63	1715	90	0.2	1359	Feb 10	237
1963-64	1526	40	0	2039	Jan 22	90
1964-65	2429	60	0.4	1503	Apr 09	165
1965-66	30772	2810	0.6	29779	Dec 29	10800
1966-67	30158	1180	1.6	30338	Dec 06	2600
1967-68	10584	352	1	11446	Nov 21	725
1968-69	107609	7800	0	106462	Feb 25	17800
1969-70	11643	372	1.5	11624	Mar 01	613
1970-71	12394	1100	2.1	11412	Nov 29	3970
1971-72	4118	194	0.5	3374	Dec 24	462
1972-73	15375	1914	0.5	14680	Feb 11	6320
1973-74	8663	256	0.9	5582	Jan 07	561
1974-75	5442	198	0.3	8666	Mar 06	315
1975-76	4482	408	0.1	3863	Feb 09	1400

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Big Tujunga Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1976-77	3928	164	1.2	3547	Jan 03	878
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	10927	226	3.0	11470	Jan 29	496
1981-82	16578	569	3.8	16557	Mar 17	1499
1982-83	95294	7065	3.8	93880	Mar 01	10007
1983-84	10861	337	0.0	11314	Dec 25	808
1984-85	7362	200	0.7	6952	Dec 19	361
1985-86	12370	529	0.4	11757	Jan 30	969
1986-87	2943	28	0.0	2843	Jan 04	53
1987-88	7121	190	0.0	6902	Feb 29	685
1988-89	4300	91	0.0	4208	Feb 10	131
1989-90	929	41	0.0	741	Feb 17	62
1990-91	8074	530	0.0	7992	Mar 01	1871
1991-92	31767	1249	0.1	31414	Feb 12	5167
1992-93	89492	3490	0.2	89311	Feb 19	7774
1993-94	8635	80	0.0	9241	Feb 08	170
1994-95	34562	1005	0.2	34532	Jan 10	3608
1995-96	8491	477	1.1	7970	Feb 21	530
1996-97	9025	156	0.3	8080		N.D.
1997-98	48676	3370	0.4	48281	Feb 23	8288
1998-99	7460	39	0	5580	Feb 02	72
1999-00	5840	166	0	5390	Feb 21	602
2000-01	7360	219	0	7020	Mar 06	343
2001-02	1190	11	0	934	Oct 23	35
2002-03	7710	567	0	7070	Feb 12	1803
2003-04	2630	335	0	2120	Feb 26	932
2004-05	132800	4910	+	132000	Jan 09	7960
2005-06	13910	467	0	13790	Jan 02	1040
2006-07	3590	35	0	2770	May 08	79
2007-08	13,280	899	0	13,220	Jan 27	1,760

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Cogswell Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1934-35	3,517	54	0.1	3,517		N.D.
1935-36	7,154	265	0	7,138		N.D.
1936-37	32,986	943	0.1	32,996	Feb 14	1,240
1937-38	60,336	7,990	1.4	58,799	Mar 02	24,710
1938-39	11,560	673	0.9	11,369	Sep 25	1,360
1939-40	9,634	309	0.8	9,569	Jan 08	2,020
1940-41	61,270	1,400	0.5	59,951	Feb 20	1,640
1941-42	6,080	108	0.3	7,331	Dec 10	294
1942-43	54,700	2,320	0.7	53,703	Jan 23	15,000
1943-44	38,150	2,860	1.4	37,460	Feb 22	4,650
1944-45	11,887	424	1.4	10,385	Nov 11	1,600
1945-46	14,711	1,260	0.8	16,377	Mar 30	2,790
1946-47	20,135	1,030	0.1	20,135	Dec 25	2,290
1947-48	3,103	86	0.3	3,032	Apr 29	262
1948-49	2,911	32	0.3	2,765	Jan 20	65
1949-50	3,778	99	0.4	3,536	Dec 18	239
1950-51	887	10	0.3	568	Apr 29	24
1951-52	33,783	1,260	0.3	25,439	Jan 16	2,640
1952-53	4,410	70	0.8	12,345	Dec 01	254
1953-54	8,004	412	0.3	7,500	Jan 24	1,030
1954-55	3,941	51	0.3	3,165	Apr 30	176
1955-56	4,070	419	0.1	3,564	Jan 26	1,040
1956-57	3,421	225	0.2	3,757	Jan 13	685
1957-58	36,476	1,460	0.0	34,530	Apr 03	3,710
1958-59	4,904	340	0.4	6,205	Jan 06	1,760
1959-60	1,935	27	0.5	2,006	Jan 10	65
1960-61	1,106	36	0.4	572	Jan 26	116
1961-62	25,497	3,480	0.3	23,255	Feb 11	7,010
1962-63	3,220	153	0.6	4,783	Feb 09	1,017
1963-64	2,587	89	0.4	2,647	Apr 01	276
1964-65	5,037	266	0.3	4,159	Apr 09	479
1965-66	41,747	2,640	0.3	42,170	Dec 29	9,220
1966-67	40,504	1,860	0.6	32,757	Dec 06	4,650
1967-68	9,569	338	0.6	12,713	Nov 19	893
1968-69	95,676	6,380	0.1	90,488	Jan 25	15,700
1969-70	10,222	410	1.0	13,859	Feb 28	1,020
1970-71	10,822	1,030	0.8	11,683	Nov 29	2,930
1971-72	4,009	297	0.4	4,557	Dec 24	798
1972-73	19,613	2,210	0.4	16,632	Feb 11	6,970
1973-74	12,746	424	1.1	12,051	Jan 07	880
1974-75	6,610	241	1.1	8,344	Mar 06	432
1975-76	5,550	509	0.1	5,040	Feb 09	824
1976-77	4,955	206	0.3	5,000	Jan 03	421
1977-78	86,754	3,852	0.0	86,030	Feb 10	11,200

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Cogswell Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1978-79	23,057	519	1.9	24,083	Jan 05	N.D.
1979-80	59,867	3,028	1.8	57,887	Feb 16	6,196
1980-81	5,299	127	0	7,752	Jan 29	511
1981-82	14,258	605	0.4	9,059	Mar 17	1,238
1982-83	77,775	3,966	1.4	78,446	Mar 02	5,898
1983-84	9,561	272	2.8	12,495	Dec 25	790
1984-85	7,167	284	0.0	6,383	Dec 19	531
1985-86	15,584	560	0.6	15,314	Feb 15	916
1986-87	2,194	35	0.1	2,669	Jan 04	63
1987-88	11,621	282	0.0	10,919	Mar 01	528
1988-89	4,953	99	0.0	5,105	Feb 04	175
1989-90	1,903	61	0.0	1,775	Feb 18	99
1990-91	10,229	605	0.0	10,921	Mar 01	1,063
1991-92	39,922	2,352	0.2	39,922	Feb 11	5,231
1992-93	83,608	2,330	0.0	78,936	Feb 19	4,135
1993-94	6,896	105	0.2	11,142	Feb 08	162
1994-95	41,056	1,002	0.1	41,072	Jan 10	2,479
1995-96	8,780	496	0.1	8,777	Feb 20	1,056
1996-97	9,428	192	0.2	8,089		N.D.
1997-98	47,709	3,476	0.5	41,403	Feb 23	7,343
1998-99						N.D.
1999-00	8,210	274	0.0	5,370	Feb 21	562
2000-01	10,760	316	0.0	10,420	Feb 13	780
2001-02	1,980	22	0	3,930	Jan 27	34
2002-03	10,320	552	0.5	8,290	Feb 13	1,399
2003-04	5,820	34	1	6,780	Jan 14	81
2004-05	102,200	4,790	0.44	96,820	Jan 09	6,590
2005-06	13,340	297	0	15,340	Jan 03	478
2006-07	1,190	11	0	2,660	Feb 27	14
2007-08	16,830	1,100	0.3	13,530	Jan 27	2,150

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Devil's Gate Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1933-34	2938	757	0	0	Jan 01	3310
1934-35	3843	N.D.	0	N.D.	Oct 17	1310
1935-36	3457	N.D.	0	86	Feb 02	939
1936-37	12030	340	0	2818	Feb 06	852
1937-38	25436	3720	0	17496	Mar 02	10840
1938-39	3044	200	0	634	Dec 19	201
1939-40	1350	142	0	745	Jan 08	859
1940-41	27013	1380	0	24582	Feb 20	3870
1941-42	689	91	0	443	Dec 10	479
1942-43	25655	2560	0	23552	Jan 23	7740
1943-44	8680	1450	0	7905	Feb 22	2310
1944-45	2341	288	0	2031	Nov 11	949
1945-46	2994	435	0	1343	Dec 22	1040
1946-47	4045	285	0	3949	Dec 25	1280
1947-48	260	32	0	57	Mar 24	444
1948-49	185	14	0	37	Mar 10	59
1949-50	318	37	0	81	Feb 06	237
1950-51	171	18	0	17	Jan 11	468
1951-52	11508	792	0	11377	Jan 16	2650
1952-53	563	51	0	194	Nov 15	823
1953-54	1324	178	0	488	Jan 25	565
1954-55	651	50	0	154	Jan 18	334
1955-56	2229	591	0	1339	Jan 26	1420
1956-57	926	111	0	142	Feb 23	795
1957-58	9642	447	0	6508	Apr 03	1020
1958-59	1055	160	0	465	Jan 06	1280
1959-60	1052	40	0	131	Jan 11	329
1960-61	1035	131	0	488	Nov 06	1260
1961-62	7014	970	0	5260	Feb 11	1840
1962-63	1215	289	0	251	Feb 09	1290
1963-64	860	81	0	170	Jan 21	727
1964-65	1721	170	0	246	Apr 09	755
1965-66	15667	1340	0	13199	Nov 22	3740
1966-67	16391	934	0	6057	Dec 06	2130
1967-68	6858	698	0	2233	Nov 19	1310
1968-69	44817	4220	0	39164	Jan 25	7910
1969-70	2109	202	0	1311	Mar 04	534
1970-71	3098	682	0	1894	Nov 29	1760
1971-72	798	152	0	+	Dec 24	433
1972-73	8298	1517	0	5615	Feb 11	3520
1973-74	4032	589	0	2749	Jan 07	1100
1974-75	2024	237	0	711	Mar 06	451
1975-76	2172	281	0	1204	Sep 10	869
1976-77	1682	177	0	1593	Jan 03	587

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Devil's Gate Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1977-78	R.I.				Mar 04	6941
1978-79	R.I.				Mar 28	269
1979-80	R.I.				Feb 16	2793*
1980-81	1857	84	0	2337	Jan 29	802
1981-82	6574	199	0	6569	Mar 17	272
1982-83	26491	2571	0	26338	Mar 02	3419
1983-84	937	100	0	1074	Oct 01	105
1984-85	1320	129	0	1320	Dec 19	480
1985-86	2877	166	0	2877	Feb 15	282
1986-87	N.D.	N.D.		N.D.	Jan 04	202
1987-88	2346	96	0	2346	Oct 31	226
1988-89	113	18	0	113	Dec 16	54
1989-90	142	12	0	142	Feb 17	88
1990-91	4997	523	0	4997	Mar 01	924
1991-92	19885	1310	0	19885	Feb 12	3107
1992-93	60794	1134	0	60793	Jan 17	2213
1993-94	1456	21	0	1456	Feb 17	25
1994-95	21173	1030	0	21173	Jan 10	2493
1995-96	3119	414	0	3120	Feb 21	584
1996-97	R.I.					N.D.
1997-98	R.I.					N.D.
1998-99						N.D.
1999-00	15780	471	0	15780	Mar 05	818
2000-01	12260	493	0	12290	Feb 13	628
2001-02	1730	66	0	1680	Nov 24	395
2002-03	3140	272	0	1980	Feb 12	770
2003-04	2070	245	0	1600	Feb 26	1250
2004-05	134400	8370	0	134200	Jan 09	9870
2005-06	6570	407	0	6150	Jan 02	1640
2006-07	4720	195	0	4770	Feb 27	1350
2007-08	13,960	735	0	13,360	Jan 04	5,720

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Eaton Wash Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1936-37	3,062	112	0	1,502		N.D.
1937-38	6,993	883	0	5,213	Mar 02	2,670
1938-39	340	51	0	84	Dec 18	169
1939-40	390	31	0	96	Jan 08	220
1940-41	7,323	188	0	6,089	Feb 20	426
1941-42	78	11	0	0	Dec 10	73
1942-43	7,212	498	0	6,399	Jan 23	1,700
1943-44	2,901	265	0	1,970	Feb 22	371
1944-45	331	52	0	101	Nov 11	204
1945-46	514	77	0	265	Dec 23	284
1946-47	746	74	0	507	Nov 13	286
1947-48	64	11	0	5	Apr 28	90
1948-49	36	5	0	1	Jan 20	10
1949-50	188	23	0	61	Dec 18	88
1950-51	44	4	0	8	Jan 11	80
1951-52	2,636	151	0	2,020	Jan 16	495
1952-53	145	18	0	0	Dec 01	225
1953-54	533	56	0	202	Jan 19	220
1954-55	146	14	0	0	Jan 18	91
1955-56	330	123	0	151	Jan 26	422
1956-57	127	20	0	9	Feb 23	138
1957-58	3,114	150	0	2,248	Apr 01	443
1958-59	301	46	0	152	Jan 06	702
1959-60	60	6	0	0	Jan 11	48
1960-61	61	10	0	0	Jan 26	39
1961-62	1,729	322	0	1,299	Feb 11	737
1962-63	177	51	0	19	Feb 09	198
1963-64	222	38	0	33	Jan 22	246
1964-65	534	49	0	328	Apr 09	220
1965-66	5,400	415	0	4,267	Dec 29	1,520
1966-67	3,856	317	0	1,907	Dec 06	595
1967-68	1,304	133	0	404	Nov 19	331
1968-69	20,866	1,110	0	18,644	Jan 25	2,540
1969-70	718	90	0	527	Mar 05	878
1970-71	809	178	0	581	Nov 29	457
1971-72	207	42	0	+	Dec 27	107
1972-73	4,299	532	0	2,844	Feb 11	587
1973-74	2,420	200	0	1,607	Jan 07	309
1974-75	672	79	0	418	Mar 06	81
1975-76	893	74	0	424	Mar 01	175
1976-77	461	36	0	281	Jan 03	191
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Eaton Wash Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1980-81	578	45	0	587	Mar 01	195
1981-82	1,676	121	0	1,530	Mar 17	200
1982-83	19,050	732	0	18,941	Mar 02	1,982
1983-84	1,918	61	0	1,929	Dec 25	188
1984-85	701	23	0	698	Dec 19	23
1985-86	1,937	56	0	1,933	Jan 30	223
1986-87	N.D.	27	0	N.D.	Jan 04	N.D.
1987-88	848	55	0	649	Feb 29	228
1988-89	322	26	0	182	Dec 16	74
1989-90	233	40	0	131	Feb 17	63
1990-91	1,602	127	0	1,589	Mar 01	239
1991-92	5,693	295	0	5,678	Feb 11	1,068
1992-93	14,662	340	0	14,661	Jan 07	937
1993-94	1,100	26	0	984	Feb 08	51
1994-95	7,500	225	0	7,461	Jan 10	757
1995-96	1,891	158	0	1,865	Feb 20	266
1996-97	R.I.					N.D.
1997-98	6,514	308	0	6,514	Feb 23	1,418
1998-99						N.D.
1999-00	886	60	0	712	Feb 20	232
2000-01	965	77	0	797	Feb 13	179
2001-02	158	26	0	115	Nov 24	217
2002-03	832	95	0	518	Mar 15	244
2003-04	560	98	0	300	Feb 26	363
2004-05	11,870	259	0	11,170	Oct 20	593
2005-06	1,900	75	0	1,470	Mar 28	223
2006-07	106	11	0	16	Feb 11	110
2007-08	2,160	141	0	1,940	Jan 05	803

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Live Oak Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1932-33	0	0	0	0		0
1933-34	N.D.	N.D.	N.D.	142		N.D.
1934-35	27	2	0	27	Apr 08	16
1935-36	N.D.	4	0	0		N.D.
1936-37	494	35	0	413	Feb 06	139
1937-38	800	147	0	785	Mar 02	339
1938-39	21	1	0	3	Feb 03	1
1939-40	16	1	0	1	Jan 08	11
1940-41	719	39	0	718	Mar 04	90
1941-42	0	+	+	0		+
1942-43	827	78	0	827	Jan 22	170
1943-44	218	33	0	218	Feb 22	74
1944-45	177	9	0	177	Feb 02	67
1945-46	105	22	0	89	Dec 23	127
1946-47	64	8	0	45	Nov 20	25
1947-48	0	0	0	0		N.D.
1948-49	0	0	0	0		N.D.
1949-50	5	0	0	4	Dec 19	3
1950-51	0	0	0	0		N.D.
1951-52	362	34	0	343	Jan 16	148
1952-53	2	+	0	3	Dec 01	1
1953-54	78	13	0	64	Jan 25	82
1954-55	0	+	0	0		N.D.
1955-56	77	25	0	72	Jan 26	128
1956-57	2	0	0	0	Jan 13	1
1957-58	699	38	0	699	Apr 03	67
1958-59	6	1	0	5	Jan 06	9
1959-60	0	0	0	0		N.D.
1960-61	5	1	0	0	Nov 06	22
1961-62	186	29	0	111	Nov 20	366
1962-63	13	6	0	5	Feb 09	23
1963-64	5	1	0	0	Mar 22	6
1964-65	20	7	0	15	Apr 09	58
1965-66	243	23	0	241	Nov 22	116
1966-67	699	112	+	672	Dec 06	360
1967-68	131	6	0	130	Mar 08	39
1968-69	2,146	152	0	2,115	Jan 25	403
1969-70	258	8	0	258	Feb 28	14
1970-71	243	7	0	243	Dec 21	16
1971-72	71	4	0	71	Dec 24	5
1972-73	291	34	0	290	Feb 11	52
1973-74	132	13	0	132	Jan 07	31
1974-75	71	2	0	61	Mar 06	14
1975-76	30	3	0	24	Mar 01	7

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Live Oak Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1976-77	32	2	0	33	Jan 03	13
1977-78	1,517	71	0	1,517	Mar 04	187
1978-79	655	18	0	655	Mar 27	43
1979-80	R.I.					N.D.
1980-81	240	3	0	237	Mar 02	4
1981-82	421	19	0	421	Mar 18	32
1982-83	1,778	72	0	1,780	Mar 01	144
1983-84	447	12	0	448	Dec 25	47
1984-85	162	4	0	162	Dec 19	5
1985-86	192	4	0	192	Feb 16	7
1986-87	37	1	0	37	Jan 04	10
1987-88	70	3	0	69	Jan 17	4
1988-89	96	6	0	93	Feb 04	11
1989-90	51	2	0	51	Feb 17	3
1990-91	205	22	0	204	Mar 01	44
1991-92	277	26	0	277	Feb 12	112
1992-93	1,762	55	0	1,759	Jan 07	68
1993-94	230	3	0	235	Mar 19	17
1994-95	820	32	0	820	Jan 10	86
1995-96	357	37	0	357	Feb 20	75
1996-97	R.I.	R.I.				N.D.
1997-98	813	48	0	773	Feb 23	159
1998-99	18	1	0	104	Dec 08	21
1999-00	81	4	0	78	Feb 21	13
2000-01	61	7	0	120	Feb 13	11
2001-02	5	1	0	2	Jan 28	4
2002-03	157	23	0	49	Mar 16	201
2003-04	200	28	0	230	Feb 26	169
2004-05	2,970	155	0	2,920	Feb 11	339
2005-06	784	19	0	813	Apr 03	305
2006-07	995	4	0	993	Apr 20	5
2007-08	566	20	0	632	Jan 05	102

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Morris Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1937-38	339303	18590	0	337955	Mar 02	70300
1938-39	62367	890	0	75278	Dec 20	N.D.
1939-40	41367	439	1	51030	Mar 06	N.D.
1940-41	294818	4137	1	263819	Feb 20	4230
1941-42	21562	419	0.1	16504	Nov 07	N.D.
1942-43	251552	10380	0	247717	Jan 23	12660
1943-44	149889	2667	0	147194	May 25	5840
1944-45	49942	1291	0	47340	Mar 26	3590
1945-46	53467	987	0	62578	Apr 04	4880
1946-47	60442	3369	0	55718	Dec 28	9300
1947-48	14004	973	0	17392	Dec 12	2380
1948-49	5387	799	0	3777	Jun 02	N.D.
1949-50	1901	70	0	834	Dec 05	N.D.
1950-51	5066	180	0	3446	Apr 21	N.D.
1951-52	76910	3188	0	69966	Jan 16	5200
1952-53	47762	1003	0	52075	Nov 03	1280
1953-54	30334	1574	0	29069	Apr 10	3590
1954-55	1593	299	0	557	Apr 15	N.D.
1955-56	3994	491	0	816	Sep 19	N.D.
1956-57	9962	659	0	10574	Apr 12	667
1957-58	216335	2418	0	213390	Apr 05	2740
1958-59	10152	378	0	9665	Feb 16	444
1959-60	2688	359	0	994	Jul 09	N.D.
1960-61	6006	459	0	889	May 16	N.D.
1961-62	74783	1847	0	73031	Feb 15	2160
1962-63	1708	99	0	1957	Feb 09	N.D.
1963-64	1001	36	0	922	Jan 21	N.D.
1964-65	10093	1426	0	8908	Jun 05	1430
1965-66	200376	9263	0	193965	Dec 29	10330
1966-67	203232	3872	0	193246	Dec 06	5320
1967-68	35015	567	0	32902	May 06	675
1968-69	554905	19290	12	554687	Feb 25	29690
1969-70	68267	1558	0	66131	Mar 01	1800
1970-71	27828	496	0	31319	Dec 29	497
1971-72	21193	298	0	15445	Jan 05	302
1972-73	N.D.	840	0	114349	Feb 11	924
1973-74	27471	1054	0	30553	Jan 08	3410
1974-75	9838	313	0.2	7366	Nov 20	389
1975-76	2270	47	0.2	2110	Sep 30	125
1976-77						N.D.
1977-78						N.D.
1978-79						N.D.
1979-80						N.D.
1980-81						N.D.

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Morris Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1981-82						N.D.
1982-83						N.D.
1983-84						N.D.
1984-85						N.D.
1985-86						N.D.
1986-87						N.D.
1987-88						N.D.
1988-89						N.D.
1989-90						N.D.
1990-91						N.D.
1991-92						N.D.
1992-93						N.D.
1993-94						N.D.
1994-95	207136	3858	1.3	201716	Jan 10	N.D.
1995-96	41898	454	1.3	47242	Feb 20	N.D.
1996-97	38827	313	1.5	38822		N.D.
1997-98	197600	5390	0	209900	Feb 23	10800
1998-99	35930	233	0	15000	Feb 16	418
1999-00	22540	266	0	25240	Dec 30	997
2000-01	24550	251	0	19830	Feb 13	156
2001-02	3330	28	0	4890	Jan 27	115
2002-03	42050	861	0	34400	Nov 19	1590
2003-04	35130	447	0	29600	Oct 10	717
2004-05	408300	9050	0	407900	Feb 20	11600
2005-06	91830	1040	0	85710	May 07	2770
2006-07	9110	164	0	11370	Feb 16	220
2007-08	74,490	514	0	68,630	Apr 23	1,330

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Pacoima Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1929-30	1,110	N.D.	N.D.	965		N.D.
1930-31	1,082	N.D.	N.D.	886		N.D.
1931-32	8,741	N.D.	N.D.	8,443		N.D.
1932-33	2,160	101	0	2,119		N.D.
1933-34	3,454	N.D.	N.D.	3,493	Jan 01	914
1934-35	5,569	84	0	5,556		N.D.
1935-36	3,098	88	0	3,094	Feb 12	248
1936-37	15,737	356	0	14,210	Feb 14	508
1937-38	25,878	2,360	0	26,796	Mar 02	8,320
1938-39	3,525	86	0	3,080	Dec 19	145
1939-40	3,209	156	0	3,133	Jan 08	928
1940-41	25,785	536	0	25,942	Mar 04	815
1941-42	1,920	48	0.1	2,032	Dec 29	85
1942-43	20,698	1,250	0.1	20,407	Jan 23	2,650
1943-44	15,004	898	0.4	15,167	Feb 22	1,790
1944-45	4,866	206	0.4	4,911	Feb 02	494
1945-46	4,600	332	0	2,904	Mar 30	564
1946-47	4,356	149	0	6,029	Nov 20	282
1947-48	369	6	0.1	335	Apr 29	12
1948-49	723	10	0.1	740	Mar 05	17
1949-50	1,063	19	0.1	1,019	Feb 06	26
1950-51	142	1	0	69	Apr 29	2
1951-52	16,794	681	0	4,325	Jan 16	1,290
1952-53	967	9	0	3,500	Dec 01	32
1953-54	2,952	107	0.1	2,941	Jan 25	272
1954-55	748	18	0.1	737	Apr 30	25
1955-56	1,466	90	0	1,252	Jan 27	179
1956-57	573	10	0	773	Jan 13	14
1957-58	15,818	714	0	15,808	Apr 03	1,180
1958-59	783	29	0	708	Jan 06	184
1959-60	131	1	0	271	Jan 11	2
1960-61	59	6	0	11	Nov 12	60
1961-62	6,326	584	0.1	6,279	Feb 11	811
1962-63	384	8	0.1	228	Feb 10	19
1963-64	529	8	0.1	722	Jan 22	56
1964-65	1,313	70	0.1	1,048	Apr 09	160
1965-66	15,553	647	0	15,214	Nov 22	2,010
1966-67	23,605	698	0.4	23,600	Dec 06	1,380
1967-68	3,843	76	0	3,833	Nov 21	107
1968-69	43,398	2,860	0	42,998	Feb 25	4,710
1969-70	2,717	99	0.4	2,308	Mar 01	276
1970-71	4,806	118	0.5	4,994	Nov 29	384
1971-72	1,062	36	0.2	802	Dec 26	91
1972-73	7,726	696	0.1	7,383	Feb 11	1,640

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Pacoima Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1973-74	4,197	168	0.2	4,154	Jan 08	532
1974-75	2,279	48	0.1	2,526	Mar 06	97
1975-76	1,622	58	0.1	1,614	Feb 09	102
1976-77	1,424	43	0.3	507	Jan 03	213
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1978-80	R.I.					N.D.
1980-81	2,731	66	0	3,440	Jan 29	167
1981-82	5,979	226	.3	4,867	Mar 17	590
1982-83	43,336	2,359	.5	44,566	Mar 01	4,671
1983-84	3,521	88	.2	1,386	Dec 25	153
1984-85	2,853	79	0	3,651	Dec 20	104
1985-86	7,886	279	0	7,015	Feb 15	N.D.
1986-87	638	7	0	224	Jan 04	9
1987-88	3,522	52	.1	3,441	Oct 23	93
1988-89	2,398	40	0	2,065	Feb 04	72
1989-90	784	27	0	817	Feb 17	59
1990-91	3,520	127	0	3,222	Mar 27	140
1991-92	N.D.	708	0	N.D.	Feb 10	1,180
1992-93	40,473	929	.1	39,814	Jan 13	1,186
1993-94	2,465	27	0	3,354	Feb 08	46
1994-95	23,547	351	0	23,710	Jan 10	1,073
1995-96	7,655	389	0	7,710	Feb 21	532
1996-97	6,497	163	1.2	5,417		N.D.
1997-98	29,980	1,250	0	29,760	Feb 23	3,040
1998-99	3,600	46	0.4	2,110	Jan 08	109
1999-00	2,520	56	0	1,830	Feb 22	80
2000-01	3,190	62	0	2,710	Feb 14	79
2001-02	450	7	0	408	Jan 27	25
2002-03	4,280	79	0	2,650	Feb 12	265
2003-04	1,710	81	0	1,320	Feb 26	201
2004-05	53,180	2,280	0	52,750	Jan 09	3,930
2005-06	10,490	272	0	8,230	Jan 02	382
2006-07	256	4	0	138	Sep 23	22
2007-08	7,120	482	0	6,870	Jan 28	716

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1928-29	114	12	0	151		N.D.
1929-30	295	15	0	223		N.D.
1930-31	73	9.0	0	119		N.D.
1931-32	1547	162	0	1086		N.D.
1932-33	314	30	0	906		N.D.
1933-34	2669	596	0	1809		N.D.
1934-35	610	N.D.	N.D.	846	Jan 15	205
1935-36	703	54	0	969	Apr 10	590
1936-37	5732	303	0	2173	Feb 06	1480
1937-38	12221	2200	0	7544	Mar 02	5310
1938-39	1576	101	0	5305		N.D.
1939-40	646	54	0	2524	Jan 07	448
1940-41	12030	377	0	3308	Mar 04	1080
1941-42	475	30	0	4385	Dec 10	409
1942-43	10043	1130	0	4836	Jan 23	2300
1943-44	3408	525	0	3178	Feb 22	1030
1944-45	1615	139	0	2376	Nov 11	484
1945-46	1591	275	0	6009	Dec 23	929
1946-47	1414	96	0	788	Nov 13	445
1947-48	324	31	0	362	Dec 05	195
1948-49	336	21	0	201	Mar 13	240
1949-50	493	55	0	140	Feb 06	178
1950-51	182	15	0	145	Jan 29	162
1951-52	4,673	353	0	1857	Jan 16	952
1952-53	928	32	0	1140	Dec 01	358
1953-54	31282	244	0	31609	Jan 25	600
1954-55	26065	255	0	23287	Nov 11	338
1955-56	57309	458	0	50771	Jan 26	1360
1956-57	50583	216	0	53781	Jan 13	262
1957-58	6670	302	0	1976	Apr 03	690
1958-59	394	68	0	72	Jan 06	871
1959-60	837	80	0	40	Jan 12	148
1960-61	10900	198	0	9416	Nov 06	N.D.
1961-62	4463	173	0	33	Dec 02	963
1962-63	927	139	0	464	Feb 10	325
1963-64	594	43	0	0	Jan 22	242
1964-65	2,675	153	0	7401	Apr 09	1770
1965-66	10456	444	0	3066	Nov 22	1590
1966-67	11508	1090	0	9988	Dec 06	2440
1967-68	15811	174	0	14275	Mar 08	760
1968-69	36802	2830	0	35754	Jan 25	4340
1969-70	1650	163	0.2	+	Mar 01	507
1970-71	1494	149	0.1	4094	Dec 18	365
1971-72	1007	186	+	+	Dec 24	538

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1972-73	4038	341	0.1	+	Feb 11	604
1973-74	2409	310	0.1	1069	Jan 07	660
1974-75	1832	153	0	1832	Dec 04	769
1975-76	2644	180	0.1	0	Sep 10	493
1976-77	2655	138	0.1	197	Jan 03	812
1977-78	R.I					N.D.
1978-79	R.I					N.D.
1979-80	R.I					N.D.
1980-81	2115	154	0	515	Jan 29	1132
1981-82	4731	350	0	2598	Mar 18	810
1982-83	15956	764	0	15238	Mar 01	2570
1983-84	2791	192	0	2048	Dec 25	1159
1984-85	2688	143	0	873	Dec 18	236
1985-86	4888	241	0	3150	Mar 16	1058
1986-87	1989	291	0	1118	Jan 04	854
1987-88	4010	143	0	2373	Jan 17	422
1988-89	3539	117	0	2045	Feb 04	211
1989-90	2545	235	0	977	Feb 17	683
1990-91	4461	371	0	2932	Mar 01	1270
1991-92	6781	407	0	5333	Feb 12	959
1992-93	30324	909	0	28674	Jan 18	1992
1993-94	2884	78	0.1	1322	Feb 07	212
1994-95	11261	537	0.1	9927	Jan 10	1411
1995-96	4587	438	0	3275	Feb 20	1460
1996-97	4690	171	0	3960	Jan 25	307
1997-98	18560	638	0	16570	Feb 23	1240
1998-99	1360	58	0	967	Feb 10	338
1999-00	2950	187	0	1810	Feb 24	803
2000-01	3790	203	0	2930	Jan 11	597.8
2001-02	1470	117	0	646	Nov 24	184
2002-03	5540	368	0	3560	Mar 16	534
2003-04	3510	172	0	1550	Feb 26	242
2004-05	19800	796	0	17890	Feb 19	1320
2005-06	6050	209	0	2790	Mar 28	917
2006-07	5180	78	0	438	Jan 31	516
2007-08	810	312	0	3,750	Jan 05	2,070

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Diversion Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1935-36	304	48	0	304	Apr 10	85
1936-37	5019	104	0	4646		N.D.
1937-38	11697	1640	0	11506	Mar 02	5760
1938-39	1288	28	0	1293	Jan 10	N.D.
1939-40	350	26	0	155	Jan 08	33
1940-41	7213	133	0	6776	Mar 14	155
1941-42	341	13	0	203	Dec 12	24
1942-43	8593	970	0	7939	Jan 23	2040
1943-44	3406	357	0	3010	Feb 22	724
1944-45	1719	64	0	1294	Feb 02	88
1945-46	970	159	0	773	Dec 23	234
1946-47	1400	55	0	1109	Dec 26	58
1947-48	0	0	0	0		N.D.
1948-49	0	0	0	0		N.D.
1949-50	0	0	0	0		N.D.
1950-51	0	0	0	0		N.D.
1951-52	3366	158	0	2910	Jan 16	201
1952-53	0	0	0	0		N.D.
1953-54	628	57	0	429	Feb 14	82
1954-55	0	0	0	0		N.D.
1955-56	196	34	0	128	Jan 26	93
1956-57	0	0	0	0		N.D.
1957-58	5938	227	0	5172	Apr 03	284
1958-59	89	14	0	49	Feb 18	18
1959-60	0	0	0	0		N.D.
1960-61	146	11	0	64	Nov 26	137
1961-62	3277	152	0	3106	Nov 20	2110
1962-63	827	95	0	515	Feb 09	640
1963-64	112	19	0	67	Jan 22	55
1964-65	873	69	0	538	Apr 09	239
1965-66	6471	320	0	5864	Nov 22	864
1966-67	13656	958	0	12140	Dec 06	2230
1967-68	2744	62	0	2180	Nov 30	125
1968-69	35110	2610	0	34200	Jan 25	5600
1969-70	4005	27	0	2788	Mar 04	62
1970-71	2181	35	0	1524	Dec 21	61
1971-72	764	15	0	488	Dec 24	56
1972-73	3746	163	0	3321	Feb 11	219
1973-74	1660	75	0	1371	Jan 07	110
1974-75	969	15	0	786	Mar 06	46
1975-76	423	9.1	0	333	Mar 01	16
1976-77	844	29	0	578	Jan 03	57
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Diversion Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1979-80	R.I.					N.D.
1980-81	2025	21	0	1877	Jan 29	44
1981-82	2856	122	0	2831	Mar 18	260
1982-83	18257	705	0	18272	Mar 01	1867
1983-84	3267	54	0	3259	Dec 25	84
1984-85	1353	37	0	1294	Dec 18	40
1985-86	1324	99	0	1201	Mar 16	104
1986-87	686	18	0	702	Jan 04	49
1987-88	927	38	0	823	Jan 17	214
1988-89	1060	76	0	927	Feb 04	111
1989-90	228	48	0	193	Feb 17	78
1990-91	2079	54	0	2024	Feb 28	195
1991-92	3289	163	0	3277	Feb 12	264
1992-93	25714	698	0	25686	Jan 18	757
1993-94	1475	14	0	1488	Feb 07	23
1994-95	11349	211	0	11349	Jan 10	252
1995-96	3045	71	0	3044	Feb 20	161
1996-97	2520	84	0	2480	Apr 11	95
1997-98	13280	557	0	13080	Feb 24	730
1998-99	1750	50	0	1470	Apr 07	135
1999-00	904	56	0	765	Jun 15	186
2000-01	986	35	0	841	Mar 02	63
2001-02	146	19	0	53	Jun 10	107
2002-03	2230	136	0	2030	Mar 16	182
2003-04	1300	48	0	1100	Dec 25	240
2004-05	25880	1440	0	25700	Jan 09	1920
2005-06	4320	129	0	4230	Apr 04	193
2006-07	442	8	0	387	Jan 23	10
2007-08	4,180	162	0	4,060	Jan 05	350

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

San Dimas Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1928-29	N.D.	N.D.	0	N.D.		N.D.
1929-30	591	28	0	573		N.D.
1930-31	585	23	0	466		N.D.
1931-32	2,502	162	0	2,496		N.D.
1932-33	652	50	0	648		N.D.
1933-34	1,351	229	0	1,357	Jan 01	422
1934-35	1,753	60	0	1,682	Apr 08	145
1935-36	1,094	35	0	1,136	Feb 11	155
1936-37	6,316	154	0	6,126	Feb 06	296
1937-38	12,492	1,600	0.4	12,494	Mar 02	4,920
1938-39	2,165	43	0.2	2,024	Jan 05	80
1939-40	1,532	60	0	1,600	Jan 08	302
1940-41	9,645	131	0.1	9,240	Mar 04	235
1941-42	1,603	16	0.2	1,855	Dec 10	29
1942-43	9,271	573	0.5	9,095	Jan 23	1,700
1943-44	5,348	398	0.1	5,423	Feb 22	785
1944-45	3,747	97	0.9	3,811	Nov 11	375
1945-46	2,560	149	0.1	2,368	Dec 23	519
1946-47	2,705	100	0.1	2,982	Nov 20	340
1947-48	720	10	0	706	Feb 05	15
1948-49	728	11	0.1	694	Jan 20	19
1949-50	734	25	0.1	750	Dec 18	65
1950-51	300	5	0.1	301	Apr 29	16
1951-52	4,864	208	0.1	4,593	Jan 16	453
1952-53	822	10	0.1	1,092	Dec 01	25
1953-54	1,514	97	0.1	1,501	Jan 25	327
1954-55	561	11	0.1	526	Jan 18	27
1955-56	736	98	0.1	767	Jan 26	362
1956-57	452	12	0.1	433	Jan 13	41
1957-58	6,786	299	0	6,503	Apr 03	753
1958-59	931	37	0.1	1,239	Feb 16	189
1959-60	408	7	0.1	455	Feb 08	11
1960-61	468	31	0.1	250	Nov 05	397
1961-62	3,206	224	+	2,664	Nov 20	2,520
1962-63	1,001	81	0.1	1,108	Feb 09	440
1963-64	680	20	0.1	711	Jan 22	121
1964-65	1,118	53	0	1,175	Apr 09	232
1965-66	6,494	305	0.2	6,326	Dec 29	1,010
1966-67	12,352	674	0	11,598	Dec 06	1,720
1967-68	3,148	80	0.1	3,058	Nov 19	414
1968-69	28,645	1,710	0.7	28,808	Jan 25	3,620
1969-70	4,314	71	0.7	4,736	Mar 01	114
1970-71	2,465	70	0.5	2,125	Nov 29	127
1971-72	1,040	33	0.2	1,217	Dec 24	77

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

San Dimas Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1972-73	4,252	346	0.7	4,000	Feb 11	685
1973-74	2,447	121	0.3	2,389	Jan 07	185
1974-75	1,487	28	0.1	1,566	Mar 06	67
1975-76	1,002	52	0.1	926	Sep 10	443
1976-77	1,094	41	0	1,146	Jan 03	260
1977-78	R.I.					
1978-79	R.I.					
1979-80	19,951	673	2.3	18,715	Feb 16	2,549
1980-81	3,016	37	.8	3,216	Jan 29	147
1981-82	3,848	161	.2	3,700	Mar 17	295
1982-83	17,632	527	0	17,381	Mar 01	1,559
1983-84	3,816	55	0	4,330	Dec 25	115
1984-85	2,554	45	.6	2,560	Dec 19	67
1985-86	2,401	55	0	2,415	Mar 16	89
1986-87	N.D.	10	.1	N.D.	Jan 05	13
1987-88	1,821	54	0	1,216	Jan 17	157
1988-89	1,122	35	0	1,225	Feb 04	96
1989-90	731	28	0	462	Feb 17	93
1990-91	1,967	112	0	2,361	Mar 27	236
1991-92	4,037	143	0	3,938	Feb 12	403
1992-93	24,941	651	0	24,446	Jan 14	945
1993-94	2,295	17	.2	2,424	Feb 07	31
1994-95	10,102	177	.8	9,801	Jan 10	363
1995-96	4,036	149	.2	4,097	Feb 20	418
1996-97	13,175	81	0	2,988		N.D.
1997-98	12,122	396	0.3	11,948	Feb 23	1,194
1998-99						N.D.
1999-00	1,400	26	0	1,400	Feb 18	290
2000-01	1,610	55	0	1,570	Feb 13	80
2001-02	519	7	0	465	Jan 28	26
2002-03	3,180	174	0	2,370	Feb 13	1,240
2003-04	1,890	190	0	1,610	Dec 25	1,560
2004-05	24,650	1,160	0	23,740	Jan 09	1,680
2005-06	6,110	162	0	5,270	Apr 05	257
2006-07	1,730	10	0	1,560	Feb 27	14
2007-08	5,750	220	0	5,380	Apr 21	4,268

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

San Gabriel Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1937-38	339,155	30,720	37	332,893	Mar 02	89,320
1938-39	67,231	1,330	23	61,655	Dec 19	2,780
1939-40	58,554	757	18	63,386	Jan 08	2,270
1940-41	306,801	3,940	20	305,515	Feb 20	5,780
1941-42	50,285	297	20	49,759	Dec 29	468
1942-43	271,286	17,180	20	267,085	Jan 23	46,000
1943-44	184,923	5,710	43	184,622	Feb 22	9,860
1944-45	91,961	1,300	28	90,131	Nov 11	6,440
1945-46	99,531	2,980	28	89,502	Dec 21	5,760
1946-47	107,688	3,340	18	104,088	Dec 26	6,520
1947-48	29,259	257	9.9	37,794	Apr 29	506
1948-49	24,728	94	11	21,546	Jan 20	120
1949-50	27,797	266	9.5	27,736	Dec 19	448
1950-51	10,169	54	3	13,002	Jan 11	174
1951-52	159,048	3,340	3.9	118,918	Jan 16	6,130
1952-53	41,270	375	7.5	77,961	Dec 01	544
1953-54	60,515	1,280	8.3	56,517	Jan 25	2,940
1954-55	39,159	171	18	37,304	Apr 30	313
1955-56	35,215	950	14	38,127	Jan 26	2,250
1956-57	37,210	1,090	15	35,069	Jan 13	2,850
1957-58	230,745	4,270	21	229,610	Apr 03	6,900
1958-59	43,762	1,030	14	43,100	Jan 06	3,080
1959-60	19,474	112	5	19,258	Apr 28	168
1960-61	12,041	122	2.2	12,698	Nov 05	634
1961-62	116,890	6,350	3.4	112,380	Feb 11	13,960
1962-63	25,930	512	6.2	24,587	Feb 09	2,440
1963-64	24,009	287	5.2	22,601	Apr 01	504
1964-65	36,281	396	5.5	34,427	Apr 09	1,070
1965-66	220,689	9,030	12	217,503	Dec 29	27,180
1966-67	224,903	6,700	30	224,538	Dec 06	12,420
1967-68	66,761	697	26	68,771	Nov 19	1,620
1968-69	527,883	28,020	24	524,874	Jan 25	44,400
1969-70	66,842	1,250	26	66,688	Feb 28	2,550
1970-71	60,375	2,120	29	55,358	Nov 29	6,400
1971-72	34,908	975	14	38,192	Dec 25	1,390
1972-73	124,722	5,075	14.1	124,333	Feb 11	17,430
1973-74	72,959	1,140	32	67,194	Jan 07	1,820
1974-75	47,681	423	27	46,194	Mar 06	880
1975-76	38,598	978	18	33,781	Sep 11	1,630
1976-77	36,322	407	15	34,846	Jan 03	1,137
1977-78	486,296	13,437	14.9	483,712	Mar 04	31,730
1978-79	158,043	1,647	42.9	163,511	Mar 28	1,965
1979-80	346,155	11,476	42.5	344,454	Feb 16	24,540
1980-81	42,882	281	15	40,116	Jan 29	784

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

San Gabriel Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1981-82	95,225	1,591	19	79,833	Mar 17	2,869
1982-83	404,332	14,585	33	402,734	Mar 01	17,080
1983-84	61,069	983	13	75,284	Dec 25	1,568
1984-85	46,633	617	8.5	46,101	Dec 19	742
1985-86	103,558	1,252	14	100,926	Jan 30	1,911
1986-87	22,847	149	3	22,919	Jan 05	259
1987-88	66,101	574	3.8	49,337	Feb 29	814
1988-89	33,435	273	4	47,683	Dec 16	496
1989-90	18,979	248	2.3	17,008	Feb 18	388
1990-91	61,479	1,575	3.3	39,454	Mar 01	4,294
1991-92	171,617	5,796	0	193,158	Feb 12	11,426
1992-93	445,072	10,181	0	429,615	Feb 19	12,934
1993-94	44,269	312	.6	50,441	Feb 08	433
1994-95	248,268	3,811	12.8	242,886	Jan 10	6,996
1995-96	72,722	2,995	2	70,533	Feb 21	3,822
1996-97	66,570	946	3.6	65,430	Dec 22	1,200
1997-98	279,200	8,840	7.1	243,100	Feb 24	22,200
1998-99	108,000	1,320	14	82,660	Feb 25	17,800
1999-00	50,790	932	15.5	43,530	Feb 20	3,820
2000-01	59,390	721	13.7	59,740	Feb 13	1,360
2001-02	13,590	92	0	16,810	Jan 28	130
2002-03	55,900	1,140	0	48,710	Feb 13	2,170
2003-04	34,700	859	0	43,970	Feb 26	1,220
2004-05	541,000	19,600	11.5	534,000	Jan 11	24,700
2005-06	116,700	1,540	32	126,400	Apr 05	1,700
2006-07	17,370	53	0	17,480	Feb 27	56
2007-08	122,500	6,430	0	76,150	Feb 05	150,531

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Santa Anita Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1926-27	1,208	13	0.4	1,030		N.D.
1927-28	1,009	22	0.1	1,162		N.D.
1928-29	1,214	30	0	1,256		N.D.
1929-30	1,276	25	0.1	964		N.D.
1930-31	989	34	0	1,155		N.D.
1931-32	4,010	236	0.1	3,883		N.D.
1932-33	2,190	152	0	2,022	Jan 19	390
1933-34	2,603	322	0	2,622	Jan 01	800
1934-35	3,693	92	0.1	3,585	Apr 08	449
1935-36	2,480	84	0	2,535	Feb 12	228
1936-37	8,798	192	0	8,616	Feb 06	313
1937-38	16,594	1,780	1.3	16,689	Mar 02	5,140
1938-39	2,726	74	0.4	2,461	Dec 19	159
1939-40	2,743	62	0.4	2,664	Jan 08	378
1940-41	15,225	239	0.4	15,235	Mar 04	300
1941-42	2,070	25	0.6	2,140	Dec 29	53
1942-43	19,371	1,110	0.6	19,440	Jan 23	3,100
1943-44	7,463	514	1.3	7,294	Feb 22	813
1944-45	4,147	101	1.1	4,133	Nov 11	303
1945-46	3,426	164	0.8	3,360	Dec 23	492
1946-47	4,489	122	0.7	4,462	Nov 20	382
1947-48	1,075	14	0.3	1,243	Apr 28	41
1948-49	1,031	17	0.2	983	Jan 20	32
1949-50	1,357	30	0.2	1,311	Dec 18	115
1950-51	460	5	0.1	497	Jan 11	10
1951-52	8,408	351	0.1	8,292	Jan 16	837
1952-53	1,562	20	0.5	1,729	Dec 01	153
1953-54	3,302	201	0.4	3,412	Jan 24	1,240
1954-55	1,432	18	0.3	1,437	Nov 11	173
1955-56	2,218	175	0.3	2,196	Jan 26	569
1956-57	1,535	36	0.5	1,431	Feb 23	122
1957-58	11,696	298	0.7	11,715	Apr 03	618
1958-59	2,183	66	0.6	2,033	Jan 06	622
1959-60	954	7	0.1	1,152	Feb 01	16
1960-61	527	12	0.1	407	Jan 26	65
1961-62	6,328	682	0.1	6,242	Feb 11	1,460
1962-63	1,628	56	0.7	1,848	Feb 09	368
1963-64	1,219	32	+	1,144	Apr 01	53
1964-65	2,039	50	0	1,988	Apr 09	130
1965-66	13,102	600	0.4	12,933	Dec 29	1,920
1966-67	16,245	645	1.5	16,261	Dec 06	1,520
1967-68	3,376	56	0.1	3,579	Nov 19	165
1968-69	38,734	2,292	0.3	38,369	Jan 25	5,500
1969-70	2,859	85	1	2,859	Feb 28	208

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Santa Anita Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1970-71	3,211	184	1	3,075	Nov 29	674
1971-72	1,316	36	0.5	1,249	Dec 24	99
1972-73	6,414	482	0.4	6,258	Feb 11	1,350
1973-74	4,660	174	1.2	4,546	Jan 07	280
1974-75	2,347	36	0.1	2,647	Mar 06	54
1975-76	1,580	52	0.2	1,469	Mar 01	101
1976-77	1,320	35	1	1,206	Jan 03	200
1977-78	R.I.					
1978-79	R.I.					
1979-80	R.I.					
1980-81	2,221	27	0.6	2,210	Jan 29	147
1981-82	3,714	127	0.6	3,652	Mar 17	213
1982-83	21,246	882	0	21,325	Mar 02	1,197
1983-84	3,603	57	0.3	3,586	Dec 25	142
1984-85	2,363	48	0	2,272	Dec 19	102
1985-86	4,735	77	0.4	4,612	Jan 30	89
1986-87	1,041	8	0	1,174	Jan 05	11
1987-88	2,490	37	0.1	2,488	Jan 17	87
1988-89	1,729	52	0	1,599	Feb 04	119
1989-90	737	30	0	740	Feb 17	117
1990-91	2,393	92	0	2,323	Mar 01	417
1991-92	9,339	390	0.2	9,292	Feb 11	863
1992-93	23,546	558	0.2	23,581	Jan 07	909
1993-94	1,475	15	0	1,565	Mar 24	19
1994-95	12,439	242	0.1	12,281	Jan 10	587
1995-96	4,494	274	0.1	4,535	Feb 21	481
1996-97	4,480	101	0	4,400	Dec 22	241
1997-98	14,690	772	0	14,540	Feb 23	2,880
1998-99	1,970	12	0	1,190	Feb 09	32
1999-00	2,270	57	0	2,060	Feb 21	180
2000-01	2,180	49	0	2,130	Feb 13	96
2001-02	1,600	19	0	1,390	Jan 28	27
2002-03	2,240	59	0	2,310	Nov 10	230
2003-04	1,480	78	0	1,550	Feb 26	309
2004-05	27,000	1,320	0	26,820	Jan 09	1,490
2005-06	4,430	109	0	4,020	Jan 02	474
2006-07	1,300	9	0	1,240	Feb 15	40
2007-08	5,790	173	0.8	5,680	Jan 05	464

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Thompson Creek Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1931-32	81	12	0	81	Feb 09	91
1932-33	0	0	0	0		N.D.
1933-34	N.D.	N.D.	N.D.	0		N.D.
1934-35	1	N.D.	N.D.	0		N.D.
1935-36	0.5	N.D.	N.D.	0		N.D.
1936-37	274	24	0	0		N.D.
1937-38	1099	259	0	1096	Mar 02	580
1938-39	21	0.6	0	0	Jan 30	1.1
1939-40	49	4.5	0	0	Jan 07	26
1940-41	640	46	0	2.8	Mar 04	97
1941-42	0.3	+	0	0	Dec 10	0.5
1942-43	767	121	0	334	Jan 23	270
1943-44	286	56	0	0	Feb 22	111
1944-45	149	18	0	0	Nov 12	132
1945-46	148	25	0	0	Dec 23	120
1946-47	88	16	0	0	Nov 20	47
1947-48	0	0	0	0		N.D.
1948-49	0	0	0	0		N.D.
1949-50	6.2	2	0	0	Dec 19	4.5
1950-51	0	0	0	0		N.D.
1951-52	314	30	0	34	Jan 16	70
1952-53	12	1.3	0	0	Dec 01	8.2
1953-54	194	19	0	0	Jan 25	172
1954-55	4.4	1	0	0	Jan 18	1.4
1955-56	58	25	0	0	Jan 26	117
1956-57	4.4	2	0	0	Jan 13	5.8
1957-58	389	34	0	219	Apr 03	67
1958-59	5.6	1	0	0	Feb 16	4.7
1959-60	2	0.3	0	0	Apr 28	5.4
1960-61	5.2	1	0	0	Nov 12	3.9
1961-62	101	9.3	0	0	Nov 20	190
1962-63	88	26	0	17	Feb 09	145
1963-64	23	4.2	0	0	Mar 22	20
1964-65	26	9.9	0	0	Apr 09	55
1965-66	258	34	0	0	Nov 23	140
1966-67	842	200	0	305	Dec 06	408
1967-68	167	6.8	0	0	Nov 19	18
1968-69	2556	279	0	2061	Jan 25	574
1969-70	54	4.8	0	1.6	Mar 01	13
1970-71	32	5.5	0	0	Dec 21	12
1971-72	6	1.3	0	0	Dec 27	3
1972-73	161	34	0	7.5	Feb 11	58
1973-74	37	10	0	37	Jan 07	29
1974-75	0	0	0	0		N.D.

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

RESERVOIR – YEARLY RESERVOIR OPERATION SUMMARY

Thompson Creek Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak flow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1975-76	15	3.5	0	0	Feb 01	3.5
1976-77	37	6.8	0	0		N.D.
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	0	0	0	0		N.D.
1981-82	62	9.4	0	18	Mar 17	40
1982-83	1118	114	0	583	Mar 01	377
1983-84	70	2.7	0	11	Dec 26	4
1984-85	0	0	0	0		N.D.
1985-86	58	9.7	0	58	Mar 16	27
1986-87	0	0	0	0		N.D.
1987-88	2	.3	0	2.1	Jan 17	.9
1988-89	2.1	.3	0	2	Feb 04	.5
1989-90	5.6	.5	0	5.6	Feb 17	.8
1990-91	76	17	0	34	Mar 27	20
1991-92	190	16	0	190	Mar 23	20
1992-93	1267	57	0	1202	Jan 18	166
1993-94	.4	.1	0	.4	Mar 19	1.2
1994-95	330	35	0	330	Jan 10	82
1995-96	392	31	0	392	Feb 20	73
1996-97	48	11	0	50		N.D.
1997-98	526	98	0	525	Feb 23	299
1998-99						N.D.
1999-00	19	0.39	0	19		N.D.
2000-01	4.4	1.1	0	4.4	Feb 13	1.1
2001-02	25	1.2	0	24	Nov 20	1.2
2002-03	71	14	0	71	Mar 16	14
2003-04	217	33	0	51	Feb 26	193
2004-05	1710	85	0	1640	Feb 21	137
2005-06	213	25	0	0.28	Feb 28	79
2006-07	8	2	0	0	Feb 27	10
2007-08	129	19	0	84	Jan 05	148

N.D. Not determined


R.I. Records incomplete

+ Less than 0.05 acre feet or less than 0.05 cfs, but greater than 0

APPENDIX F

HYDROLOGIC REPORT 2007 – 2008

EROSION CONTROL – LOCATION MAP



APPENDIX G

HYDROLOGIC REPORT 2007 – 2008

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

BEN LOMOND SPREADING GROUNDS

Type	Shallow
Season First Used	1958-59

AREA

Gross	24 acres
Wetted	17 acres

CAPACITIES

Channel*	9,000 cfs
Intakes	400 cfs
Storage	168 acre-ft.
Percolation**	30 cfs
Location	North and south sides of San Dimas Wash Channel at southwesterly corner of intersection of Arrow Highway and Barranca Avenue.

Water Source(s)	Covina Irrigation Company, uncontrolled runoff, imported.
-----------------	---

Remarks	Spreading grounds utilized to conserve excess Covina Irrigation Company water released from the Committee of Nine.
---------	--

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

BIG DALTON SPREADING GROUNDS

Type	Shallow
Season First Used	1930-31

AREA

Gross	24 acres
Wetted	8 acres

CAPACITIES

Channel*	5,000 cfs
Intakes	45 cfs
Storage	12 acre-ft.
Percolation**	12 cfs

Location	Westerly side of Big Dalton Wash, 1/2 mile above Sierra Madre Ave.
----------	--

Water Source(s)	Controlled flows from Big Dalton Dam and Big Dalton Debris Basin.
-----------------	---

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES***BRANFORD SPREADING BASIN***

Type	Shallow
Season First Used	1956-57

AREA

Gross	12 acres
Wetted	7 acres

CAPACITIES

Channel*	1,540 cfs
Intakes	1,540 cfs
Storage	137 acre-ft.
Percolation**	1 cfs

Location	Southwesterly of Arleta Ave. above confluence of Tujunga Wash and Pacoima Diversion Channel.
----------	--

Water Source(s)	Uncontrolled flows from Branford Street drain.
-----------------	--

Remarks	Instream spreading facility. Outlet capacity 1,540 cfs to Pacoima Diversion Channel.
---------	--

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

BUENA VISTA SPREADING BASIN

Type	Deep
Season First Used	1954-55

AREA

Gross	10 acres
Wetted	6 acres

CAPACITIES

Channel*	2,900 cfs
Intakes	2,900 cfs
Storage	177 acre-ft.
Percolation**	6 cfs

Location	1.0 mile easterly of Sawpit Wash. 0.5 mile northerly of Arrow Highway, between Meridian St. and Buena Vista Channel.
----------	--

Water Source(s)	Controlled flows from Santa Fe Dam and uncontrolled flow from Buena Vista Channel.
-----------------	--

Remarks	Instream spreading facility. Total outlet capacity of 270 cfs.
---------	--

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

CITRUS SPREADING GROUNDS

Type Shallow
 Season First Used 1960-61

AREA

Gross 19 acres
 Wetted 15 acres

CAPACITIES

Channel* 11,000 cfs
 Intakes 245 cfs
 Storage 80 acre-ft.
 Percolation** 28 cfs
 Location South side of Big Dalton Wash between
 Citrus and Cerritos Ave.

Water Source(s) Controlled flows from Big Dalton Dam and
 Little Dalton Debris Dams. Uncontrolled
 flows from Big Dalton Wash.

Remarks There are 2 intakes. One is a drop inlet; the
 other an air inflated rubber dam.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

DOMINGUEZ GAP SPREADING GROUNDS

Type Deep
 Season First Used 1957-58

AREA

Gross 54 acres
 Wetted 24 acres

CAPACITIES

Channel* 146,000 cfs
 Intakes 5 cfs
 Storage 234 acre-ft.
 Percolation** 1 cfs

Location South of Del Amo Blvd. and bordering the
 eastern and western sides of the Los
 Angeles River.

Water Source(s) Controlled flows from the Los Angeles
 River low flow channel and uncontrolled
 flows from storm drains.

Remarks East side basin used for flood regulation
 with some water conservation storage.
 Intake capacity is 20 cfs for low flow
 diversion from the Los Angeles River. The
 west side basin is fed by a 42-inch siphon
 from the east side basin.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

EATON SPREADING BASIN

Type Deep
 Season First Used 1956-57

AREA

Gross 16 acres
 Wetted 10 acres

CAPACITIES

Channel* 9,500 cfs
 Intakes 400 cfs
 Storage 284 acre-ft.
 Percolation** 20 cfs
 Location East side of Eaton Wash, north of Duarte Rd, 0.6 mile south of Huntington Dr.

Water Source(s) Controlled flows from Eaton Wash Dam and uncontrolled flows between dam and spreading basin.

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

EATON WASH SPREADING GROUNDS

Type Deep & Shallow
Season First Used 1947-48

AREA

Gross 28 acres
Wetted 25 acres

CAPACITIES

Channel* 6,600 cfs
Intakes 200 cfs
Storage 525 acre-ft.
Percolation** 14 cfs
Location Easterly side of Eaton Wash from below
 Eaton Dam to Foothill Blvd.

Water Source(s) Controlled flows from Eaton Wash Dam.
 Imported water can be spread in strip
 basins.

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

FORBES SPREADING GROUNDS

Type	Shallow
Season First Used	1964-65

AREA

Gross	21 acres
Wetted	10 acres

CAPACITIES

Channel*	9,000 cfs
Intakes	100 cfs
Storage	87 acre-ft.
Percolation**	5 cfs

Location	South side of San Dimas Wash between Lone Hill Ave. and Valley Center Ave.
----------	--

Water Source(s)	Controlled releases from Puddingstone Diversion Dam and uncontrolled flows from San Dimas Wash; imported water also.
-----------------	--

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

HANSEN SPREADING GROUNDS

Type	Shallow
Season First Used	1944-45

AREA

Gross	156 acres
Wetted	105 acres

CAPACITIES

Channel*	22,000 cfs
Intakes	400 cfs
Storage	279 acre-ft.
Percolation**	150 cfs

Location	Northwesterly side of Tujunga Wash from above Glenoaks Blvd. Southwesterly to San Fernando Rd.
----------	--

Water Source(s)	Controlled flows from Hansen Dam and Big Tujunga Dam.
-----------------	---

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES***IRWINDALE / MANNING PIT SPREADING BASINS***

Type	Deep
Season First Used	1958-59

AREA

Gross	62 acres
Wetted	30 acres

CAPACITIES

Channel*	25,500 cfs
Intakes	400 cfs
Storage	1,134 acre-ft.
Percolation**	60 cfs

Location	Northeasterly of intersection of Big Dalton Channel and Irwindale Ave; continues 1,300 feet east of Irwindale Ave.
----------	--

Water Source(s)	Controlled flows from Big and Little Dalton Debris Dams and Puddingstone Diversion Dam via Big Dalton Channel; uncontrolled flows; also imported releases.
-----------------	--

Remarks	Irwindale Spreading Basin cleaned out in summer of 1996.
---------	--

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

LITTLE DALTON SPREADING GROUNDS

Type Shallow
Season First Used 1931-32

AREA

Gross 14 acres
Wetted 5 acres

CAPACITIES

Channel* 8,600 cfs
Intakes 20 cfs
Storage 5 acre-ft.
Percolation** 15 cfs
Location Westerly of Glendora Mt. Rd. from Little
 Dalton Debris Basin south of East Palm Dr.

Water Source(s) Controlled flows from Little Dalton Debris
 Basin and imported water. (Imported water
 delivery commenced in October 1995).

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

LIVE OAK SPREADING GROUNDS

Type	Shallow
Season First Used	1961-62

AREA

Gross	5 acres
Wetted	3 acres

CAPACITIES

Channel*	2,600 cfs
Intakes	15 cfs
Storage	12 acre-ft.
Percolation**	13 cfs
Location	Westerly side of Live Oak Wash. North of Base Line Road (projected).

Water Source(s)	Controlled flows from Live Oak Dam and Live Oak Debris Basin.
-----------------	---

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

LOPEZ SPREADING GROUNDS

Type	Shallow
Season First Used	1956-57

AREA

Gross	18 acres
Wetted	12 acres

CAPACITIES

Channel*	11,000 cfs
Intakes	25 cfs
Storage	24 acre-ft.
Percolation**	15 cfs
Location	Southeasterly side of Pacoima Wash, northeasterly of Foothill Blvd.

Water Source(s)	Controlled flows from Pacoima Dan and Lopez Flood Control Basin.
-----------------	--

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

PACOIMA SPREADING GROUNDS

Type Shallow
Season First Used 1932-33

AREA

Gross 169 acres
Wetted 107 acres

CAPACITIES

Channel* 17,000 cfs
Intakes 600 cfs
Storage 440 acre-ft.
Percolation** 65 cfs

Location Both sides of old Pacoima Wash Channel
 from Arleta Ave. southwesterly to
 Woodman Ave.

Water Source(s) Controlled flows from Pacoima Dam.
 Partially controlled flow from Lopez Flood
 Control Basin, uncontrolled flow from East
 Canyon and Pacoima Wash; also imported
 water.

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

PECK ROAD SPREADING BASIN

Type	Deep
Season First Used	1959-60

AREA

Gross	157 acres
Wetted	105 acres

CAPACITIES

Channel*	30,100 cfs
Intakes	30,100 cfs
Storage	3,347 acre-ft.
Percolation**	25 cfs
Location	Confluence of Sawpit and Santa Anita Washes.

Water Source(s)	Controlled releases from Santa Anita and Sawpit Debris Basins and uncontrolled flows from local runoff via Sawpit and Santa Anita Washes.
-----------------	---

Remarks	Instream spreading facility.
---------	------------------------------

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

RIO HONDO COASTAL SPREADING GROUNDS

Type Shallow
 Season First Used 1937-38

AREA

Gross 570 acres
 Wetted 430 acres

CAPACITIES

Channel* 40,000 cfs
 Intakes 1,950 cfs
 Storage 3,694 acre-ft.
 Percolation** 400 cfs

Location Easterly side of Rio Hondo southerly from Southern Pacific R. R. (south of Whittier Blvd.) to Slauson Ave; west side of side of Rio Hondo Channel from 0.2 miles above Whittier Blvd. South to Foster Bridge Blvd.

Water Source(s) Controlled releases from San Gabriel Canyon Dams, Santa Fe and Whittier Narrows Dam. Uncontrolled runoff via San Gabriel River, Rio Hondo Channel and their tributaries. Also imported and reclaimed water.

Remarks In cooperation with the U.S Army Corps of Engineers. Public Works operates 1,200 A.F. pool at Whittier Narrows Dam for retention of storm water.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES
S.G. RIVER (MONTEBELLO FOREBAY)

Type	Shallow
Season First Used	1954-55

AREA

Gross	308 acres
Wetted	308 acres

CAPACITIES

Channel*	20,000 cfs
Intakes	In river Percolation
Storage	913 acre-ft.
Percolation**	75 cfs
Location	Head-works to Firestone Ave. only. Storage behind the seven rubber dams installed at each drop structure.

Water Source(s)	Controlled releases from San Gabriel Canyon Dams, Santa Fe and Whittier Narrows Dams. Also imported and reclaimed water.
-----------------	--

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES***S.G. RIVER (SAN GABRIEL VALLEY)***

Type	Shallow
Season First Used	1965-66

AREA

Gross	196 acres
Wetted	196 acres

CAPACITIES

Channel*	41,000 – 98,000 cfs
Intakes	In river Percolation
Storage	0 acre-ft.
Percolation**	180 cfs
Location	San Gabriel River from Santa Fe Dam to Whittier Narrows Dam.

Water Source(s)	Controlled flows from dams in the San Gabriel Canyon, Santa Fe Dam, and uncontrolled valley runoff below Santa Fe Dam. Also imported water.
-----------------	---

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

SAN DIMAS CANYON SPREADING GROUNDS

Type Shallow
Season First Used 1965-66

AREA

Gross 22 acres
Wetted 11 acres

CAPACITIES

Channel* 7,000 cfs
Intakes 25 cfs
Storage 22 acre-ft.
Percolation** 12 cfs
Location Southeast side of San Dimas Wash
 between Puddingstone Diversion and San
 Dimas Canyon Rd.

Water Source(s) Controlled releases from Puddingstone
 Diversion Dam; Uncontrolled flows from
 local storm runoff.

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

SAN GABRIEL CANYON SPREADING GROUNDS

Type Deep
Season First Used 1917

AREA

Gross 165 acres
Wetted 140 acres

CAPACITIES

Channel* 98,000 cfs
Intakes 150 cfs
Storage 8,170 acre-ft.
Percolation** 50 cfs

Location Easterly side of San Gabriel River. Below mouth of San Gabriel Canyon. North of the City of Azusa.

Water Source(s) San Gabriel River controlled releases from Cogswell Dam, San Gabriel Dam and Morris Dam. Committee of Nine surplus flows and imported water.

Remarks There are 2 intakes to this facility, one is fed from surplus 'Committee of Nine' flows. The other is from the river into basin No. 2.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

SAN GABRIEL COASTAL SPREADING GROUNDS

Type Shallow
Season First Used 1938-39

AREA

Gross 128 acres
Wetted 96 acres

CAPACITIES

Channel* 20,000 cfs
Intakes 350 cfs
Storage 550 acre-ft.
Percolation** 75 cfs

Location Westerly side of San Gabriel River,
 southerly from Whittier Blvd. To
 Washington Blvd.

Water Source(s) Controlled releases from San Gabriel
 Canyon Dams, Santa Fe and Whittier
 Narrows Dams. Also imported and
 reclaimed water.

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES***SANTA ANITA SPREADING GROUNDS***

Type	Shallow
Season First Used	1944-45

AREA

Gross	20 acres
Wetted	8 acres

CAPACITIES

Channel*	12,000 cfs
Intakes	20 cfs
Storage	25 acre-ft.
Percolation**	5 cfs
Location	Westerly side of Santa Anita Wash, 1.25 miles above Foothill Blvd.

Water Source(s)	Controlled flows from Santa Anita Dam and Santa Anita Debris Basin.
-----------------	---

Remarks	Santa Anita Head-works located upstream of the debris basin diverts water to Santa Anita spreading grounds and City of Sierra Madre spreading grounds.
---------	--

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

SANTA FE SPREADING GROUNDS

Type Shallow
Season First Used 1953-54

AREA

Gross 338 acres
Wetted 168 acres

CAPACITIES

Channel* 98,000 cfs
Intakes 600 cfs
Storage 540 acre-ft.
Percolation** 400 cfs

Location Within Santa Fe Dam reservoir and
 spillway areas.

Water Source(s) Controlled flows from San Gabriel Canyon
 Reservoirs. Uncontrolled flows from San
 Gabriel River below Morris Reservoirs; also
 imported water.

Remarks New diversion head-works structure
 constructed, consisting of a new rubber
 dam and 2 intakes gates.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

SAWPIT SPREADING GROUNDS

Type	Shallow
Season First Used	1946-47

AREA

Gross	12 acres
Wetted	4 acres

CAPACITIES

Channel*	5,000 cfs.
Intakes	30 cfs.
Storage	13 acre-ft.
Percolation**	12 cfs

Location	Westerly side of Sawpit Wash below mouth of canyon near Norumbega Drive, Monrovia.
----------	--

Water Source(s)	Controlled flows from Sawpit Reservoir and Sawpit Debris Basin.
-----------------	---

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES***VALLEY RUBBER DAM***

Type	Shallow
Season First Used	1994-95

AREA

Gross	60 acres
Wetted	60 acres

CAPACITIES

Channel*	60,000 cfs
Intakes	In river Percolation
Storage	400 acre-ft.
Percolation**	0 cfs
Location	Drop structure south of Valley Blvd, at the confluence of the San Gabriel River and Walnut Creek.

Water Source(s)	Same as Forbes and Irwindale/Manning Pit; may also receive releases from San Gabriel Canyon dams and imported water.
-----------------	--

Remarks

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – PUBLIC WORKS FACILITIES

WALNUT SPREADING BASIN

Type	Deep
Season First Used	1962-63

AREA

Gross	16 acres
Wetted	8 acres

CAPACITIES

Channel*	8,000 cfs
Intakes	150 cfs
Storage	170 acre-ft.
Percolation**	5 cfs

Location	West side of Walnut Wash, north of San Bernardino Freeway.
----------	--

Water Source(s)	Controlled flows from Puddingstone Reservoir and uncontrolled flows from Walnut Creek.
-----------------	--

Remarks	Basin cleaned out summer of 1995.
---------	-----------------------------------

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

APPENDIX H

HYDROLOGIC REPORT 2007 – 2008

WATER CONSERVATION – SUMMARY – OTHER FACILITIES

WATER CONSERVATION – SUMMARY – OTHER FACILITIES***SIERRA MADRE (CITY OF SIERRA MADRE)***

Type Shallow Basins.
 Season First Used Circa 1933

AREA

Gross 22 acres
 Wetted 9 acres

CAPACITIES

Channel* N/A
 Intakes 25 cfs
 Storage 47 acre-ft.
 Percolation** 15 cfs
 Location City of Sierra Madre, south side of
 Grandview Avenue, 1/2 mile west of Santa
 Anita Avenue.

Water Source(s) Little Santa Anita Creek and street runoff;
 also controlled flows from Santa Anita
 Dam.

Remarks Public Works diverts water to this facility via
 pipeline from Santa Anita Head-works.
 Channel capacity not applicable.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
 Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – OTHER FACILITIES***THOMPSON CREEK POMONA VALLEY PROTECTIVE ASSOCIATION***

Type Ditches Checks and Deep Basin
Season First Used Circa 1928

AREA

Gross 53 acres
Wetted 37 acres

CAPACITIES

Channel* N/A
Intakes 35 cfs
Storage 0 acre-ft.
Percolation** 15 cfs
Location Southerly from and adjacent to Thompson
Creek Dam, east side of Creek.

Water Source(s) Cobal, Williams, Palmer, and Padua
Creeks, also Thompson Creek, when
reservoir is above elevation 1,625.

Remarks Operated by the Pomona Valley Protective
Association. Public Works diverts water to
this facility via the Palmer diversion.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates.
Numbers do not reflect long term spreading operations.

WATER CONSERVATION – SUMMARY – OTHER FACILITIES
TUJUNGA (L.A. CITY DEPT. OF WATER AND POWER)

Type Shallow Basins.
Season First Used Circa 1931

AREA

Gross 188 acres
Wetted 83 acres

CAPACITIES

Channel* 22,000 cfs
Intakes 400 cfs
Storage 100 acre-ft.
Percolation** 120 cfs

Location San Fernando Valley, east side of Tujunga Wash at Roscoe Blvd.

Water Source(s) Controlled releases from Big Tujunga Dam, Hansen Dam and uncontrolled runoff from storm drains; also imported water.

Remarks Public Works has an agreement with the City of Los Angeles to operate this facility.

Footnotes:

* Design capacity of main channel.

** The capacities listed are estimates of infiltration rates. Numbers do not reflect long term spreading operations.

APPENDIX I

HYDROLOGIC REPORT 2007 – 2008

WATER CONSERVATION – SUMMARY – WATER CONSERVED

WATER CONSERVATION – SUMMARY – WATER CONSERVED

County of Los Angeles Department of Public Works
Total Monthly Water Conserved 2007-08
(Acre-Feet)

AREA	SPREADING FACILITY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ACC TOT	Historic Average	Historic High	
																Amnt	Wtr Yr
San Fernando Valley Facilities	Branford	51	55	75	172	74	28	18	25	17	19	19	16	569	421	1,448	2004-05
	Hansen	34	447	529	3,780	2,660	999	732	890	447	0	0	0	10,518	11,003	35,221	1982-83
	Lopez	0	0	0	151	348	+	88	47	0	0	0	0	634	546	1,938	1967-68
	Pacoima	0	52	281	1,900	2,100	1	555	137	0	0	0	0	5,026	4,874	22,973	1982-83
	Tujunga†	118	119	174	1,750	963	748	14	0	266	283	241	216	4,892	8,230	42,817	1982-83
	Tujunga Wash	135	381	136	963	1,257	702	60	7	91	188	67	7	3,994	9,924	39,602	2004-05
	SUBTOTAL1	338	1,054	1,195	8,716	7,402	2,478	1,467	1,106	821	490	327	239	25,633	25,074		
San Gabriel Valley Facilities	Ben Lomond	0	0	26	298	11	64	30	16	1,730	0	0	0	2,175	3,108	8,160	2004-05
	Big Dalton	0	0	4	69	132	200	33	0	106	0	0	0	544	636	3,766	1966-67
	Buena Vista	3	11	37	33	26	16	3	11	3	3	3	3	152	610	2,731	1957-58
	Citrus	29	101	63	239	43	33	43	31	103	16	21	0	722	938	6,478	1994-95
	Eaton Basin	29	19	25	430	45	16	4	36	34	15	23	0	676	1,078	3,481	1982-83
	Eaton Grounds	0	0	0	454	701	57	6	0	0	0	0	0	1,218	945	4,761	1982-83
	Forbes	0	8	0	82	0	0	0	0	0	128	0	0	218	776	2,628	1986-87
	Irwindale	129	160	362	289	111	118	0	42	24	37	0	0	1,272	5,466	41,280	1991-92
	Little Dalton	0	+	1	50	57	44	11	57	0	0	0	0	220	567	5,546	1995-96
	Live Oak	0	0	0	33	41	10	19	2	0	57	19	12	193	210	1,660	1982-83
	Peck Road	221	197	306	619	570	433	324	347	298	270	231	445	4,261	7,817	50,026	1982-83
	San Dimas Canyon	210	193	0	+	189	344	218	175	63	45	0	14	1,451	1,746	6,049	1982-83
	San Gabriel Canyon	441	1,650	1,770	1,910	2,620	2,160	80	53	400	1,830	1,580	3,120	17,614	14,575	33,577	2002-03
	Santa Anita	1	0	3	93	164	25	24	64	32	29	0	13	448	473	1,641	1965-66
	Santa Fe SG	0	0	0	166	0	1,710	32	7	0	605	0	0	2,520	27,236	124,478	1982-83
	Sawpit	25	37	26	39	160	117	13	53	56	0	11	6	543	769	2,926	1982-83
Walnut	126	118	157	179	133	241	101	102	369	56	107	99	1,788	1,378	3,261	2004-05	
Sierra Madre†	38	0	92	196	485	263	180	109	36	43	0	20	1,462	1,682	5,003	1966-67	
Fish Canyon†	81	206	254	324	874	594	487	448	428	548	530	533	5,307	2,738	9,737	1978-79	
S.G. River Perc. Reach from Morris Dam to W.N. Dam	Morris Dam to Sta. F190	246	247	272	816	892	1,361	1,182	990	433	9,224	4,904	5,598	26,165	23,307	119,600	1977-78
	Sta. F190 to Santa Fe Dam O/F	14	26	27	670	28	61	73	142	7	1,731	1,806	1,290	5,875	9,751	141,600	1968-69
	Santa Fe Dam O/F to Sta. F263	1,218	1,092	1,032	1,215	1,269	1,659	1,522	47	73	6,466	3,497	1,078	20,168	27,102	103,347	2004-05
	SUBTOTAL2	2,811	4,065	4,457	8,204	8,551	9,526	4,385	2,732	4,323	20,975	12,732	12,231	94,992	132,908		
Coastal Plain Facilities	Rio Hondo Coastal	442	1,107	4,122	17,631	5,286	304	175	701	376	836	1,979	3,766	36,725	62,006	96,363	1978-79
	Whittier Narrows Reservoir	994	2,245	318	7,426	351	358	655	3,424	890	2,938	1,763	2,119	23,481	29,632	102,610	1991-92
	San Gabriel Coastal	1,032	3,153	6,250	8,016	6,223	4,677	2,976	2,870	316	14	62	0	35,589	24,792	81,586	1992-93
	Dominguez Gap**	0	10	0	0	0	0	5	307	298	282	118	253	1,273	570	2,414	1961-62
	SUBTOTAL3	2,468	6,515	10,690	33,073	11,860	5,339	3,811	7,302	1,880	4,070	3,922	6,138	97,068	117,000		
Total Water	Conserved	5,617	11,634	16,342	49,993	27,813	17,343	9,663	11,140	7,024	25,535	16,981	18,608	217,693	274,982		

Note: † Owned by other entities.

** Spreading Grounds closed the entire water year due to construction of Dominguez Gap Wetland.

e Estimated.

+ Less than one AF.

‡ Reach from below Big Tujunga to Hansen Dam.

APPENDIX J

HYDROLOGIC REPORT 2007 – 2008

WATER CONSERVATION – SUMMARY – IMPORTED WATER

WATER CONSERVATION – SUMMARY – IMPORTED WATER

IMPORTED WATER OUTLET RELEASES: *Water Delivered in Acre-Feet*

	Metropolitan Water District of Southern California										SGVMWD					Wast to Ocean	MONTHLY TOTAL SPREAD	
	CB-48		Thompson Creek CB-28	Alhambra CB-36	USG 3		Beatty Canyon	TVMWD		S.G. Canyon		Citrus	San Dimas					
	CB	MSGB			MSGB/Santa Fe	San Gab. Cyn.		PM-26	Live Oak	Basin 1	MSGB		CB	MSGB	Forbe			
OCT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NOV	750.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	750.3
DEC	231.4	0.0	528.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	759.6
JAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FEB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAR	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
APR	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JUN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,813.0	0.0	0.0	0.0	1,813.0
JUL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AUG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,505.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,505.0
TOTAL	981.7	0.0	528.2	0.0	0.0	0.0	0.0	0.0	0.0	1,505.0	0.0	0.0	0.0	1,813.0	0.0	0.0	0.0	4,827.9

APPENDIX K

HYDROLOGIC REPORT 2007 – 2008

WATER CONSERVATION – SUMMARY – RECLAIMED WATER

WATER CONSERVATION – SUMMARY – RECLAIMED WATER

RECLAIMED WATER : *Water Delivered in Acre-Feet*

	WHITTIER NARROWS PLANT				SAN JOSE PLANT				POMONA PLANT				MONTHLY TOTAL WASTED	MONTHLY TOTAL SPREAD
	Delivered		Wasted	Monthly Spread	Delivered		Wasted	Monthly Spread	Delivered		Wasted	Monthly Spread		
	Rio Hondo	San Gabriel			Rio Hondo	San Gabriel			Rio Hondo	San Gabriel				
OCT	401.9	146.6	0.0	548.5	329.7	1,396.6	0.0	1,726.3	33.8	192.1	0.0	225.9	0.0	2,500.7
NOV	0.0	615.4	0.0	615.4	0.0	2,636.4	0.0	2,636.4	0.0	432.6	0.0	432.6	0.0	3,684.3
DEC	0.0	705.1	0.0	705.1	103.9	3,054.8	0.0	3,158.7	21.0	596.8	0.0	617.8	0.0	4,481.6
JAN	0.0	711.7	159.4	552.3	1,313.0	2,047.3	399.7	2,960.6	250.6	418.5	106.9	562.2	666.0	4,075.2
FEB	233.8	357.9	16.6	575.1	1,276.5	1,402.7	18.0	2,661.2	296.1	330.6	11.3	615.4	46.0	3,851.7
MAR	0.0	668.2	0.0	668.2	129.0	2,630.9	0.0	2,759.9	27.1	430.7	0.0	457.8	0.0	3,885.9
APR	417.8	142.1	0.0	559.9	0.0	2,545.9	0.0	2,545.9	0.0	332.4	0.0	332.4	0.0	3,438.2
MAY	140.3	379.1	0.0	519.5	358.9	2,223.1	0.0	2,582.0	47.2	290.8	0.0	337.9	0.0	3,439.4
JUN	436.5	0.0	0.0	436.5	488.5	1,251.4	0.0	1,739.9	34.1	163.3	0.0	197.4	0.0	2,373.8
JUL	507.0	0.0	0.0	507.0	2,237.7	253.5	0.0	2,491.2	180.8	26.8	0.0	207.6	0.0	3,205.8
AUG	370.2	120.8	0.0	491.0	1,285.5	610.8	0.0	1,896.3	112.3	93.9	0.0	206.2	0.0	2,593.5
SEP	33.5	0.0	0.0	33.5	1,776.1	196.2	0.0	1,972.3	200.8	30.3	0.0	231.1	0.0	2,236.9
TOTAL	2,541.1	3,846.9	176.1	6,211.9	9,298.9	20,249.6	417.7	29,130.7	1,203.8	3,338.7	118.2	4,424.3	712.0	39,766.9

APPENDIX L

HYDROLOGIC REPORT 2007 – 2008

WATER CONSERVATION – SUMMARY – GROUND WATER

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. **460K**
 State Well No. **4S12W28H09**
 Latitude: **33-47-51**

Longitude: **118-08-17**Thomas Guide Page: **796 A3****WS_ELEV 1995-96**

10/13/1995	-31.60
11/18/1995	-19.40
12/18/1995	-25.40
01/22/1996	-18.60
02/21/1996	-10.30
03/20/1996	-11.60
04/22/1996	-5.80
05/23/1996	-37.40
06/21/1996	-51.80
07/22/1996	-62.60
08/23/1996	-64.80
09/23/1996	-78.90

WS_ELEV 1996-97

10/23/1996	-70.40
11/23/1996	-70.40
12/23/1996	-70.40
01/23/1997	-8.10
02/18/1997	-6.40
03/18/1997	-7.80
04/22/1997	-44.40
05/18/1997	-74.40
06/18/1997	-93.20
07/22/1997	-98.80
08/21/1997	-101.20
09/20/1997	-103.40

WS_ELEV 1997-98

10/21/1997	-57.10
11/14/1997	-45.20
12/19/1997	-29.10
01/14/1998	-20.20
02/16/1998	-24.40
03/19/1998	-11.80
04/14/1998	-8.10
05/17/1998	-58.50
06/16/1998	-86.10
07/15/1998	-95.60
08/24/1998	-111.50
09/24/1998	-113.30

WS_ELEV 1998-99

10/16/1998	-61.30
11/16/1998	-42.20
12/13/1998	-21.80
01/23/1999	-22.90
02/17/1999	-32.20
03/22/1999	-14.50
04/19/1999	-15.40
05/18/1999	-70.40
06/18/1999	-88.40
07/22/1999	-96.40
09/24/1999	-107.40

WS_ELEV 1999-00

10/24/1999	-48.90
11/22/1999	-35.90
01/19/2000	-29.30
02/24/2000	-28.00
03/22/2000	-19.90
04/21/2000	-25.00
05/01/2000	-81.20
06/20/2000	-97.90
07/17/2000	-102.70
08/22/2000	-109.00
09/23/2000	-109.40

WS_ELEV 2000-01

10/23/2000	-63.60
11/23/2000	-45.20
12/23/2000	-41.60
01/20/2001	-38.40
02/20/2001	-31.90
03/23/2001	-30.30
04/15/2001	-22.80
05/24/2001	-85.20
06/20/2001	-98.50
07/22/2001	-104.90
08/23/2001	-107.90
09/24/2001	-110.30

WS_ELEV 2001-02

10/20/2001	-70.40
11/19/2001	-48.40
01/20/2002	-40.80
02/22/2002	-44.10
03/21/2002	-27.20
04/18/2002	-22.00
05/23/2002	-90.00
06/22/2002	-120.50
07/24/2002	-107.40
08/18/2002	-108.90
09/12/2002	-109.90

WS_ELEV 2002-03

10/22/2002	-70.40
11/20/2002	-51.00
12/01/2002	-40.80
01/22/2003	-38.30
02/20/2003	-37.70
03/17/2003	-30.90
04/18/2003	-45.90
05/23/2003	-88.10
06/23/2003	-73.70
07/18/2003	-68.20
08/20/2003	-57.50
09/24/2003	-71.40

WS_ELEV 2003-04

10/22/2003	-49.70
11/22/2003	-50.40
12/10/2003	-38.40
01/22/2004	-41.40
02/23/2004	-31.20
03/22/2004	-24.40
04/17/2004	-23.10
05/22/2004	-48.60
06/20/2004	-67.50
07/20/2004	-95.40
08/17/2004	-102.20
09/21/2004	-105.90

WS_ELEV 2004-05

10/20/2004	-61.40
11/18/2004	-48.00
12/23/2004	-53.40
01/17/2005	-33.20
02/24/2005	-26.90
03/23/2005	-21.30
04/23/2005	-21.40
05/23/2005	-39.40
06/15/2005	-38.50
07/17/2005	-69.30
08/23/2005	-66.90
09/22/2005	-74.40

WS_ELEV 2005-06

10/22/2005	-37.40
11/21/2005	-30.90
12/15/2005	-28.40
01/22/2006	-14.40
02/22/2006	-13.30
03/22/2006	-13.40
04/23/2006	-8.30
05/23/2006	-53.80
06/18/2006	-73.20
07/23/2006	-70.80
08/22/2006	-81.20
09/23/2006	-93.50

WS_ELEV 2006-07

10/23/2006	-40.70
11/18/2006	-28.70
12/20/2006	-21.50
01/18/2007	-19.30
02/24/2007	-15.90
03/17/2007	-13.40
04/16/2007	-13.20
05/22/2007	-41.30
06/16/2007	-83.50
07/17/2007	-106.90
08/22/2007	-101.90
09/22/2007	-103.70

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATERReading for well No. **460K**State Well No. **4S12W28H09**Latitude: **33-47-51**Longitude: **118-08-17**Thomas Guide Page: **796 A3****WS_ELEV 2007-08**

10/24/2007	-108.90
11/18/2007	-102.40
12/17/2007	-97.40
01/21/2008	-87.50
02/24/2008	-77.00
03/23/2008	-68.80
04/22/2008	-40.40
05/24/2008	-67.90
06/16/2008	-77.80
07/18/2008	-90.20

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. 906D

State Well No. 4S13W12K01

Latitude: 33-50-10

Longitude: 118-11-35

Thomas Guide Page: 765 D5

WS_ELEV 1995-96

10/13/1995	-31.40
11/18/1995	-19.50
12/18/1995	-12.70
01/22/1996	-8.90
02/21/1996	-6.10
03/20/1996	-0.70
04/23/1996	2.50
05/23/1996	-7.10
06/21/1996	-19.70
07/22/1996	-30.80
08/23/1996	-41.00
09/23/1996	-49.00

WS_ELEV 1996-97

10/31/1996	-10.90
11/23/1996	-22.20
12/23/1996	-48.20
01/23/1997	-5.40
02/18/1997	-1.40
03/18/1997	3.20
04/22/1997	-8.90
05/18/1997	-33.20
06/18/1997	-52.00
07/22/1997	-66.20
08/21/1997	-73.70
09/20/1997	-80.70

WS_ELEV 1997-98

10/22/1997	-1.30
11/14/1997	-53.50
12/19/1997	-36.50
01/14/1998	-28.00
02/16/1998	-19.20
03/19/1998	-11.40
04/14/1998	-6.50
05/17/1998	-15.20
06/16/1998	-45.80
07/15/1998	-56.50
08/24/1998	-71.00
09/24/1998	-74.60

WS_ELEV 1998-99

10/16/1998	-67.40
11/16/1998	-50.70
12/13/1998	-30.20
02/17/1999	-17.20
03/22/1999	-11.20
04/28/1999	-7.00
05/18/1999	-20.70
06/18/1999	-43.20
07/22/1999	-63.70
09/24/1999	-80.80

WS_ELEV 1999-00

10/24/1999	-58.20
11/22/1999	-43.50
12/17/1999	-38.70
01/19/2000	-30.30
02/24/2000	-5.40
03/22/2000	-16.00
04/21/2000	-11.20
05/20/2000	-29.40
06/20/2000	-57.00
07/17/2000	-67.20
08/22/2000	-78.30
09/23/2000	-86.00

WS_ELEV 2000-01

10/23/2000	-67.70
11/23/2000	-54.70
12/23/2000	-44.40
01/20/2001	-36.10
02/20/2001	-34.80
03/23/2001	-29.20
04/15/2001	-22.50
05/24/2001	-42.20
06/20/2001	-66.30
07/22/2001	-71.80
08/23/2001	-78.90
09/24/2001	-84.80

WS_ELEV 2001-02

10/20/2001	-74.00
11/19/2001	-52.20
01/20/2002	-34.40
02/22/2002	-33.00
03/21/2002	-26.90
04/19/2002	-21.10
05/23/2002	-37.90
06/22/2002	-40.70
07/24/2002	-70.60
08/18/2002	-73.20
09/12/2002	-80.00

WS_ELEV 2002-03

10/22/2002	-73.50
11/20/2002	-58.30
12/20/2002	-48.40
01/22/2003	-37.50
02/20/2003	-35.40
03/17/2003	-29.60
04/18/2003	-26.80
05/23/2003	-41.20
06/23/2003	-50.00
07/18/2003	-54.00
08/20/2003	-53.20
09/24/2003	-53.10

WS_ELEV 2003-04

10/22/2003	-41.40
11/22/2003	-39.20
12/10/2003	-39.40
01/22/2004	-37.30
02/23/2004	-32.00
03/22/2004	-25.50
04/17/2004	-19.50
05/22/2004	-23.10
06/20/2004	-29.20
07/20/2004	-49.00
08/17/2004	-59.00
09/21/2004	-68.20

WS_ELEV 2004-05

10/20/2004	-65.50
11/18/2004	-49.50
01/17/2005	-36.00
02/24/2005	-26.40
03/23/2005	-50.70
04/23/2005	-64.20
05/23/2005	-15.70
06/15/2005	-18.70
07/17/2005	-28.40
08/23/2005	-41.20
09/22/2005	-41.30

WS_ELEV 2005-06

10/22/2005	-35.30
11/21/2005	-27.60
12/15/2005	-21.90
01/22/2006	-13.40
02/22/2006	-12.00
03/22/2006	-6.10
04/23/2006	-2.20
05/23/2006	-9.70
06/18/2006	-24.10
07/23/2006	-35.90
08/22/2006	-40.20
09/23/2006	-47.80

WS_ELEV 2006-07

10/23/2006	-40.20
11/18/2006	-30.10
12/20/2006	-20.50
01/18/2007	-12.30
02/24/2007	-38.20
03/17/2007	-38.20
04/16/2007	0.40
05/22/2007	-7.70
06/16/2007	-23.70
07/17/2007	-43.40
08/22/2007	-57.10
09/22/2007	-62.60

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. 906D

State Well No. 4S13W12K01

Latitude: 33-50-10

Longitude: 118-11-35

Thomas Guide Page: 765 D5

WS_ELEV 2007-08	
10/24/2007	-67.70
11/18/2007	-71.00
12/17/2007	-71.70
01/21/2008	-66.40
02/24/2008	-62.10
03/23/2008	-60.20
04/22/2008	-47.10
04/22/2008	-49.70
05/24/2008	-42.90
06/16/2008	-43.60
07/18/2008	-48.60

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. 1601T

State Well No. 2S12W24M08

Latitude: 33-58-49

Longitude: 118-05-59

Thomas Guide Page: 676 E6

WS_ELEV 1995-96

10/27/1995	113.30
11/30/1995	113.40
12/29/1995	115.60
01/24/1996	118.10
02/29/1996	124.90
03/29/1996	128.40
04/25/1996	128.70
05/30/1996	125.10
06/28/1996	125.80
07/25/1996	123.80
08/31/1996	120.10
09/27/1996	119.50

WS_ELEV 1996-97

10/24/1996	117.70
11/29/1996	117.50
12/27/1996	124.70
01/30/1997	129.40
02/28/1997	129.20
03/28/1997	125.30
04/25/1997	127.20
05/23/1997	126.70
06/27/1997	124.60
07/31/1997	124.60
08/28/1997	120.20
09/27/1997	116.20

WS_ELEV 1997-98

10/31/1997	113.20
11/28/1997	112.10
12/24/1997	117.30
01/31/1998	122.30
02/28/1998	126.30
03/27/1998	128.20
04/30/1998	129.60
05/29/1998	127.70
06/26/1998	126.40
07/31/1998	124.90
08/28/1998	120.40
09/25/1998	117.30

WS_ELEV 1998-99

10/30/1998	116.20
11/27/1998	115.90
12/31/1998	115.20
01/29/1999	115.20
02/26/1999	117.50
03/26/1999	118.00
04/30/1999	120.00
05/28/1999	116.50
06/25/1999	115.40
07/30/1999	108.60
08/27/1999	104.90
09/24/1999	100.90

WS_ELEV 1999-00

10/29/1999	96.70
11/26/1999	96.10
12/31/1999	97.50
01/28/2000	103.70
02/25/2000	113.60
03/31/2000	119.80
04/21/2000	119.90
05/26/2000	119.40
06/30/2000	117.20
07/28/2000	113.50
08/18/2000	108.80

WS_ELEV 2000-01

10/27/2000	104.40
11/24/2000	105.90
12/30/2000	109.40
01/26/2001	108.80
02/22/2001	111.70
03/23/2001	117.30
04/26/2001	117.40
05/25/2001	113.30
06/29/2001	109.00
07/27/2001	104.40
08/31/2001	99.00
09/28/2001	98.00

WS_ELEV 2001-02

10/26/2001	96.60
11/23/2001	99.00
12/31/2001	100.00
01/25/2002	113.80
02/22/2002	112.40
03/29/2002	110.70
04/26/2002	109.50
05/31/2002	107.80
06/28/2002	106.10
07/26/2002	104.90
08/31/2002	99.20
09/27/2002	94.80

WS_ELEV 2002-03

10/25/2002	92.80
11/22/2002	99.10
12/28/2002	111.10
01/31/2003	111.00
02/28/2003	114.90
03/26/2003	118.20
04/18/2003	117.90
05/30/2003	114.20
06/27/2003	107.70
07/25/2003	100.70
08/29/2003	93.40
09/26/2003	88.80

WS_ELEV 2003-04

10/31/2003	85.80
11/28/2003	86.60
12/26/2003	87.30
01/30/2004	90.50
02/28/2004	97.90
03/26/2004	105.10
04/23/2004	101.50
05/29/2004	94.90
06/25/2004	90.30
07/30/2004	88.00
08/27/2004	83.70
09/18/2004	79.20

WS_ELEV 2004-05

10/30/2004	85.90
11/26/2004	93.20
12/31/2004	103.50
01/29/2005	114.20
02/25/2005	117.20
03/25/2005	120.40
04/29/2005	121.60
05/14/2005	122.20
06/24/2005	120.10
07/29/2005	116.80
08/26/2005	111.80
09/30/2005	105.90

WS_ELEV 2005-06

10/28/2005	102.90
11/26/2005	99.20
12/30/2005	97.70
01/27/2006	101.10
02/25/2006	102.50
03/31/2006	113.70
04/28/2006	119.30
05/27/2006	120.30
06/30/2006	117.00
07/28/2006	114.30
08/25/2006	113.90
09/30/2006	109.00

WS_ELEV 2006-07

10/27/2006	106.70
11/25/2006	106.90
12/29/2006	109.30
01/26/2007	112.40
02/24/2007	110.70
03/28/2007	112.50
04/27/2007	115.30
05/25/2007	111.60
06/30/2007	105.30
07/28/2007	100.40
08/31/2007	94.90
09/28/2007	91.00

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. 1601T

State Well No. 2S12W24M08

Latitude: 33-58-49

Longitude: 118-05-59

Thomas Guide Page: 676 E6

WS_ELEV 2007-08

10/26/2007	87.40
11/03/2007	86.50
12/28/2007	89.20
01/26/2008	97.70
02/29/2008	107.70
03/28/2008	104.70
04/25/2008	99.80
05/31/2008	93.50
06/28/2008	88.80
07/25/2008	84.70

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATERReading for well No. **3030F**State Well No. **1S10W07R02**Latitude: **34-05-34**Longitude: **117-57-46**Thomas Guide Page: **598 C4****WS_ELEV 2007-08**

10/26/2007	211.30
11/03/2007	210.90
12/28/2007	209.00
01/26/2008	208.80
02/29/2008	208.80
03/28/2008	207.40
04/25/2008	206.10
05/31/2008	204.40
06/28/2008	202.70
07/25/2008	202.30

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. 3872H

State Well No. 1N14W14F05

Latitude: 34-10-20

Longitude: 118-19-18

Thomas Guide Page: 563 F1

WS_ELEV 1995-96

10/23/1995	476.60
11/28/1995	485.60
12/19/1995	477.30
01/17/1996	476.70
02/28/1996	483.40
03/19/1996	484.10
04/22/1996	483.30
05/15/1996	477.20
06/12/1996	475.90
07/22/1996	474.90
08/20/1996	474.60
09/17/1996	473.40

WS_ELEV 1996-97

10/28/1996	482.00
11/26/1996	475.40
12/30/1996	478.20
01/18/1997	483.10
03/12/1997	483.10
04/09/1997	483.20
05/07/1997	474.70
06/18/1997	477.60
08/12/1997	478.00
09/09/1997	471.10

WS_ELEV 1997-98

12/16/1997	477.90
01/26/1998	478.60
02/25/1998	478.60
03/24/1998	479.80
04/20/1998	471.00
05/13/1998	470.70
06/10/1998	471.30
07/20/1998	472.90
08/18/1998	471.20
09/09/1998	475.20

WS_ELEV 1998-99

10/21/1998	471.60
11/23/1998	471.60
12/28/1998	480.50
03/16/1999	480.00
04/26/1999	479.40
05/25/1999	472.90
06/15/1999	469.90
07/26/1999	466.20
08/17/1999	469.70
09/28/1999	463.10

WS_ELEV 1999-00

12/21/1999	465.30
01/26/2000	468.60
02/15/2000	468.20
03/27/2000	467.90
05/23/2000	457.70
06/19/2000	456.50
08/16/2000	464.80

WS_ELEV 2000-01

10/17/2000	455.50
11/14/2000	454.60
12/27/2000	454.90
01/30/2001	454.10
02/28/2001	454.50
03/27/2001	463.70
04/17/2001	458.80
06/11/2001	463.90
07/16/2001	463.70
08/13/2001	463.40
09/11/2001	462.70

WS_ELEV 2001-02

10/15/2001	462.60
11/13/2001	462.40
12/26/2001	462.40
01/15/2002	462.90
02/13/2002	463.10
03/27/2002	462.90
04/15/2002	462.60
07/29/2002	461.40
09/25/2002	460.60

WS_ELEV 2002-03

10/21/2002	460.40
12/20/2002	460.00
01/29/2003	459.50
06/25/2003	458.90
07/08/2003	458.80
08/18/2003	458.30
09/16/2003	457.80

WS_ELEV 2003-04

10/22/2003	457.20
11/24/2003	456.80
12/24/2003	456.80
01/14/2004	456.30
02/18/2004	455.40
03/29/2004	455.70
04/27/2004	455.90
05/19/2004	455.30
07/21/2004	454.80
09/21/2004	453.30

WS_ELEV 2004-05

10/13/2004	453.60
11/17/2004	452.80
12/20/2004	453.30
03/07/2005	454.10
04/25/2005	455.70
05/23/2005	454.80
06/15/2005	448.70
08/18/2005	458.70
09/21/2005	460.40

WS_ELEV 2005-06

10/24/2005	461.00
11/22/2005	462.40
12/20/2005	462.40
01/17/2006	463.40
02/21/2006	464.00
04/04/2006	464.00
06/14/2006	465.90
07/24/2006	466.00
08/21/2006	466.10
09/14/2006	466.20

WS_ELEV 2006-07

10/17/2006	465.70
11/20/2006	466.70
12/27/2006	466.10
01/23/2007	466.20
02/20/2007	468.10
03/21/2007	468.20
04/18/2007	467.80
05/23/2007	467.60
06/19/2007	467.40

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. **4057H**
State Well No. **1N12W33G01**
Latitude: **34-07-43**

Longitude: **118-08-34**

Thomas Guide Page: **565 J7**

WS_ELEV 2007-08	
03/29/2008	Dry

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. **4284A**
State Well No. **1N10W22P02**
Latitude: **34-09-03**

Longitude: **117-55-02**

Thomas Guide Page: **568 H3**

WS_ELEV 2007-08	
11/19/2007	559.00
05/01/2008	605.00

WATER CONSERVATION – WELL MEASUREMENT – GROUND WATER

Reading for well No. **4508A**
State Well No. **1S08W02D01**
Latitude: **34-07-06**

Longitude: **117-41-53**

Thomas Guide Page: **571 F7**

WS_ELEV 2007-08	
10/21/2007	1482.00
04/26/2008	

CUSTODIAN:

Unpublished information may be obtained by contacting:

County of Los Angeles
Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460

...or telephone: (626) 458-6120